

TABLE 1. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT AUBURN, AL 1/  
2005 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	MAY	JUN	QUALITY RATINGS				MEAN
						JUL	AUG	SEP	OCT	
TIFT NO. 4	8.3	4.3	6.7	6.3	8.7	9.0	8.7	8.3	8.0	8.2
TIFSPORT	8.0	5.0	6.3	7.0	8.7	8.0	8.3	8.0	7.3	7.9
OKC 70-18	5.3	7.3	6.7	8.0	8.3	8.3	7.3	7.0	7.3	7.7
TIFWAY	8.0	5.7	6.7	6.7	8.0	7.3	7.0	8.0	8.3	7.6
PREMIER (OR 2002)	7.0	7.3	6.7	6.3	7.0	8.3	7.7	6.7	6.0	7.0
TIFT NO. 3	8.7	6.7	6.0	5.3	7.0	8.0	8.0	7.0	6.3	6.9
ASHMORE	6.0	5.3	4.7	5.7	7.3	7.7	7.3	6.3	6.3	6.8
PRINCESS 77	7.3	4.7	5.7	5.3	7.3	7.0	7.0	7.0	6.3	6.7
GN-1	7.7	6.3	6.0	6.0	6.7	7.3	6.3	6.3	7.0	6.6
TIFT NO. 1	7.0	3.3	6.3	5.0	6.3	7.3	7.3	6.7	6.3	6.5
PATRIOT	8.0	5.0	6.0	6.0	6.7	6.3	7.0	6.0	6.3	6.4
AUSSIE GREEN	6.3	6.0	6.7	6.3	6.0	6.3	7.3	6.0	5.7	6.3
SWI-1003	5.3	3.7	5.7	4.7	7.0	6.7	7.3	6.3	5.7	6.3
SWI-1044	6.0	5.3	5.3	4.7	6.7	6.3	7.3	6.3	5.7	6.2
SWI-1041	6.0	5.0	5.0	3.7	6.7	6.7	7.0	6.7	6.0	6.1
SWI-1046	6.7	5.3	6.0	5.7	6.0	6.3	7.0	5.7	5.7	6.1
MIDLAWN	5.0	6.0	5.7	6.7	6.7	6.0	6.0	4.7	5.7	5.9
MS-CHOICE	7.0	5.3	6.0	4.3	5.3	7.0	7.0	6.0	6.0	5.9
SWI-1001	6.0	6.3	6.3	4.7	6.0	6.7	5.3	6.3	6.3	5.9
TIFT NO. 2	6.7	2.7	5.7	4.0	6.0	6.0	6.3	5.7	6.0	5.7
CELEBRATION	9.0	5.3	5.3	3.0	5.3	6.7	7.3	6.3	5.0	5.6
SR 9554	5.7	6.3	6.3	4.7	5.0	5.7	5.3	6.3	5.7	5.4
YUKON	7.0	6.7	5.0	4.3	5.7	5.3	6.0	6.0	5.3	5.4
SWI-1012	7.3	5.7	5.7	3.7	5.0	5.7	5.7	5.7	6.0	5.3
SUNSTAR	5.0	6.0	5.3	3.7	5.7	5.0	5.3	6.3	5.3	5.2
ARIZONA COMMON	5.3	5.7	4.7	3.0	5.3	4.7	5.0	6.3	5.0	4.9
CIS-CD6	5.0	6.7	5.0	4.0	5.7	4.3	5.0	5.7	4.7	4.9
LAPALOMA (SRX 9500)	6.0	6.0	5.3	4.0	4.7	5.0	5.3	5.7	5.0	4.9
SOUTHERN STAR	6.3	5.3	5.7	3.7	5.7	5.0	4.7	5.3	5.0	4.9
CONTESSA (SWI-1045)	6.3	5.3	6.0	3.7	4.0	4.7	5.0	6.0	6.0	4.9
RIVIERA	6.0	6.7	5.0	3.7	4.7	5.7	5.0	5.0	5.0	4.8
SUNBIRD (PST-R68A)	6.0	6.3	6.3	3.7	4.7	4.3	5.7	5.3	5.3	4.8
CIS-CD5	4.7	6.3	4.7	2.3	5.0	4.7	4.7	4.7	5.0	4.4
SWI-1014	5.7	6.7	4.0	4.0	3.7	4.7	4.7	5.7	4.0	4.4
TRANSCONTINENTAL	5.0	6.3	5.0	3.3	4.3	4.3	4.3	5.0	4.7	4.3
FMC-6	5.0	6.7	5.3	3.3	4.3	3.7	4.3	4.7	4.0	4.1
SUNDEVIL II	4.7	6.7	5.7	3.0	4.3	4.0	4.3	4.7	4.3	4.1
B-14	5.3	6.0	5.3	3.0	3.3	4.0	4.3	4.7	4.0	3.9
NUMEX SAHARA	5.7	5.3	4.7	2.3	3.7	3.7	3.7	5.0	4.3	3.8
CIS-CD7	5.0	5.7	5.7	2.3	4.0	3.7	3.7	4.7	4.0	3.7
MOHAWK	4.3	6.7	6.3	2.0	2.7	3.3	4.3	5.0	4.7	3.7
PANAMA	4.3	5.3	4.0	2.0	3.3	2.3	3.3	3.7	3.7	3.1
LSD VALUE	1.6	1.6	3.4	1.7	2.0	1.8	2.2	3.1	2.4	1.6
C.V. (%)	16.1	16.2	19.9	24.4	21.4	19.6	21.4	22.2	22.2	17.4

+\* -

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 2.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT FAYETTEVILLE, AR 1/  
2005 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	FROST TOLERANCE	SEEDHEAD RATINGS		MAY	JUN	QUALITY RATINGS			MEAN
					MAY	JUNE			JUL	AUG	SEP	
TIFSPORT	8.0	4.7	7.0	5.7	9.0	5.7	6.7	7.0	7.7	7.3	7.0	7.1
OKC 70-18	6.7	7.0	6.3	4.0	7.7	6.0	7.3	6.3	7.3	7.3	6.7	7.0
TIFWAY	7.0	6.0	7.0	4.7	9.0	6.3	7.3	6.7	7.0	7.3	6.7	7.0
PREMIER (OR 2002)	7.3	6.7	7.0	6.0	8.3	7.3	6.3	7.0	7.3	7.3	6.3	6.9
MIDLAWN	6.3	7.0	6.3	4.3	9.0	7.7	6.7	6.3	7.3	7.0	6.3	6.7
PATRIOT	8.0	5.7	6.0	3.7	9.0	8.0	6.0	7.0	7.3	7.0	6.3	6.7
AUSSIE GREEN	8.0	4.0	6.0	3.7	9.0	8.0	5.7	6.7	7.0	7.0	6.0	6.5
CELEBRATION	8.0	3.7	7.0	5.7	9.0	6.0	5.7	6.0	7.3	6.7	6.0	6.3
TIFT NO. 4	8.0	3.3	7.0	3.3	9.0	3.0	5.7	7.0	6.3	6.7	6.0	6.3
GN-1	7.3	4.0	6.0	2.3	9.0	7.7	5.0	6.3	6.7	6.3	5.7	6.0
CONTESSA (SWI-1045)	7.0	4.7	5.0	5.3	8.0	5.3	5.0	6.0	6.7	6.0	5.7	5.9
ASHMORE	5.0	6.3	7.3	6.3	2.7	9.0	7.0	5.0	5.3	6.3	5.3	5.8
RIVIERA	6.7	5.7	5.0	4.0	7.0	7.7	5.0	6.0	6.3	6.3	5.3	5.8
SWI-1041	6.0	4.0	5.7	4.0	8.3	5.3	5.0	6.0	6.3	6.3	5.3	5.8
PRINCESS 77	7.3	2.3	6.7	3.3	9.0	6.3	4.0	6.0	7.0	6.0	5.3	5.7
SWI-1044	7.3	3.3	6.0	3.3	8.3	5.0	4.3	6.0	7.0	6.0	5.3	5.7
SWI-1046	8.0	2.3	6.7	5.0	8.7	5.0	4.3	6.0	7.0	6.0	5.3	5.7
TIFT NO. 2	7.3	2.0	6.7	3.7	8.3	4.3	4.7	5.7	6.7	6.0	5.3	5.7
YUKON	7.0	5.7	6.0	4.3	8.7	7.7	4.3	6.0	6.7	6.3	5.3	5.7
TIFT NO. 1	8.0	2.0	6.0	3.7	8.7	3.3	4.3	6.0	6.7	6.0	5.0	5.6
MS-CHOICE	8.0	3.0	5.7	6.3	8.7	8.7	4.0	6.0	6.7	6.0	5.0	5.5
SUNBIRD (PST-R68A)	6.7	4.7	5.0	3.3	5.3	6.0	4.7	5.7	5.7	5.7	5.0	5.3
SWI-1003	6.3	2.7	5.3	3.3	8.7	3.7	4.0	5.7	6.3	5.7	4.7	5.3
TIFT NO. 3	7.0	3.7	6.3	2.7	9.0	7.7	4.0	5.3	6.7	5.7	5.0	5.3
SWI-1001	6.3	4.0	5.3	3.3	7.0	6.0	4.7	5.0	6.0	5.3	5.0	5.2
CIS-CD6	5.3	5.0	4.3	3.7	5.7	7.0	4.7	5.3	5.3	5.7	4.7	5.1
FMC-6	6.7	4.7	5.7	3.3	6.7	7.0	4.0	5.0	6.3	5.3	5.0	5.1
LAPALOMA (SRX 9500)	5.7	5.0	4.3	4.7	6.0	7.0	4.3	5.7	5.3	5.7	4.7	5.1
SWI-1012	7.0	4.0	4.7	6.3	7.7	5.3	4.0	5.3	6.0	5.3	5.0	5.1
TRANSCONTINENTAL	6.3	5.3	5.7	3.7	4.7	6.3	4.3	5.0	5.7	5.0	5.0	5.0
CIS-CD7	5.7	5.3	4.3	3.3	6.0	6.7	4.3	5.0	5.3	5.0	4.7	4.9
MOHAWK	5.7	4.7	4.7	3.0	5.3	7.0	4.0	5.0	5.7	5.0	4.7	4.9
SWI-1014	6.3	5.0	4.7	3.3	7.7	7.3	4.0	5.3	5.3	5.3	4.3	4.9
PANAMA	5.7	4.3	5.0	4.0	5.7	6.0	4.0	4.7	5.7	5.0	4.7	4.8
NUMEX SAHARA	5.0	5.0	4.7	3.3	3.7	7.7	4.0	5.0	5.3	5.0	4.3	4.7
SR 9554	6.0	4.7	5.0	3.0	5.3	6.3	4.0	5.0	5.3	5.0	4.3	4.7
SUNSTAR	6.3	4.7	5.0	2.7	6.7	6.0	4.0	5.0	5.0	5.0	4.3	4.7
B-14	5.0	4.3	4.3	4.0	5.7	5.7	4.0	5.0	5.0	5.0	4.0	4.6
CIS-CD5	5.7	4.7	5.3	3.7	5.3	6.0	4.0	5.0	5.0	5.0	4.0	4.6
SOUTHERN STAR	6.0	4.7	5.0	3.7	6.0	5.7	4.0	5.0	5.0	5.0	4.0	4.6
ARIZONA COMMON	5.3	4.7	4.7	3.3	5.7	6.7	4.0	4.7	5.0	5.0	4.0	4.5
SUNDEVIL II	5.7	4.7	4.7	3.7	4.3	5.3	4.0	5.0	4.7	5.0	4.0	4.5
LSD VALUE	1.3	0.9	1.0	1.9	1.0	1.2	0.7	0.7	1.3	0.6	0.7	0.5
C.V. (%)	12.1	13.5	11.0	26.3	9.7	12.3	10.3	8.0	12.4	6.7	9.5	6.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 3.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT TUCSON, AZ 1/  
2005 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT COVER FALL	FALL COLOR SEPTEMBER	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	FALL COLOR DECEMBER	SEEDHEAD RATINGS
TIFT NO. 4	8.0	8.7	8.0	94.7	93.0	91.7	7.3	8.7	7.3	7.3	6.3
PREMIER (OR 2002)	7.7	8.7	7.7	90.0	94.3	80.0	6.0	7.3	5.7	5.0	7.7
TIFSPORT	7.7	8.3	8.0	96.3	92.7	86.7	6.7	8.0	6.7	5.3	8.3
TIFWAY	8.3	9.0	8.0	95.0	91.7	71.7	6.0	7.3	4.7	4.3	7.7
OKC 70-18	7.3	9.0	8.3	91.7	88.3	61.7	4.7	5.7	3.0	2.3	6.3
CELEBRATION	7.3	8.7	8.0	99.0	91.3	66.7	8.0	8.0	6.3	4.0	4.7
GN-1	6.0	7.7	6.7	63.3	80.0	78.3	7.7	7.0	6.7	6.0	7.0
MS-CHOICE	4.3	7.0	6.7	61.7	80.0	70.0	7.7	7.3	5.3	3.3	9.0
SWI-1046	8.0	8.3	7.7	90.0	91.7	71.7	7.0	7.3	5.7	4.7	4.0
TIFT NO. 3	7.7	8.0	7.0	85.0	95.7	80.0	6.7	6.7	6.7	5.3	8.3
AUSSIE GREEN	6.7	8.3	7.3	68.3	83.3	56.7	6.3	6.3	4.7	3.0	7.3
SWI-1003	8.0	8.0	7.3	94.7	86.7	75.0	7.0	7.3	5.7	5.0	5.7
RIVIERA	6.0	7.3	6.7	68.3	89.3	75.0	7.0	6.7	5.3	4.3	7.0
SWI-1041	7.3	8.0	7.3	88.3	87.7	83.3	6.7	6.0	5.3	5.3	6.3
CONTESSA (SWI-1045)	7.7	7.7	7.0	81.7	86.7	80.0	6.7	7.3	6.3	5.7	7.0
TIFT NO. 1	7.3	8.0	7.0	86.7	88.0	75.0	6.7	7.0	5.3	4.7	6.7
TIFT NO. 2	6.7	8.0	6.7	85.0	85.0	80.0	6.7	7.3	6.3	4.7	6.0
PRINCESS 77	6.0	7.0	6.7	75.0	78.3	73.3	6.3	7.3	5.3	5.3	7.0
MIDLAWN	6.7	8.0	8.0	60.0	73.3	21.7	5.7	5.7	3.7	2.0	6.7
SWI-1012	7.3	7.7	6.7	81.7	83.3	58.3	6.3	5.7	5.0	3.3	6.7
SWI-1044	7.0	7.3	6.3	78.3	91.7	73.3	6.3	5.7	5.7	4.0	6.3
PATRIOT	6.3	7.7	6.7	68.3	76.7	28.3	5.7	7.0	3.7	2.0	9.0
SUNDEVIL II	5.7	7.0	6.0	58.3	76.7	45.0	5.0	5.7	3.7	2.7	6.0
SWI-1001	5.7	7.3	7.0	65.0	75.0	70.0	6.7	6.3	5.7	5.0	7.0
SWI-1014	6.3	6.3	5.7	75.0	75.0	50.0	6.0	6.0	4.0	2.3	6.3
SUNBIRD (PST-R68A)	4.3	6.7	6.3	55.0	80.0	65.0	5.7	6.0	5.0	3.7	7.0
PANAMA	4.0	6.7	6.0	36.7	75.0	61.7	5.3	5.7	4.7	4.0	6.7
TRANSCONTINENTAL	5.3	6.7	5.7	66.7	83.3	33.3	5.0	4.7	3.3	2.3	6.0
CIS-CD7	4.7	6.0	6.0	58.3	71.7	71.7	6.7	6.7	4.7	3.7	7.3
LAPALOMA (SRX 9500)	4.0	7.0	6.0	30.0	71.7	58.3	5.7	6.7	4.3	4.0	7.5
ASHMORE	8.3	9.0	9.0	86.3	87.3	10.0	4.3	4.0	2.0	1.3	7.0
CIS-CD6	6.0	6.7	5.7	65.0	76.7	25.0	5.3	6.3	4.0	3.0	7.7
SOUTHERN STAR	5.0	6.3	5.0	61.7	73.3	38.3	5.3	4.3	4.0	3.0	6.3
NUMEX SAHARA	4.7	5.7	5.3	36.7	76.7	31.7	5.0	5.7	3.7	2.7	8.0
YUKON	5.0	8.0	7.0	57.5	85.0	40.0	7.5	7.0	5.0	3.0	8.0
ARIZONA COMMON	4.3	5.0	5.0	31.7	70.0	51.7	5.7	6.0	4.7	3.7	7.7
FMC-6	3.0	5.7	5.0	30.0	71.7	48.3	5.7	4.7	4.3	3.0	7.0
SR 9554	5.5	6.0	6.0	40.0	72.5	50.0	5.0	6.5	4.5	3.0	6.0
SUNSTAR	5.0	5.7	5.0	45.0	73.3	48.3	5.7	6.0	4.0	3.3	7.7
B-14	3.7	6.0	5.0	28.3	61.7	56.7	5.3	5.3	4.3	3.3	7.7
CIS-CD5	4.0	6.3	6.0	31.7	70.0	45.0	5.7	6.7	4.3	3.3	7.3
MOHAWK	4.0	5.3	5.0	28.3	75.0	41.7	4.7	5.3	3.3	2.7	7.5
LSD VALUE	1.8	0.7	1.0	23.1	12.7	19.1	1.4	2.0	1.2	1.4	1.8
C.V. (%)	17.9	6.4	9.4	22.0	9.0	20.3	13.2	16.7	15.3	22.8	13.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 3.  
(CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT TUCSON, AZ 1/  
2005 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	QUALITY RATINGS									MEAN
				APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV		
TIFT NO. 4	7.0	8.0	7.3	6.3	4.3	8.0	7.0	7.0	7.0	8.7	8.3	7.1	
PREMIER (OR 2002)	6.0	6.3	7.7	6.3	5.0	8.3	7.3	7.0	7.0	7.3	7.3	7.0	
TIFSPORT	7.0	7.3	7.3	6.3	4.3	8.7	6.7	6.7	7.0	8.0	8.0	7.0	
TIFWAY	6.0	6.3	7.7	6.7	4.0	8.7	7.3	7.3	6.7	7.7	7.7	7.0	
OKC 70-18	5.7	4.7	8.0	6.7	6.3	7.3	7.3	7.0	7.0	6.3	7.3	6.9	
CELEBRATION	7.7	9.0	7.0	6.3	5.0	7.3	7.0	7.3	6.7	7.0	7.7	6.8	
GN-1	6.7	8.3	6.0	4.3	6.7	7.0	7.0	6.7	7.3	7.7	7.7	6.8	
MS-CHOICE	6.7	8.0	5.7	4.0	8.7	6.0	6.0	6.3	8.0	7.3	8.0	6.8	
SWI-1046	6.0	7.0	6.7	6.3	5.0	7.3	6.7	7.0	6.7	7.7	7.7	6.8	
TIFT NO. 3	6.3	7.0	6.3	6.3	5.0	8.0	7.3	7.0	6.3	7.0	7.3	6.8	
AUSSIE GREEN	7.0	7.3	7.0	4.7	5.3	8.0	7.0	6.7	7.0	7.7	7.3	6.7	
SWI-1003	6.7	7.7	6.7	6.3	4.7	8.0	7.0	6.7	6.3	7.0	7.7	6.7	
RIVIERA	6.3	7.3	5.7	4.3	6.7	6.7	7.0	6.0	7.3	7.3	7.0	6.5	
SWI-1041	6.3	7.0	6.7	5.3	5.0	7.7	7.0	6.7	6.3	7.0	7.3	6.5	
CONTESSA (SWI-1045)	6.3	6.7	5.7	5.0	4.3	7.7	7.0	6.3	6.7	7.7	7.0	6.5	
TIFT NO. 1	6.7	7.0	6.3	5.3	5.7	7.3	6.3	7.0	6.3	7.0	6.7	6.5	
TIFT NO. 2	6.3	7.0	6.3	5.3	4.7	7.3	6.7	6.3	6.7	8.0	7.0	6.5	
PRINCESS 77	6.0	6.7	6.0	4.7	5.7	8.0	6.5	6.5	6.5	7.0	7.0	6.4	
MIDLAWN	5.3	5.3	7.0	4.0	4.7	7.3	7.7	6.5	7.0	7.3	7.0	6.3	
SWI-1012	6.0	6.3	6.0	5.7	5.7	6.7	6.3	6.3	6.0	6.7	6.3	6.2	
SWI-1044	6.3	6.3	5.7	5.0	4.7	7.0	6.7	6.0	6.0	6.3	7.0	6.1	
PATRIOT	5.7	5.7	6.7	4.7	4.7	8.3	7.3	5.0	6.3	6.3	5.7	6.0	
SUNDEVIL II	5.0	5.0	5.0	4.3	7.0	5.7	6.3	6.0	6.3	6.0	5.7	5.9	
SWI-1001	5.7	6.7	6.0	4.3	6.0	6.0	5.3	6.0	6.3	6.7	6.3	5.9	
SWI-1014	5.7	6.0	5.0	4.3	5.7	6.7	6.7	5.7	6.0	6.0	4.3	5.7	
SUNBIRD (PST-R68A)	5.3	5.7	5.3	3.7	6.3	5.7	5.7	5.3	6.3	6.3	5.7	5.6	
PANAMA	5.3	5.3	5.0	3.3	6.3	5.0	5.7	5.3	6.3	6.3	5.7	5.5	
TRANSCONTINENTAL	5.0	5.0	5.0	4.3	6.3	5.0	6.0	5.7	5.7	5.3	5.7	5.5	
CIS-CD7	6.3	7.0	4.7	3.7	6.0	5.7	5.3	5.3	5.7	5.7	6.0	5.4	
LAPALOMA (SRX 9500)	5.7	6.0	5.0	3.3	6.7	5.0	5.3	5.0	6.0	5.7	6.0	5.4	
ASHMORE	4.3	4.3	8.7	5.3	4.7	6.7	6.3	5.0	5.3	4.3	4.7	5.3	
CIS-CD6	5.3	5.3	5.3	4.3	5.7	5.0	5.7	5.0	5.3	4.7	5.7	5.2	
SOUTHERN STAR	5.0	5.3	4.3	4.0	6.3	5.3	5.7	5.3	5.3	4.3	5.3	5.2	
NUMEX SAHARA	5.3	5.0	4.7	3.3	5.7	4.7	5.7	4.7	5.7	5.3	6.0	5.1	
YUKON	6.0	7.0	5.5	3.0	6.0	6.5	4.0	6.0	6.0	5.0	7.0	5.1	
ARIZONA COMMON	5.0	5.7	4.7	3.7	5.3	5.0	6.0	4.7	5.3	4.7	5.3	5.0	
FMC-6	5.0	5.7	4.7	2.3	6.0	4.3	5.7	4.7	5.7	5.0	6.7	5.0	
SR 9554	4.7	4.3	5.0	3.0	6.5	6.0	6.0	6.0	7.0	5.0	5.0	4.9	
SUNSTAR	5.0	5.7	5.0	3.0	5.3	5.0	4.3	4.7	5.3	5.3	5.0	4.8	
B-14	4.7	5.0	4.7	2.3	5.0	4.7	5.3	4.3	5.3	5.3	4.7	4.6	
CIS-CD5	5.3	5.7	5.0	2.7	5.7	3.7	4.7	4.7	5.3	5.0	5.3	4.6	
MOHAWK	4.7	4.3	4.7	2.3	5.0	5.0	4.0	3.5	4.5	4.7	4.0	4.1	
LSD VALUE	1.1	1.5	0.9	1.5	1.8	1.3	1.2	1.1	1.3	1.4	1.1	0.8	
C.V. (%)	11.2	14.6	10.1	20.3	17.2	12.9	11.0	10.6	10.8	13.9	11.1	8.5	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 4.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT RIVERSIDE, CA 1/  
2005 DATA

## TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	WINTER COLOR	QUALITY RATINGS												MEAN
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
PREMIER (OR 2002)	8.0	6.0	5.3	5.0	6.0	6.7	6.7	7.7	6.7	5.0	4.3	5.3	4.0	4.3	5.6
GN-1	8.0	5.0	4.7	5.7	6.0	6.0	6.7	7.7	6.0	5.3	4.7	5.3	4.0	4.3	5.5
TIFT NO. 3	7.7	6.3	5.0	6.0	6.3	7.0	7.0	7.3	5.3	4.3	4.0	4.3	4.3	4.7	5.5
AUSSIE GREEN	7.7	4.3	4.3	4.7	5.3	7.0	7.0	7.7	7.0	4.7	4.7	4.3	4.0	4.0	5.4
PATRIOT	7.3	3.0	4.0	4.3	6.3	6.0	6.7	8.0	7.7	5.7	4.7	4.0	4.3	3.3	5.4
TIFWAY	8.0	5.3	4.7	5.3	6.0	6.0	6.7	7.7	7.0	5.0	4.7	4.7	4.0	3.0	5.4
MIDLAWN	7.7	3.0	4.0	5.3	7.0	7.0	7.0	7.0	5.0	4.7	4.7	4.3	4.0	3.7	5.3
RIVIERA	7.0	4.3	4.0	4.3	5.7	6.0	6.3	7.0	6.3	5.7	5.0	5.0	4.7	4.0	5.3
SWI-1041	7.3	6.0	4.7	5.3	6.3	6.0	5.7	6.3	6.3	5.0	4.3	5.0	4.0	4.3	5.3
CONTESSA (SWI-1045)	7.3	4.0	4.0	4.3	6.0	6.0	5.7	6.7	6.7	6.0	5.3	4.7	4.3	4.3	5.3
SWI-1003	6.7	4.3	4.0	4.7	5.3	6.3	6.7	7.0	6.0	5.0	4.7	4.3	4.0	4.0	5.2
TIFSPORT	8.0	5.7	5.0	5.7	6.3	6.3	7.0	8.0	5.0	4.3	3.7	4.0	4.0	3.3	5.2
OKC 70-18	7.3	2.3	4.0	4.3	6.0	6.3	7.0	8.0	6.0	4.3	4.0	4.0	4.0	3.7	5.1
SWI-1012	7.0	3.7	4.0	4.3	5.3	5.0	5.7	6.3	5.3	5.7	5.3	5.3	4.3	4.0	5.1
SWI-1046	7.0	3.7	4.0	4.3	5.0	6.0	6.0	6.3	6.0	5.3	5.3	5.0	4.0	4.0	5.1
MS-CHOICE	6.7	3.3	4.0	4.0	4.3	5.7	6.7	7.0	5.0	6.0	4.0	5.0	5.0	3.7	5.0
PRINCESS 77	6.7	3.7	4.0	4.0	5.0	5.7	5.7	5.7	6.0	5.7	5.7	5.0	4.0	3.7	5.0
SWI-1044	7.0	4.0	4.0	4.0	5.3	6.0	6.0	7.0	5.7	4.3	4.3	4.3	4.3	4.3	5.0
TIFT NO. 1	7.0	4.0	4.0	4.3	5.3	5.0	6.0	6.3	5.7	5.0	5.0	4.3	4.0	3.7	4.9
CELEBRATION	6.7	3.7	4.0	4.0	4.7	4.7	5.0	5.0	5.7	5.3	5.0	5.0	4.3	4.3	4.8
SWI-1014	6.0	4.0	4.0	4.0	4.0	5.7	6.0	5.3	5.3	5.3	5.3	5.0	4.0	4.0	4.8
TIFT NO. 2	6.7	4.7	4.0	4.3	4.7	5.7	5.3	5.3	5.7	5.7	4.7	4.7	4.0	3.7	4.8
YUKON	7.3	1.7	3.7	3.7	5.0	5.0	5.3	6.0	5.7	5.7	4.7	5.0	4.0	3.7	4.8
SUNBIRD (PST-R68A)	6.0	5.0	4.3	4.3	4.0	5.7	5.3	5.0	5.0	5.3	4.7	4.3	4.3	4.0	4.7
TIFT NO. 4	7.0	3.7	4.0	4.3	5.0	5.0	5.7	6.3	4.7	5.0	4.0	5.0	4.0	3.7	4.7
TRANSCONTINENTAL	6.0	5.7	4.3	4.7	4.7	5.7	5.3	5.7	4.7	4.7	4.3	4.7	4.3	3.7	4.7
CIS-CD6	6.3	4.0	4.0	4.0	4.3	5.0	5.0	5.3	5.0	5.3	4.3	4.3	4.0	3.7	4.5
SOUTHERN STAR	5.7	4.0	4.0	4.3	4.0	4.7	5.0	5.0	4.7	5.0	4.7	4.3	4.3	3.7	4.5
SWI-1001	6.0	4.7	4.0	4.3	4.3	4.7	5.3	5.3	4.7	5.0	4.3	4.3	4.3	3.7	4.5
CIS-CD7	6.3	4.3	4.0	4.0	4.7	4.3	5.0	5.0	4.7	5.3	4.7	4.0	4.0	3.3	4.4
NUMEX SAHARA	5.0	4.7	4.0	3.7	4.0	5.3	5.3	4.3	5.0	4.3	4.7	4.3	4.3	3.7	4.4
ARIZONA COMMON	5.3	4.7	4.0	4.0	4.0	5.0	5.0	4.7	4.7	4.7	4.3	4.0	4.0	3.3	4.3
ASHMORE	8.0	1.0	4.0	4.0	5.3	7.0	5.7	4.0	4.0	3.0	3.3	4.0	4.0	3.3	4.3
B-14	5.3	4.7	4.0	4.3	4.0	4.7	5.0	4.7	4.3	4.3	4.3	4.0	4.3	4.0	4.3
FMC-6	5.7	4.3	4.0	4.0	4.0	4.3	4.7	4.7	4.7	5.0	4.3	4.0	4.0	3.3	4.3
LAPALOMA (SRX 9500)	6.3	4.7	5.0	3.7	4.7	4.3	4.7	4.7	4.7	4.7	4.0	4.3	4.0	3.3	4.3
MOHAWK	5.0	4.3	4.0	3.7	4.0	4.7	4.7	4.7	5.0	4.3	4.3	4.7	4.0	3.7	4.3
PANAMA	5.3	4.7	4.3	4.0	4.3	4.7	4.3	4.0	5.3	4.3	4.3	4.3	4.0	3.3	4.3
SR 9554	5.7	4.0	4.0	4.0	4.0	4.3	4.3	4.3	4.7	5.3	4.0	4.3	4.0	3.7	4.3
SUNDEVIL II	5.3	4.0	4.0	4.0	4.0	4.7	5.0	4.7	5.0	4.7	4.0	4.3	4.0	3.3	4.3
SUNSTAR	5.7	4.3	4.0	4.0	4.0	4.3	4.7	4.3	5.0	4.7	4.7	4.0	4.0	3.3	4.3
CIS-CD5	6.0	4.7	4.0	3.7	4.0	4.7	5.0	4.7	5.0	4.3	4.0	4.3	4.0	3.0	4.2
LSD VALUE	0.9	1.1	0.6	0.7	0.9	1.3	0.7	1.0	1.3	1.4	1.7	2.6	1.1	1.4	0.4
C.V. (%)	8.7	17.2	8.3	10.1	12.0	13.7	8.4	11.4	14.0	14.2	14.9	16.1	8.5	14.6	5.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT POMONA, CA 1/  
2005 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY FALL	FALL COLOR SEPTEMBER	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	FALL COLOR DECEMBER	SEEDHEAD RATINGS
PREMIER (OR 2002)	7.7	8.3	8.7	6.7	6.7	6.7	6.0	5.7	4.3
TIFSPORT	8.0	7.7	7.7	7.0	6.3	6.7	6.7	6.3	6.7
TIFT NO. 2	7.3	7.7	8.3	7.7	6.7	5.3	5.3	6.3	4.7
AUSSIE GREEN	7.3	7.3	7.7	7.3	7.0	6.3	6.0	6.0	4.7
TIFT NO. 3	7.7	7.3	8.0	7.0	7.0	6.3	5.7	5.7	6.0
CELEBRATION	8.0	8.0	8.3	6.3	6.3	7.3	6.7	6.7	6.0
MIDLAWN	8.3	8.0	8.3	7.3	6.3	6.3	5.7	5.0	6.7
MOHAWK	7.7	7.0	7.7	7.3	6.0	6.3	6.3	6.3	6.0
ASHMORE	6.3	7.0	7.7	7.3	5.7	5.7	5.7	4.7	7.0
TIFT NO. 4	7.7	7.7	8.0	6.3	5.7	6.0	5.7	4.7	2.7
GN-1	7.7	7.3	8.3	7.7	7.0	5.7	6.0	6.0	4.0
SWI-1003	6.7	7.7	8.7	6.3	5.3	6.3	6.0	5.3	5.3
OKC 70-18	7.3	7.3	7.7	7.3	6.3	5.7	5.3	4.3	4.7
SWI-1044	6.3	7.3	8.0	7.3	6.0	6.0	6.0	6.3	3.0
MS-CHOICE	6.7	7.3	7.7	7.0	6.7	5.7	5.0	4.7	4.3
SWI-1041	6.7	7.7	7.3	8.0	6.0	5.7	6.0	6.0	5.0
CONTESSA (SWI-1045)	7.3	7.0	8.3	8.0	7.0	5.7	5.7	5.3	4.0
TIFT NO. 1	6.7	7.3	7.7	6.3	6.3	5.7	5.7	5.0	4.3
PATRIOT	7.3	7.3	7.7	7.3	6.7	5.3	5.3	3.3	5.0
PRINCESS 77	6.7	7.0	7.3	8.3	6.0	5.7	6.0	5.7	4.3
RIVIERA	7.3	7.0	8.0	7.7	6.3	6.3	5.3	4.3	6.0
SUNDEVIL II	6.0	7.7	7.7	5.7	6.0	5.7	5.3	5.0	4.3
SWI-1046	7.0	7.7	7.3	7.7	6.0	5.0	5.3	5.3	5.7
ARIZONA COMMON	6.0	7.7	8.3	6.0	6.0	6.0	6.0	5.3	3.3
LAPALOMA (SRX 9500)	5.7	7.0	8.0	8.0	5.7	6.0	6.0	6.0	3.7
SUNBIRD (PST-R68A)	6.0	7.7	7.7	7.0	5.7	5.0	5.0	4.7	4.0
SWI-1001	5.7	6.7	7.0	7.0	6.3	5.0	5.0	4.0	4.3
SWI-1012	7.3	7.0	7.0	7.0	5.3	5.3	5.3	5.0	5.3
TIFWAY	6.3	6.7	7.0	6.3	5.3	5.0	5.0	4.3	5.7
TRANSCONTINENTAL	6.7	6.7	7.3	6.7	6.7	5.3	5.3	5.0	4.3
B-14	6.0	7.0	7.3	7.0	5.7	5.7	5.3	5.0	5.7
CIS-CD5	6.7	7.3	7.3	7.0	6.3	5.7	5.3	5.0	4.3
SR 9554	6.0	7.3	7.3	6.7	6.0	5.0	5.0	4.7	6.3
PANAMA	6.0	7.3	7.7	7.7	6.3	6.0	6.0	5.3	3.0
YUKON	6.0	7.0	7.3	7.3	6.7	5.0	5.0	4.3	5.0
CIS-CD6	6.0	7.0	7.7	7.0	5.7	5.3	5.3	5.0	3.7
CIS-CD7	6.3	7.0	7.7	6.7	5.7	5.7	5.0	4.3	3.7
SOUTHERN STAR	6.3	7.0	7.0	7.3	6.7	5.3	4.7	4.0	3.0
NUMEX SAHARA	6.0	6.3	7.0	7.7	5.7	5.0	5.0	4.7	5.3
SUNSTAR	6.3	6.0	6.7	6.3	5.7	5.3	5.3	5.3	4.0
SWI-1014	6.3	6.7	7.7	7.0	6.0	4.7	5.0	4.7	5.7
FMC-6	6.3	5.7	6.7	6.7	5.7	5.7	5.7	5.0	3.7
LSD VALUE	1.8	3.0	2.8	4.5	1.8	2.6	1.8	1.9	6.2
C.V. (%)	13.0	12.2	10.9	16.0	11.2	15.4	12.4	17.6	39.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5.  
(CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT POMONA, CA 1/  
2005 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS												MEAN
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
PREMIER (OR 2002)	6.7	7.7	8.3	8.3	6.3	8.0	8.3	8.0	8.0	7.3	7.3	7.0	7.6
TIFSPORT	6.7	7.7	8.0	8.0	6.7	7.3	7.3	7.0	7.3	7.3	7.3	6.7	7.3
TIFT NO. 2	6.3	7.7	7.7	7.7	7.0	7.7	7.3	7.7	7.3	7.0	7.0	6.3	7.2
AUSSIE GREEN	6.7	8.0	7.7	7.7	6.0	7.0	7.3	7.0	7.3	7.0	7.0	6.7	7.1
TIFT NO. 3	6.3	7.3	7.3	7.3	6.7	7.3	7.7	7.3	7.3	7.0	7.0	6.3	7.1
CELEBRATION	6.3	7.7	8.0	8.0	6.7	7.3	6.7	6.3	6.3	7.0	7.0	7.0	7.0
MIDLAWN	4.7	7.3	7.7	7.7	7.3	8.0	7.7	7.7	7.0	6.7	6.0	5.3	6.9
MOHAWK	5.7	7.0	7.0	7.0	7.0	7.0	7.7	7.7	7.3	7.0	6.7	6.3	6.9
ASHMORE	5.0	7.3	7.3	7.3	6.7	7.0	7.0	6.3	7.0	7.0	7.0	6.3	6.8
TIFT NO. 4	5.7	7.3	7.7	7.7	6.0	6.7	7.0	7.0	7.0	6.7	6.7	6.7	6.8
GN-1	5.0	7.3	7.3	7.3	6.0	7.0	7.0	6.7	7.0	6.7	6.7	6.0	6.7
SWI-1003	5.7	7.7	7.7	7.7	6.7	7.3	6.7	6.3	6.7	6.7	6.0	5.0	6.7
OKC 70-18	4.3	7.7	7.7	7.7	6.3	7.3	7.0	6.7	6.7	6.3	6.3	5.0	6.6
SWI-1044	5.7	7.7	7.3	7.3	6.7	6.0	7.0	6.7	6.3	6.3	6.0	5.7	6.6
MS-CHOICE	5.0	7.7	7.7	7.7	6.0	5.7	7.7	7.0	6.3	6.3	6.0	5.3	6.5
SWI-1041	6.0	7.0	7.0	7.0	6.7	6.0	6.7	6.3	6.3	6.3	6.0	6.0	6.4
CONTESSA (SWI-1045)	5.3	7.3	7.0	7.0	6.0	6.7	7.0	6.7	6.3	6.3	6.0	5.7	6.4
TIFT NO. 1	5.7	7.7	7.7	7.7	5.7	5.7	6.7	6.3	6.3	6.0	6.0	6.0	6.4
PATRIOT	4.7	7.0	7.0	7.0	6.0	6.3	6.3	6.7	6.7	6.3	6.3	5.3	6.3
PRINCESS 77	5.3	7.0	6.7	6.7	6.0	6.3	7.0	6.3	6.7	6.0	6.0	5.7	6.3
RIVIERA	4.7	7.0	7.0	7.0	6.3	6.0	6.7	6.7	6.3	6.3	6.0	5.7	6.3
SUNDEVIL II	5.0	7.3	7.7	7.7	5.7	5.7	7.0	6.3	6.3	5.7	5.7	5.7	6.3
SWI-1046	4.7	7.3	7.0	7.0	6.3	7.3	7.0	6.3	6.0	6.0	5.7	5.3	6.3
ARIZONA COMMON	4.7	7.7	7.7	7.7	6.0	5.0	7.0	6.3	6.0	5.3	5.3	5.3	6.2
LAPALOMA (SRX 9500)	5.3	8.0	7.7	7.7	5.7	5.3	6.0	5.7	6.0	5.7	5.7	5.3	6.2
SUNBIRD (PST-R68A)	4.3	7.3	7.3	7.3	5.7	5.3	7.0	6.7	6.3	5.3	5.3	4.7	6.1
SWI-1001	4.3	7.3	7.3	7.3	5.3	5.3	6.7	6.0	6.0	5.7	5.7	4.7	6.0
SWI-1012	4.3	7.3	7.0	7.0	6.0	5.7	6.3	6.3	6.0	5.7	5.7	4.7	6.0
TIFWAY	4.7	6.7	6.7	6.7	6.0	5.3	6.7	6.0	6.3	5.7	5.7	5.3	6.0
TRANSCONTINENTAL	4.7	7.0	6.7	6.7	5.3	6.0	6.3	6.0	6.0	6.0	6.0	5.3	6.0
B-14	4.3	7.0	7.0	7.0	6.3	5.3	5.7	5.7	6.3	5.7	5.3	4.7	5.9
CIS-CD5	4.7	7.0	6.3	6.3	5.7	6.0	6.3	6.3	6.0	5.7	5.7	5.3	5.9
SR 9554	4.3	7.0	7.0	7.0	5.7	6.3	6.3	6.3	5.7	5.3	5.0	5.0	5.9
PANAMA	4.7	7.3	7.3	7.3	5.3	5.7	6.0	6.0	5.3	5.0	5.0	4.7	5.8
YUKON	3.7	7.0	7.0	7.0	5.3	5.3	6.3	6.3	6.0	6.0	5.0	4.3	5.8
CIS-CD6	4.0	7.0	7.0	7.0	5.3	5.0	6.0	5.7	6.0	5.7	5.3	4.7	5.7
CIS-CD7	4.0	7.3	7.0	7.0	6.0	6.3	6.3	5.7	5.3	5.0	4.7	4.0	5.7
SOUTHERN STAR	3.7	7.3	7.0	7.0	6.0	5.3	5.7	5.7	5.7	5.0	5.0	4.7	5.7
NUMEX SAHARA	4.3	7.0	6.3	6.3	5.3	4.7	6.3	5.7	5.7	5.0	5.0	5.0	5.6
SUNSTAR	4.3	6.0	6.0	6.0	6.0	5.7	6.0	5.3	6.3	5.7	5.0	5.0	5.6
SWI-1014	4.3	6.7	6.7	6.7	5.3	5.3	5.3	5.3	6.0	5.3	5.0	5.0	5.6
FMC-6	3.7	6.0	5.3	5.3	5.3	5.0	6.7	5.7	6.0	5.3	5.3	5.0	5.4
LSD VALUE	2.7	1.1	2.5	2.5	2.5	1.6	0.9	1.4	0.9	1.6	1.3	1.4	0.8
C.V. (%)	23.0	7.3	12.0	12.0	13.7	14.3	7.7	11.4	8.4	13.1	12.2	14.3	7.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 6.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT JAY, FL 1/  
2005 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	DENSITY SPRING	DENSITY SUMMER	WINTER COLOR	FALL COLOR	FALL COLOR	FALL COLOR	APR	MAY	JUL	QUALITY RATINGS				NOV	MEAN
					SEPTEMBER	OCTOBER	NOVEMBER				AUG	SEP	OCT			
TIFSPORT	7.3	5.7	9.0	3.0	8.0	7.7	5.7	5.3	7.7	8.7	8.0	8.7	7.0	6.3	7.4	
TIFT NO. 3	7.0	6.0	9.0	3.3	8.0	7.7	5.3	6.0	7.3	8.3	8.0	8.7	7.3	5.3	7.3	
TIFWAY	7.3	6.0	9.0	1.7	8.3	7.7	5.7	5.7	7.3	8.7	8.0	9.0	6.7	5.7	7.3	
OKC 70-18	7.0	6.3	8.3	2.3	7.3	7.7	4.3	6.0	7.0	7.7	7.7	8.0	8.3	5.3	7.1	
PATRIOT	7.3	5.7	9.0	1.7	8.3	8.0	5.0	5.7	7.3	7.3	8.0	8.3	7.7	5.3	7.1	
PREMIER (OR 2002)	6.7	6.0	9.0	2.0	8.3	8.0	5.0	6.0	7.3	8.7	7.7	8.3	6.3	5.3	7.1	
TIFT NO. 4	7.0	6.3	9.0	1.3	8.7	6.0	4.7	6.0	7.7	7.7	8.0	8.0	6.7	5.0	7.0	
SWI-1044	7.0	5.7	9.0	1.7	8.3	6.7	5.3	5.0	7.0	8.0	8.0	8.3	6.7	5.3	6.9	
AUSSIE GREEN	7.0	5.7	9.0	1.3	7.7	7.7	3.7	5.7	7.3	7.7	8.0	8.0	6.0	5.0	6.8	
GN-1	6.7	5.7	9.0	1.7	7.3	6.3	4.0	5.3	7.3	8.0	8.0	8.0	6.0	4.7	6.8	
SWI-1003	6.7	5.3	9.0	2.3	7.3	7.7	5.3	4.7	7.3	7.7	8.0	8.0	6.3	5.3	6.8	
NUMEX SAHARA	6.7	5.0	9.0	2.3	7.7	6.7	4.3	5.0	6.7	7.7	8.0	8.3	6.3	4.7	6.7	
ASHMORE	6.3	5.3	9.0	1.3	7.0	7.7	4.3	5.7	7.0	7.0	7.7	7.3	6.7	5.0	6.6	
SWI-1041	6.7	5.0	9.0	3.3	7.7	7.3	5.0	4.3	6.7	8.0	7.7	8.0	6.7	5.0	6.6	
CONTESSA (SWI-1045)	6.7	5.3	9.0	3.0	7.7	6.7	4.0	4.3	6.3	7.7	7.3	8.0	7.7	5.0	6.6	
SWI-1046	6.3	5.3	9.0	3.0	7.3	7.0	3.7	5.0	7.0	8.0	8.0	8.0	5.7	4.3	6.6	
TRANSCONTINENTAL	6.3	5.0	9.0	2.0	7.7	6.7	4.3	4.7	6.7	7.7	7.3	8.3	6.3	5.0	6.6	
ARIZONA COMMON	6.0	5.0	9.0	1.7	7.0	7.7	4.0	4.3	6.0	7.3	7.0	8.0	7.7	5.0	6.5	
PRINCESS 77	6.7	5.3	9.0	1.0	7.0	7.0	4.0	4.3	7.0	7.7	7.0	8.0	6.3	5.0	6.5	
RIVIERA	6.7	4.7	9.0	1.3	7.7	8.0	4.0	4.3	7.0	8.0	7.3	8.0	6.0	5.0	6.5	
SUNBIRD (PST-R68A)	6.3	5.5	8.7	1.3	7.7	6.0	4.0	4.0	6.7	7.7	7.7	8.0	6.7	5.0	6.5	
YUKON	7.0	5.3	9.0	1.7	7.7	7.3	4.3	4.7	6.3	8.0	7.0	8.0	6.7	5.0	6.5	
MIDLAWN	7.0	5.3	8.3	2.3	6.7	8.0	4.3	5.0	6.7	6.3	8.0	6.7	7.3	4.7	6.4	
PANAMA	6.7	5.0	9.0	1.7	7.3	7.3	4.0	4.7	6.3	7.3	7.3	8.3	6.3	4.7	6.4	
SWI-1001	6.3	5.0	9.0	2.7	7.0	7.3	4.3	4.3	6.7	6.7	7.7	7.7	7.0	5.0	6.4	
TIFT NO. 1	6.7	5.3	9.0	1.3	7.0	7.3	4.3	5.0	7.0	7.7	7.3	7.3	5.3	5.0	6.4	
CELEBRATION	6.3	5.7	9.0	2.0	7.3	6.0	4.3	4.3	7.0	7.7	8.0	7.0	5.3	5.0	6.3	
CIS-CD5	6.3	5.0	9.0	2.0	7.7	6.7	4.0	4.3	6.3	7.0	7.7	7.7	6.3	5.0	6.3	
FMC-6	6.0	5.3	9.0	1.7	7.0	6.3	3.7	4.3	6.0	7.3	7.3	7.7	7.0	4.3	6.3	
LAPALOMA (SRX 9500)	6.3	5.0	9.0	1.3	6.7	7.0	4.0	4.0	6.3	7.0	7.7	7.7	6.3	5.0	6.3	
MOHAWK	6.7	5.0	8.7	1.7	7.3	7.3	4.3	3.7	6.0	6.7	7.7	8.0	7.7	4.7	6.3	
SR 9554	6.0	5.0	9.0	1.7	7.7	7.3	4.0	4.0	6.3	7.0	7.7	8.3	6.0	5.0	6.3	
CIS-CD6	6.3	5.0	9.0	1.7	7.0	6.7	4.0	4.3	6.3	7.3	7.7	7.7	5.3	4.7	6.2	
MS-CHOICE	7.0	5.0	9.0	1.0	8.3	7.7	3.3	4.0	6.7	6.7	8.0	8.3	6.0	4.0	6.2	
SOUTHERN STAR	6.0	5.0	8.7	1.3	8.0	8.0	4.0	3.7	6.3	7.0	7.3	8.0	6.3	5.0	6.2	
SUNSTAR	6.0	5.0	8.7	1.0	7.3	7.0	4.0	3.7	6.0	7.3	7.3	8.0	6.3	5.0	6.2	
SWI-1012	6.3	5.0	9.0	1.7	7.3	7.3	4.7	4.0	6.0	7.3	7.3	8.0	5.7	5.3	6.2	
SUNDEVIL II	6.3	5.3	9.0	1.7	7.3	7.0	4.0	4.0	6.0	6.7	7.3	7.7	6.3	5.0	6.1	
CIS-CD7	6.0	5.0	8.7	2.0	7.3	6.0	3.3	4.0	6.0	7.3	7.7	7.3	6.0	4.0	6.0	
TIFT NO. 2	6.7	5.3	8.7	1.7	7.7	6.3	4.0	4.3	6.3	6.7	7.0	8.0	5.0	5.0	6.0	
SWI-1014	6.0	4.7	9.0	2.0	6.7	6.7	4.0	4.0	6.0	7.0	7.0	6.7	6.0	4.7	5.9	
B-14	6.0	4.7	8.7	1.7	7.3	7.0	2.7	4.0	6.0	6.7	7.0	7.3	5.3	4.3	5.8	
LSD VALUE	1.1	0.8	1.4	1.3	1.2	1.3	1.2	1.0	1.2	1.6	0.9	1.2	3.1	1.6	0.5	
C.V. (%)	7.6	8.4	3.9	36.4	7.7	9.6	15.6	12.9	9.0	9.8	5.8	7.2	17.1	12.2	4.3	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 7. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT GRIFFIN, GA 1/  
2005 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	FALL COLOR	FALL COLOR	QUALITY RATINGS					MEAN
		SEPTEMBER	OCTOBER	JUN	JUL	AUG	SEP	OCT	
AUSSIE GREEN	8.3	7.7	6.3	7.7	7.7	8.0	7.7	7.3	7.7
TIFWAY	8.3	7.3	7.7	8.3	8.0	7.7	7.0	7.7	7.7
PREMIER (OR 2002)	8.3	8.0	7.3	7.3	8.0	7.3	7.7	7.3	7.5
TIFSPORT	8.0	7.7	7.3	8.0	8.0	7.0	7.3	7.3	7.5
TIFT NO. 3	7.7	7.0	7.7	7.7	7.7	7.3	7.3	7.7	7.5
OKC 70-18	8.3	7.0	7.0	8.0	7.7	7.0	7.0	7.3	7.4
PATRIOT	8.3	7.0	6.3	8.0	8.0	6.7	6.7	7.7	7.4
SWI-1044	7.7	8.0	7.0	7.3	7.3	7.3	7.7	7.3	7.4
TIFT NO. 4	8.7	9.0	8.0	7.7	7.3	8.0	7.0	7.0	7.4
CELEBRATION	7.7	8.7	7.3	7.3	7.3	7.7	7.3	7.0	7.3
MS-CHOICE	8.3	7.7	7.0	8.0	7.3	7.7	7.0	6.7	7.3
CONTESSA (SWI-1045)	7.7	7.7	7.0	7.3	7.3	7.3	7.3	7.0	7.3
SWI-1046	7.7	7.7	7.0	6.7	7.3	7.7	7.3	7.3	7.3
CIS-CD6	7.3	7.7	6.7	7.0	7.3	7.0	7.3	7.3	7.2
GN-1	8.3	8.0	7.3	7.3	7.3	7.3	7.0	7.0	7.2
SWI-1003	7.3	7.7	7.0	7.0	7.0	7.3	7.3	7.3	7.2
PRINCESS 77	8.0	7.3	7.0	7.3	7.3	7.0	7.0	7.0	7.1
RIVIERA	7.7	8.0	6.3	7.3	7.0	7.3	7.0	6.3	7.0
SWI-1041	7.0	7.0	7.0	6.7	7.0	7.3	7.0	7.0	7.0
TIFT NO. 1	7.7	7.7	7.0	7.0	7.0	7.3	6.7	7.0	7.0
MIDLAWN	7.0	7.0	7.0	7.3	7.3	6.7	7.0	6.3	6.9
SWI-1001	7.3	7.3	7.0	6.3	6.7	7.7	7.3	6.7	6.9
SWI-1012	7.7	7.7	7.0	6.7	6.3	7.3	7.3	7.0	6.9
TIFT NO. 2	7.3	8.0	7.3	6.7	7.0	7.0	6.7	7.0	6.9
YUKON	7.3	7.7	6.0	6.7	7.0	8.0	6.7	6.3	6.9
CIS-CD5	7.7	7.3	6.7	6.3	6.7	7.3	7.0	6.3	6.7
CIS-CD7	7.3	7.0	6.0	6.3	6.7	7.0	7.0	6.3	6.7
TRANSCONTINENTAL	7.3	7.3	7.0	6.0	6.3	7.0	6.7	7.0	6.6
FMC-6	7.0	6.7	7.0	6.0	6.3	7.0	6.7	6.7	6.5
LAPALOMA (SRX 9500)	7.3	7.3	7.0	6.3	6.3	7.0	7.0	6.0	6.5
PANAMA	7.0	7.0	6.7	6.0	6.3	6.7	6.7	7.0	6.5
SOUTHERN STAR	7.3	7.0	6.7	6.3	6.0	7.0	6.3	6.7	6.5
SR 9554	7.0	7.0	6.0	6.0	6.3	7.3	6.7	6.0	6.5
SUNBIRD (PST-R68A)	7.3	7.3	6.3	6.0	6.3	7.3	6.3	6.0	6.4
SUNDEVIL II	7.7	7.0	6.3	6.3	6.0	6.7	6.7	6.3	6.4
ARIZONA COMMON	6.7	7.3	6.3	5.7	6.0	7.0	6.3	6.3	6.3
NUMEX SAHARA	7.0	7.3	6.7	5.7	6.7	6.7	6.7	6.0	6.3
B-14	7.0	7.0	6.7	6.0	6.0	6.7	6.3	6.0	6.2
SWI-1014	7.0	7.0	6.3	6.0	6.0	6.3	6.0	6.7	6.2
SUNSTAR	7.0	7.7	6.0	6.0	5.7	6.3	6.7	5.7	6.1
MOHAWK	6.7	6.7	6.3	5.3	6.0	6.0	5.7	6.0	5.8
ASHMORE	5.3	5.3	4.7	6.7	5.0	5.0	4.7	3.7	5.0
LSD VALUE	1.0	0.8	1.0	1.0	1.1	0.7	1.1	0.9	0.6
C.V. (%)	7.5	6.7	8.5	8.7	9.5	6.0	8.5	8.5	5.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 8. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT CARBONDALE, IL 1/  
2005 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS								
	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	JUN	JUL	AUG	SEP	OCT	MEAN
PATRIOT	7.7	7.7	7.3	5.7	6.7	8.7	7.3	8.3	7.3
OKC 70-18	4.0	6.0	8.3	5.7	7.0	7.7	6.7	8.7	7.1
TIFT NO. 4	6.0	5.7	9.0	4.7	5.3	6.3	8.0	8.7	6.6
TIFWAY	5.7	7.0	8.0	4.7	5.7	6.3	7.3	8.7	6.5
PREMIER (OR 2002)	6.0	4.3	9.0	5.7	6.7	6.0	6.0	7.3	6.3
TIFSPORT	7.0	5.7	8.7	4.7	5.7	5.0	7.3	8.0	6.1
CELEBRATION	3.7	6.0	7.3	5.3	6.0	5.3	4.7	7.0	5.7
TIFT NO. 1	7.0	4.0	6.0	4.7	5.7	4.3	7.0	6.7	5.7
AUSSIE GREEN	5.0	4.0	7.7	4.3	5.3	5.3	4.3	8.7	5.6
YUKON	4.0	7.0	6.0	5.0	5.7	6.0	4.7	6.7	5.6
MIDLAWN	1.0	9.0	7.3	4.0	5.0	6.0	5.3	7.3	5.5
TIFT NO. 2	8.0	2.7	5.3	5.0	6.0	7.3	6.0	3.3	5.5
CONTESSA (SWI-1045)	3.0	6.0	4.3	4.7	5.3	6.0	4.7	6.3	5.4
SWI-1046	8.7	5.3	6.7	4.3	5.3	6.3	4.0	6.7	5.3
GN-1	5.3	5.0	6.7	4.7	5.7	6.0	3.0	6.0	5.1
RIVIERA	4.0	7.0	3.0	3.3	4.0	7.0	5.0	6.0	5.1
TIFT NO. 3	3.7	4.0	7.3	4.3	5.0	5.7	3.7	6.7	5.1
SWI-1012	5.7	6.0	4.7	4.0	4.7	5.3	4.3	6.7	5.0
SUNBIRD (PST-R68A)	6.7	7.0	5.7	3.7	4.0	6.3	5.0	5.0	4.8
SWI-1044	3.7	6.0	6.3	3.3	4.0	6.0	4.3	6.3	4.8
ASHMORE	2.7	6.7	9.0	3.3	4.3	4.7	4.3	7.0	4.7
TRANSCONTINENTAL	5.0	5.7	5.0	4.3	5.0	5.0	4.0	4.7	4.6
CIS-CD5	5.0	6.0	4.0	3.3	4.0	6.0	4.7	5.0	4.6
MS-CHOICE	6.3	3.3	5.7	3.3	4.3	4.0	3.3	7.0	4.4
CIS-CD6	4.0	6.0	4.0	3.3	4.0	5.7	3.7	4.7	4.3
SWI-1014	5.3	5.0	5.0	3.7	4.7	5.0	2.7	5.0	4.2
SWI-1041	5.3	5.7	6.0	2.0	3.3	5.7	5.0	5.0	4.2
SR 9554	5.0	5.7	4.3	4.0	4.7	4.3	3.0	4.3	4.1
SOUTHERN STAR	6.0	5.0	3.7	2.7	3.0	5.7	4.7	4.0	4.0
SWI-1003	6.0	3.0	5.0	3.7	4.3	4.0	4.0	3.3	3.9
CIS-CD7	6.0	5.3	4.0	3.0	4.3	4.3	3.7	4.0	3.9
PRINCESS 77	4.3	2.7	5.7	4.3	5.0	3.0	3.7	3.0	3.8
FMC-6	6.0	6.3	3.3	2.3	3.0	4.7	4.7	3.3	3.6
MOHAWK	5.0	5.3	3.7	3.3	3.7	4.3	2.7	4.0	3.6
SUNDEVIL II	6.0	4.7	5.0	2.3	3.0	5.7	3.0	4.0	3.6
LAPALOMA (SRX 9500)	5.0	5.0	3.7	2.7	3.7	4.3	2.7	3.0	3.3
SUNSTAR	5.7	5.0	4.0	1.7	2.0	4.7	4.0	3.7	3.2
PANAMA	4.0	4.3	4.0	2.7	3.0	4.3	1.3	4.0	3.1
SWI-1001	5.0	4.7	5.0	2.0	3.0	3.3	2.7	3.7	2.9
ARIZONA COMMON	5.0	2.0	4.0	1.7	3.0	2.0	1.3	3.0	2.2
B-14	5.0	3.7	1.3	1.0	1.3	1.7	1.3	2.7	1.6
NUMEX SAHARA	5.3	5.0	1.0	1.0	1.0	1.0	1.0	1.7	1.1
LSD VALUE	1.7	1.7	1.4	0.9	1.3	1.7	1.5	1.2	0.8
C.V. (%)	21.0	20.2	17.6	17.1	18.5	21.0	22.4	15.4	11.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 8.  
(CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT CARBONDALE, IL 1/  
2005 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	DENSITY SUMMER	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT COVER FALL	FALL COLOR NOVEMBER	SEEDHEAD SPRING	SEEDHEAD SUMMER	SEEDHEAD FALL
PATRIOT	7.0	83.7	98.7	99.0	3.3	9.0	9.0	8.7
OKC 70-18	7.3	67.0	92.0	96.3	9.0	8.3	5.0	7.7
TIFT NO. 4	9.0	54.0	72.3	92.3	5.7	8.7	1.3	9.0
TIFWAY	7.7	75.0	89.7	96.3	8.7	9.0	4.3	9.0
PREMIER (OR 2002)	6.3	53.3	76.3	90.0	4.3	7.0	7.7	8.0
TIFSPORT	8.3	61.7	93.3	96.7	8.0	9.0	3.7	9.0
CELEBRATION	7.0	57.7	93.0	96.3	5.7	9.0	3.7	6.0
TIFT NO. 1	4.7	26.0	32.7	43.7	6.3	9.0	5.7	8.3
AUSSIE GREEN	6.3	52.3	97.0	99.0	2.3	9.0	8.7	9.0
YUKON	6.0	72.3	95.3	95.7	6.0	5.0	1.3	4.3
MIDLAWN	3.7	88.3	97.0	96.0	5.0	6.0	2.7	9.0
TIFT NO. 2	2.0	5.3	10.7	34.7	8.3	8.7	3.7	6.0
CONTESSA (SWI-1045)	5.0	62.3	89.3	93.0	8.0	6.7	2.3	4.3
SWI-1046	5.7	24.0	50.0	73.7	8.0	8.3	7.3	8.3
GN-1	5.3	63.0	93.7	95.0	3.0	8.3	6.0	7.7
RIVIERA	4.0	89.0	95.7	99.0	5.3	5.0	1.7	4.0
TIFT NO. 3	6.7	51.3	91.7	95.0	7.0	8.7	7.0	8.3
SWI-1012	4.3	78.3	95.7	99.0	6.3	6.0	2.0	5.3
SUNBIRD (PST-R68A)	4.0	49.3	77.3	94.0	5.0	3.3	1.7	1.3
SWI-1044	4.7	65.0	87.0	93.0	6.3	4.0	3.0	5.3
ASHMORE	3.0	64.0	74.3	75.0	8.0	5.0	7.7	9.0
TRANSCONTINENTAL	4.0	70.0	90.3	94.7	4.3	3.0	1.3	1.3
CIS-CD5	4.0	51.0	82.3	94.0	4.3	2.7	1.3	2.0
MS-CHOICE	5.0	23.7	53.3	82.0	4.7	8.0	8.0	8.0
CIS-CD6	4.0	43.3	74.3	88.0	6.3	4.7	2.7	3.0
SWI-1014	4.7	73.0	92.7	97.3	6.0	5.0	2.0	1.3
SWI-1041	6.0	14.3	32.7	69.0	8.3	8.0	6.0	6.0
SR 9554	3.7	32.3	77.7	91.0	5.0	2.0	1.3	2.3
SOUTHERN STAR	4.0	28.0	54.0	88.7	5.0	1.3	3.0	1.0
SWI-1003	5.0	13.0	29.0	62.7	8.0	9.0	5.0	6.0
CIS-CD7	3.7	55.7	86.0	94.3	5.3	2.3	1.3	2.0
PRINCESS 77	4.7	6.7	21.3	40.3	8.3	8.3	5.7	4.0
FMC-6	2.7	27.7	32.7	65.3	5.3	3.7	4.0	1.3
MOHAWK	2.3	21.7	45.7	69.0	5.7	3.3	2.3	1.0
SUNDEVIL II	2.7	22.0	50.7	85.3	5.7	6.0	3.0	1.3
LAPALOMA (SRX 9500)	2.7	29.0	43.0	70.0	6.0	3.0	2.7	3.3
SUNSTAR	3.3	25.3	64.3	86.7	6.3	4.0	3.7	2.0
PANAMA	3.0	41.0	72.7	81.0	4.0	2.0	2.0	2.0
SWI-1001	3.3	19.3	39.7	84.7	6.0	3.7	1.3	1.3
ARIZONA COMMON	1.0	4.0	10.3	14.0	6.0	5.7	7.7	4.7
B-14	1.3	12.7	36.3	62.7	6.7	3.3	1.0	1.0
NUMEX SAHARA	1.0	17.7	22.3	60.3	5.3	4.0	7.0	1.7
LSD VALUE	1.2	24.9	27.1	30.8	1.6	1.8	1.3	1.7
C.V. (%)	18.1	36.0	26.2	22.1	17.1	21.0	22.5	24.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 9.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT WICHITA, KS 1/  
2005 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SUMMER	FALL	SEEDHEAD	SEEDHEAD	SEEDHEAD	MAY	JUN	QUALITY RATINGS			MEAN
					COLOR OCTOBER	HEAD SPRING	HEAD SUMMER	HEAD FALL			JUL	AUG	SEP	
MIDLAWN	6.3	6.0	7.7	6.3	4.7	9.0	6.0	9.0	5.3	5.0	6.3	6.0	4.7	5.5
OKC 70-18	6.0	6.0	8.3	7.7	5.0	9.0	6.7	7.3	5.3	5.3	6.0	5.7	5.3	5.5
PATRIOT	7.7	4.7	5.0	7.3	4.0	9.0	8.0	8.7	4.0	5.7	7.0	5.3	5.7	5.5
SWI-1044	6.0	4.0	6.0	7.3	3.7	8.7	5.0	6.7	3.7	5.0	6.0	6.0	6.7	5.5
YUKON	6.7	5.7	6.3	7.0	5.0	9.0	5.3	7.7	5.3	5.0	5.7	6.0	5.7	5.5
PREMIER (OR 2002)	6.0	5.3	7.7	8.0	4.3	9.0	7.7	7.7	4.7	5.0	6.7	4.7	6.0	5.4
CONTESSA (SWI-1045)	6.7	4.0	5.7	6.7	4.3	9.0	4.3	6.7	4.3	5.0	5.7	6.3	5.7	5.4
RIVIERA	7.0	5.0	4.7	6.3	3.7	8.7	5.3	6.3	4.3	5.3	5.7	5.7	5.7	5.3
SWI-1046	7.0	4.7	6.0	7.3	4.3	9.0	6.0	7.0	4.0	5.0	5.0	6.7	5.3	5.2
TIFSPORT	6.7	4.3	7.0	7.3	5.3	9.0	6.3	8.7	4.3	5.3	5.7	5.3	4.7	5.1
SWI-1012	7.3	4.7	6.0	7.0	5.0	9.0	5.0	6.7	4.3	4.7	5.3	5.3	5.3	5.0
TIFWAY	7.0	4.3	7.3	7.7	6.0	9.0	5.0	8.7	4.3	5.3	5.7	5.0	4.7	5.0
CELEBRATION	7.7	4.0	5.7	7.0	4.0	9.0	4.3	7.7	3.7	4.7	5.3	4.7	5.3	4.7
AUSSIE GREEN	6.7	4.0	6.0	6.7	3.3	9.0	6.3	8.0	4.0	4.7	4.3	5.0	4.7	4.5
SWI-1041	6.3	3.3	4.7	6.7	4.0	9.0	3.7	6.3	2.7	4.0	4.7	5.0	5.7	4.4
CIS-CD5	7.0	3.7	4.7	5.3	3.0	8.7	4.0	5.3	2.7	4.3	4.7	5.0	5.0	4.3
MS-CHOICE	8.0	2.0	4.3	7.3	6.7	9.0	8.7	8.7	2.0	4.0	4.7	5.7	5.3	4.3
PRINCESS 77	7.0	3.0	5.3	5.3	3.7	9.0	3.7	5.7	2.7	3.7	5.0	5.7	4.7	4.3
SWI-1014	6.3	4.7	4.7	5.7	5.3	9.0	4.7	7.0	3.3	4.0	5.0	5.0	4.3	4.3
PANAMA	6.3	2.7	5.0	4.7	2.7	8.7	4.3	5.3	2.7	4.0	4.3	4.7	5.0	4.1
SUNBIRD (PST-R68A)	6.3	3.7	4.3	4.7	3.0	8.7	4.7	5.0	3.0	4.3	4.3	4.3	4.7	4.1
TRANSCONTINENTAL	6.0	3.3	4.7	4.7	2.7	8.7	4.3	4.3	3.0	4.3	4.3	4.0	4.7	4.1
CIS-CD6	6.0	4.0	4.3	5.3	3.0	7.0	4.7	4.7	3.3	4.7	3.7	4.3	4.0	4.0
CIS-CD7	7.0	3.7	4.3	4.7	3.3	9.0	4.0	5.0	3.0	4.0	4.7	4.3	4.0	4.0
FMC-6	6.0	2.7	4.3	4.7	2.7	8.7	4.7	5.3	2.3	4.3	4.7	4.0	4.7	4.0
SR 9554	6.3	3.7	5.3	5.3	2.7	8.7	3.7	5.0	2.7	4.0	4.3	4.3	4.7	4.0
TIFT NO. 3	6.7	3.3	5.7	6.7	3.7	9.0	6.0	8.0	2.3	3.7	4.7	4.3	5.0	4.0
TIFT NO. 4	6.3	3.7	6.3	7.3	5.0	9.0	4.3	8.0	3.7	4.0	4.3	3.7	4.3	4.0
SUNSTAR	6.3	3.0	4.3	4.0	2.7	9.0	5.0	5.7	2.7	4.0	4.3	4.0	4.7	3.9
LAPALOMA (SRX 9500)	6.3	2.7	4.7	5.0	3.0	9.0	4.3	5.3	2.7	4.0	4.0	4.0	4.3	3.8
SOUTHERN STAR	6.7	2.7	4.0	4.7	2.3	9.0	3.7	4.7	2.3	3.7	4.7	4.0	4.3	3.8
SWI-1001	6.3	3.0	4.7	5.0	3.0	8.7	4.7	5.3	2.7	4.0	3.7	4.3	4.3	3.8
ASHMORE	5.0	6.7	8.3	4.0	5.0	9.0	7.3	9.0	5.3	4.3	2.7	3.0	3.3	3.7
B-14	5.7	3.0	4.0	4.0	2.3	8.3	4.0	5.0	2.7	3.7	3.7	4.0	4.0	3.6
GN-1	7.0	2.7	4.7	6.3	3.3	9.0	5.0	7.7	2.3	3.7	4.0	4.0	4.0	3.6
SWI-1003	6.3	3.3	5.0	5.7	3.7	8.3	2.7	4.7	2.7	3.3	3.7	4.0	4.3	3.6
MOHAWK	6.0	3.0	4.0	4.3	2.3	8.7	4.7	5.7	2.3	3.7	3.7	3.7	4.0	3.5
NUMEX SAHARA	6.0	2.0	4.3	4.0	3.0	9.0	5.0	5.7	2.3	3.3	4.3	3.7	4.0	3.5
SUNDEVIL II	5.7	3.3	4.3	4.0	2.7	8.7	4.0	4.7	2.3	3.3	3.7	3.7	3.7	3.3
ARIZONA COMMON	6.3	2.0	4.0	3.3	3.0	8.3	4.3	5.7	2.0	3.0	3.3	3.7	4.0	3.2
TIFT NO. 1	7.0	2.3	4.3	5.3	5.3	9.0	3.7	5.0	2.0	2.0	3.0	3.3	3.7	2.8
TIFT NO. 2	6.5	1.0	4.5	4.5	5.5	9.0	5.0	6.0	0.7	1.3	1.3	1.7	1.7	1.3
LSD VALUE	0.7	0.9	1.1	1.2	1.3	0.8	1.1	0.9	0.8	0.9	1.2	1.0	1.3	0.7
C.V. (%)	7.0	17.1	13.2	14.0	21.4	4.5	14.7	9.3	17.1	13.6	16.4	13.5	16.2	11.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 10.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT OLATHE, KS 1/  
2005 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	PERCENT WINTER KILL	QUALITY RATINGS		
		JUN	JUL	MEAN
PREMIER (OR 2002)	35.0	7.7	7.3	7.5
OKC 70-18	18.3	7.3	6.3	6.8
AUSSIE GREEN	50.0	6.3	6.7	6.5
TIFWAY	76.7	6.0	6.7	6.3
YUKON	21.7	6.3	6.3	6.3
GN-1	70.0	5.7	6.7	6.2
TIFSPORT	80.0	6.0	6.3	6.2
CELEBRATION	91.7	4.7	7.3	6.0
PATRIOT	73.3	5.7	6.0	5.8
CONTESSA (SWI-1045)	50.0	5.0	6.7	5.8
RIVIERA	20.0	5.7	5.7	5.7
SWI-1012	46.7	5.7	5.7	5.7
MS-CHOICE	86.7	4.7	6.3	5.5
SWI-1014	30.0	5.3	5.7	5.5
SWI-1044	53.3	5.3	5.7	5.5
TIFT NO. 4	73.3	5.0	6.0	5.5
ASHMORE	51.7	5.7	5.0	5.3
CIS-CD6	43.3	5.0	5.7	5.3
SUNDEVIL II	50.0	5.0	5.3	5.2
TRANSCONTINENTAL	51.7	4.7	5.7	5.2
CIS-CD5	60.0	4.7	5.3	5.0
LAPALOMA (SRX 9500)	53.3	5.0	5.0	5.0
SUNBIRD (PST-R68A)	73.3	4.7	5.3	5.0
SWI-1041	70.0	4.0	6.0	5.0
CIS-CD7	71.7	4.3	5.3	4.8
FMC-6	70.0	4.7	5.0	4.8
MIDLAWN	46.7	4.7	5.0	4.8
SOUTHERN STAR	63.3	4.0	5.7	4.8
SR 9554	70.0	4.7	5.0	4.8
SWI-1001	73.3	4.7	5.0	4.8
SWI-1003	73.3	4.3	5.0	4.7
SWI-1046	86.7	4.3	5.0	4.7
MOHAWK	73.3	4.0	5.0	4.5
SUNSTAR	86.7	4.0	5.0	4.5
TIFT NO. 1	85.0	4.0	5.0	4.5
ARIZONA COMMON	90.0	4.3	4.3	4.3
PANAMA	83.3	3.7	5.0	4.3
TIFT NO. 2	76.7	4.0	4.7	4.3
NUMEX SAHARA	85.0	4.0	4.3	4.2
PRINCESS 77	86.7	3.3	4.7	4.0
TIFT NO. 3	89.3	3.0	5.0	4.0
B-14	80.0	3.3	4.3	3.8
LSD VALUE	21.5	1.1	1.0	0.8
C.V. (%)	21.3	14.4	11.1	10.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 11. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT LEXINGTON, KY 1/  
2005 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	PERCENT SPRING GREENUP	QUALITY RATINGS							MEAN
			MAY	JUN	JUL	AUG	SEP	OCT		
TIFWAY	8.3	75.0	7.3	8.0	6.3	8.7	9.0	9.0	8.1	
TIFT NO. 4	8.0	86.7	7.3	8.0	7.3	8.3	8.0	8.0	7.8	
TIFSPORT	8.3	40.7	6.7	7.7	7.0	9.0	9.0	7.0	7.7	
GN-1	8.0	61.7	7.0	8.3	7.0	7.3	8.0	8.0	7.6	
PATRIOT	7.7	91.3	8.0	8.7	5.7	8.0	8.3	6.7	7.6	
SWI-1044	7.3	60.0	7.3	7.0	6.7	9.0	8.0	7.3	7.6	
CELEBRATION	7.7	41.7	5.3	7.7	5.3	8.7	9.0	8.3	7.4	
PREMIER (OR 2002)	7.7	71.7	6.7	7.7	6.0	8.3	8.0	7.7	7.4	
AUSSIE GREEN	7.0	42.3	7.0	8.0	6.7	7.7	8.0	6.7	7.3	
MIDLAWN	6.0	70.0	6.7	7.3	8.0	7.7	8.0	6.3	7.3	
SWI-1012	7.0	37.3	6.7	7.0	7.0	7.7	8.0	7.0	7.2	
OKK 70-18	7.0	96.0	8.0	7.3	6.0	8.3	8.3	4.7	7.1	
TIFT NO. 3	8.0	14.0	4.3	7.7	7.0	8.7	8.3	6.7	7.1	
SWI-1003	7.3	17.3	5.3	6.7	7.0	8.0	7.7	7.3	7.0	
SWI-1046	7.7	23.0	5.7	7.3	7.0	7.3	7.7	7.0	7.0	
SWI-1001	7.3	39.0	6.3	6.0	6.0	8.3	7.7	7.0	6.9	
SWI-1041	7.0	23.3	4.7	7.0	7.0	8.0	7.7	7.0	6.9	
CONTESSA (SWI-1045)	7.0	30.0	6.3	6.7	6.7	7.3	8.0	6.7	6.9	
PRINCESS 77	6.7	29.3	5.0	7.0	7.0	8.3	7.3	6.0	6.8	
TRANSCONTINENTAL	7.3	45.0	5.3	6.7	6.7	7.3	8.0	6.7	6.8	
YUKON	7.0	85.0	7.3	7.0	5.7	7.7	7.3	5.7	6.8	
CIS-CD5	7.7	22.3	5.7	6.0	6.7	8.0	7.3	6.7	6.7	
SUNBIRD (PST-R68A)	7.3	37.0	5.0	5.7	6.3	8.7	7.7	7.0	6.7	
CIS-CD6	6.7	51.7	6.7	6.3	6.0	7.0	7.0	6.7	6.6	
TIFT NO. 1	7.3	13.7	4.7	6.3	6.7	8.0	7.7	6.0	6.6	
MS-CHOICE	7.7	39.0	4.7	6.7	6.7	6.7	7.7	6.7	6.5	
FMC-6	7.3	25.7	4.7	6.0	6.3	7.3	7.3	6.0	6.3	
SOUTHERN STAR	7.0	21.3	5.7	5.3	6.0	6.7	7.3	7.0	6.3	
TIFT NO. 2	7.0	15.0	4.0	6.7	5.7	7.3	8.3	5.7	6.3	
CIS-CD7	6.3	15.3	4.7	5.7	5.7	7.3	7.3	6.3	6.2	
PANAMA	6.7	35.0	5.7	5.3	5.3	7.3	7.3	6.0	6.2	
SUNDEVIL II	7.7	21.3	5.0	5.7	5.0	7.7	7.0	6.7	6.2	
NUMEX SAHARA	7.0	25.0	6.0	5.7	5.7	7.3	6.3	5.7	6.1	
SUNSTAR	7.3	15.0	5.0	5.3	5.3	7.3	7.3	6.3	6.1	
RIVIERA	6.5	66.7	5.3	7.5	5.5	7.0	8.0	6.7	6.0	
SR 9554	7.0	16.7	5.3	5.7	5.3	7.0	7.0	5.7	6.0	
LAPALOMA (SRX 9500)	6.7	17.3	4.3	5.7	5.3	7.3	7.3	5.7	5.9	
SWI-1014	7.0	46.7	6.3	6.7	5.0	6.0	6.3	5.3	5.9	
B-14	7.0	10.0	4.7	5.0	5.0	7.0	7.0	6.3	5.8	
MOHAWK	7.0	10.0	5.3	5.0	5.0	7.0	7.0	5.3	5.8	
ARIZONA COMMON	7.0	16.7	5.7	5.0	4.7	7.0	6.7	5.3	5.7	
ASHMORE	6.0	96.0	7.3	4.0	6.3	5.0	5.7	4.3	5.4	
LSD VALUE	1.2	26.6	2.1	1.2	1.9	0.9	1.2	1.7	0.8	
C.V. (%)	8.3	42.2	19.7	11.2	15.0	7.7	8.8	14.2	7.5	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 12. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT CALHOUN, LA 1/  
2005 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	SEEDHEAD RATINGS	QUALITY RATINGS					MEAN
		MAY	JUN	JUL	AUG	SEP	
TIFSPORT	7.0	7.7	7.7	8.0	8.0	8.0	7.9
GN-1	8.0	7.0	7.3	7.0	7.7	7.7	7.3
LAPALOMA (SRX 9500)	6.0	7.3	7.0	7.3	7.0	7.7	7.3
SWI-1041	7.0	6.7	7.3	7.0	8.0	7.3	7.3
TIFWAY	7.3	7.3	7.0	7.0	7.3	7.7	7.3
PATRIOT	7.7	6.7	7.0	7.7	7.7	7.0	7.2
SWI-1044	6.0	5.7	7.7	7.3	7.7	7.7	7.2
TIFT NO. 3	6.3	6.7	7.0	7.3	7.7	7.3	7.2
MS-CHOICE	7.7	6.7	7.3	6.7	7.7	7.0	7.1
SWI-1014	5.7	6.7	6.7	7.3	7.7	7.3	7.1
SWI-1001	6.7	6.7	7.0	6.3	7.3	7.7	7.0
PRINCESS 77	7.0	6.7	6.7	7.0	7.3	7.0	6.9
SUNDEVIL II	7.0	5.7	7.0	7.0	7.7	7.3	6.9
TIFT NO. 2	6.0	6.3	6.7	6.7	7.0	7.7	6.9
TIFT NO. 4	6.7	6.7	6.7	7.0	7.0	7.3	6.9
CELEBRATION	6.7	6.0	6.7	7.0	7.0	7.3	6.8
MIDLAWN	6.7	6.0	6.7	6.7	7.3	7.3	6.8
PREMIER (OR 2002)	6.3	6.3	6.7	6.7	7.3	7.0	6.8
SWI-1003	7.3	6.0	6.3	7.0	7.0	7.7	6.8
ASHMORE	6.7	6.0	7.0	6.7	6.7	7.0	6.7
AUSSIE GREEN	7.0	6.0	6.7	6.3	7.3	7.0	6.7
CIS-CD7	6.7	5.7	6.7	6.7	7.3	7.3	6.7
SOUTHERN STAR	6.7	6.3	6.3	6.3	7.0	7.3	6.7
SWI-1012	6.7	6.0	7.0	7.0	6.7	6.7	6.7
CONTESSA (SWI-1045)	7.0	6.3	7.0	6.3	7.0	7.0	6.7
TIFT NO. 1	6.7	6.3	6.3	6.7	6.7	7.3	6.7
YUKON	6.7	6.0	6.3	7.3	7.0	7.0	6.7
TRANSCONTINENTAL	7.0	6.5	6.3	6.0	7.0	7.0	6.6
B-14	6.7	6.3	6.3	6.3	6.7	7.0	6.5
CIS-CD5	7.0	5.7	6.7	6.3	7.3	6.7	6.5
CIS-CD6	6.3	6.0	6.0	6.3	6.7	7.3	6.5
FMC-6	7.0	5.7	7.0	6.7	6.3	6.7	6.5
OKC 70-18	6.3	6.7	6.0	6.7	6.7	6.7	6.5
SR 9554	5.7	6.3	5.7	6.7	6.7	7.3	6.5
SUNBIRD (PST-R68A)	6.3	6.0	6.3	6.7	6.3	7.0	6.5
ARIZONA COMMON	6.3	6.3	6.0	6.3	6.3	7.0	6.4
NUMEX SAHARA	6.0	5.0	6.7	6.3	7.0	7.0	6.4
MOHAWK	6.0	5.7	6.7	6.3	6.3	6.7	6.3
RIVIERA	6.3	4.7	6.7	6.7	6.7	7.0	6.3
SWI-1046	6.0	5.7	6.0	6.3	7.0	6.3	6.3
PANAMA	6.3	5.7	6.3	6.0	6.3	6.7	6.2
SUNSTAR	6.0	5.7	5.3	6.0	6.0	6.7	5.9
LSD VALUE	2.9	3.6	2.8	3.2	2.7	3.3	2.6
C.V. (%)	13.2	16.1	12.3	12.4	11.5	10.6	9.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 13.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT COLUMBIA, MO 1/  
2005 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	FALL			QUALITY RATINGS						
	SPRING GREENUP	LEAF TEXTURE	COLOR OCTOBER	MAY	JUN	JUL	AUG	SEP	OCT	MEAN
LAPALOMA (SRX 9500)	2.5	7.0	6.0	8.0	7.0	8.0	8.0	6.0	5.0	7.0
PATRIOT	2.0	5.7	7.3	6.7	7.0	7.3	8.3	6.7	5.3	6.9
NUMEX SAHARA	3.0	7.0	6.0	7.0	7.0	7.0	7.0	7.0	5.0	6.7
OKC 70-18	2.7	7.5	4.5	7.5	7.5	7.5	7.0	5.5	4.0	6.5
SOUTHERN STAR	2.0	6.0	9.0	6.0	6.0	6.0	7.0	7.0	7.0	6.5
TIFSPORT	2.0	7.5	6.5	6.0	6.0	7.0	7.5	6.5	5.5	6.4
GN-1	1.5	5.5	6.0	6.0	4.5	7.0	8.0	7.0	5.0	6.3
PANAMA	1.7	5.5	5.5	7.0	7.0	7.0	7.5	5.5	4.0	6.3
SWI-1046	2.0	6.7	6.7	5.3	6.0	7.3	7.0	6.7	5.7	6.3
FMC-6	1.7	5.3	6.0	5.7	6.0	6.7	7.0	6.3	5.0	6.1
RIVIERA	3.5	6.5	5.0	6.5	6.5	7.5	6.5	5.5	4.0	6.1
CONTESSA (SWI-1045)	2.0	6.0	6.0	6.0	5.5	6.0	7.5	6.5	5.0	6.1
SUNSTAR	4.0	4.0	6.0	6.0	7.0	7.0	7.0	5.0	4.0	6.0
TIFWAY	3.0	6.0	5.0	6.0	7.0	7.5	7.0	5.0	3.5	6.0
TRANSCONTINENTAL	2.0	6.0	7.0	6.0	6.0	7.0	7.0	5.0	5.0	6.0
MOHAWK	2.0	7.0	6.0	5.0	6.0	6.0	7.0	6.0	5.0	5.8
SWI-1014	2.5	7.0	5.5	6.0	5.5	6.5	7.0	5.0	4.5	5.8
TIFT NO. 4	2.0	8.0	6.0	6.0	7.0	5.0	7.0	5.0	5.0	5.8
YUKON	3.0	6.3	5.3	5.0	5.7	6.3	7.3	6.3	4.3	5.8
CIS-CD5	2.0	4.0	5.0	5.0	6.0	7.0	6.0	6.0	4.0	5.7
TIFT NO. 3	1.5	6.0	6.0	5.0	5.0	7.0	7.0	5.0	5.0	5.7
TIFT NO. 1	3.0	6.0	4.0	5.0	5.0	7.0	7.0	6.0	3.0	5.5
ARIZONA COMMON	2.5	7.0	3.5	6.0	5.5	6.5	6.5	4.5	3.5	5.4
CIS-CD7	1.5	5.5	6.0	5.0	4.5	6.0	6.0	6.0	5.0	5.4
SWI-1012	2.3	5.7	4.7	5.0	5.0	7.0	6.7	5.0	3.7	5.4
MIDLAWN	1.7	5.7	5.7	4.7	5.0	5.3	6.3	5.7	4.7	5.3
PRINCESS 77	2.3	5.3	4.3	5.0	5.7	5.7	6.0	5.3	4.0	5.3
SUNBIRD (PST-R68A)	1.5	5.0	3.0	4.0	6.0	7.0	7.0	4.0	3.0	5.2
TIFT NO. 2	2.0	6.0	5.0	5.0	5.0	6.0	6.0	5.0	4.0	5.2
SWI-1041	1.3	5.0	4.5	5.5	4.5	4.5	7.0	5.5	3.5	5.1
SWI-1044	1.3	6.5	5.5	4.5	4.5	6.0	5.5	5.5	4.0	5.0
CIS-CD6	3.5	6.0	3.0	4.5	5.5	6.0	5.5	5.0	2.5	4.8
PREMIER (OR 2002)	1.3	7.0	5.0	4.0	4.0	6.0	7.0	4.0	4.0	4.8
CELEBRATION	2.0	7.0	5.0	5.0	4.0	5.5	5.0	4.5	3.5	4.6
MS-CHOICE	1.0	5.0	4.0	4.0	4.0	4.0	7.0	5.0	3.0	4.5
B-14	1.0	4.0	4.0	3.5	3.5	4.5	4.5	4.5	3.5	4.0
ASHMORE	2.0	8.0	3.0	4.0	4.0	4.0	5.0	3.0	2.0	3.7
AUSSIE GREEN	1.0	.	.	.	.	.	.	.	.	.
SR 9554	1.0	.	.	.	.	.	.	.	.	.
SUNDEVIL II	.	.	.	.	.	.	.	.	.	.
SWI-1001	2.0	6.0	.	.	.	.	.	.	.	.
SWI-1003	.	.	.	.	.	.	.	.	.	.
LSD VALUE	3.5	6.6	6.0	4.4	5.6	5.3	4.3	5.3	4.3	3.7
C.V. (%)	42.5	22.4	27.2	20.4	23.6	19.3	16.0	21.1	24.9	15.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 14.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT MISS. ST., MS 1/  
2005 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SUMMER	FALL	SEEDHEAD	SEEDHEAD	SCALPING	SCALPING	QUALITY RATINGS								MEAN
					COLOR NOVEMBER	SPRING	FALL	AUGUST	SEPTEMBER	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	
MS-CHOICE	8.0	5.3	7.0	8.0	5.0	9.0	9.0	7.7	8.0	5.0	5.7	7.3	7.0	8.0	7.3	7.0	7.0	6.8
TIFSPORT	5.7	6.0	8.0	7.0	6.3	7.0	9.0	4.7	5.3	5.7	6.7	7.7	6.7	7.0	6.7	6.7	6.7	6.7
TIFWAY	5.7	6.3	8.0	7.0	5.7	7.3	9.0	4.3	5.7	5.7	6.3	7.3	7.0	7.0	6.7	6.7	7.0	6.7
OKC 70-18	6.0	6.7	8.0	6.7	5.0	6.7	8.3	3.7	6.0	5.3	6.3	7.3	6.7	6.7	7.0	6.0	6.3	6.5
TIFT NO. 4	6.0	6.3	8.0	7.0	6.0	6.3	8.7	4.3	5.3	5.7	6.7	7.0	6.0	6.7	6.3	7.0	7.0	6.5
CELEBRATION	6.3	5.0	7.0	7.0	5.0	6.3	8.0	5.3	7.0	4.7	5.3	6.3	7.0	7.0	7.0	6.7	6.7	6.4
AUSSIE GREEN	5.7	5.0	7.3	7.0	4.3	6.7	5.7	5.0	6.3	4.7	5.7	7.0	6.3	6.3	7.0	6.0	6.3	6.2
GN-1	6.7	5.0	6.7	6.3	4.7	7.0	8.0	5.7	6.0	4.7	5.7	6.0	6.0	6.0	6.0	6.0	6.3	5.8
PREMIER (OR 2002)	5.7	5.3	7.3	6.0	4.7	7.0	6.3	3.7	6.0	4.7	5.7	6.7	6.3	5.7	6.3	5.7	5.7	5.8
RIVIERA	6.3	5.3	7.0	6.0	5.0	5.7	7.0	5.7	6.0	4.3	5.0	6.3	6.0	6.7	6.3	6.0	6.0	5.8
SWI-1003	6.0	5.3	6.7	6.3	5.0	6.0	7.0	5.0	6.0	4.7	5.3	6.3	6.0	6.3	6.0	6.0	6.0	5.8
SWI-1041	6.0	5.0	6.3	6.3	5.0	6.0	7.0	5.3	6.0	4.0	5.3	6.0	6.0	6.3	6.3	6.0	6.0	5.8
SWI-1044	6.0	5.0	6.3	6.0	5.0	6.3	7.7	5.3	6.0	4.7	5.3	6.3	6.0	6.0	6.3	6.0	6.0	5.8
CONTESSA (SWI-1045)	6.0	5.0	6.0	6.7	5.3	6.3	7.0	6.0	6.0	4.0	5.3	6.0	6.0	6.7	6.0	6.0	6.0	5.8
TIFT NO. 1	6.0	5.0	6.7	6.3	5.0	6.7	6.7	5.0	5.7	4.7	5.3	5.7	6.0	7.0	6.0	6.0	6.0	5.8
PRINCESS 77	6.0	5.0	6.7	6.7	5.0	6.3	7.3	5.0	5.3	4.0	5.0	6.0	6.0	6.3	6.0	6.3	6.0	5.7
TIFT NO. 3	5.7	5.0	6.3	6.0	5.0	7.0	8.0	5.0	5.7	4.3	5.3	6.3	6.0	5.7	6.0	6.0	6.0	5.7
PATRIOT	5.3	6.0	7.0	6.3	3.7	7.0	9.0	3.3	4.7	4.7	6.0	6.7	6.0	6.0	6.0	4.3	5.0	5.6
SWI-1046	6.0	4.7	6.7	6.7	5.0	6.3	7.3	5.3	5.7	4.0	5.0	6.0	6.0	6.0	6.0	5.7	6.0	5.6
YUKON	6.0	5.0	6.3	6.7	5.0	6.0	7.3	5.7	6.0	4.0	5.0	5.7	6.0	6.3	6.0	6.0	6.0	5.6
SWI-1001	6.0	5.0	6.0	5.7	5.3	5.3	7.3	5.3	6.0	4.0	5.0	5.3	5.7	5.7	6.0	6.0	6.0	5.5
SWI-1012	6.3	5.0	6.3	5.7	5.3	6.3	6.7	6.0	6.0	4.0	5.0	5.7	5.3	6.0	5.7	6.0	6.0	5.5
TIFT NO. 2	6.0	5.0	6.3	6.3	5.0	6.3	7.0	5.0	5.3	4.0	5.0	6.0	6.0	5.7	5.7	5.7	5.7	5.5
FMC-6	6.0	5.0	6.0	6.3	5.0	5.3	6.7	6.0	6.0	4.0	5.0	5.0	5.7	6.0	6.0	5.7	5.7	5.4
LAPALOMA (SRX 9500)	6.3	4.7	6.0	5.3	5.3	4.7	7.0	6.3	6.0	4.0	4.7	5.0	5.3	6.0	6.0	6.0	6.0	5.4
SOUTHERN STAR	6.7	5.0	6.0	5.7	5.0	5.3	5.3	6.3	6.0	4.0	4.3	5.0	5.7	6.0	6.0	6.0	6.0	5.4
SUNBIRD (PST-R68A)	6.0	5.0	6.0	6.3	4.7	6.0	6.3	5.7	6.0	4.0	4.7	5.3	5.7	6.3	5.7	5.7	5.7	5.4
SWI-1014	6.0	5.0	6.0	6.0	5.0	5.7	7.0	5.0	6.0	4.0	4.7	5.3	5.7	6.3	5.7	6.0	5.7	5.4
CIS-CD6	6.0	5.0	6.0	5.7	5.0	5.3	6.3	5.3	6.0	3.7	4.7	5.3	5.3	6.0	5.7	5.7	5.7	5.3
NUMEX SAHARA	6.0	5.0	6.0	6.0	5.0	5.0	6.7	5.3	6.0	3.7	4.7	5.0	5.3	5.7	6.0	5.7	6.0	5.3
ASHMORE	5.0	6.3	9.0	6.7	5.0	7.0	9.0	4.0	5.0	5.0	6.7	6.0	4.0	5.0	5.0	5.0	5.0	5.2
B-14	6.0	4.7	6.0	6.0	5.0	5.0	6.3	5.7	5.7	3.7	5.0	5.0	5.3	5.7	5.7	5.3	5.7	5.2
CIS-CD7	6.3	5.0	6.3	5.7	5.0	5.7	6.7	5.3	6.0	3.7	4.7	5.3	5.7	5.7	5.7	5.0	5.7	5.2
SR 9554	6.0	4.7	6.0	5.0	5.0	5.3	6.7	5.3	6.0	3.7	4.7	5.3	5.3	5.7	5.7	5.7	5.7	5.2
SUNDEVIL II	6.0	4.3	5.7	5.3	5.0	5.0	6.7	5.7	6.0	3.3	4.7	5.0	5.0	5.7	5.7	6.0	6.0	5.2
TRANSCONTINENTAL	6.3	5.0	6.0	5.7	5.0	5.7	6.3	5.7	6.0	3.7	5.0	5.0	5.0	5.3	5.3	5.7	5.7	5.1
PANAMA	6.0	4.3	5.3	5.3	5.0	4.3	6.3	5.3	6.0	3.7	4.0	5.0	4.7	5.7	5.7	5.3	5.7	5.0
SUNSTAR	6.0	5.0	6.0	5.7	5.0	5.0	7.3	5.3	5.7	3.7	4.7	5.0	5.0	5.3	5.3	5.7	5.7	5.0
CIS-CD5	6.3	4.3	6.0	5.0	5.0	4.3	6.3	6.0	6.0	3.7	4.3	4.7	5.0	5.7	5.3	5.0	5.3	4.9
MIDLAWN	5.7	5.0	6.7	5.7	5.0	7.7	8.0	4.3	5.7	4.0	5.0	6.0	5.3	5.3	5.3	4.3	4.0	4.9
MOHAWK	6.0	4.3	6.0	5.3	5.0	5.0	7.0	5.3	6.0	3.0	4.3	4.7	5.0	5.7	5.7	5.7	5.3	4.9
ARIZONA COMMON	6.0	4.7	5.7	5.0	5.0	5.7	5.7	5.3	5.7	4.0	4.7	4.7	4.7	5.0	5.3	5.3	5.0	4.8
LSD VALUE	0.6	0.5	0.7	0.9	0.6	0.7	1.1	1.0	0.5	0.6	0.9	0.7	0.7	0.9	0.8	0.7	0.7	0.5
C.V. (%)	6.0	6.5	6.7	9.2	6.7	7.6	9.5	11.9	5.4	9.5	10.3	7.7	7.4	8.8	7.8	7.9	7.4	5.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 15.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT RALEIGH, NC 1/  
2005 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SUMMER	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	SEEDHEAD MAY	SEEDHEAD JULY
AUSSIE GREEN	8.7	3.7	8.0	8.3	7.0	6.7	8.7	8.7
CELEBRATION	7.7	4.0	7.7	8.0	6.7	6.7	8.0	8.7
TIFSPORT	7.7	4.7	8.0	8.3	6.3	6.0	8.0	8.0
GN-1	8.3	4.0	7.7	8.0	7.3	6.0	8.7	8.0
TIFWAY	7.7	4.7	8.0	8.0	6.7	6.0	7.7	7.7
MS-CHOICE	8.0	3.0	6.7	7.7	5.7	4.7	8.7	9.0
PREMIER (OR 2002)	8.0	5.3	7.7	7.7	6.7	6.7	9.0	8.7
RIVIERA	7.0	7.0	7.0	7.3	5.7	5.0	8.7	8.3
SWI-1003	6.7	2.7	7.7	8.0	5.7	5.3	7.7	7.3
SWI-1041	6.0	3.3	7.7	7.0	5.3	5.0	7.7	9.0
TIFT NO. 3	7.0	5.0	7.3	7.3	6.3	5.7	7.3	8.3
SUNBIRD (PST-R68A)	6.7	6.3	7.3	6.3	5.3	5.0	9.0	8.3
CONTESSA (SWI-1045)	6.0	4.0	6.7	7.3	6.0	5.3	7.3	7.7
MIDLAWN	6.3	4.7	8.0	7.3	4.3	4.0	9.0	8.7
SR 9554	7.0	5.7	7.3	6.3	5.7	5.3	9.0	9.0
SWI-1001	7.0	4.7	6.7	6.3	6.0	5.3	8.7	8.3
SWI-1044	6.7	3.7	7.0	6.7	6.0	5.7	7.7	8.0
SWI-1046	7.0	2.3	7.0	7.0	6.0	6.0	7.0	6.7
CIS-CD5	7.3	4.7	7.0	6.3	6.3	5.7	9.0	8.0
OKC 70-18	8.0	6.0	7.7	7.3	5.7	5.0	6.7	8.0
PATRIOT	7.7	4.0	8.0	7.7	6.3	5.0	9.0	9.0
PRINCESS 77	7.7	2.0	7.3	8.3	6.0	5.7	8.0	7.0
SWI-1012	7.3	3.7	6.7	7.3	5.7	5.0	7.7	7.7
TIFT NO. 1	8.3	2.3	8.0	8.0	7.3	6.0	7.3	7.7
FMC-6	7.0	5.3	7.0	6.0	5.7	5.3	9.0	9.0
TRANSCONTINENTAL	6.3	6.0	7.0	5.7	5.0	4.7	9.0	8.0
CIS-CD6	6.3	6.0	6.7	6.3	6.0	4.3	8.7	8.7
LAPALOMA (SRX 9500)	6.7	6.0	7.0	6.0	6.0	5.0	8.7	8.7
SOUTHERN STAR	6.7	5.3	7.3	6.7	5.7	5.3	8.7	8.7
YUKON	6.7	5.0	7.0	7.3	5.7	4.7	8.3	8.3
PANAMA	6.3	5.3	6.7	6.0	5.3	5.3	8.7	8.7
SUNDEVIL II	6.7	5.3	7.0	5.7	5.7	5.0	8.3	7.7
TIFT NO. 4	8.3	3.3	8.3	7.7	7.3	6.7	5.7	6.7
B-14	6.7	5.3	6.0	5.7	5.7	5.7	8.7	8.7
SUNSTAR	7.0	5.0	7.0	5.7	5.7	5.0	9.0	8.7
TIFT NO. 2	7.7	2.0	7.7	7.7	6.7	5.7	8.0	7.3
ARIZONA COMMON	6.3	4.3	7.0	6.0	5.3	4.7	8.7	8.3
CIS-CD7	7.0	5.7	7.0	6.0	5.0	4.7	8.7	8.3
NUMEX SAHARA	6.7	4.7	6.3	6.0	5.0	4.3	8.7	8.7
MOHAWK	6.0	5.0	6.3	5.7	5.0	4.3	8.7	8.3
SWI-1014	6.3	4.3	6.3	6.3	5.3	4.0	8.3	8.3
ASHMORE	4.3	4.7	8.7	5.3	4.7	4.0	8.7	8.0
LSD VALUE	1.1	1.0	0.8	1.1	0.9	1.1	1.0	1.2
C.V. (%)	9.5	15.2	6.6	9.8	9.7	12.6	7.3	7.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 15. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
 (CONT'D) IN THE 2002 NATIONAL BERMUDAGRASS TEST AT RALEIGH, NC 1/  
 2005 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS									MEAN
	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
AUSSIE GREEN	5.7	6.0	7.3	7.7	7.7	8.3	7.0	7.0	6.7	7.0
CELEBRATION	5.0	5.7	7.0	7.7	7.7	8.0	7.0	7.0	7.0	6.9
TIFSPORT	5.7	6.3	7.7	7.7	7.3	8.3	6.3	6.3	6.3	6.9
GN-1	5.0	6.0	7.3	7.3	8.3	8.0	6.0	5.7	5.7	6.6
TIFWAY	4.3	5.3	7.0	7.0	7.3	7.7	6.7	6.0	6.0	6.4
MS-CHOICE	4.0	5.0	6.3	7.3	7.3	7.3	6.7	6.3	6.0	6.3
PREMIER (OR 2002)	4.3	5.3	7.3	7.0	6.7	6.7	5.3	7.0	6.7	6.3
RIVIERA	5.3	5.3	6.3	6.7	7.0	7.7	7.0	6.0	5.7	6.3
SWI-1003	4.0	5.3	7.0	7.3	7.0	7.0	6.7	6.3	6.3	6.3
SWI-1041	4.0	5.3	6.7	7.0	6.7	7.7	7.0	6.3	6.0	6.3
TIFT NO. 3	4.7	5.7	6.7	7.0	8.0	7.7	5.7	5.7	6.0	6.3
SUNBIRD (PST-R68A)	5.0	5.0	5.3	6.3	7.0	7.3	6.3	6.7	6.3	6.1
CONTESSA (SWI-1045)	4.0	5.0	6.0	6.7	7.0	7.3	7.3	6.0	6.0	6.1
MIDLAWN	4.3	5.3	7.0	6.3	6.0	6.3	7.0	6.0	5.3	6.0
SR 9554	4.3	5.0	5.7	6.3	7.0	7.0	6.7	6.3	6.0	6.0
SWI-1001	4.0	4.7	5.3	6.3	7.7	7.3	6.7	6.3	6.0	6.0
SWI-1044	4.0	5.0	6.0	7.0	6.7	7.0	6.3	6.0	6.0	6.0
SWI-1046	4.0	5.0	5.7	6.0	7.3	7.3	6.0	6.3	6.3	6.0
CIS-CD5	4.3	4.7	5.3	6.0	7.3	7.3	6.0	6.3	6.0	5.9
OKC 70-18	3.7	4.3	5.7	6.7	7.0	7.3	5.7	6.0	6.3	5.9
PATRIOT	4.0	5.3	7.3	7.3	5.0	6.3	6.0	6.0	6.0	5.9
PRINCESS 77	3.7	5.3	6.3	7.0	6.7	6.3	5.3	6.3	6.3	5.9
SWI-1012	4.0	5.0	5.7	7.0	7.3	6.7	6.3	5.3	5.3	5.9
TIFT NO. 1	3.3	5.0	6.3	6.7	7.3	7.0	6.0	5.7	5.7	5.9
FMC-6	4.3	5.0	5.7	6.0	7.0	6.7	5.7	6.3	5.7	5.8
TRANSCONTINENTAL	4.0	4.3	5.0	5.3	7.0	7.7	7.0	6.0	5.7	5.8
CIS-CD6	4.7	5.0	5.3	6.0	6.7	6.7	6.3	5.7	5.3	5.7
LAPALOMA (SRX 9500)	4.7	5.3	5.7	6.0	6.0	6.7	6.0	5.7	5.7	5.7
SOUTHERN STAR	4.7	4.7	5.0	5.7	6.3	6.3	6.7	6.3	6.0	5.7
YUKON	3.3	4.3	5.3	6.0	7.0	7.7	7.3	5.3	5.0	5.7
PANAMA	4.3	5.0	5.3	6.0	6.0	5.7	5.3	6.0	6.0	5.5
SUNDEVIL II	4.7	4.7	5.0	5.7	6.0	6.0	5.7	6.0	5.7	5.5
TIFT NO. 4	4.3	5.0	5.0	5.7	7.0	5.7	6.0	5.3	5.3	5.5
B-14	4.3	4.7	5.3	5.7	5.7	5.7	5.7	6.0	6.0	5.4
SUNSTAR	4.3	4.3	4.3	5.0	6.3	6.3	6.3	5.7	5.7	5.4
TIFT NO. 2	3.0	4.0	5.7	6.7	6.0	6.3	6.3	5.3	5.7	5.4
ARIZONA COMMON	4.0	4.3	4.3	5.3	6.3	6.3	5.3	6.3	5.3	5.3
CIS-CD7	4.0	4.7	4.7	6.0	6.0	6.3	6.0	5.3	4.7	5.3
NUMEX SAHARA	3.7	4.3	4.3	5.3	6.3	6.0	5.3	5.7	5.0	5.1
MOHAWK	4.0	4.3	4.3	5.7	5.7	6.3	5.0	5.0	4.7	5.0
SWI-1014	3.7	4.3	4.3	6.0	5.3	6.0	5.3	4.7	4.3	4.9
ASHMORE	2.7	3.0	3.0	3.3	3.7	4.0	4.0	4.7	4.3	3.6
LSD VALUE	1.1	0.9	1.0	1.0	1.1	1.1	1.5	1.3	1.0	0.5
C.V. (%)	14.4	10.8	11.0	10.2	10.0	10.0	12.5	10.9	10.2	5.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 16. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT LAS CRUCES, NM 1/  
2005 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	FALL COLOR DECEMBER	SEEDHEAD RATINGS
TIFWAY	6.3	7.3	8.0	7.3	6.7	6.7	8.0
CELEBRATION	6.0	7.3	6.3	7.0	5.3	7.0	6.7
TIFSPORT	6.3	7.0	7.7	7.7	6.3	7.7	7.7
TIFT NO. 4	5.7	7.0	8.0	7.3	6.7	7.7	5.3
ASHMORE	5.7	6.7	9.0	8.0	7.3	7.3	7.3
SWI-1041	6.7	6.7	7.3	7.0	5.7	5.7	8.3
GN-1	7.3	7.0	7.3	7.3	6.0	6.3	9.0
MIDLAWN	7.3	7.3	8.0	7.7	6.0	7.7	8.0
PATRIOT	7.3	7.3	7.0	8.0	7.7	7.3	8.0
PREMIER (OR 2002)	6.7	7.0	8.0	7.7	7.0	7.0	7.0
SWI-1012	7.0	6.0	5.3	6.3	5.7	5.3	6.7
SWI-1044	6.7	7.0	7.0	6.3	5.0	5.3	7.7
CONTESSA (SWI-1045)	7.7	6.0	5.3	7.0	6.0	4.7	8.7
TIFT NO. 3	7.0	7.3	6.3	6.0	5.7	6.3	9.0
YUKON	7.3	6.3	5.7	6.7	5.7	6.0	7.7
AUSSIE GREEN	5.3	6.0	8.3	6.7	6.3	6.7	8.3
SWI-1014	6.7	6.0	4.3	6.3	5.0	5.3	8.7
RIVIERA	6.0	5.3	5.7	6.7	5.7	4.7	8.7
SR 9554	6.0	6.0	4.7	6.0	5.0	5.7	8.0
SWI-1046	7.0	5.3	6.7	6.7	6.0	4.7	6.3
TIFT NO. 2	6.7	5.3	6.7	6.0	5.0	3.7	8.7
CIS-CD7	5.7	5.0	4.7	6.7	5.3	4.0	8.3
MS-CHOICE	6.3	6.7	4.3	6.0	5.3	6.0	7.3
SWI-1001	6.3	5.7	6.0	5.7	5.3	5.0	8.0
TIFT NO. 1	5.3	4.3	6.0	5.7	5.0	3.3	9.0
CIS-CD5	6.7	5.3	4.3	6.7	5.7	3.7	9.0
CIS-CD6	6.0	6.3	3.0	6.0	5.0	5.7	8.0
PRINCESS 77	6.3	5.7	6.3	7.0	5.3	4.7	8.0
SUNBIRD (PST-R68A)	6.0	5.3	5.0	6.0	5.0	4.7	7.7
SUNSTAR	7.0	5.7	4.0	5.7	5.0	5.3	8.0
SWI-1003	7.0	5.7	7.0	6.7	5.7	4.7	7.7
B-14	6.3	4.7	4.0	6.7	5.3	4.0	8.3
FMC-6	6.3	5.7	4.0	6.0	5.0	5.3	8.7
MOHAWK	6.3	5.0	4.3	6.3	5.3	4.3	8.0
OKC 70-18	6.7	6.3	8.3	7.0	6.0	6.7	8.7
NUMEX SAHARA	6.0	5.0	3.7	5.7	5.0	4.3	9.0
PANAMA	6.0	5.0	5.0	5.7	5.0	4.3	7.7
ARIZONA COMMON	6.3	5.0	4.3	7.0	5.7	4.7	8.3
LAPALOMA (SRX 9500)	6.0	5.0	4.0	6.3	5.3	4.3	8.0
TRANSCONTINENTAL	6.3	5.3	4.3	6.0	5.0	4.3	7.7
SOUTHERN STAR	5.7	5.0	4.3	6.7	5.7	4.3	7.7
SUNDEVIL II	6.0	4.7	5.0	6.0	5.3	4.7	8.3
LSD VALUE	1.4	1.2	1.3	1.0	1.5	1.3	4.5
C.V. (%)	10.6	12.4	14.3	9.2	13.7	15.1	16.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 16.  
(CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT LAS CRUCES, NM 1/  
2005 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS												MEAN
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
TIFWAY	4.3	4.3	6.7	8.0	8.0	8.0	7.3	8.0	8.0	6.7	6.7	4.3	6.7
CELEBRATION	4.0	4.7	6.0	6.3	8.0	7.0	7.7	8.3	8.0	6.3	6.0	4.0	6.4
TIFSPORT	3.7	4.7	6.3	7.3	8.0	9.0	8.0	7.3	7.3	6.3	5.7	3.7	6.4
TIFT NO. 4	4.0	4.7	6.0	6.0	7.0	8.0	7.0	7.3	7.0	6.3	6.0	4.0	6.1
ASHMORE	2.7	4.7	5.3	8.0	8.0	8.0	6.7	7.7	7.7	5.7	4.7	2.7	6.0
SWI-1041	3.7	4.3	5.7	6.7	7.3	7.3	7.3	7.3	7.3	6.0	5.7	3.7	6.0
GN-1	2.7	4.7	5.3	7.3	8.3	7.7	8.0	7.3	7.0	5.7	4.7	2.7	5.9
MIDLAWN	3.0	4.3	5.7	7.0	7.3	8.0	7.0	7.3	7.0	5.7	5.0	3.0	5.9
PATRIOT	2.7	4.7	5.3	6.7	7.7	7.3	8.0	8.0	8.0	5.7	4.7	2.7	5.9
PREMIER (OR 2002)	2.3	4.3	5.7	6.3	7.0	8.3	8.0	8.3	8.3	5.3	4.3	2.3	5.9
SWI-1012	3.0	4.3	6.3	6.3	7.3	7.7	7.0	7.7	7.7	5.7	5.0	3.0	5.9
SWI-1044	3.3	4.7	6.0	6.7	7.7	7.0	6.7	7.3	7.3	6.0	5.3	3.3	5.9
CONTESSA (SWI-1045)	3.0	4.3	5.7	6.7	7.7	8.0	7.7	7.3	7.3	5.7	5.0	3.0	5.9
TIFT NO. 3	3.0	4.3	5.7	7.0	7.3	7.3	7.3	7.7	7.7	5.7	5.0	3.0	5.9
YUKON	3.0	4.3	5.7	6.0	7.3	7.7	7.3	7.3	7.3	5.7	5.0	3.0	5.8
AUSSIE GREEN	2.3	4.7	5.0	6.0	7.3	8.0	7.0	8.0	8.0	5.3	4.3	2.3	5.7
SWI-1014	3.0	4.3	5.7	6.7	7.7	7.0	6.7	7.0	7.0	5.7	5.0	3.0	5.7
RIVIERA	2.7	4.3	5.3	7.0	6.7	7.3	6.7	7.3	7.0	5.3	4.7	2.7	5.6
SR 9554	3.3	4.0	6.0	6.0	6.7	6.3	6.3	7.0	7.0	5.7	5.3	3.3	5.6
SWI-1046	2.7	4.0	6.0	6.3	6.7	7.7	7.0	7.0	7.0	5.3	4.7	2.7	5.6
TIFT NO. 2	2.7	4.0	6.0	6.0	6.7	7.7	7.3	7.3	7.3	5.3	4.7	2.7	5.6
CIS-CD7	2.7	4.0	6.0	6.7	7.0	6.7	6.0	7.0	7.0	5.3	4.7	2.7	5.5
MS-CHOICE	3.0	4.3	5.7	6.0	6.0	7.0	6.3	7.0	7.0	5.7	5.0	3.0	5.5
SWI-1001	3.0	4.3	5.7	6.0	6.7	7.0	7.0	6.3	6.3	5.7	5.0	3.0	5.5
TIFT NO. 1	2.3	4.3	5.7	6.3	7.0	7.3	6.7	7.3	7.3	5.3	4.3	2.3	5.5
CIS-CD5	2.3	4.0	5.7	6.3	6.3	7.0	6.7	7.0	7.3	5.0	4.3	2.3	5.4
CIS-CD6	2.3	4.7	5.0	6.7	6.0	6.7	6.7	7.3	7.0	5.3	4.3	2.3	5.4
PRINCESS 77	2.0	4.0	6.0	6.7	6.7	7.3	7.0	7.3	6.7	5.0	4.0	2.0	5.4
SUNBIRD (PST-R68A)	2.3	4.3	5.7	6.3	6.7	7.0	6.3	7.0	7.0	5.3	4.3	2.3	5.4
SUNSTAR	2.7	4.0	6.0	6.3	6.7	6.7	6.3	7.0	7.0	5.3	4.7	2.7	5.4
SWI-1003	2.0	4.3	5.3	6.3	7.0	7.3	6.7	7.3	7.3	5.0	4.0	2.0	5.4
B-14	2.0	4.0	6.0	6.7	6.0	7.0	6.3	7.0	7.0	5.0	4.0	2.0	5.3
FMC-6	2.3	4.7	5.0	6.0	6.3	6.7	6.3	7.0	7.0	5.3	4.3	2.3	5.3
MOHAWK	2.3	4.3	5.7	6.3	6.3	7.0	6.3	6.7	6.7	5.3	4.3	2.3	5.3
OKC 70-18	1.7	4.0	5.7	6.3	6.3	8.3	7.0	7.3	7.3	4.7	3.7	1.7	5.3
NUMEX SAHARA	2.0	4.3	5.3	7.0	6.0	7.0	6.0	7.0	7.0	5.0	4.0	2.0	5.2
PANAMA	1.7	4.0	5.7	7.0	6.7	7.0	6.3	7.0	6.7	4.7	3.7	1.7	5.2
ARIZONA COMMON	1.7	4.0	5.7	6.7	6.0	6.7	6.7	6.7	7.0	4.7	3.7	1.7	5.1
LAPALOMA (SRX 9500)	1.3	4.0	5.3	7.0	6.3	7.0	6.3	7.0	7.0	4.3	3.3	1.3	5.0
TRANSCONTINENTAL	1.7	3.7	4.0	6.7	6.3	7.0	6.3	7.0	7.0	4.7	3.3	1.7	4.9
SOUTHERN STAR	1.3	3.3	4.3	6.7	6.3	7.0	6.7	7.0	6.3	4.3	3.0	1.3	4.8
SUNDEVIL II	1.0	4.0	5.0	6.3	6.3	7.0	6.0	6.7	6.7	4.0	3.0	1.0	4.8
LSD VALUE	2.1	1.9	2.0	1.0	1.0	0.8	1.0	1.1	2.0	1.5	2.0	2.1	0.7
C.V. (%)	36.4	12.4	13.0	8.1	8.5	6.5	8.3	7.3	9.5	13.2	21.2	36.4	7.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 17.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT STILLWATER, OK 1/  
2005 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SUMMER	PERCENT	PERCENT	SEEDHEAD RATINGS	SCALPING OCTOBER	SPRING	MAY	QUALITY RATINGS					MEAN
					COVER SUMMER	COVER FALL			DEAD SPOT (SQ. CM.)		JUL	AUG	SEP	OCT		
OKC 70-18	8.0	3.0	9.0	9.0	99.0	99.0	2.7	8.7	0.0	8.0	8.3	9.0	9.0	8.3	8.5	
TIFSPORT	8.0	2.3	9.0	9.0	99.0	99.0	4.3	9.0	0.0	8.0	7.7	9.0	9.0	9.0	8.5	
MIDLAWN	7.3	3.0	8.0	8.0	99.0	99.0	2.7	7.3	0.0	7.3	8.3	9.0	9.0	7.7	8.3	
PREMIER (OR 2002)	8.3	2.0	8.0	8.3	99.0	99.0	2.0	8.7	93.0	7.0	9.0	9.0	9.0	7.3	8.3	
AUSSIE GREEN	8.7	2.0	9.0	9.0	99.0	99.0	2.7	8.3	314.7	6.0	8.7	9.0	9.0	8.3	8.2	
TIFT NO. 4	8.3	2.0	9.0	9.0	99.0	99.0	6.7	7.7	78.7	8.0	7.7	9.0	8.7	7.7	8.2	
PATRIOT	8.3	2.3	8.3	8.3	99.0	99.0	1.3	3.7	77.0	7.7	9.0	9.0	8.7	6.3	8.1	
TIFWAY	7.7	2.3	9.0	9.0	99.0	99.0	3.7	7.3	0.0	7.7	7.0	9.0	9.0	8.0	8.1	
GN-1	8.3	1.3	7.3	7.3	99.0	99.0	2.7	8.7	526.5	5.7	8.3	9.0	8.3	8.0	7.9	
RIVIERA	8.0	1.7	7.7	7.3	98.7	99.0	3.3	8.7	401.3	6.7	7.7	8.7	8.7	8.0	7.9	
TIFT NO. 3	7.3	1.7	8.0	8.3	99.0	99.0	3.0	6.7	313.5	6.0	7.7	9.0	9.0	6.7	7.7	
YUKON	8.0	3.3	7.3	7.0	98.3	99.0	3.3	8.7	125.3	6.7	7.7	9.0	7.7	7.0	7.6	
ASHMORE	6.0	5.0	9.0	9.0	99.0	99.0	2.3	8.3	0.0	8.0	9.0	4.7	8.0	8.0	7.5	
CELEBRATION	9.0	2.0	7.7	6.7	98.7	99.0	7.3	9.0	571.0	5.0	7.0	8.7	8.3	8.3	7.5	
MS-CHOICE	9.0	1.3	8.3	8.0	98.0	99.0	1.0	9.0	1171.0	4.0	7.7	8.3	8.3	9.0	7.5	
SWI-1012	8.7	2.0	6.7	7.0	98.0	99.0	5.7	8.7	195.3	5.7	7.3	9.0	8.0	6.7	7.3	
SWI-1041	7.3	1.0	7.7	7.7	98.7	99.0	3.7	8.0	775.5	5.3	6.7	8.3	9.0	7.0	7.3	
PRINCESS 77	8.0	1.0	7.7	8.0	97.3	99.0	6.7	8.3	708.7	4.3	6.7	9.0	8.3	7.0	7.1	
CONTESSA (SWI-1045)	7.3	1.3	6.3	6.3	98.7	99.0	6.3	9.0	848.0	4.7	6.7	8.3	7.7	8.0	7.1	
TIFT NO. 2	8.3	1.3	8.0	8.0	98.7	99.0	6.0	6.0	749.0	5.0	6.3	9.0	9.0	6.3	7.1	
SWI-1014	8.3	2.7	6.3	6.3	98.7	99.0	4.0	9.0	214.0	5.7	6.7	7.7	7.3	7.0	6.9	
SWI-1044	7.7	1.0	7.3	7.3	98.0	99.0	6.0	7.0	976.5	4.0	6.0	8.7	8.7	7.0	6.9	
SWI-1046	8.3	1.0	7.7	7.7	98.0	99.0	7.0	8.0	711.7	4.0	5.7	9.0	9.0	7.0	6.9	
CIS-CD6	7.3	2.0	7.0	7.0	98.3	99.0	4.3	8.3	908.3	5.3	5.7	8.3	7.7	6.3	6.7	
SUNBIRD (PST-R68A)	7.3	1.7	6.7	7.0	97.7	99.0	5.3	9.0	1530.0	5.0	5.3	8.0	8.0	7.0	6.7	
TIFT NO. 1	8.0	1.0	7.7	8.0	98.3	99.0	6.3	7.3	945.0	5.0	4.7	8.3	8.3	6.7	6.6	
SWI-1001	7.0	1.0	7.3	7.0	98.7	98.7	6.3	8.7	1025.0	5.0	5.3	7.3	8.3	6.3	6.5	
CIS-CD7	7.7	2.0	6.3	6.0	98.3	99.0	5.7	8.7	794.5	5.0	5.7	7.0	6.7	7.0	6.3	
TRANSCONTINENTAL	7.7	1.3	7.0	6.0	97.7	99.0	6.7	9.0	1337.0	3.7	5.3	7.3	7.7	7.3	6.3	
SWI-1003	7.3	1.0	7.3	7.0	98.0	99.0	8.0	8.7	1665.0	3.3	4.7	7.7	8.3	7.0	6.2	
CIS-CD5	8.3	1.3	6.0	6.0	96.7	99.0	7.7	9.0	610.5	2.7	5.3	7.7	6.7	7.0	5.9	
FMC-6	7.0	1.0	6.3	6.3	97.0	99.0	6.7	8.7	1535.0	3.0	6.3	7.0	6.7	6.3	5.9	
LAPALOMA (SRX 9500)	7.3	1.0	6.0	6.0	97.0	99.0	6.0	9.0	1259.0	3.3	5.3	7.0	6.7	7.0	5.9	
SOUTHERN STAR	7.3	1.0	6.0	6.0	97.0	99.0	7.3	8.7	1161.0	3.7	4.3	6.7	6.7	6.7	5.6	
PANAMA	7.0	1.0	6.0	6.0	97.3	99.0	8.0	8.3	1168.7	3.0	4.7	6.7	6.7	6.7	5.5	
SUNDEVIL II	7.0	1.0	6.0	6.0	96.3	99.0	8.0	8.7	1359.0	2.7	5.3	7.0	6.3	6.3	5.5	
MOHAWK	7.3	1.0	6.3	6.0	97.0	99.0	7.0	8.0	1547.0	2.3	4.7	6.7	6.7	6.7	5.4	
NUMEX SAHARA	7.3	1.0	6.7	6.3	96.0	99.0	7.0	8.0	1464.7	2.0	5.7	6.3	6.7	6.3	5.4	
SR 9554	8.3	1.0	6.0	6.0	95.7	98.7	6.7	9.0	1415.5	2.7	4.3	6.7	6.3	7.0	5.4	
B-14	7.3	1.0	6.0	6.0	97.0	99.0	7.0	8.3	1470.3	2.0	4.7	6.7	6.7	6.7	5.3	
SUNSTAR	7.7	1.0	6.7	6.0	97.0	99.0	8.0	8.0	1347.3	2.7	4.3	7.0	6.3	6.3	5.3	
ARIZONA COMMON	7.3	1.3	6.0	6.0	96.0	98.3	7.0	8.0	1348.3	2.7	4.3	6.0	6.3	6.7	5.2	
LSD VALUE	0.8	0.5	0.7	0.7	1.5	0.8	1.6	1.3	790.9	1.4	2.0	1.0	1.0	1.2	0.7	
C.V. (%)	6.5	22.4	6.2	6.7	0.9	0.2	19.8	9.6	58.1	18.5	18.9	7.9	8.5	9.7	7.0	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 18.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT FLORENCE, SC 1/  
2005 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	MOLE CRICKET DAMAGE	FALL COLOR OCTOBER	SEEDHEAD RATINGS	APR	MAY	QUALITY RATINGS					MEAN
									JUN	JUL	AUG	SEP	OCT	
OKC 70-18	7.3	7.0	6.3	8.7	7.3	8.3	7.3	6.7	8.0	7.3	6.0	6.0	6.3	6.8
CIS-CD6	7.0	6.7	8.0	8.0	7.0	7.0	6.3	6.3	7.3	7.3	6.0	6.3	6.3	6.6
CIS-CD5	6.3	6.3	8.0	8.0	6.7	6.7	6.7	6.0	6.3	6.3	7.0	6.7	6.3	6.5
TIFSPORT	7.0	6.0	6.3	8.7	6.7	8.0	6.7	6.7	7.7	6.7	6.0	6.0	5.7	6.5
MS-CHOICE	6.7	5.3	8.3	8.0	7.0	8.3	6.0	5.7	6.0	6.3	7.0	6.3	6.7	6.3
PREMIER (OR 2002)	6.7	6.3	6.0	6.7	6.7	8.7	6.7	5.7	6.7	7.0	6.0	6.0	6.0	6.3
TIFWAY	7.0	7.3	6.3	8.0	6.3	8.7	7.0	6.0	7.0	7.0	5.7	5.7	5.7	6.3
TRANSCONTINENTAL	4.7	6.7	7.0	8.3	7.0	6.7	6.7	5.7	6.7	7.0	6.0	6.0	6.0	6.3
LAPALOMA (SRX 9500)	6.3	7.0	8.0	8.0	6.7	6.0	7.0	6.3	6.3	6.7	5.7	5.7	5.7	6.2
RIVIERA	7.0	7.0	6.3	8.3	7.0	7.7	7.0	5.7	6.3	6.7	6.0	6.0	6.0	6.2
SUNBIRD (PST-R68A)	7.0	6.3	7.0	7.3	6.7	7.3	6.7	6.3	6.7	6.3	6.0	6.0	5.7	6.2
SWI-1041	6.0	6.3	6.0	7.3	7.0	8.0	6.7	5.7	6.7	6.7	6.0	6.0	6.0	6.2
CONTESSA (SWI-1045)	6.0	6.3	7.0	8.0	7.0	8.0	6.7	6.0	6.7	6.3	6.0	6.0	5.7	6.2
FMC-6	6.0	5.7	7.0	9.0	7.0	7.3	5.7	5.7	6.7	6.0	6.3	6.3	6.3	6.1
MIDLAWN	6.7	6.3	6.0	7.3	7.0	8.0	6.3	5.7	6.0	6.7	6.0	6.0	6.0	6.1
SR 9554	6.7	6.7	7.0	7.7	7.0	7.3	6.3	5.7	6.3	6.3	6.0	6.0	6.3	6.1
SWI-1003	7.0	5.7	6.0	7.7	6.3	7.7	6.7	6.0	7.0	7.0	5.3	5.3	5.3	6.1
SWI-1046	7.0	5.7	6.0	8.7	6.7	7.3	5.7	6.0	6.7	6.7	6.0	6.0	6.0	6.1
TIFT NO. 3	7.0	6.3	7.3	8.0	6.3	9.0	6.7	6.0	7.0	7.3	5.3	5.3	5.3	6.1
TIFT NO. 4	6.3	6.0	6.0	7.3	7.3	8.3	6.0	6.0	7.3	7.0	5.3	5.3	5.7	6.1
GN-1	6.3	6.3	7.0	8.7	7.0	8.7	5.7	5.7	6.3	6.7	6.0	5.7	5.7	6.0
MOHAWK	6.0	5.7	7.0	8.3	6.7	5.0	6.0	5.3	6.3	6.0	6.0	6.0	6.0	6.0
PATRIOT	7.3	7.0	6.0	8.0	6.7	9.0	6.3	5.7	7.3	6.7	5.3	5.3	5.3	6.0
SUNDEVIL II	6.3	6.3	7.0	8.7	7.0	7.7	5.7	5.3	6.0	6.3	6.0	6.0	6.3	6.0
SUNSTAR	7.0	6.7	7.0	7.3	6.7	6.0	6.7	5.3	6.0	6.0	6.0	6.0	6.0	6.0
SWI-1001	6.0	6.7	7.0	8.0	6.7	7.7	6.3	5.7	6.0	7.0	5.7	5.7	5.7	6.0
SWI-1014	5.7	5.7	7.0	8.0	7.0	8.0	6.0	5.3	6.3	5.7	6.3	6.3	6.3	6.0
YUKON	6.3	5.7	6.0	8.0	7.0	8.3	5.3	5.3	6.3	7.0	6.0	6.0	5.7	6.0
ARIZONA COMMON	6.3	6.0	7.0	8.3	6.7	5.0	6.7	5.0	6.3	6.0	5.7	5.7	5.7	5.9
AUSSIE GREEN	6.3	5.7	6.0	8.3	7.0	9.0	6.0	5.7	6.0	7.0	5.3	5.3	6.0	5.9
CELEBRATION	6.7	6.3	8.0	8.0	6.7	8.7	5.7	5.7	6.7	6.7	5.7	5.3	5.7	5.9
CIS-CD7	6.3	6.7	7.7	8.0	7.0	7.3	6.3	5.7	6.0	6.0	5.7	6.0	5.7	5.9
PRINCESS 77	6.0	5.0	6.0	8.7	7.0	8.0	5.7	5.3	6.7	6.7	5.7	5.7	5.7	5.9
SOUTHERN STAR	6.0	5.7	7.0	8.0	6.7	7.3	6.0	5.3	6.7	6.7	5.7	5.7	5.3	5.9
SWI-1044	6.3	6.0	7.0	8.3	6.7	8.0	6.0	5.3	6.7	7.0	5.3	5.3	5.3	5.9
TIFT NO. 1	6.7	4.7	7.0	8.3	6.7	8.7	6.0	5.7	7.7	7.0	5.0	5.0	5.0	5.9
PANAMA	6.0	5.7	7.0	8.3	7.0	6.3	5.7	5.3	6.7	6.0	5.7	5.7	5.7	5.8
SWI-1012	5.7	5.0	7.0	8.0	7.0	7.7	5.7	5.0	6.0	6.3	5.7	5.7	5.7	5.7
B-14	6.3	4.7	7.0	7.7	7.0	6.3	5.7	5.0	5.3	5.7	6.0	5.7	5.7	5.6
NUMEX SAHARA	6.0	5.0	7.0	7.0	7.0	5.7	5.7	5.3	6.0	5.3	5.7	5.7	5.0	5.5
TIFT NO. 2	5.7	4.3	7.0	8.7	6.7	8.0	5.0	5.3	6.0	6.3	5.0	5.0	5.7	5.5
ASHMORE	6.3	6.0	6.3	7.3	6.3	8.0	6.3	5.3	6.3	5.3	5.0	4.7	4.7	5.4
LSD VALUE	2.3	2.0	0.6	2.0	1.6	1.1	1.8	1.8	1.3	1.3	0.7	0.8	1.2	0.5
C.V. (%)	12.6	14.7	5.4	9.2	6.4	9.2	11.5	10.8	9.7	9.7	6.7	7.6	9.2	4.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 19.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT CLEMSON, SC 1/  
2005 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	SPRING GREENUP	LEAF TEXTURE	SPRING DENSITY	DENSITY SUMMER	DENSITY FALL	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT COVER FALL	FALL COLOR SEPTEMBER	FALL COLOR OCTOBER	FALL COLOR NOVEMBER
TIFWAY	7.3	6.7	7.3	7.3	7.0	71.7	99.0	99.0	7.0	7.7	5.7
CELEBRATION	5.7	7.3	7.0	7.0	7.0	86.7	99.0	99.0	7.7	7.0	4.3
CONTESSA (SWI-1045)	5.7	7.3	7.0	7.0	7.0	66.7	99.0	94.7	7.3	6.3	4.0
TIFT NO. 4	6.3	7.0	7.0	7.0	7.0	65.0	99.0	96.0	7.0	7.0	5.0
RIVIERA	6.7	7.3	7.0	7.0	7.0	78.3	97.7	97.7	7.3	6.0	2.7
TIFSPORT	7.0	6.7	7.0	7.3	7.0	56.7	99.0	96.0	6.7	7.3	5.0
MS-CHOICE	6.0	7.7	7.3	7.7	7.0	76.7	99.0	90.0	7.7	5.7	2.0
OKC 70-18	7.0	6.3	7.0	7.0	7.0	90.0	99.0	93.0	6.7	5.7	4.3
TIFT NO. 3	5.3	7.0	7.0	7.0	7.0	70.0	99.0	99.0	6.7	6.3	4.3
MIDLAWN	5.7	7.0	6.7	7.0	7.0	71.7	99.0	97.7	6.3	6.0	5.0
AUSSIE GREEN	7.0	7.0	7.0	7.3	7.0	78.3	99.0	93.0	6.3	6.3	2.3
GN-1	5.7	7.0	7.3	7.3	7.0	80.0	99.0	93.0	7.0	5.3	3.0
SWI-1001	5.3	7.0	7.0	7.0	7.0	71.7	94.3	89.7	7.0	6.7	3.3
SWI-1041	4.7	7.3	7.3	7.3	7.0	61.7	99.0	99.0	7.3	6.3	3.7
SWI-1044	6.0	7.7	7.0	7.3	7.0	80.0	99.0	97.7	7.0	5.7	3.7
SWI-1046	5.7	7.0	7.0	7.0	7.0	68.3	99.0	99.0	8.0	6.0	3.3
YUKON	6.3	7.0	6.7	7.0	7.0	76.7	99.0	96.0	6.7	5.7	3.0
PATRIOT	6.3	6.0	6.7	7.0	7.0	93.0	99.0	93.0	6.0	5.3	3.0
SOUTHERN STAR	5.3	7.0	7.0	7.0	7.0	73.3	99.0	99.0	6.7	5.3	3.0
SUNDEVIL II	5.3	6.7	7.0	7.0	7.0	63.3	99.0	94.3	6.3	5.7	2.7
SWI-1012	5.0	7.0	7.0	7.0	7.0	63.3	96.0	91.3	7.3	5.7	2.0
LAPALOMA (SRX 9500)	5.3	7.0	7.0	7.3	7.0	75.0	99.0	96.0	6.7	5.7	3.3
PREMIER (OR 2002)	6.0	6.0	7.0	7.0	7.0	76.7	99.0	92.7	5.3	5.7	2.3
SUNBIRD (PST-R68A)	6.0	7.0	7.0	7.0	7.0	83.3	99.0	89.7	6.3	5.7	2.3
SWI-1003	5.0	7.3	7.0	7.0	7.0	68.3	99.0	96.0	6.3	6.0	3.7
TIFT NO. 2	5.0	6.7	6.7	7.0	7.0	73.3	99.0	96.0	6.3	6.7	3.7
TRANSCONTINENTAL	5.3	7.0	7.0	7.0	7.0	78.3	99.0	96.0	6.3	5.7	2.7
FMC-6	5.0	7.3	7.0	7.0	7.0	66.7	99.0	96.0	6.7	5.0	3.3
MOHAWK	4.0	6.7	7.0	7.0	7.0	60.0	99.0	97.7	7.0	5.7	3.3
PANAMA	5.0	7.3	7.0	7.3	7.3	76.7	99.0	94.7	7.0	5.3	3.0
SUNSTAR	5.3	6.3	7.0	7.0	6.7	71.7	91.3	91.7	6.3	5.0	2.7
SWI-1014	5.3	7.0	7.3	7.3	6.7	70.0	99.0	91.3	6.3	5.0	2.3
TIFT NO. 1	5.3	7.0	6.7	7.0	7.0	75.0	99.0	91.3	6.3	5.7	4.3
CIS-CD7	5.0	7.0	7.0	7.0	7.0	75.0	99.0	99.0	6.3	5.3	3.3
NUMEX SAHARA	5.0	6.3	7.0	7.0	7.0	75.0	99.0	96.0	6.0	5.3	2.7
PRINCESS 77	5.3	7.0	7.0	7.0	6.7	68.3	99.0	96.0	6.3	5.0	3.0
ASHMORE	5.7	6.7	6.7	6.7	6.3	70.0	99.0	81.7	6.3	4.7	3.0
CIS-CD5	4.3	7.0	7.0	7.0	6.7	66.7	99.0	99.0	7.3	5.0	2.0
CIS-CD6	6.0	7.0	7.0	7.0	7.0	85.0	99.0	93.0	6.7	4.7	2.0
SR 9554	5.7	6.7	6.7	7.3	7.0	73.3	99.0	91.3	6.3	4.3	2.0
ARIZONA COMMON	5.0	7.0	7.0	7.0	6.7	61.7	99.0	91.7	5.7	4.7	2.7
B-14	5.0	6.7	6.7	7.0	6.7	73.3	99.0	93.0	6.0	4.3	2.3
LSD VALUE	1.1	0.8	1.4	1.0	1.0	28.3	4.3	16.2	1.6	2.0	1.5
C.V. (%)	11.4	6.1	5.1	4.3	4.1	15.2	1.9	5.8	10.7	16.7	26.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 19. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
(CONT'D) IN THE 2002 NATIONAL BERMUDAGRASS TEST AT CLEMSON, SC 1/  
2005 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS									
	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	MEAN
TIFWAY	2.3	6.3	7.7	7.0	7.3	7.0	7.0	7.7	7.0	6.6
CELEBRATION	2.0	4.7	7.7	7.7	7.3	8.0	7.7	7.0	4.7	6.3
CONTESSA (SWI-1045)	3.7	5.3	7.0	7.0	7.0	7.0	7.3	6.3	5.0	6.2
TIFT NO. 4	3.0	5.0	7.0	7.0	7.0	7.0	7.0	7.0	5.7	6.2
RIVIERA	4.3	6.3	6.3	7.0	7.3	6.3	7.3	6.0	4.3	6.1
TIFSPORT	2.0	5.3	7.3	6.7	7.0	7.0	6.7	7.3	6.0	6.1
MS-CHOICE	3.7	4.3	6.7	7.3	8.3	8.0	7.7	5.7	2.3	6.0
OKC 70-18	4.3	6.7	6.7	6.7	6.3	6.0	6.7	5.7	5.3	6.0
TIFT NO. 3	3.7	4.7	6.3	6.7	6.7	7.0	6.7	6.3	6.0	6.0
MIDLAWN	4.0	5.7	7.0	6.7	5.7	6.0	6.3	6.0	5.7	5.9
AUSSIE GREEN	4.0	6.3	7.0	6.0	6.7	6.3	6.3	6.3	3.3	5.8
GN-1	3.7	5.0	7.0	7.0	7.0	6.7	7.0	5.3	3.3	5.8
SWI-1001	3.0	4.7	6.0	7.0	7.0	6.0	7.0	6.7	4.7	5.8
SWI-1041	3.3	4.3	5.3	6.7	7.3	7.0	7.3	6.3	4.7	5.8
SWI-1044	3.3	5.3	6.3	6.3	6.3	7.0	7.0	5.7	4.7	5.8
SWI-1046	2.0	4.7	6.7	6.0	7.3	6.3	8.0	6.0	5.3	5.8
YUKON	3.7	6.0	6.3	7.0	7.0	6.0	6.7	5.7	3.7	5.8
PATRIOT	2.7	5.7	7.3	6.7	6.3	5.7	6.0	5.3	5.3	5.7
SOUTHERN STAR	4.7	5.3	6.0	6.7	6.3	6.7	6.7	5.3	4.0	5.7
SUNDEVIL II	4.3	5.3	6.0	6.7	6.3	6.3	6.3	5.7	4.0	5.7
SWI-1012	3.0	5.0	6.0	7.0	7.0	7.0	7.3	5.7	3.0	5.7
LAPALOMA (SRX 9500)	4.7	4.7	5.3	6.0	6.7	6.7	6.7	5.7	4.3	5.6
PREMIER (OR 2002)	4.7	6.0	7.0	6.3	6.0	5.7	5.3	5.7	3.3	5.6
SUNBIRD (PST-R68A)	4.0	5.3	6.0	7.3	6.3	6.3	6.3	5.7	3.3	5.6
SWI-1003	3.0	4.7	6.3	7.0	6.3	6.3	6.3	6.0	4.3	5.6
TIFT NO. 2	3.0	4.0	6.0	6.3	6.0	6.7	6.3	6.7	5.0	5.6
TRANSCONTINENTAL	3.7	5.3	6.0	6.7	6.3	6.3	6.3	5.7	4.0	5.6
FMC-6	3.3	5.0	6.0	6.7	6.3	6.3	6.7	5.0	4.0	5.5
MOHAWK	4.0	4.0	5.0	6.3	6.0	6.3	7.0	5.7	4.3	5.4
PANAMA	3.3	4.7	6.0	6.0	6.3	6.0	7.0	5.3	3.7	5.4
SUNSTAR	3.7	5.0	5.7	7.0	6.3	6.3	6.3	5.0	3.0	5.4
SWI-1014	4.0	5.3	6.0	6.7	6.3	5.7	6.3	5.0	3.3	5.4
TIFT NO. 1	2.0	4.0	6.3	6.7	6.7	7.0	6.3	5.7	4.3	5.4
CIS-CD7	4.0	4.3	5.3	6.0	5.7	5.7	6.3	5.3	4.7	5.3
NUMEX SAHARA	4.3	4.7	6.0	5.7	6.0	5.7	6.0	5.3	4.0	5.3
PRINCESS 77	2.0	4.7	6.3	6.3	7.0	6.0	6.3	5.0	3.7	5.3
ASHMORE	3.7	5.0	5.7	6.3	5.3	6.0	6.3	4.7	3.0	5.1
CIS-CD5	3.3	3.7	5.0	6.0	6.3	6.3	7.3	5.0	2.7	5.1
CIS-CD6	3.3	5.7	6.0	5.3	6.0	5.7	6.7	4.7	2.3	5.1
SR 9554	4.0	5.3	5.7	6.3	6.7	5.7	6.3	4.3	2.0	5.1
ARIZONA COMMON	4.3	4.7	5.7	5.3	5.7	6.0	5.7	4.7	2.7	5.0
B-14	2.7	4.7	6.0	6.7	5.3	6.0	6.0	4.3	2.7	4.9
LSD VALUE	2.4	1.1	0.9	1.4	0.9	1.3	1.6	2.0	2.0	0.7
C.V. (%)	29.5	12.6	8.6	9.6	8.4	10.2	10.7	16.7	27.1	6.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 20.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT DALLAS, TX 1/  
2005 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	FALL COLOR SEPTEMBER	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	FALL COLOR DECEMBER
TIFT NO. 4	7.3	4.3	7.3	7.7	7.0	7.3	8.0	8.0	6.3	2.7
TIFWAY	7.0	5.3	7.0	6.3	7.7	7.0	7.3	7.0	4.3	2.3
AUSSIE GREEN	7.7	3.0	7.3	5.3	7.0	7.3	7.3	7.3	4.0	2.0
PREMIER (OR 2002)	7.7	4.0	7.0	6.0	7.3	8.0	7.7	7.7	4.0	2.0
CELEBRATION	6.7	3.7	6.3	6.3	6.3	8.3	9.0	9.0	4.7	2.0
MIDLAWN	6.0	4.0	6.3	3.3	7.3	7.3	8.0	7.7	4.7	1.3
TIFT NO. 3	6.3	4.7	7.0	6.3	7.0	7.0	7.3	7.0	3.7	1.7
GN-1	8.7	3.3	7.0	6.3	7.3	7.7	8.3	8.3	3.3	2.0
TIFT NO. 1	7.0	3.7	6.3	6.7	7.3	8.0	8.0	8.0	3.7	1.7
TIFSPORT	7.3	3.7	7.0	5.0	6.3	7.0	7.7	7.3	6.0	2.7
SWI-1003	5.3	4.0	6.7	4.7	6.3	8.3	7.7	7.3	5.0	1.7
SWI-1046	6.3	4.0	6.3	5.7	6.7	7.7	7.7	7.0	4.0	1.7
SWI-1041	5.3	3.3	6.3	4.3	6.3	7.0	6.7	7.0	4.3	2.0
TIFT NO. 2	5.3	3.7	6.3	5.7	5.3	6.7	7.3	7.3	4.0	1.7
ASHMORE	6.0	3.0	8.0	3.3	6.0	7.3	6.7	7.0	4.7	2.7
CONTESSA (SWI-1045)	5.3	3.0	5.7	4.7	5.3	7.0	7.0	7.0	4.7	1.3
SWI-1044	5.3	3.0	6.0	4.7	6.0	7.0	7.0	7.0	2.3	1.7
YUKON	6.0	4.3	5.7	4.3	6.0	7.3	8.0	8.0	3.3	1.3
MS-CHOICE	7.3	1.0	6.0	3.0	6.3	6.7	9.0	7.7	5.0	2.0
PRINCESS 77	5.3	2.0	6.3	3.7	6.7	7.0	7.3	7.0	4.3	2.0
OKC 70-18	7.3	3.3	7.0	3.7	6.3	6.7	7.3	7.3	5.0	1.7
PATRIOT	9.0	2.0	6.7	2.0	7.0	7.0	8.0	8.0	2.3	1.7
SUNDEVIL II	5.7	2.7	6.0	2.7	5.3	6.3	7.3	7.7	2.7	1.7
SWI-1012	5.3	2.0	6.0	2.7	5.7	7.3	8.0	8.3	6.3	1.3
SWI-1014	6.0	3.0	5.0	3.7	6.0	6.7	7.3	7.0	3.0	1.7
TRANSCONTINENTAL	6.3	2.0	6.0	3.0	5.3	6.7	7.7	7.7	3.3	1.7
CIS-CD7	5.7	2.7	5.3	3.7	5.3	7.0	7.7	7.7	4.3	1.3
RIVIERA	6.3	2.7	6.0	3.3	5.3	7.0	7.3	7.0	4.0	1.3
SUNBIRD (PST-R68A)	6.0	2.0	6.0	3.7	4.7	6.3	7.0	7.3	2.7	2.0
CIS-CD5	6.7	2.0	5.3	2.0	5.7	7.0	7.7	8.0	4.7	1.7
B-14	7.0	2.0	5.7	2.3	5.0	6.0	7.7	7.7	3.0	1.7
CIS-CD6	7.0	2.0	6.0	2.0	5.7	6.7	7.3	7.3	3.0	1.7
MOHAWK	5.7	2.0	5.7	3.0	4.0	6.7	7.3	7.3	3.0	1.7
SR 9554	5.7	2.0	6.0	2.3	5.3	7.0	7.7	7.7	3.7	1.7
SWI-1001	5.0	2.0	6.0	3.0	4.7	6.0	7.3	6.7	3.7	1.7
ARIZONA COMMON	6.0	2.7	5.3	2.0	5.3	6.0	6.7	7.0	3.0	1.0
FMC-6	6.7	2.0	6.0	2.3	4.0	6.3	7.0	7.0	4.0	1.7
LAPALOMA (SRX 9500)	6.0	2.0	6.0	2.7	5.0	5.3	7.0	6.7	4.0	2.0
SOUTHERN STAR	6.7	2.0	6.0	2.3	5.0	5.7	7.7	7.3	3.0	2.0
SUNSTAR	5.7	2.3	5.7	3.0	5.7	6.0	6.3	7.0	2.3	1.7
NUMEX SAHARA	7.3	2.0	5.3	2.0	4.0	6.7	7.7	7.3	3.0	1.3
PANAMA	6.3	2.0	6.0	2.0	4.3	5.7	7.0	7.0	3.7	1.7
LSD VALUE	1.2	1.2	0.7	1.7	1.7	1.4	1.2	1.3	2.2	1.1
C.V. (%)	11.4	25.5	7.3	28.4	16.2	10.6	8.3	8.1	28.8	27.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 20.  
(CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT DALLAS, TX 1/  
2005 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS												MEAN
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
TIFT NO. 4	5.7	6.0	6.0	6.0	6.7	7.0	6.7	7.3	7.7	7.0	6.0	4.3	6.4
TIFWAY	4.7	5.3	6.0	5.7	6.7	7.0	7.7	7.0	7.3	6.3	5.0	4.3	6.1
AUSSIE GREEN	5.0	5.0	4.7	4.7	6.0	7.3	6.7	7.3	7.3	6.7	4.7	5.0	5.9
PREMIER (OR 2002)	3.7	4.7	5.7	5.0	6.3	7.3	7.3	7.7	6.3	7.0	5.0	4.3	5.9
CELEBRATION	5.7	5.0	4.3	5.3	6.0	5.7	5.7	6.3	8.0	7.7	5.0	5.0	5.8
MIDLAWN	4.0	4.0	4.0	3.3	6.0	6.7	7.0	7.3	7.3	7.0	5.0	4.0	5.5
TIFT NO. 3	5.0	5.3	5.7	5.0	6.0	6.7	6.0	6.0	6.3	6.3	4.0	4.0	5.5
GN-1	4.3	3.7	4.0	5.0	5.3	6.3	6.7	6.7	7.3	6.7	4.3	4.3	5.4
TIFT NO. 1	5.3	5.0	5.0	4.3	6.0	6.3	5.7	6.0	6.3	7.0	4.3	3.7	5.4
TIFSPORT	4.7	4.7	5.0	3.7	5.0	5.3	6.3	6.3	7.0	6.3	5.3	4.0	5.3
SWI-1003	4.3	4.7	4.3	4.0	6.0	5.0	5.3	6.3	6.0	6.7	4.7	3.7	5.1
SWI-1046	4.7	4.3	4.7	4.3	5.3	5.0	5.7	6.0	6.0	6.0	4.7	3.7	5.0
SWI-1041	4.3	4.3	3.7	3.7	4.7	4.7	4.7	6.0	6.0	6.7	5.0	4.0	4.8
TIFT NO. 2	4.0	4.3	4.7	4.3	5.0	5.0	5.0	5.7	6.0	6.0	4.3	3.3	4.8
ASHMORE	3.3	3.3	3.7	3.3	4.0	4.7	6.0	6.7	6.3	6.0	4.7	4.7	4.7
CONTESSA (SWI-1045)	4.3	4.0	3.7	3.7	5.3	5.0	5.0	5.7	5.3	5.0	4.7	3.7	4.6
SWI-1044	3.7	3.0	3.7	3.7	4.7	5.0	5.3	5.7	5.7	5.7	4.0	3.7	4.5
YUKON	3.3	3.3	3.7	3.3	4.7	4.7	5.0	6.0	6.0	6.0	4.0	3.7	4.5
MS-CHOICE	4.3	3.7	2.7	2.0	3.0	4.3	5.7	6.0	6.3	6.0	5.0	3.7	4.4
PRINCESS 77	4.0	4.0	3.7	3.0	4.7	4.7	5.0	6.0	5.7	5.7	4.0	3.0	4.4
OKC 70-18	2.3	2.7	3.7	3.0	3.7	5.0	6.0	6.0	5.7	6.3	4.0	3.0	4.3
PATRIOT	2.7	2.3	2.3	2.0	4.0	5.7	6.3	6.7	5.3	5.7	3.7	3.3	4.2
SUNDEVIL II	3.0	3.3	3.0	2.7	4.0	4.0	4.7	5.3	5.7	5.7	3.7	3.7	4.1
SWI-1012	3.0	3.0	2.7	2.0	3.7	4.0	4.7	5.7	6.0	6.3	5.0	3.3	4.1
SWI-1014	3.7	3.3	2.7	3.3	4.0	4.3	4.7	5.3	5.7	5.3	4.0	3.3	4.1
TRANSCONTINENTAL	3.7	3.0	2.7	2.7	3.7	4.3	4.7	4.7	5.7	6.0	4.0	3.3	4.0
CIS-CD7	3.3	2.7	2.7	2.7	3.3	4.0	4.0	5.3	5.7	5.7	4.3	3.3	3.9
RIVIERA	2.7	2.3	3.0	2.7	4.0	4.3	4.7	5.7	5.3	5.7	4.0	3.0	3.9
SUNBIRD (PST-R68A)	3.0	3.0	2.7	2.7	3.7	3.7	4.0	5.0	5.0	5.3	3.7	3.3	3.8
CIS-CD5	2.7	2.3	2.0	2.0	3.0	3.7	4.7	4.3	5.3	6.0	4.7	3.3	3.7
B-14	2.3	2.7	2.3	2.0	3.0	3.7	4.0	5.3	5.7	5.7	4.0	3.0	3.6
CIS-CD6	2.7	2.3	2.0	2.0	2.7	3.7	4.3	5.0	5.7	5.7	4.0	3.0	3.6
MOHAWK	2.7	2.0	2.0	2.3	3.0	4.0	4.0	5.0	5.3	5.3	4.0	3.3	3.6
SR 9554	2.7	2.3	2.7	2.0	3.0	3.3	4.0	5.7	5.0	5.7	4.0	3.3	3.6
SWI-1001	2.7	2.3	2.0	2.3	3.0	4.0	4.0	5.3	5.0	4.7	3.7	3.3	3.5
ARIZONA COMMON	2.0	2.0	2.7	2.0	2.7	3.3	4.7	5.3	4.3	5.3	3.7	2.7	3.4
FMC-6	2.0	2.3	2.3	2.3	2.7	3.7	3.7	5.0	5.0	5.0	4.3	2.7	3.4
LAPALOMA (SRX 9500)	2.7	2.0	2.3	2.3	3.0	3.7	4.3	4.3	5.0	4.7	3.7	2.3	3.4
SOUTHERN STAR	2.0	2.0	2.0	2.0	2.7	3.7	4.3	5.7	5.0	5.0	3.7	3.0	3.4
SUNSTAR	2.0	2.3	2.3	2.7	3.7	4.0	4.3	4.3	4.7	5.0	3.3	2.3	3.4
NUMEX SAHARA	2.0	2.0	2.0	2.0	2.7	2.7	3.7	5.7	5.3	5.7	3.7	2.7	3.3
PANAMA	2.0	2.0	2.0	2.0	2.7	3.7	4.0	5.0	4.0	5.0	3.7	2.7	3.2
LSD VALUE	0.8	0.9	1.1	1.3	1.5	1.1	1.0	1.1	1.2	1.1	1.0	0.8	
C.V. (%)	16.1	18.0	21.1	25.6	21.6	15.0	12.7	11.9	12.2	11.1	13.3	14.7	9.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 21.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT LUBBOCK, TX 1/  
2005 DATA

## TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS													MEAN
	SPRING GREENUP	LEAF TEXTURE	DENSITY SUMMER	SEEDHEAD SUMMER	SEEDHEAD FALL	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	
TIFWAY	1.7	7.0	7.3	9.0	9.0	1.0	2.7	6.0	8.3	8.3	7.7	8.3	7.7	6.3
TIFT NO. 3	2.7	6.7	8.7	9.0	7.3	1.0	3.7	5.7	7.7	8.0	7.7	7.7	7.3	6.1
TIFSPORT	2.0	7.0	7.7	9.0	9.0	1.0	3.0	5.7	8.3	8.3	7.0	7.7	6.3	5.9
MIDLAWN	2.0	6.7	6.3	9.0	8.7	1.0	2.7	5.0	7.3	7.7	8.0	7.7	7.0	5.8
TIFT NO. 4	1.3	8.0	9.0	8.0	8.3	1.0	2.7	5.3	8.0	8.0	7.3	7.3	6.7	5.8
SWI-1012	2.3	5.3	8.0	8.7	5.3	1.0	3.3	5.3	7.7	7.7	7.3	7.0	6.3	5.7
CONTESSA (SWI-1045)	1.7	4.3	7.3	9.0	5.0	1.0	2.7	5.0	7.0	8.0	7.3	8.0	6.3	5.7
RIVIERA	2.7	5.7	7.0	8.0	6.3	1.7	2.7	4.7	7.0	8.0	7.0	7.3	6.7	5.6
SWI-1003	1.0	4.7	9.0	9.0	5.7	1.0	2.0	5.0	8.0	7.0	7.7	7.3	6.7	5.6
SWI-1014	3.0	3.7	7.3	8.7	5.3	1.7	3.3	4.7	6.7	7.7	7.0	7.0	6.7	5.6
SWI-1041	1.7	5.7	8.0	9.0	6.3	1.0	2.0	4.7	7.0	7.7	7.7	7.7	7.0	5.6
ASHMORE	1.0	7.0	7.7	7.7	8.7	1.0	1.7	4.7	8.0	6.7	8.0	7.7	6.3	5.5
PREMIER (OR 2002)	3.3	5.3	7.7	9.0	7.0	1.7	3.3	5.3	7.0	7.0	7.0	6.7	5.7	5.5
TIFT NO. 2	1.0	5.3	7.7	9.0	4.3	1.0	2.3	4.3	7.0	7.3	7.3	7.3	6.7	5.4
CELEBRATION	1.7	6.0	8.0	9.0	6.3	1.0	2.7	4.7	6.7	6.3	7.3	7.0	6.3	5.3
MS-CHOICE	2.3	6.3	7.7	8.7	8.0	1.3	2.7	4.7	6.7	6.7	7.3	6.7	6.7	5.3
PRINCESS 77	1.0	6.3	7.7	9.0	4.3	1.0	1.7	4.3	7.0	7.3	7.3	7.0	6.3	5.3
SWI-1044	1.3	6.0	7.3	9.0	3.3	1.0	2.0	3.7	6.7	7.7	7.7	7.0	6.3	5.3
SWI-1046	1.0	5.0	8.0	9.0	4.3	1.0	2.0	3.7	7.0	7.7	7.3	7.3	6.7	5.3
TIFT NO. 1	1.3	4.7	8.3	9.0	4.3	1.0	2.3	4.7	7.0	6.7	7.0	7.0	7.0	5.3
GN-1	1.7	4.7	7.7	9.0	6.3	1.0	2.7	5.0	7.3	7.0	6.3	6.3	5.3	5.1
CIS-CD7	2.3	3.3	6.3	7.0	3.3	1.3	3.0	4.0	5.7	6.3	6.7	6.0	6.0	4.9
SOUTHERN STAR	2.0	3.7	6.0	5.7	1.7	1.0	2.3	4.3	6.0	6.7	6.7	6.7	5.7	4.9
AUSSIE GREEN	1.0	5.3	6.3	9.0	7.0	1.0	1.0	3.3	6.3	7.0	7.7	7.0	5.0	4.8
YUKON	1.3	4.0	5.3	9.0	5.7	1.3	1.7	4.3	6.0	6.3	6.7	6.3	6.0	4.8
ARIZONA COMMON	2.0	2.3	5.7	5.3	3.3	1.0	2.7	4.0	5.3	6.3	6.3	6.3	5.3	4.7
B-14	1.3	2.7	5.7	6.3	3.0	1.0	2.0	3.3	4.7	7.0	7.0	6.3	6.3	4.7
OKC 70-18	1.3	4.0	5.7	9.0	6.3	1.3	1.7	3.7	6.0	5.7	7.7	6.7	5.0	4.7
PATRIOT	1.3	3.0	6.7	8.3	8.7	1.0	1.7	4.0	5.7	6.3	7.0	7.0	4.7	4.7
SUNBIRD (PST-R68A)	2.0	3.3	6.7	6.7	5.0	1.0	2.7	4.0	5.7	6.3	6.3	6.3	5.3	4.7
SUNSTAR	2.0	2.3	6.3	6.0	6.3	1.0	2.3	4.0	5.7	6.3	6.7	6.3	5.0	4.7
FMC-6	1.7	3.0	6.7	6.0	4.0	1.0	2.0	3.3	5.3	7.0	6.3	6.7	5.3	4.6
NUMEX SAHARA	1.7	3.0	6.3	6.3	3.7	1.0	2.7	4.3	5.7	5.7	6.3	6.3	5.0	4.6
CIS-CD5	1.0	3.0	5.3	7.3	3.7	1.0	1.7	3.3	5.0	6.3	6.7	6.3	6.0	4.5
SWI-1001	1.7	3.0	6.3	7.0	4.3	1.0	2.0	3.7	6.0	6.3	6.7	5.7	4.3	4.5
CIS-CD6	1.3	3.0	5.3	8.3	4.7	1.0	1.3	3.7	5.3	6.3	6.3	6.0	4.7	4.3
LAPALOMA (SRX 9500)	1.3	2.3	6.0	6.7	3.3	1.0	1.7	3.0	4.7	6.3	6.3	6.0	5.3	4.3
SR 9554	2.0	3.0	5.7	6.7	5.0	1.0	2.3	3.7	4.7	6.0	6.3	6.0	4.7	4.3
SUNDEVIL II	1.7	2.7	5.3	6.7	3.7	1.0	2.0	4.0	5.0	5.7	5.7	5.7	4.7	4.2
MOHAWK	1.7	2.3	5.3	6.3	1.0	1.0	2.0	3.3	4.3	5.7	5.7	5.7	4.7	4.0
PANAMA	1.3	3.3	7.0	7.3	5.7	1.3	1.7	3.3	4.7	5.7	5.7	5.3	4.7	4.0
TRANSCONTINENTAL	1.3	2.3	6.0	7.3	2.3	1.0	1.7	3.3	5.3	5.3	5.7	5.7	4.3	4.0
LSD VALUE	1.0	1.6	1.2	1.7	1.9	0.6	2.3	1.2	1.5	1.4	1.1	1.1	2.7	0.9
C.V. (%)	32.5	23.2	11.0	12.9	23.5	23.4	37.7	16.8	14.5	11.5	9.3	9.7	20.2	10.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 22.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT BLACKSBURG, VA 1/  
2005 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	DENSITY SUMMER	SEEDHEAD RATINGS	SPRING	MAY	JUN	QUALITY RATINGS			MEAN
					DEAD SPOT			JUL	AUG	SEP	
YUKON	7.7	3.7	7.7	7.7	8.7	6.7	4.7	8.0	7.7	7.7	6.9
OKC 70-18	6.3	4.3	8.3	8.0	8.3	6.7	4.7	8.0	6.3	7.7	6.7
RIVIERA	7.3	3.0	7.0	7.0	7.7	5.7	4.3	8.0	7.3	7.0	6.5
SWI-1014	7.3	3.3	7.3	7.3	6.7	7.0	3.7	6.3	7.3	8.0	6.5
SWI-1044	7.3	2.0	8.3	7.3	7.3	4.0	4.3	7.7	8.0	8.0	6.4
CIS-CD6	6.3	3.0	6.7	7.7	8.3	6.0	4.7	7.0	6.7	7.0	6.3
CONTESSA (SWI-1045)	7.3	2.7	7.3	7.3	7.7	5.3	4.7	6.7	7.3	7.7	6.3
PREMIER (OR 2002)	6.7	1.7	9.0	8.7	7.3	4.0	4.0	8.3	7.0	7.7	6.2
SWI-1046	7.7	2.3	7.3	7.7	7.0	5.7	4.0	7.7	6.7	7.0	6.2
SWI-1012	8.0	2.0	8.0	6.3	6.7	5.0	3.7	6.7	7.3	8.0	6.1
MIDLAWN	6.3	4.7	6.3	8.0	6.7	7.0	4.0	7.7	5.7	5.7	6.0
SWI-1041	6.3	1.7	7.7	7.0	7.0	5.0	4.0	7.0	7.0	7.0	6.0
CIS-CD7	7.3	2.3	7.0	6.7	7.7	4.7	3.7	7.3	7.0	7.0	5.9
GN-1	8.0	1.3	7.7	7.3	8.0	2.7	3.7	7.7	7.3	8.0	5.9
AUSSIE GREEN	7.7	1.0	8.3	7.7	7.3	3.0	3.7	7.7	7.3	7.3	5.8
SWI-1003	7.7	2.0	7.7	7.0	7.7	3.7	4.0	6.7	7.0	7.7	5.8
PATRIOT	6.7	2.3	6.7	8.7	7.0	5.0	4.0	6.0	6.7	7.0	5.7
TIFT NO. 4	7.0	1.3	8.7	6.7	7.7	3.3	3.7	6.7	7.0	7.7	5.7
NUMEX SAHARA	6.7	2.0	7.3	7.0	6.7	3.7	3.3	6.7	6.7	7.7	5.6
CIS-CD5	7.0	2.0	7.0	6.0	6.7	4.0	3.7	6.7	6.3	7.0	5.5
TIFT NO. 3	7.3	1.3	7.7	6.3	5.3	3.0	3.0	6.3	7.3	8.0	5.5
TIFWAY	8.0	1.3	7.0	7.0	7.7	4.0	4.3	6.3	6.0	6.7	5.5
SWI-1001	6.7	1.7	7.0	5.0	6.3	3.3	3.0	6.7	6.3	7.3	5.3
FMC-6	6.7	1.3	6.7	6.0	5.7	3.0	3.0	6.0	7.0	7.0	5.2
CELEBRATION	8.3	1.0	7.0	5.7	6.3	2.7	3.0	5.7	7.0	7.0	5.1
LAPALOMA (SRX 9500)	7.0	1.7	6.7	5.0	7.0	3.7	3.7	5.3	6.3	6.7	5.1
SUNBIRD (PST-R68A)	7.0	1.3	6.0	5.7	6.3	3.3	3.0	6.7	6.7	6.0	5.1
SOUTHERN STAR	7.0	1.3	6.3	4.3	6.3	3.0	3.0	6.0	6.3	6.7	5.0
SUNDEVIL II	6.7	1.3	6.3	4.0	6.0	3.0	3.0	6.7	6.0	6.3	5.0
TIFSPORT	8.0	1.0	7.0	7.7	7.0	3.0	4.0	5.3	5.7	6.7	4.9
MOHAWK	6.3	1.0	5.7	5.7	4.3	2.3	2.7	6.0	5.7	6.3	4.6
PRINCESS 77	7.0	1.0	6.7	4.7	5.7	3.0	3.0	5.3	5.3	6.3	4.6
ASHMORE	4.7	3.0	5.7	9.0	7.7	7.3	4.0	3.0	3.0	5.0	4.5
PANAMA	6.3	1.7	5.7	5.7	5.0	2.7	3.0	5.3	5.3	5.3	4.3
TRANSCONTINENTAL	6.7	1.3	6.0	4.3	5.0	3.3	2.7	4.3	5.3	5.7	4.3
MS-CHOICE	8.0	1.0	6.7	9.0	5.0	2.3	2.7	4.3	5.3	6.3	4.2
SUNSTAR	5.0	2.7	5.0	6.7	5.3	4.3	2.3	4.3	5.0	5.0	4.2
B-14	5.0	1.7	4.7	7.3	4.3	3.3	2.3	5.0	5.0	5.0	4.1
SR 9554	6.7	2.0	5.3	5.0	5.3	3.7	3.0	4.0	4.7	5.0	4.1
ARIZONA COMMON	5.7	1.3	5.7	6.7	5.3	3.3	3.0	3.3	4.3	5.7	3.9
TIFT NO. 2	4.7	2.3	4.3	7.0	4.3	4.3	2.7	3.0	3.7	5.0	3.7
TIFT NO. 1	5.7	1.0	5.0	7.3	3.7	2.0	2.3	3.7	4.0	4.7	3.3
LSD VALUE	2.7	0.9	2.6	1.7	2.6	2.0	1.1	2.8	2.5	3.4	2.0
C.V. (%)	17.5	30.0	18.7	15.6	21.1	29.3	17.9	25.0	20.9	20.7	19.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 23.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT VIRGINIA BEACH, VA 1/  
2005 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SUMMER	FALL	SPRING	SEEDHEAD JUNE	SEEDHEAD AUGUST	MAY	JUN	QUALITY RATINGS					MEAN
					COLOR NOVEMBER	DEAD SPOT					JUL	AUG	SEP	OCT		
MS-CHOICE	8.0	1.0	8.0	9.0	5.7	2.3	9.0	8.3	6.7	9.0	8.3	8.3	8.0	7.7	8.0	
TIFSPORT	8.0	1.3	8.7	7.7	6.7	1.0	8.7	9.0	7.7	7.7	7.7	8.3	7.7	8.0	7.8	
PATRIOT	7.0	2.0	8.3	7.7	6.0	1.0	8.7	9.0	8.0	8.3	7.7	7.7	7.3	7.0	7.7	
TIFT NO. 3	6.7	2.0	7.7	8.7	5.7	1.3	7.0	9.0	7.3	7.7	8.0	8.7	7.3	7.0	7.7	
CELEBRATION	7.3	1.7	7.3	8.7	6.0	3.3	8.7	9.0	6.7	8.7	7.3	7.7	7.7	7.3	7.6	
GN-1	8.0	2.0	7.7	8.3	6.3	3.0	8.0	9.0	7.3	8.0	7.0	8.3	7.7	7.0	7.6	
RIVIERA	7.3	3.0	8.0	8.0	6.3	1.0	6.0	8.3	8.0	7.3	7.7	8.0	7.0	7.3	7.6	
TIFT NO. 4	7.7	1.3	8.3	9.0	5.7	1.0	5.7	9.0	6.3	7.7	8.0	8.0	7.7	8.0	7.6	
SWI-1041	7.7	1.3	7.3	8.0	7.0	2.3	6.3	9.0	6.7	7.7	7.3	8.0	7.7	7.7	7.5	
AUSSIE GREEN	8.0	2.0	9.0	7.7	6.7	1.0	7.0	9.0	7.3	7.7	6.7	7.3	7.3	8.0	7.4	
OKC 70-18	7.3	3.3	8.7	7.3	6.0	1.0	6.0	9.0	8.0	7.7	7.7	7.0	7.0	7.3	7.4	
SWI-1046	8.3	1.0	8.3	8.3	6.7	2.0	6.7	9.0	7.3	7.3	8.0	7.7	7.0	7.3	7.4	
YUKON	8.3	3.3	7.7	7.7	6.7	1.0	7.3	9.0	7.7	7.7	7.3	7.7	7.3	6.7	7.4	
SWI-1003	6.3	1.0	8.0	8.7	6.0	1.3	6.7	9.0	6.7	8.0	7.7	8.0	6.7	6.7	7.3	
TIFT NO. 1	6.3	1.0	8.0	9.0	5.3	2.3	7.0	9.0	6.0	7.7	7.3	8.3	7.0	7.3	7.3	
TIFWAY	6.7	2.0	8.3	7.7	6.3	1.3	7.0	9.0	7.7	7.0	7.3	7.7	7.3	7.0	7.3	
PRINCESS 77	7.7	1.0	7.3	7.7	5.7	1.3	7.3	9.0	6.0	7.7	8.0	7.3	7.3	7.0	7.2	
CONTESSA (SWI-1045)	6.3	2.0	7.3	7.7	6.7	2.3	6.7	9.0	6.3	7.0	7.3	7.7	7.0	7.0	7.1	
PREMIER (OR 2002)	7.7	2.3	9.0	8.0	6.3	1.0	6.3	9.0	7.3	7.0	6.7	7.7	6.7	6.7	7.0	
SWI-1001	7.3	2.0	7.3	7.3	6.3	1.3	6.7	9.0	6.0	7.3	6.7	7.7	7.3	7.0	7.0	
SWI-1012	7.0	1.7	7.0	7.7	6.7	1.7	7.0	9.0	6.3	7.0	7.0	7.3	6.7	7.0	6.9	
TIFT NO. 2	6.7	1.0	7.3	8.7	6.3	2.0	6.0	9.0	5.7	7.3	6.7	7.3	7.3	7.0	6.9	
CIS-CD6	7.3	2.0	6.7	7.3	6.0	1.3	7.0	9.0	6.7	6.7	7.0	7.3	6.7	6.7	6.8	
SUNDEVIL II	8.0	2.0	6.0	6.7	7.0	4.3	5.3	9.0	6.3	6.7	6.7	7.0	7.0	7.0	6.8	
SWI-1044	7.7	1.3	7.3	8.0	6.7	3.7	6.3	9.0	6.0	7.7	7.0	7.0	7.0	6.3	6.8	
MIDLAWN	7.3	2.7	8.3	6.3	7.0	1.0	8.3	9.0	7.7	6.0	6.7	6.3	7.0	6.3	6.7	
SUNBIRD (PST-R68A)	7.3	1.0	6.7	7.3	6.3	2.7	6.0	9.0	6.3	7.0	7.0	6.3	7.0	6.3	6.7	
TRANSCONTINENTAL	8.0	1.3	6.3	7.3	7.0	2.3	5.3	9.0	6.0	6.7	6.7	7.0	6.7	7.0	6.7	
SOUTHERN STAR	7.7	1.7	6.0	5.7	6.7	1.7	5.7	9.0	5.7	6.3	7.0	7.0	6.7	6.7	6.6	
SWI-1014	7.7	2.3	6.0	7.3	6.7	1.0	7.7	9.0	5.0	6.7	6.7	7.3	7.0	6.7	6.6	
LAPALOMA (SRX 9500)	7.7	2.0	6.0	7.3	6.0	1.7	6.3	9.0	5.3	5.7	6.7	7.7	7.0	6.7	6.5	
CIS-CD5	7.7	2.0	5.7	6.7	6.3	2.3	6.7	8.3	5.7	6.3	6.7	6.7	6.0	7.0	6.4	
CIS-CD7	6.7	1.7	6.7	7.0	6.7	1.7	7.0	8.7	5.0	6.3	6.7	7.0	7.0	6.7	6.4	
FMC-6	8.0	1.7	6.7	7.3	6.3	1.0	7.0	9.0	5.7	6.7	6.0	6.7	6.3	6.7	6.3	
SR 9554	8.3	1.3	7.3	7.0	6.3	2.0	6.0	9.0	5.0	6.7	6.3	7.0	6.3	6.7	6.3	
SUNSTAR	7.7	1.7	6.7	6.7	6.7	3.3	6.3	9.0	4.7	6.0	6.0	6.7	6.3	6.7	6.1	
B-14	6.0	1.3	5.7	6.3	7.3	1.3	7.0	9.0	5.0	6.0	6.3	6.3	6.0	6.3	6.0	
ASHMORE	6.3	1.3	8.7	4.3	5.7	1.3	6.7	9.0	7.3	5.3	6.0	4.7	6.3	6.0	5.9	
PANAMA	6.3	1.7	5.3	5.7	7.0	2.3	5.7	9.0	4.7	5.7	5.7	6.3	6.0	6.0	5.7	
NUMEX SAHARA	6.7	1.0	6.3	6.3	7.0	2.0	7.0	9.0	4.0	5.7	5.3	6.7	5.7	6.0	5.6	
ARIZONA COMMON	7.3	1.0	5.7	6.0	7.0	2.0	6.3	9.0	4.0	5.7	5.3	6.0	5.7	6.0	5.4	
MOHAWK	6.7	1.3	5.3	6.3	7.0	1.3	7.0	9.0	3.7	5.7	5.7	6.0	5.7	6.0	5.4	
LSD VALUE	1.5	0.6	0.8	1.1	1.3	2.0	1.3	0.8	0.9	1.2	1.1	1.1	0.9	1.0	0.5	
C.V. (%)	10.3	21.7	7.2	9.4	9.3	54.3	11.2	3.1	10.0	10.6	9.4	9.2	7.8	7.9	4.8	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.