

TABLE 1. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT AUBURN, AL 1/  
2006 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	APR	MAY	QUALITY JUN	RATINGS JUL	AUG	SEP	MEAN
TIFWAY	7.0	8.3	8.0	6.3	7.7	8.3	7.3	7.7	8.0	7.6
TIFSPORT	8.0	8.0	7.7	6.0	8.3	8.0	7.3	7.7	7.7	7.5
OKC 70-18	5.0	8.0	7.3	7.7	8.0	7.3	8.3	6.3	6.7	7.4
TIFT NO. 4	7.3	7.3	7.0	6.3	7.3	6.7	7.3	6.3	6.7	6.8
PATRIOT	8.0	7.7	7.3	6.7	7.0	6.0	6.7	6.3	6.0	6.4
SWI-1001	6.3	7.3	6.0	6.0	7.0	6.7	6.7	5.7	5.7	6.3
ASHMORE	6.0	7.7	6.3	5.3	6.7	6.3	6.7	5.7	6.3	6.2
PREMIER (OR 2002)	6.7	6.0	7.0	4.7	7.0	6.0	7.3	6.0	6.0	6.2
SUNSTAR	7.0	7.3	6.0	4.7	6.7	6.7	6.0	6.0	5.7	5.9
MS-CHOICE	7.0	7.7	6.0	4.3	6.3	5.7	6.7	5.7	6.3	5.8
SWI-1046	7.0	8.3	6.3	5.3	6.0	6.0	5.7	6.0	5.7	5.8
TIFT NO. 3	7.0	8.7	6.7	6.0	6.0	6.0	6.0	5.3	5.7	5.8
YUKON	6.0	7.7	5.3	5.3	5.7	6.3	6.3	5.7	5.7	5.8
SOUTHERN STAR	6.7	7.0	6.0	4.7	5.7	6.3	6.0	6.0	5.7	5.7
SR 9554	6.0	7.0	6.0	4.7	6.0	6.0	5.7	6.3	5.7	5.7
GN-1	8.0	6.7	5.7	5.0	6.0	5.3	5.3	5.0	6.3	5.5
ARIZONA COMMON	6.3	6.3	4.7	4.0	6.0	6.3	5.7	5.3	5.0	5.4
CIS-CD6	6.0	7.0	6.0	4.0	5.3	5.3	6.3	6.0	5.7	5.4
SWI-1003	6.7	7.7	5.7	5.7	5.0	5.3	5.3	5.7	5.7	5.4
TIFT NO. 1	7.7	7.0	6.3	4.7	5.3	5.7	5.7	5.0	6.0	5.4
AUSSIE GREEN	7.3	8.0	7.0	4.7	5.3	5.3	5.3	5.7	5.7	5.3
MIDLAWN	5.0	6.3	4.7	6.0	5.3	5.3	5.7	4.3	4.7	5.2
PRINCESS 77	7.3	7.3	5.7	4.7	5.3	5.0	5.3	5.0	5.7	5.2
RIVIERA	7.0	5.7	5.3	4.0	5.3	6.3	5.3	5.0	5.0	5.2
VERACRUZ (SWI-1041)	5.0	8.0	5.7	4.7	5.7	5.0	5.0	5.3	5.7	5.2
LAPALOMA (SRX 9500)	5.3	6.7	4.3	3.7	6.3	4.7	5.0	5.3	5.0	5.0
SWI-1044	6.3	7.0	5.7	4.0	5.3	5.3	4.7	5.7	5.0	5.0
CELEBRATION	9.0	9.0	6.3	4.3	5.3	5.3	4.7	5.0	5.0	4.9
CIS-CD5	6.3	6.7	5.3	4.0	5.0	5.0	5.0	5.3	5.0	4.9
CONTESSA (SWI-1045)	6.7	8.7	4.7	4.0	5.0	5.7	4.7	5.0	5.3	4.9
TIFT NO. 2	6.7	7.0	5.7	4.3	5.0	5.3	4.7	4.7	5.3	4.9
SWI-1012	7.0	7.3	5.0	3.7	4.7	6.0	5.0	4.3	5.3	4.8
SUNBIRD (PST-R68A)	6.7	6.3	5.3	3.0	4.7	5.3	4.7	5.0	5.3	4.7
SWI-1014	6.0	7.7	5.7	3.7	5.0	6.0	4.7	4.7	4.0	4.7
MOHAWK	6.0	6.3	5.7	2.7	5.0	3.3	5.7	6.0	5.0	4.6
B-14	5.7	5.7	5.0	3.7	4.7	4.7	5.0	4.3	4.7	4.5
NUMEX SAHARA	5.7	5.7	4.7	3.7	4.0	4.0	4.0	4.7	3.3	3.9
CIS-CD7	5.7	6.0	3.3	3.0	4.3	4.0	3.7	4.3	3.7	3.8
SUNDEVIL II	5.7	4.7	3.7	2.7	4.3	4.3	4.0	4.0	3.7	3.8
FMC-6	5.7	5.7	5.3	3.0	4.3	3.7	3.3	3.7	3.7	3.6
TRANSCONTINENTAL	4.3	4.7	3.3	3.0	3.3	3.7	2.7	3.3	3.0	3.2
PANAMA	4.3	5.3	3.3	2.3	3.3	3.3	3.3	3.3	3.0	3.1
LSD VALUE	1.2	2.8	2.5	2.0	2.4	2.5	2.8	2.1	1.9	1.8
C.V. (%)	11.4	18.7	22.5	25.5	22.6	23.1	25.9	20.3	19.9	19.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 2.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT FAYETTEVILLE, AR 1/  
2006 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	SEEDHEAD RATINGS		MAY	JUN	QUALITY RATINGS			MEAN
				JUNE	JULY			JUL	AUG	SEP	
MIDLAWN	6.0	7.0	7.3	2.0	1.3	5.7	7.7	6.7	7.0	7.0	6.8
PATRIOT	8.0	5.3	7.0	1.3	1.3	5.7	8.3	7.3	6.3	5.7	6.7
TIFSPORT	7.0	6.0	7.0	1.7	1.3	5.3	7.7	7.3	6.7	6.3	6.7
AUSSIE GREEN	7.3	3.0	7.0	2.0	1.3	5.0	7.3	7.0	6.7	6.3	6.5
OKC 70-18	6.0	7.3	7.3	3.0	2.0	6.3	7.7	6.3	6.3	6.0	6.5
TIFWAY	6.7	7.0	7.3	1.3	1.3	5.7	7.7	7.0	6.3	6.0	6.5
CONTESSA (SWI-1045)	7.0	3.7	5.7	3.3	2.0	4.7	6.0	6.7	6.7	6.3	6.1
SWI-1012	7.3	4.3	6.0	3.3	1.7	4.7	6.3	6.7	6.7	6.0	6.1
TIFT NO. 4	6.7	3.7	7.3	5.7	2.7	5.3	6.3	6.7	6.0	6.0	6.1
YUKON	6.7	5.3	6.3	4.7	1.7	4.7	6.3	7.0	6.3	6.3	6.1
PREMIER (OR 2002)	6.0	7.0	7.0	2.0	1.0	5.3	8.0	5.3	5.7	5.3	5.9
RIVIERA	7.0	5.3	6.0	4.0	2.0	4.7	6.7	6.3	6.0	6.0	5.9
SWI-1046	7.3	3.3	6.7	5.0	2.0	4.3	5.7	7.0	6.7	6.0	5.9
SWI-1044	7.0	3.0	6.0	4.3	2.0	4.3	6.0	6.7	6.3	5.7	5.8
GN-1	8.0	2.7	6.0	1.3	1.3	3.7	7.0	6.7	6.3	5.0	5.7
SWI-1003	6.7	2.3	7.0	3.3	2.0	4.7	6.0	6.3	6.0	5.3	5.7
TIFT NO. 1	6.7	2.0	6.0	5.0	2.3	4.3	6.0	6.0	6.3	5.7	5.7
TIFT NO. 3	6.3	3.0	5.7	1.7	1.3	4.3	6.3	6.0	6.0	5.7	5.7
VERACRUZ (SWI-1041)	6.3	2.7	6.3	3.0	1.7	4.3	5.7	6.3	6.0	5.7	5.6
CELEBRATION	7.3	2.0	5.3	2.0	2.0	3.7	5.7	6.0	6.0	6.0	5.5
SWI-1001	6.7	3.0	5.7	5.7	2.0	4.0	5.0	6.3	6.0	6.0	5.5
FMC-6	6.3	4.0	5.0	6.0	2.0	4.0	5.0	5.7	5.7	6.0	5.3
MS-CHOICE	7.3	1.7	5.3	1.0	1.3	3.7	6.0	6.0	5.7	5.0	5.3
PRINCESS 77	6.0	2.3	5.7	2.0	2.0	4.3	5.3	5.3	5.3	5.7	5.2
ARIZONA COMMON	5.3	4.0	4.7	5.7	2.0	4.0	5.0	5.3	5.7	5.7	5.1
ASHMORE	4.3	5.7	7.7	2.7	1.3	6.0	5.0	4.0	5.0	5.3	5.1
CIS-CD5	6.0	5.3	4.7	6.3	2.0	4.0	5.0	5.7	5.3	5.3	5.1
CIS-CD6	5.7	4.7	5.0	5.3	1.7	4.3	5.3	4.7	5.3	5.7	5.1
CIS-CD7	6.0	3.7	5.0	5.3	2.3	4.0	5.0	5.3	5.3	5.7	5.1
LAPALOMA (SRX 9500)	6.3	5.0	5.7	5.7	2.0	4.0	5.0	5.7	5.7	5.3	5.1
SOUTHERN STAR	6.0	3.7	4.3	6.3	2.0	4.3	5.0	5.0	5.3	5.7	5.1
SUNBIRD (PST-R68A)	5.7	3.3	5.3	6.7	2.0	4.7	5.3	5.3	5.0	5.3	5.1
SWI-1014	5.7	3.7	5.0	2.7	1.3	4.0	5.7	5.0	5.3	5.7	5.1
TIFT NO. 2	6.7	2.7	6.3	3.0	2.0	4.0	5.7	6.0	5.3	4.7	5.1
SR 9554	6.0	3.3	4.3	7.3	2.0	4.0	5.0	5.3	5.3	5.3	5.0
NUMEX SAHARA	6.0	5.3	5.3	4.7	2.0	3.3	4.7	5.7	5.3	5.3	4.9
PANAMA	5.3	5.0	4.3	6.0	2.0	3.7	4.3	4.7	5.7	6.0	4.9
SUNSTAR	6.0	3.7	5.0	6.0	2.0	4.0	5.0	5.0	5.3	5.3	4.9
TRANSCONTINENTAL	5.3	4.0	4.7	8.0	2.0	4.3	5.0	4.7	5.0	5.7	4.9
MOHAWK	6.0	3.7	5.0	5.0	2.3	3.0	5.0	5.7	5.3	5.0	4.8
SUNDEVIL II	6.0	4.0	4.7	8.0	2.3	3.7	5.0	4.7	5.0	5.7	4.8
B-14	5.3	4.3	3.3	6.7	2.0	3.7	5.0	4.7	4.7	4.7	4.5
LSD VALUE	1.1	1.4	1.1	2.0	0.8	0.8	0.7	1.2	1.6	1.8	0.6
C.V. (%)	10.4	22.8	11.9	30.4	23.0	11.3	8.5	12.2	12.4	11.8	6.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 3.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT TUCSON, AZ 1/  
2006 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	QUALITY RATINGS									MEAN
				APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV		
TIFT NO. 4	7.3	6.7	7.3	6.7	8.3	8.0	7.0	8.3	8.3	8.7	8.0	7.9	
SWI-1003	7.0	6.3	7.0	6.3	8.3	7.7	8.0	7.0	6.0	7.0	7.0	7.2	
CELEBRATION	7.3	7.0	6.3	6.3	7.7	7.0	7.0	8.3	6.7	7.7	6.3	7.1	
TIFSPORT	7.0	7.7	8.0	6.3	8.7	8.3	8.0	7.0	6.7	5.3	6.7	7.1	
AUSSIE GREEN	7.7	8.3	7.3	5.0	8.3	8.7	8.3	8.3	5.3	6.7	5.0	7.0	
SWI-1046	6.7	6.7	7.0	6.3	8.0	7.7	7.0	7.7	6.3	7.0	6.0	7.0	
TIFT NO. 3	6.7	6.0	7.0	6.3	7.7	7.7	7.3	7.0	6.0	7.0	7.3	7.0	
TIFWAY	7.0	7.3	7.3	6.7	8.3	8.0	8.0	6.3	7.0	6.0	5.7	7.0	
VERACRUZ (SWI-1041)	6.7	6.3	7.0	6.0	8.0	7.3	7.3	7.3	6.3	8.3	5.7	7.0	
OKC 70-18	6.0	6.0	8.3	6.3	9.0	8.3	7.7	6.0	5.0	5.7	5.3	6.7	
TIFT NO. 2	7.0	7.3	6.7	5.7	7.7	7.0	7.3	6.3	6.7	6.3	6.7	6.7	
CONTESSA (SWI-1045)	6.7	6.7	6.0	5.7	7.0	7.0	6.3	6.7	6.7	6.7	6.7	6.6	
PRINCESS 77	6.0	6.3	6.3	5.7	7.3	7.3	7.0	7.0	5.3	6.7	6.3	6.6	
SWI-1012	7.0	6.7	6.0	6.0	7.0	7.0	7.0	6.7	6.0	7.3	6.0	6.6	
TIFT NO. 1	7.0	6.7	6.3	6.3	7.7	7.0	6.7	5.7	6.0	7.0	6.0	6.5	
GN-1	6.7	7.0	6.7	5.3	6.7	6.7	7.0	7.0	5.7	6.3	6.3	6.4	
MS-CHOICE	7.0	6.0	6.3	5.0	6.3	6.0	6.0	7.3	6.7	7.7	5.0	6.3	
PREMIER (OR 2002)	6.7	5.0	7.7	6.0	6.5	6.0	6.5	7.7	5.3	5.7	5.7	6.1	
SWI-1044	6.0	5.0	6.3	5.3	6.3	6.3	6.3	6.7	5.0	6.0	5.3	5.9	
RIVIERA	6.0	5.7	7.0	5.0	6.3	6.3	6.3	6.3	5.3	6.0	4.7	5.8	
MIDLAWN	5.3	5.0	7.7	5.3	6.3	7.0	6.3	4.7	4.3	6.7	4.3	5.6	
SUNBIRD (PST-R68A)	5.7	5.0	6.0	4.7	6.0	6.0	6.3	6.7	5.0	5.7	4.3	5.6	
SWI-1001	5.3	5.0	6.0	5.0	6.0	6.0	6.3	5.7	4.7	5.3	5.3	5.5	
CIS-CD7	6.3	5.7	5.7	5.0	5.7	5.7	6.0	5.7	5.3	5.3	4.3	5.4	
YUKON	6.3	6.7	6.3	4.7	6.7	6.7	6.0	5.5	5.0	5.0	4.0	5.4	
PANAMA	6.0	5.3	6.0	4.7	5.7	5.7	5.3	5.7	5.0	5.7	5.0	5.3	
TRANSCONTINENTAL	5.3	4.3	5.7	4.3	5.3	5.0	5.0	6.0	5.3	5.7	5.0	5.2	
SWI-1014	5.7	5.3	6.0	5.0	5.7	5.3	5.3	5.3	4.7	5.3	4.0	5.1	
ASHMORE	4.0	2.3	9.0	5.0	7.0	7.3	5.0	4.3	3.3	4.7	3.7	5.0	
CIS-CD5	6.0	5.7	5.3	4.3	5.7	5.3	5.3	5.7	4.7	5.3	4.0	5.0	
LAPALOMA (SRX 9500)	5.7	4.7	5.3	4.3	6.0	5.0	5.3	5.3	5.0	5.0	3.7	5.0	
PATRIOT	5.0	6.3	7.0	5.7	8.0	8.0	6.3	4.3	2.0	3.0	3.0	5.0	
ARIZONA COMMON	5.3	5.3	5.7	3.7	5.3	5.3	5.0	4.7	4.0	5.3	5.0	4.8	
FMC-6	5.3	4.0	5.0	3.7	5.7	4.7	4.3	5.3	5.0	5.7	3.7	4.8	
NUMEX SAHARA	5.3	4.7	5.3	3.7	5.7	5.0	4.7	5.0	5.0	4.7	3.7	4.7	
SUNDEVIL II	5.3	4.0	5.7	4.3	5.0	4.7	4.7	5.3	5.0	5.3	3.3	4.7	
SOUTHERN STAR	5.0	4.0	5.3	4.3	5.0	4.3	5.0	5.3	4.3	4.7	3.7	4.6	
SR 9554	5.0	3.7	6.0	5.0	5.7	5.3	5.7	4.7	3.3	4.3	2.7	4.6	
CIS-CD6	5.0	4.0	5.7	4.3	5.0	5.0	5.0	5.0	3.0	5.3	3.3	4.5	
SUNSTAR	4.7	4.0	5.7	3.7	5.0	4.7	4.3	5.0	3.3	4.3	3.7	4.3	
B-14	5.0	3.0	5.7	3.7	4.7	4.3	4.3	4.7	4.7	3.7	3.3	4.2	
MOHAWK	5.0	3.0	5.3	3.7	4.3	4.7	4.7	4.3	3.7	4.0	3.3	4.1	
LSD VALUE	1.0	2.0	0.9	1.5	1.5	1.3	1.5	1.2	1.7	1.7	1.6	0.9	
C.V. (%)	10.6	21.7	8.9	16.8	14.4	12.8	15.0	12.3	19.6	17.2	19.7	9.9	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 3.  
(CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT TUCSON, AZ 1/  
2006 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT COVER FALL	FALL COLOR SEPTEMBER	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	FALL COLOR DECEMBER	SEEDHEAD RATINGS
TIFT NO. 4	8.0	8.0	7.7	80.0	97.7	98.7	8.0	6.0	7.0	7.0	3.3
SWI-1003	8.0	7.7	8.0	83.3	98.0	93.3	6.0	5.7	6.7	6.0	7.3
CELEBRATION	6.3	7.0	7.3	85.0	98.7	94.3	7.3	6.0	6.3	5.3	4.0
TIFSPORT	7.7	8.0	7.7	81.7	95.3	85.0	6.7	6.0	5.7	4.7	6.7
AUSSIE GREEN	7.7	7.7	7.3	65.0	98.3	66.7	6.3	6.0	5.3	4.0	5.3
SWI-1046	7.0	7.7	7.7	78.3	97.3	92.7	6.0	7.3	6.3	6.7	6.0
TIFT NO. 3	6.7	7.3	7.3	76.7	97.3	87.7	6.7	6.0	6.7	6.7	7.7
TIFWAY	7.7	8.0	7.7	83.3	97.3	83.3	7.0	6.3	5.7	4.3	5.3
VERACRUZ (SWI-1041)	7.3	7.0	7.7	78.3	98.3	92.3	6.3	6.3	6.0	6.0	6.7
OKC 70-18	7.7	7.3	7.0	85.0	97.3	66.7	4.7	6.0	4.7	4.7	6.7
TIFT NO. 2	7.0	7.7	7.3	73.3	95.0	91.7	6.3	6.7	6.7	6.0	5.3
CONTESSA (SWI-1045)	6.0	6.7	6.7	73.3	99.0	86.7	5.7	5.0	6.7	6.3	6.3
PRINCESS 77	7.3	7.0	7.0	65.0	93.7	90.0	5.0	7.0	6.3	6.7	5.3
SWI-1012	6.7	6.7	6.7	75.0	97.3	76.7	5.7	7.0	5.3	4.0	6.3
TIFT NO. 1	7.0	7.3	7.3	76.7	96.0	86.7	6.0	6.7	5.7	5.7	5.3
GN-1	7.0	7.3	6.7	60.0	97.0	80.0	5.7	6.0	6.3	6.3	6.7
MS-CHOICE	6.3	6.0	6.7	61.7	99.0	73.3	5.7	6.3	4.0	2.7	9.0
PREMIER (OR 2002)	6.5	6.5	7.7	81.7	98.3	73.0	5.0	5.3	5.0	5.0	6.5
SWI-1044	6.7	6.7	6.3	70.0	96.0	85.0	5.7	7.3	6.3	5.7	7.3
RIVIERA	6.3	6.3	6.0	68.3	96.0	56.7	5.3	5.0	5.0	4.0	5.7
MIDLAWN	6.7	7.0	6.7	56.7	97.0	81.7	3.7	8.0	4.3	3.0	5.7
SUNBIRD (PST-R68A)	5.7	6.0	5.7	60.0	96.0	55.0	4.7	7.0	5.0	4.7	4.0
SWI-1001	7.0	6.0	6.0	65.0	94.7	56.7	4.3	5.7	5.3	5.0	5.7
CIS-CD7	6.0	5.7	5.3	60.0	93.3	60.0	5.3	6.0	6.0	4.7	4.7
YUKON	6.3	6.3	5.7	77.5	97.0	45.0	4.7	5.7	5.0	3.3	4.7
PANAMA	5.3	5.7	6.3	45.0	97.3	58.3	4.7	5.0	5.0	4.3	5.7
TRANSCONTINENTAL	4.7	5.3	5.7	70.0	93.7	30.0	4.7	6.0	3.7	4.0	4.7
SWI-1014	6.0	6.0	5.0	71.7	85.0	46.7	5.0	5.7	4.3	3.0	6.0
ASHMORE	8.7	9.0	6.7	83.3	92.7	51.7	4.0	6.0	3.3	1.7	7.0
CIS-CD5	5.0	5.0	5.0	40.0	93.3	45.0	5.0	6.0	4.3	4.0	5.7
LAPALOMA (SRX 9500)	5.7	5.0	5.0	45.0	92.7	31.7	4.7	6.3	4.0	3.7	4.0
PATRIOT	7.0	7.0	3.7	71.7	86.7	18.3	2.0	5.0	4.3	3.7	8.3
ARIZONA COMMON	5.7	5.0	5.7	41.7	90.0	35.0	3.7	5.7	5.0	4.7	3.7
FMC-6	5.0	4.7	5.7	40.0	94.3	45.0	5.0	6.3	4.3	4.7	6.7
NUMEX SAHARA	5.0	5.0	5.3	46.7	86.7	30.0	4.3	5.0	3.3	3.3	4.3
SUNDEVIL II	5.3	4.7	5.0	61.7	91.7	38.3	4.7	5.0	3.7	4.7	3.7
SOUTHERN STAR	5.3	5.0	5.3	66.7	93.3	38.3	4.0	5.0	4.0	4.0	4.0
SR 9554	5.3	5.3	4.7	48.3	83.3	33.3	4.0	6.3	3.7	3.7	4.3
CIS-CD6	5.7	5.3	5.7	71.7	90.0	20.0	3.0	5.7	3.7	3.0	5.7
SUNSTAR	5.3	5.3	4.7	53.3	90.0	30.0	3.0	4.7	3.3	4.0	6.7
B-14	4.7	4.3	5.0	36.7	90.0	45.0	3.7	5.3	4.7	3.7	5.0
MOHAWK	4.3	4.7	4.0	41.7	88.3	26.7	4.0	4.3	3.7	3.0	4.7
LSD VALUE	1.2	1.1	1.5	19.5	8.5	31.2	1.7	5.2	2.2	1.7	2.2
C.V. (%)	11.8	11.4	14.5	18.1	4.7	31.4	20.6	23.6	23.5	23.2	22.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 4.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT RIVERSIDE, CA 1/  
2006 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	WINTER COLOR	QUALITY RATINGS												MEAN
					JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
MIDLAWN	7.0	2.3	8.0	1.0	3.7	3.3	4.0	4.7	6.7	5.0	6.0	4.7	4.7	6.0	4.7	4.0	4.8
TIFT NO. 3	8.0	3.7	8.0	3.7	4.3	3.7	4.0	5.3	7.0	6.0	6.0	4.0	4.0	5.0	4.3	4.3	4.8
CONTESSA (SWI-1045)	7.0	2.7	8.0	1.3	4.0	3.3	3.7	5.0	5.7	5.7	6.3	4.7	4.7	5.0	4.3	4.3	4.7
GN-1	7.7	3.0	8.0	2.0	4.0	4.0	4.0	5.0	6.3	5.7	6.0	4.3	4.3	4.7	4.0	4.0	4.7
OKC 70-18	8.0	2.0	8.0	1.0	4.0	3.3	4.0	4.3	4.7	7.0	6.7	4.7	4.7	4.7	4.0	4.0	4.7
PREMIER (OR 2002)	8.0	4.0	9.0	1.7	4.0	4.0	4.0	5.0	5.3	6.0	6.0	4.3	4.7	4.7	4.3	4.0	4.7
PATRIOT	8.0	1.7	8.0	1.0	4.0	3.0	4.0	4.3	6.7	7.0	6.7	4.0	3.3	4.7	4.0	4.0	4.6
RIVIERA	8.0	1.7	7.0	1.0	3.3	3.0	3.0	5.3	6.3	5.7	6.0	4.3	4.3	5.3	4.0	4.0	4.6
SWI-1003	7.0	3.0	8.0	2.3	4.0	3.7	4.0	5.0	5.7	4.3	6.3	4.7	4.0	5.7	4.0	4.0	4.6
VERACRUZ (SWI-1041)	7.0	2.7	8.0	3.0	3.7	3.7	3.3	4.7	6.3	4.3	5.7	4.0	5.0	6.0	4.7	4.3	4.6
AUSSIE GREEN	8.0	2.3	8.0	1.0	3.7	3.0	3.3	4.7	6.3	5.3	6.7	3.7	4.3	5.0	4.0	4.0	4.5
TIFSPORT	8.0	2.7	8.0	2.0	3.7	3.0	3.0	4.7	5.7	5.0	6.3	4.0	4.3	5.7	4.3	4.0	4.5
TIFWAY	7.7	3.3	9.0	3.7	3.3	3.0	3.7	5.0	6.3	6.3	6.3	3.3	3.7	4.0	4.0	4.7	4.5
SWI-1044	7.0	3.3	7.7	2.0	3.7	3.0	3.3	4.7	4.7	4.7	6.0	4.3	4.3	5.3	4.0	4.3	4.4
SWI-1046	7.7	2.3	8.0	1.3	4.0	3.7	3.3	4.3	5.0	5.7	6.0	3.7	4.3	5.0	4.0	4.3	4.4
CELEBRATION	7.3	1.0	7.7	1.0	4.0	3.3	3.7	4.3	5.0	5.3	6.0	3.7	3.7	4.0	4.3	4.0	4.3
MS-CHOICE	8.0	1.7	7.0	1.0	3.3	3.7	3.0	4.7	4.7	6.3	5.7	3.3	4.0	4.3	4.0	4.0	4.3
PRINCESS 77	7.3	1.3	8.0	1.7	3.7	2.7	2.7	5.0	5.3	4.7	5.7	4.7	4.3	5.0	3.7	4.0	4.3
SWI-1012	8.0	3.0	8.0	1.0	4.0	3.0	3.3	4.0	4.7	5.0	5.7	4.3	4.0	5.3	4.0	4.0	4.3
TIFT NO. 1	7.7	2.0	8.0	1.7	3.7	3.0	3.7	5.0	5.3	5.3	6.0	3.7	4.0	4.0	4.0	4.0	4.3
TIFT NO. 2	8.0	2.0	8.0	2.0	3.3	3.3	3.0	4.3	4.7	5.3	6.0	4.3	4.0	4.3	4.3	4.3	4.3
TIFT NO. 4	7.7	2.0	8.0	1.0	3.3	3.3	3.3	4.0	4.7	6.0	5.0	4.3	4.7	5.0	4.0	4.3	4.3
YUKON	7.3	1.7	7.0	1.0	3.7	2.7	2.7	4.3	5.3	5.7	6.0	4.3	4.0	5.0	4.0	4.0	4.3
PANAMA	7.0	2.7	7.0	1.0	3.3	3.0	3.0	4.7	5.0	4.3	4.7	4.0	4.3	5.3	4.0	3.7	4.1
SUNBIRD (PST-R68A)	7.0	2.3	7.0	1.3	3.3	3.0	3.0	4.3	4.3	5.3	4.7	4.0	4.3	4.3	4.3	4.0	4.1
ASHMORE	6.0	1.7	9.0	1.0	3.3	3.0	3.7	5.0	7.0	3.0	3.3	4.0	3.0	4.7	4.0	4.0	4.0
CIS-CD6	7.0	2.0	7.0	1.0	3.3	2.7	2.7	5.0	5.0	4.3	4.7	4.3	4.0	4.3	4.0	4.0	4.0
SWI-1001	7.0	2.0	7.7	1.3	3.3	2.7	2.7	4.3	4.3	4.7	5.0	4.0	4.0	4.7	4.0	4.0	4.0
SWI-1014	7.0	2.3	7.7	1.0	3.0	3.0	3.3	4.0	4.0	5.0	5.3	3.7	4.3	4.3	4.0	4.0	4.0
LAPALOMA (SRX 9500)	7.0	2.0	7.0	1.0	3.0	2.3	2.3	4.7	5.0	4.0	4.7	4.0	4.0	4.3	4.3	3.7	3.9
TRANSCONTINENTAL	7.0	2.0	7.0	1.3	3.0	3.0	3.0	4.0	4.3	5.3	4.0	4.0	3.7	4.3	3.7	4.0	3.9
CIS-CD7	6.7	1.3	7.0	1.0	3.0	2.0	2.3	4.0	4.0	4.3	4.3	4.3	4.0	5.0	4.0	4.0	3.8
FMC-6	7.0	2.3	7.0	1.0	3.0	2.0	2.0	4.0	4.7	4.3	4.7	4.3	4.0	4.7	4.3	4.0	3.8
SOUTHERN STAR	7.0	1.7	7.0	1.0	3.0	2.7	2.3	4.0	4.3	4.0	4.7	4.0	4.0	4.7	3.7	3.7	3.8
SUNSTAR	7.0	3.0	7.0	1.0	3.0	2.3	2.0	3.7	4.3	4.0	5.0	4.7	4.0	5.0	4.0	4.0	3.8
ARIZONA COMMON	7.0	1.7	7.0	1.0	3.0	2.7	2.3	4.0	4.0	4.7	4.0	4.0	3.7	4.3	4.0	4.0	3.7
SUNDEVIL II	7.0	1.7	7.0	1.0	3.0	2.3	2.3	4.0	4.0	4.3	4.7	4.3	4.0	4.3	3.7	3.7	3.7
B-14	7.0	2.0	7.0	1.0	3.0	2.7	2.3	4.0	4.3	4.3	4.0	3.7	3.7	4.3	3.7	3.3	3.6
MOHAWK	6.7	1.7	7.0	1.0	3.0	3.0	2.0	4.0	4.0	4.3	3.7	3.7	3.7	4.7	3.7	3.7	3.6
NUMEX SAHARA	7.0	2.0	7.0	1.0	3.0	2.7	2.3	4.0	4.0	4.0	3.7	4.0	4.3	4.7	3.3	3.3	3.6
SR 9554	7.0	2.0	7.0	1.0	3.0	2.7	2.7	4.0	4.3	4.3	4.0	3.7	3.7	4.0	3.7	3.3	3.6
CIS-CD5	7.0	1.0	7.0	1.0	3.0	3.0	2.0	3.7	3.7	4.0	3.0	3.3	3.3	4.0	3.3	3.0	3.3
LSD VALUE	0.4	2.0	0.3	0.7	0.8	0.8	0.8	1.1	1.4	1.1	1.4	1.8	0.9	1.2	1.2	0.7	0.4
C.V. (%)	3.8	39.6	2.4	33.5	12.2	15.3	16.0	12.0	15.9	13.2	16.2	14.6	11.3	12.8	10.7	9.1	5.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT POMONA, CA 1/  
2006 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	FALL COLOR DECEMBER	SEEDHEAD RATINGS	QUALITY RATINGS							MEAN		
								APR	MAY	JUN	JUL	AUG	SEP	OCT		NOV	DEC
MIDLAWN	8.7	7.7	8.7	6.7	5.0	3.3	2.3	8.0	8.7	8.0	7.7	7.7	8.3	8.0	8.0	7.0	7.9
AUSSIE GREEN	7.7	7.7	9.0	5.3	4.3	2.3	5.0	7.7	8.0	8.0	8.0	8.0	8.3	7.7	7.3	6.7	7.7
TIFWAY	7.3	6.3	9.0	6.0	5.0	3.7	4.0	7.7	8.0	7.7	7.7	7.7	7.7	7.7	7.7	7.0	7.6
TIFT NO. 3	7.7	7.0	8.3	6.0	6.3	4.7	7.0	7.3	8.0	7.7	7.7	7.0	7.3	7.3	7.0	7.3	7.4
CONTESSA (SWI-1045)	7.3	7.3	8.0	5.7	5.7	5.3	6.0	7.3	7.3	7.7	8.0	7.7	7.3	7.3	6.7	6.0	7.3
PREMIER (OR 2002)	7.0	7.0	9.0	6.0	6.3	4.3	4.0	7.0	7.3	6.7	6.7	8.0	8.0	7.7	7.3	7.3	7.3
SWI-1046	8.0	7.3	8.7	6.0	5.0	4.0	4.3	8.0	8.0	7.3	7.3	7.7	7.7	7.7	6.3	6.0	7.3
VERACRUZ (SWI-1041)	7.3	7.0	8.0	6.7	6.3	5.0	4.0	7.3	7.3	7.3	7.3	8.0	7.0	7.0	7.3	7.0	7.3
SWI-1003	6.7	7.0	8.0	6.3	6.0	4.7	6.7	7.7	7.7	7.7	6.0	7.3	7.7	7.3	6.7	6.7	7.2
TIFSPORT	7.7	7.7	8.3	6.3	5.0	3.7	4.0	7.3	7.3	7.3	7.7	7.3	7.3	7.3	7.0	6.0	7.2
OKC 70-18	7.3	7.3	9.0	5.0	4.7	2.7	2.0	7.3	7.7	8.0	8.0	7.7	6.7	6.7	6.0	6.3	7.1
PRINCESS 77	7.3	7.0	7.3	5.3	5.7	4.0	2.7	7.3	7.7	7.7	7.7	7.0	7.0	7.0	6.3	6.3	7.1
TIFT NO. 2	7.7	7.0	8.3	5.7	5.0	3.0	3.0	7.3	7.3	7.0	7.3	8.0	7.0	6.7	6.3	6.7	7.1
PATRIOT	7.3	7.0	9.0	4.7	4.3	2.3	2.0	6.0	7.3	7.0	7.3	8.3	7.3	7.0	6.3	6.3	7.0
RIVIERA	7.3	7.3	8.0	5.7	4.7	2.7	4.0	6.7	7.3	7.7	7.3	7.0	7.3	7.0	6.7	6.3	7.0
GN-1	7.0	7.3	8.7	6.3	6.0	4.0	2.0	6.7	6.7	6.7	6.7	7.3	7.3	6.7	6.7	6.3	6.8
MS-CHOICE	7.7	7.7	7.0	6.0	5.3	2.7	3.7	5.7	7.0	7.0	7.7	7.7	7.0	6.7	6.3	6.3	6.8
SWI-1044	6.7	7.5	8.0	6.7	6.0	4.7	3.0	7.3	7.0	7.0	6.7	7.3	6.0	6.3	6.7	6.7	6.8
ASHMORE	7.7	6.3	8.0	5.0	4.0	2.0	3.0	6.3	8.0	7.0	6.3	7.7	6.7	6.7	6.3	5.3	6.7
CELEBRATION	8.0	7.3	8.0	5.7	5.7	3.7	2.7	6.7	8.0	7.0	5.3	7.7	6.3	6.3	6.0	6.7	6.7
TIFT NO. 1	7.0	7.0	8.0	5.3	4.3	2.3	2.0	7.7	7.0	7.0	7.7	7.3	6.3	6.3	5.7	5.7	6.7
TIFT NO. 4	7.3	7.0	8.0	5.7	4.7	2.7	5.0	6.0	7.3	7.0	7.0	6.7	6.7	7.7	6.3	5.3	6.7
LAPALOMA (SRX 9500)	7.3	6.7	7.0	5.7	6.0	3.0	3.3	6.0	7.0	6.3	7.3	7.7	7.0	6.7	6.0	5.7	6.6
CIS-CD5	7.7	7.3	7.7	5.3	5.0	3.0	2.0	6.0	6.3	6.7	7.3	7.3	7.0	6.7	6.3	4.7	6.5
YUKON	7.7	6.3	8.0	4.7	4.7	1.7	2.0	6.7	7.3	7.0	6.7	7.0	7.3	7.0	6.0	3.7	6.5
SUNBIRD (PST-R68A)	7.0	6.7	7.3	5.0	5.0	3.0	2.0	6.0	6.3	6.7	6.7	7.3	7.0	6.3	5.7	6.0	6.4
SWI-1012	7.3	7.3	6.7	5.7	5.3	3.7	3.7	7.3	7.0	7.0	5.7	7.7	6.3	5.0	5.7	5.7	6.4
TRANSCONTINENTAL	7.0	7.0	7.7	4.7	5.0	3.0	2.0	6.7	6.3	6.3	6.7	7.0	7.0	7.0	5.3	5.0	6.4
SUNSTAR	7.0	7.0	7.0	5.0	4.7	2.7	5.3	6.3	6.3	6.3	7.3	8.0	6.7	6.3	5.0	4.3	6.3
SWI-1014	8.0	7.0	7.0	5.3	5.3	3.0	5.0	6.7	6.7	7.0	6.3	7.3	6.3	6.3	5.3	4.7	6.3
CIS-CD6	6.7	7.3	7.7	5.0	5.0	2.3	3.0	6.0	6.7	6.7	6.3	7.0	7.0	6.0	5.0	5.3	6.2
SOUTHERN STAR	7.0	7.0	7.3	5.0	5.3	3.0	2.3	6.7	6.7	6.3	7.0	7.3	6.0	6.0	5.3	4.7	6.2
SUNDEVIL II	7.3	7.3	7.7	5.3	5.0	3.3	3.0	6.3	6.7	6.3	6.3	6.7	6.3	6.3	5.7	5.3	6.2
FMC-6	7.0	6.7	6.7	5.0	5.3	3.3	3.0	6.7	6.7	6.3	6.0	7.3	5.7	6.3	5.3	4.3	6.1
SWI-1001	7.0	7.7	7.0	4.7	5.7	3.0	5.0	6.0	6.3	6.0	6.7	7.3	6.0	6.3	5.0	5.0	6.1
ARIZONA COMMON	6.7	7.7	6.7	5.0	5.3	3.0	3.0	6.0	6.0	5.7	6.0	7.0	6.3	6.3	5.7	4.7	6.0
MOHAWK	6.0	6.7	6.7	5.3	4.7	3.3	4.0	6.0	5.7	5.7	6.7	7.3	6.3	6.3	5.3	5.0	6.0
SR 9554	7.0	6.3	7.3	4.7	5.3	2.3	3.3	5.3	6.0	6.7	5.7	6.7	7.0	6.3	5.3	5.0	6.0
CIS-CD7	7.0	6.3	7.0	5.0	5.0	3.0	2.0	5.7	6.0	6.3	5.7	7.0	6.7	6.0	5.3	4.7	5.9
PANAMA	7.0	6.7	6.0	5.7	5.0	3.0	5.0	6.0	6.7	6.0	6.0	6.7	5.7	5.7	5.3	4.7	5.9
B-14	7.0	6.3	6.7	4.7	4.7	2.3	2.0	6.3	6.0	5.7	6.7	7.0	5.7	5.7	4.7	4.3	5.8
NUMEX SAHARA	6.3	6.3	6.7	4.3	5.3	3.0	4.0	5.7	5.7	5.7	5.7	6.7	6.3	6.3	5.3	4.3	5.7
LSD VALUE	1.6	2.8	0.7	1.6	1.1	1.4	0.7	1.3	1.0	1.0	2.0	1.9	1.6	1.3	1.2	1.0	0.6
C.V. (%)	9.2	11.0	6.2	13.8	11.7	25.2	13.8	10.7	8.6	8.4	13.4	8.9	11.3	10.5	11.8	11.0	5.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 6.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT JAY, FL 1/  
2006 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	MAY	JUN	QUALITY RATINGS					MEAN
								JUL	AUG	SEP	OCT	NOV	
TIFSPORT	5.3	2.7	8.0	8.0	9.0	6.0	5.3	7.0	5.7	4.3	5.7	8.0	6.0
TIFWAY	5.7	2.7	8.3	8.0	8.7	6.0	6.3	5.7	5.3	3.3	5.7	7.3	5.7
TIFT NO. 3	5.0	2.7	7.3	8.0	9.0	4.7	5.3	5.7	5.3	4.0	6.3	7.3	5.5
TIFT NO. 4	5.7	3.0	6.7	8.0	8.3	4.3	6.0	5.0	6.0	4.0	6.3	6.7	5.5
GN-1	5.3	2.7	6.3	8.0	7.7	4.7	4.3	5.7	4.7	4.7	5.7	5.0	5.0
PRINCESS 77	4.7	2.7	7.0	8.0	7.7	5.3	4.3	6.3	4.0	3.3	5.3	6.0	5.0
MS-CHOICE	5.3	3.0	6.0	8.0	7.3	4.3	3.7	7.0	5.7	2.7	5.0	5.3	4.8
OKC 70-18	5.0	3.0	8.3	8.0	7.7	7.3	4.0	5.3	5.0	3.0	3.7	5.3	4.8
AUSSIE GREEN	5.3	3.0	7.0	8.0	7.7	4.3	4.3	6.0	5.0	3.0	4.7	5.3	4.7
PREMIER (OR 2002)	4.7	2.7	8.0	8.0	8.3	5.3	4.0	4.3	4.3	2.7	5.0	7.0	4.7
SWI-1044	4.7	2.7	6.3	8.0	7.7	5.0	3.7	4.3	5.3	4.0	5.3	5.3	4.7
YUKON	4.7	2.7	7.0	8.0	6.3	5.3	4.0	3.7	4.7	4.3	5.0	5.3	4.6
PATRIOT	6.0	3.0	7.7	8.0	6.3	7.0	5.7	5.3	3.7	1.7	3.0	5.3	4.5
SWI-1003	4.7	2.7	7.7	8.0	8.0	4.3	4.0	4.0	4.3	3.7	5.3	5.7	4.5
SWI-1046	4.7	3.0	6.7	8.0	7.7	5.0	3.0	4.3	4.7	4.0	4.7	5.7	4.5
MIDLAWN	5.0	3.0	8.3	8.0	7.0	6.3	4.7	3.3	5.0	2.3	4.0	5.3	4.4
TIFT NO. 1	4.7	3.0	7.0	8.0	8.0	4.3	3.3	5.0	4.3	4.0	5.0	4.7	4.4
VERACRUZ (SWI-1041)	4.7	3.0	6.3	8.0	7.7	5.0	3.3	4.0	4.7	4.7	4.0	5.0	4.4
RIVIERA	5.0	3.0	7.3	8.0	6.7	4.7	3.7	4.7	5.3	2.7	4.7	4.7	4.3
SUNBIRD (PST-R68A)	4.7	3.0	5.7	8.0	7.7	4.7	3.0	4.3	5.0	3.7	4.0	5.3	4.3
CONTESSA (SWI-1045)	4.7	3.0	5.3	8.0	7.3	4.3	3.7	4.3	4.0	3.7	4.3	5.0	4.2
TRANSCONTINENTAL	4.7	2.3	5.0	7.7	8.0	4.3	3.3	4.0	4.3	4.3	4.7	4.7	4.2
CELEBRATION	4.7	3.0	5.7	8.0	7.7	4.7	2.7	5.0	4.0	3.7	4.3	4.7	4.1
LAPALOMA (SRX 9500)	4.0	3.0	5.7	8.0	7.3	4.0	2.3	4.7	4.3	3.7	4.3	5.3	4.1
SWI-1012	4.7	3.0	5.7	8.0	7.7	4.7	2.7	4.7	4.0	3.0	5.0	4.7	4.1
TIFT NO. 2	5.0	2.3	6.3	8.0	8.0	4.7	3.3	4.0	5.0	3.0	4.3	4.3	4.1
FMC-6	4.0	3.3	5.3	8.0	7.7	4.0	2.7	4.7	4.3	3.7	4.0	4.3	4.0
SR 9554	4.7	3.0	5.3	7.7	7.3	4.0	3.7	4.0	4.3	3.3	4.0	5.0	4.0
SWI-1001	4.3	3.0	6.3	8.0	7.3	4.3	3.0	3.7	3.7	4.0	4.7	4.7	4.0
CIS-CD5	4.3	2.7	5.0	7.7	7.0	4.0	3.0	4.0	4.0	3.3	4.3	4.3	3.9
CIS-CD6	4.0	3.0	4.7	8.0	7.3	4.0	3.0	4.0	4.7	3.3	3.7	4.7	3.9
ASHMORE	3.0	2.7	7.3	8.0	6.0	7.0	5.7	2.0	2.7	2.3	3.0	3.7	3.8
CIS-CD7	4.3	3.0	5.3	8.0	7.3	4.0	2.0	4.0	4.7	3.7	4.0	4.3	3.8
SWI-1014	5.0	3.0	5.3	8.0	6.7	4.3	3.0	4.0	4.0	3.0	3.7	4.7	3.8
SOUTHERN STAR	4.3	3.0	6.0	8.0	6.7	4.0	2.7	4.0	3.7	2.7	3.7	5.0	3.7
MOHAWK	4.3	3.0	5.3	7.7	6.3	4.0	2.7	3.7	3.7	2.3	3.7	5.3	3.6
NUMEX SAHARA	4.3	2.3	3.7	7.7	7.0	4.0	3.3	3.0	4.0	3.7	3.3	3.3	3.5
SUNDEVIL II	4.3	3.0	5.0	8.0	7.3	4.0	2.0	3.7	3.7	2.7	4.0	4.3	3.5
ARIZONA COMMON	5.0	3.0	5.3	8.0	5.7	4.0	3.0	3.7	3.7	2.3	3.3	4.0	3.4
PANAMA	3.7	2.7	5.7	7.7	5.7	4.0	2.0	3.3	3.7	2.7	3.3	4.7	3.4
SUNSTAR	5.0	3.0	5.7	8.0	6.7	3.7	2.3	3.7	3.0	2.3	3.3	4.7	3.3
B-14	4.0	3.0	5.0	8.0	6.0	3.7	2.0	3.3	3.7	2.0	3.3	3.3	3.0
LSD VALUE	1.0	1.0	3.3	0.7	1.4	1.2	1.8	1.7	1.8	2.7	1.0	1.9	0.7
C.V. (%)	12.1	12.0	23.4	2.6	10.5	15.6	29.2	21.7	20.0	32.0	14.0	20.2	10.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 7. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT GRIFFIN, GA 1/  
2006 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	PERCENT SPRING GREENUP	SEEDHEAD RATINGS	QUALITY RATINGS			MEAN
				MAY	JUL	SEP	
TIFWAY	7.7	86.7	5.0	7.7	8.3	8.3	8.1
TIFSPORT	7.7	88.3	6.7	7.7	7.3	8.3	7.8
TIFT NO. 4	8.0	81.7	91.7	7.3	7.7	8.3	7.8
OKC 70-18	7.3	90.0	80.0	7.0	8.0	7.7	7.6
AUSSIE GREEN	8.3	80.0	73.3	7.0	7.7	7.7	7.4
PATRIOT	8.3	95.0	26.7	7.7	8.0	6.3	7.3
PREMIER (OR 2002)	8.0	81.7	40.0	7.0	7.0	8.0	7.3
GN-1	8.0	80.0	33.3	7.0	7.7	6.7	7.1
MIDLAWN	7.0	95.0	26.7	7.0	7.0	7.3	7.1
MS-CHOICE	8.0	66.7	21.7	6.7	7.3	7.3	7.1
TIFT NO. 1	8.0	80.0	70.0	6.7	7.7	7.0	7.1
TIFT NO. 3	7.7	86.7	56.7	6.7	7.7	7.0	7.1
CONTESSA (SWI-1045)	7.3	80.0	73.3	6.3	6.7	8.0	7.0
SWI-1003	7.7	78.3	78.3	6.0	7.3	7.7	7.0
SWI-1044	7.0	83.3	76.7	6.3	6.7	8.0	7.0
CELEBRATION	7.7	76.7	93.3	6.0	6.7	8.0	6.9
RIVIERA	7.7	85.0	51.7	6.3	7.0	7.3	6.9
YUKON	7.3	80.0	45.0	6.3	7.3	7.0	6.9
PRINCESS 77	7.3	78.3	76.7	6.3	7.0	7.0	6.8
SWI-1012	7.7	80.0	36.7	6.0	7.0	7.0	6.7
SWI-1046	7.7	75.0	80.0	6.0	6.7	7.3	6.7
CIS-CD6	7.0	83.3	70.0	6.7	6.7	6.3	6.6
SWI-1001	7.0	75.0	68.3	5.7	6.7	7.3	6.6
TIFT NO. 2	7.3	76.7	46.7	6.0	7.3	6.3	6.6
FMC-6	7.0	73.3	66.7	5.7	6.7	7.0	6.4
SWI-1014	7.0	76.7	41.7	5.7	6.3	7.3	6.4
VERACRUZ (SWI-1041)	7.0	78.3	73.3	5.3	6.3	7.7	6.4
CIS-CD7	7.0	71.7	61.7	5.7	6.3	7.0	6.3
LAPALOMA (SRX 9500)	6.7	73.3	66.7	5.7	6.7	6.3	6.2
SOUTHERN STAR	7.0	76.7	71.7	5.3	6.0	7.3	6.2
CIS-CD5	6.7	73.3	73.3	5.3	6.0	7.0	6.1
SR 9554	6.7	70.0	73.3	5.3	6.0	6.7	6.0
SUNBIRD (PST-R68A)	7.0	73.3	83.3	5.7	6.0	6.3	6.0
SUNSTAR	6.7	71.7	63.3	5.3	6.0	6.7	6.0
TRANSCONTINENTAL	7.0	78.3	80.0	5.7	6.0	6.3	6.0
MOHAWK	7.0	70.0	70.0	5.0	6.3	6.3	5.9
PANAMA	6.7	70.0	68.3	5.0	6.3	6.3	5.9
B-14	6.7	75.0	76.7	5.0	6.0	6.3	5.8
SUNDEVIL II	6.3	78.3	80.0	5.3	5.7	6.3	5.8
NUMEX SAHARA	7.0	73.3	76.7	5.0	5.7	6.3	5.7
ARIZONA COMMON	7.0	70.0	80.0	4.3	6.0	6.3	5.6
ASHMORE	4.3	78.3	55.0	6.0	4.3	3.7	4.7
LSD VALUE	1.2	6.8	22.0	0.8	0.8	0.8	0.5
C.V. (%)	9.1	5.5	23.0	8.8	7.8	7.8	5.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 8.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT CARBONDALE, IL 1/  
2006 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SUMMER	PERCENT	PERCENT	PERCENT	FROST TOLERANCE	SEEDHEAD SPRING	RATING SUMMER	APR	MAY	QUALITY RATINGS					MEAN
					COVER SPRING	COVER SUMMER	COVER FALL						JUN	JUL	AUG	SEP	OCT	
OKC 70-18	6.0	7.0	4.7	7.0	85.0	99.0	96.3	7.0	7.0	6.0	4.0	6.7	7.0	7.0	8.0	8.3	8.3	7.0
PATRIOT	9.0	4.0	6.0	7.0	74.7	99.0	99.0	8.7	9.0	8.7	3.3	4.7	7.0	5.7	6.7	7.0	7.7	6.0
TIFWAY	7.0	2.7	8.0	5.7	76.3	97.7	96.0	8.0	7.7	8.0	3.0	5.3	7.0	5.3	5.7	7.3	8.7	6.0
TIFSPORT	7.7	2.0	6.3	4.3	69.3	94.3	97.3	8.7	8.0	7.3	2.3	4.0	7.7	6.0	6.0	7.0	8.3	5.9
TIFT NO. 4	8.0	2.0	4.0	9.0	64.7	95.7	94.7	2.7	2.0	2.3	2.0	3.3	6.7	5.3	7.0	7.7	8.3	5.8
MIDLAWN	4.0	5.3	7.0	6.0	75.7	99.0	98.0	8.3	7.3	8.0	3.0	5.0	7.0	5.0	5.3	5.3	5.7	5.2
ASHMORE	4.0	6.7	9.0	4.0	71.3	91.0	90.3	8.7	7.7	8.7	4.3	5.0	7.3	5.3	1.7	4.7	6.3	5.0
PREMIER (OR 2002)	6.3	3.3	5.0	7.7	54.0	96.0	96.0	8.7	8.3	8.0	2.3	3.3	5.7	4.7	5.7	6.3	6.0	4.9
AUSSIE GREEN	5.3	2.0	5.7	7.0	48.7	99.0	99.0	8.0	8.3	8.7	2.0	3.0	6.3	4.3	5.3	6.0	6.3	4.8
CELEBRATION	6.3	2.7	6.7	6.7	62.0	97.7	94.3	5.0	7.0	4.0	2.3	3.3	6.0	4.0	5.7	6.0	6.0	4.8
SWI-1046	8.7	4.0	5.0	7.0	51.0	95.3	87.0	8.3	7.0	6.0	2.7	3.3	5.3	4.7	6.0	5.7	5.7	4.8
TIFT NO. 1	8.7	4.0	7.0	8.3	28.7	37.3	42.0	6.0	3.3	7.0	1.3	3.0	4.0	7.0	6.7	5.7	5.7	4.8
CONTESSA (SWI-1045)	7.0	3.3	5.0	6.3	61.7	99.0	96.3	5.0	2.3	3.7	2.0	3.7	4.0	5.7	5.0	6.0	6.7	4.7
TIFT NO. 3	5.0	1.3	3.0	6.7	40.3	93.3	97.3	8.3	8.0	6.7	1.7	2.3	6.0	5.0	5.7	6.0	6.0	4.7
VERACRUZ (SWI-1041)	6.7	5.0	4.7	6.3	51.7	92.0	93.0	7.3	5.7	6.3	2.7	3.3	4.3	4.7	5.3	5.3	6.0	4.5
YUKON	5.3	5.0	4.0	5.0	75.3	98.0	98.7	7.3	1.7	1.7	3.0	4.3	3.3	5.0	4.7	5.3	6.0	4.5
MS-CHOICE	8.3	2.0	5.7	6.7	40.0	77.0	75.7	8.7	7.0	8.0	1.3	2.7	4.3	4.7	5.7	5.7	5.7	4.3
RIVIERA	6.0	4.7	4.7	5.7	76.0	99.0	98.0	6.3	1.3	4.7	3.0	4.0	4.0	5.0	4.0	5.0	5.0	4.3
GN-1	7.0	3.0	7.0	5.7	59.3	99.0	99.0	7.3	7.7	5.0	2.0	3.3	5.3	4.0	4.0	4.7	5.7	4.1
SWI-1012	7.0	3.0	7.0	6.7	60.7	97.7	96.3	2.0	4.0	3.7	2.3	3.3	3.3	4.3	4.0	5.0	5.7	4.0
SWI-1014	5.3	4.7	2.7	5.7	70.7	96.0	98.3	2.7	1.0	3.0	3.0	3.3	2.3	4.0	5.3	5.0	5.0	4.0
SWI-1044	5.7	3.7	4.3	3.3	71.3	97.7	91.7	6.0	3.3	5.0	2.3	4.0	4.0	4.7	3.0	4.3	6.0	4.0
SUNBIRD (PST-R68A)	7.0	4.0	7.0	6.3	63.7	94.7	92.7	3.7	1.3	3.0	2.3	3.7	1.7	4.0	5.0	5.0	5.0	3.8
TIFT NO. 2	8.0	4.3	4.3	4.0	16.3	50.3	44.0	1.0	4.7	7.0	2.0	2.3	3.3	4.3	5.0	4.7	5.0	3.8
CIS-CD6	7.7	3.3	2.0	4.7	69.3	92.3	89.0	3.3	2.0	4.0	2.7	3.7	4.0	4.3	3.0	3.0	4.3	3.6
TRANSCONTINENTAL	6.7	3.0	5.0	5.7	56.7	93.7	94.7	3.7	1.0	3.0	2.0	3.0	2.0	3.7	4.0	4.7	5.0	3.5
CIS-CD7	5.7	4.0	2.3	3.7	72.7	93.3	98.0	1.3	2.0	1.7	3.0	3.7	2.7	3.3	3.3	3.7	4.0	3.4
PRINCESS 77	7.3	4.3	5.3	5.7	29.7	69.0	57.3	3.3	3.7	2.3	1.3	2.3	2.7	4.3	4.0	4.0	4.7	3.3
CIS-CD5	5.3	2.3	5.0	5.0	66.7	94.0	91.0	1.3	2.0	2.3	1.7	3.0	2.3	3.3	3.3	4.0	5.0	3.2
SWI-1001	5.0	3.7	4.7	3.3	51.7	71.3	76.3	1.0	2.0	1.0	2.0	2.7	1.3	3.0	4.0	4.0	4.3	3.0
PANAMA	4.3	3.0	2.3	4.0	59.3	88.0	92.3	3.0	2.3	4.7	1.3	2.7	1.3	3.3	2.7	3.7	4.7	2.8
SWI-1003	7.7	4.0	4.0	3.3	42.3	63.3	64.0	6.7	3.3	6.3	1.3	3.0	2.3	3.0	3.3	3.3	3.3	2.8
LAPALOMA (SRX 9500)	5.7	3.3	3.0	3.3	28.7	65.7	70.3	6.3	1.3	3.0	1.7	2.7	2.0	3.0	3.0	3.3	3.3	2.7
SOUTHERN STAR	7.7	2.3	5.0	3.7	37.7	87.3	85.0	4.0	1.0	2.0	1.7	2.7	1.3	3.0	3.3	3.7	3.3	2.7
SR 9554	6.0	3.3	3.0	2.0	52.3	87.0	87.0	4.3	1.7	2.0	1.7	2.7	1.3	2.7	2.7	3.3	4.7	2.7
SUNSTAR	5.0	2.7	2.0	2.7	50.0	85.3	87.7	4.0	1.0	2.0	2.0	3.0	1.3	2.3	3.0	3.0	3.3	2.6
FMC-6	7.0	2.7	3.3	3.0	33.7	63.3	65.7	5.0	2.0	2.0	1.0	2.7	1.0	3.3	2.3	3.0	3.0	2.3
SUNDEVIL II	7.7	3.3	5.3	3.7	35.7	59.7	61.7	1.0	2.3	2.0	1.7	2.3	1.0	2.7	2.3	2.7	3.0	2.2
MOHAWK	4.3	4.0	1.7	1.7	37.7	60.7	63.0	4.7	1.0	3.0	2.0	2.7	1.0	2.0	2.0	2.3	2.7	2.1
B-14	6.7	3.0	3.3	1.7	39.0	60.3	62.7	4.0	2.3	2.3	1.3	2.7	2.3	2.3	2.0	1.7	2.0	2.0
NUMEX SAHARA	7.3	3.0	2.0	1.0	21.0	44.3	49.0	3.3	1.0	3.0	1.0	2.3	1.3	2.0	1.3	1.7	2.7	1.8
ARIZONA COMMON	6.0	3.0	4.0	2.0	9.3	27.3	28.3	5.0	2.0	3.0	1.0	2.0	1.0	2.0	1.0	1.3	1.3	1.4
LSD VALUE	1.8	1.1	3.5	1.5	27.0	35.3	31.5	2.0	1.7	1.5	1.0	1.3	1.2	1.3	1.5	1.1	1.5	0.7
C.V. (%)	16.5	20.7	40.1	20.1	30.2	23.5	21.7	25.6	29.7	22.8	27.7	23.7	21.4	19.9	23.7	16.1	19.3	12.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 9.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT WICHITA, KS 1/  
2006 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SUMMER	SEEDHEAD RATINGS					QUALITY RATINGS			MEAN
					SPRING	SUMMER	FALL	MAY	JUN	JUL	AUG	SEP	
PATRIOT	8.0	5.0	5.0	7.0	9.0	9.0	8.7	5.3	5.3	6.7	6.7	4.3	5.7
MIDLAWN	7.0	5.3	8.7	7.0	9.0	7.7	9.0	6.0	5.3	6.3	6.3	3.7	5.5
OKC 70-18	4.3	5.0	7.3	7.3	9.0	8.3	6.0	5.0	5.3	5.7	6.7	3.7	5.3
PREMIER (OR 2002)	6.3	4.7	8.0	5.3	9.0	8.7	7.7	5.0	6.0	5.0	6.0	4.3	5.3
RIVIERA	6.3	4.0	5.7	6.3	9.0	7.0	5.7	4.0	5.3	5.3	7.0	4.7	5.3
YUKON	7.7	5.0	6.0	5.7	9.0	6.7	5.7	5.3	5.0	5.0	7.3	4.0	5.3
TIFWAY	8.0	3.7	8.0	6.7	9.0	8.0	8.7	4.3	5.3	5.3	5.7	4.0	4.9
TIFSPORT	7.3	3.3	7.3	6.7	9.0	8.0	8.0	4.3	5.0	5.0	6.0	3.7	4.8
TIFT NO. 4	6.3	3.0	6.7	5.3	9.0	6.0	5.3	4.0	4.7	4.3	6.3	4.7	4.8
SWI-1044	5.0	2.3	6.3	6.7	9.0	7.7	5.7	3.3	4.7	5.0	6.0	4.3	4.7
CONTESSA (SWI-1045)	6.3	2.7	5.7	5.0	9.0	6.0	5.0	3.3	4.0	5.0	5.7	5.0	4.6
SWI-1046	7.0	3.0	6.3	5.7	9.0	7.0	6.7	3.0	4.0	5.0	6.0	5.0	4.6
CIS-CD6	5.0	3.7	5.7	6.0	8.3	7.7	4.7	4.0	4.3	4.7	5.3	4.0	4.5
SWI-1012	7.0	3.0	6.0	6.3	9.0	6.7	5.7	3.3	4.0	4.3	5.7	5.0	4.5
SWI-1014	6.7	4.0	4.7	5.0	9.0	7.0	5.3	4.3	4.0	4.7	5.7	4.0	4.5
AUSSIE GREEN	6.0	3.3	5.0	5.3	9.0	8.3	7.3	4.3	5.0	4.7	4.7	3.3	4.4
CELEBRATION	7.7	2.0	6.3	5.7	9.0	6.7	8.0	2.7	4.3	4.3	6.3	4.3	4.4
MS-CHOICE	5.3	2.0	5.0	5.3	9.0	8.7	9.0	2.0	4.0	5.0	5.3	3.7	4.0
CIS-CD7	6.0	3.0	4.7	4.3	9.0	6.0	4.0	3.0	4.0	4.0	5.0	3.3	3.9
LAPALOMA (SRX 9500)	5.3	3.0	5.3	5.0	9.0	7.0	4.0	3.0	3.7	4.3	4.7	3.7	3.9
SUNBIRD (PST-R68A)	4.7	2.3	5.3	5.3	9.0	6.3	5.0	3.0	3.7	4.7	5.0	3.3	3.9
TIFT NO. 3	5.3	2.0	5.3	4.3	9.0	8.0	8.0	2.0	4.0	4.0	5.3	4.0	3.9
ASHMORE	5.0	6.0	9.0	5.3	9.0	8.0	9.0	6.0	4.7	2.3	3.0	2.7	3.7
CIS-CD5	5.7	2.3	5.0	4.7	9.0	5.7	4.3	2.3	3.0	4.0	5.3	3.7	3.7
PANAMA	4.7	2.3	5.3	5.0	9.0	6.7	5.0	2.3	3.3	4.0	5.0	4.0	3.7
PRINCESS 77	5.7	2.0	5.3	4.7	9.0	6.7	5.0	1.7	3.0	3.7	6.0	4.0	3.7
FMC-6	4.7	2.3	5.3	4.7	9.0	7.0	4.3	2.7	3.3	3.7	4.7	3.7	3.6
SR 9554	5.0	2.7	5.0	4.0	9.0	6.3	4.0	2.7	3.3	4.0	4.7	3.3	3.6
SUNDEVIL II	4.3	3.0	5.0	4.7	9.0	5.3	4.0	3.0	3.0	4.0	4.3	3.3	3.5
SUNSTAR	5.0	3.0	5.0	4.7	9.0	7.0	4.3	2.7	3.3	4.0	4.0	3.3	3.5
SWI-1001	4.7	2.0	5.0	4.7	8.7	7.0	4.7	2.3	3.3	3.7	4.7	3.3	3.5
TRANSCONTINENTAL	5.0	2.3	4.3	4.7	9.0	6.0	4.7	3.0	3.3	3.7	4.7	3.0	3.5
B-14	5.0	3.0	5.0	3.7	9.0	6.0	4.7	2.0	3.0	4.0	4.7	3.3	3.4
GN-1	7.0	2.7	4.7	4.0	9.0	8.0	7.3	2.7	3.7	3.3	4.0	3.3	3.4
VERACRUZ (SWI-1041)	5.0	2.0	5.3	5.0	9.0	5.7	4.7	1.3	3.0	3.7	5.0	4.0	3.4
MOHAWK	4.0	2.3	5.0	4.0	9.0	7.0	5.0	2.3	3.0	3.7	4.3	3.0	3.3
SWI-1003	4.7	2.3	5.7	4.3	8.7	5.7	4.7	2.0	2.7	3.0	4.3	4.3	3.3
SOUTHERN STAR	5.3	2.3	5.0	4.7	9.0	6.0	4.0	2.3	3.0	3.7	4.0	3.0	3.2
ARIZONA COMMON	5.0	2.7	5.0	3.7	9.0	7.0	4.3	2.3	2.7	3.3	3.7	3.3	3.1
NUMEX SAHARA	5.0	2.7	5.0	4.0	9.0	6.7	5.7	2.3	3.0	3.3	4.0	3.0	3.1
TIFT NO. 1	6.3	2.3	5.3	4.0	9.0	5.7	5.0	1.3	2.3	3.0	4.7	3.7	3.0
TIFT NO. 2	6.0	2.5	6.0	2.5	9.0	7.5	4.5	2.5	2.0	2.5	3.5	3.0	2.7
LSD VALUE	1.2	0.8	1.0	1.1	0.3	1.1	1.3	0.7	0.8	0.8	1.2	1.1	0.5
C.V. (%)	12.7	16.4	11.8	13.8	1.7	10.0	14.7	14.0	13.7	12.1	14.0	16.3	8.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 10. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT LEXINGTON, KY 1/  
2006 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	PERCENT SPRING GREENUP	QUALITY RATINGS							MEAN
		APR	MAY	JUN	JUL	AUG	SEP	OCT	
PATRIOT	88.3	7.7	7.3	9.0	7.0	6.3	9.0	9.0	7.9
OKC 70-18	81.7	8.0	9.0	8.3	8.0	5.0	7.7	7.7	7.7
TIFWAY	36.7	6.0	8.7	8.7	8.3	5.3	7.3	7.3	7.4
YUKON	71.7	7.3	7.3	7.3	7.7	6.0	7.3	7.3	7.2
PREMIER (OR 2002)	51.7	5.0	6.0	8.0	7.7	6.3	9.0	7.7	7.1
AUSSIE GREEN	49.0	3.7	5.0	6.7	8.3	7.0	9.0	8.7	6.9
TIFSPORT	38.3	5.7	7.7	8.7	8.0	4.7	6.3	6.7	6.8
CELEBRATION	30.0	4.7	5.3	6.0	7.7	7.7	6.7	8.0	6.6
CONTESSA (SWI-1045)	38.3	5.7	6.3	6.7	7.7	5.7	7.7	6.3	6.6
CIS-CD6	78.3	6.3	6.7	5.7	6.7	6.0	7.3	7.0	6.5
SWI-1012	41.7	5.0	6.0	6.3	8.0	6.3	7.0	7.0	6.5
MIDLAWN	75.0	7.3	7.3	8.0	5.0	5.3	6.3	5.7	6.4
TIFT NO. 3	28.3	5.0	6.0	5.7	7.3	6.0	7.3	7.3	6.4
SWI-1001	43.3	4.7	5.0	6.0	6.7	6.7	7.7	7.7	6.3
SWI-1014	50.0	5.7	6.3	6.7	6.7	6.3	6.0	6.3	6.3
SWI-1044	55.0	4.0	5.7	5.7	7.3	7.0	6.7	7.3	6.2
SWI-1046	25.0	4.3	5.7	5.3	7.7	5.3	7.7	7.3	6.2
GN-1	33.3	4.0	5.3	6.3	7.3	4.7	6.7	7.3	6.0
PRINCESS 77	20.0	4.0	5.0	4.7	8.0	5.3	7.3	7.3	6.0
TIFT NO. 4	30.0	5.0	6.7	7.7	8.3	1.0	6.3	7.3	6.0
TRANSCONTINENTAL	55.0	5.0	6.0	5.0	6.3	6.7	7.0	6.3	6.0
SWI-1003	20.0	3.3	5.0	6.0	7.0	5.7	7.0	7.3	5.9
ASHMORE	63.0	8.0	8.0	5.0	4.0	4.7	4.7	5.3	5.7
RIVIERA	71.7	4.3	4.7	4.0	6.3	6.3	6.7	7.7	5.7
VERACRUZ (SWI-1041)	31.7	4.0	5.3	5.0	6.7	5.3	7.0	6.3	5.7
MS-CHOICE	37.3	4.3	5.7	5.0	6.0	6.0	6.3	6.0	5.6
SUNBIRD (PST-R68A)	37.7	3.7	4.0	4.7	6.0	5.3	6.3	7.7	5.4
TIFT NO. 2	14.3	3.3	4.7	5.3	7.0	5.3	6.0	6.0	5.4
SOUTHERN STAR	40.0	4.7	4.7	5.3	5.7	4.7	5.7	6.0	5.2
CIS-CD7	43.3	3.3	4.7	4.3	5.0	6.0	6.3	6.3	5.1
NUMEX SAHARA	50.0	4.3	5.0	3.7	5.3	5.0	6.5	6.0	5.1
PANAMA	40.0	4.0	5.0	4.0	5.3	5.0	6.7	6.0	5.1
ARIZONA COMMON	45.0	4.7	5.0	4.7	5.0	4.7	5.7	5.7	5.0
B-14	36.7	4.3	5.0	4.7	5.0	4.7	6.0	5.0	5.0
SR 9554	40.0	3.3	4.0	3.7	5.3	4.3	7.0	7.3	5.0
TIFT NO. 1	10.0	3.3	4.0	4.3	6.0	5.7	6.3	5.7	5.0
CIS-CD5	35.0	4.0	4.7	3.3	4.7	5.0	6.0	5.7	4.8
LAPALOMA (SRX 9500)	35.0	4.0	4.7	3.7	5.0	4.7	6.0	5.7	4.8
FMC-6	53.3	4.3	4.3	4.3	4.7	4.7	5.7	5.0	4.7
MOHAWK	38.3	3.7	4.7	3.7	5.0	4.3	6.0	5.7	4.7
SUNDEVIL II	40.0	4.0	4.3	4.0	4.3	4.7	6.0	5.7	4.7
SUNSTAR	55.0	4.0	5.0	3.7	5.0	4.3	6.0	5.0	4.7
LSD VALUE	19.5	1.2	1.6	2.1	1.7	1.8	1.9	1.5	1.1
C.V. (%)	28.0	16.7	17.4	22.6	16.3	19.3	14.8	13.0	11.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 11. MEAN TURFGRASS QUALITY RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT CALHOUN, LA 1/  
2006 DATA

NAME	TURFGRASS QUALITY RATINGS 1-9; 9=BEST 2/					MEAN
	MAY	JUN	JUL	AUG	SEP	
TIFSPORT	8.0	8.0	7.7	8.0	8.0	7.9
GN-1	7.3	7.3	7.0	7.7	7.7	7.4
TIFT NO. 3	7.0	7.3	7.7	7.3	7.7	7.4
TIFWAY	7.3	7.7	7.0	7.7	7.3	7.4
MIDLAWN	7.0	8.0	7.3	7.0	7.3	7.3
PRINCESS 77	7.0	7.3	7.0	8.0	7.0	7.3
SWI-1003	7.7	7.3	7.3	7.3	7.0	7.3
SWI-1044	6.7	7.7	7.3	7.3	7.7	7.3
TIFT NO. 2	7.7	7.3	6.7	7.7	7.3	7.3
SUNDEVIL II	7.0	7.7	6.7	7.3	7.3	7.2
CIS-CD6	6.7	7.0	7.0	7.3	7.3	7.1
LAPALOMA (SRX 9500)	7.3	7.0	7.0	6.7	7.3	7.1
NUMEX SAHARA	6.7	7.3	7.0	7.3	7.0	7.1
PATRIOT	6.3	7.0	7.3	7.7	7.0	7.1
SR 9554	7.0	7.3	7.0	7.0	7.3	7.1
SWI-1014	6.7	7.0	7.0	7.3	7.3	7.1
VERACRUZ (SWI-1041)	7.0	7.3	6.7	7.3	7.3	7.1
ASHMORE	7.7	7.3	7.0	6.3	6.7	7.0
CIS-CD7	6.7	7.3	6.3	7.0	7.7	7.0
MS-CHOICE	6.3	7.3	7.0	7.0	7.3	7.0
PREMIER (OR 2002)	7.0	7.0	7.0	7.0	7.0	7.0
YUKON	6.7	7.0	7.3	7.0	7.0	7.0
CELEBRATION	6.7	7.0	6.7	7.0	7.0	6.9
RIVIERA	6.7	7.3	7.0	6.7	6.7	6.9
SWI-1001	7.0	7.3	6.7	6.7	7.0	6.9
TIFT NO. 1	7.0	7.0	6.7	6.7	7.3	6.9
TIFT NO. 4	6.7	7.0	7.0	7.0	7.0	6.9
AUSSIE GREEN	6.7	6.7	6.7	7.0	7.0	6.8
TRANSCONTINENTAL	6.7	7.0	6.3	7.0	7.0	6.8
CONTESSA (SWI-1045)	6.7	6.7	6.7	6.7	7.0	6.7
OKC 70-18	6.7	7.0	6.3	7.0	6.7	6.7
SOUTHERN STAR	6.7	6.7	6.3	6.7	7.3	6.7
SWI-1012	6.7	6.7	6.3	7.0	6.7	6.7
ARIZONA COMMON	6.7	7.0	6.0	6.7	6.7	6.6
B-14	6.7	6.3	6.3	6.7	6.7	6.5
CIS-CD5	5.7	7.0	6.7	6.7	6.7	6.5
SUNBIRD (PST-R68A)	6.3	6.7	6.3	6.3	6.7	6.5
SWI-1046	6.3	6.7	6.3	7.0	6.3	6.5
FMC-6	5.7	7.0	6.3	5.7	6.7	6.3
MOHAWK	6.0	6.7	6.0	6.3	6.7	6.3
SUNSTAR	6.0	6.7	6.3	5.7	6.7	6.3
PANAMA	6.0	6.3	6.0	6.0	6.3	6.1
LSD VALUE	3.0	3.1	2.8	2.8	3.4	1.6
C.V. (%)	12.8	10.7	11.4	12.4	11.3	8.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 12.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT COLUMBIA, MO 1/  
2006 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	LEAF TEXTURE	DENSITY SUMMER	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT COVER FALL	FALL COLOR NOVEMBER	MAY	JUN	JUL	QUALITY RATINGS					MEAN
											AUG	SEP	OCT	NOV		
PATRIOT	8.0	7.3	7.7	99.0	99.0	99.0	1.3	6.0	8.3	8.0	7.7	5.7	3.3	2.3	5.9	
AUSSIE GREEN	7.0	8.0	8.0	99.0	99.0	99.0	1.0	5.3	7.7	8.3	8.0	6.3	3.0	2.0	5.8	
TIFT NO. 4	7.0	8.0	9.0	99.0	99.0	99.0	2.0	5.0	7.0	9.0	7.0	6.0	3.0	3.0	5.7	
SWI-1046	7.3	6.3	5.7	93.0	94.7	99.0	1.3	5.3	7.7	7.7	7.0	6.0	3.0	2.0	5.5	
CONTESSA (SWI-1045)	7.3	6.7	7.0	99.0	99.0	99.0	1.0	5.0	7.3	8.3	7.3	4.7	3.0	2.0	5.4	
TIFSPORT	5.0	8.0	6.0	80.0	85.0	99.0	1.0	6.0	7.0	8.0	7.0	5.0	3.0	2.0	5.4	
PREMIER (OR 2002)	5.0	8.0	8.0	99.0	99.0	99.0	1.0	5.0	7.0	8.0	6.0	5.0	3.0	2.0	5.1	
SWI-1012	7.3	6.3	7.0	97.7	97.7	99.0	1.0	5.0	6.3	7.3	6.3	4.7	3.0	2.0	5.0	
SWI-1044	5.7	6.7	6.3	96.3	96.3	99.0	1.0	5.3	7.3	7.0	6.3	4.3	3.0	2.0	5.0	
YUKON	5.3	6.3	5.7	96.0	97.7	99.0	1.0	5.7	6.7	7.3	6.0	3.7	3.0	2.0	4.9	
SWI-1014	6.7	5.7	5.7	99.0	99.0	99.0	1.0	4.7	6.0	7.0	6.0	4.7	2.7	2.0	4.7	
GN-1	8.0	6.7	5.3	83.3	83.3	96.3	1.0	5.7	6.3	5.0	6.3	4.3	2.7	2.0	4.6	
RIVIERA	6.0	6.3	5.3	97.7	97.7	99.0	1.0	5.3	6.3	6.3	5.3	4.0	3.0	2.0	4.6	
VERACRUZ (SWI-1041)	6.0	6.0	8.0	90.0	90.0	99.0	1.0	5.0	5.0	6.0	6.0	5.0	3.0	2.0	4.6	
CIS-CD7	5.7	5.7	5.0	97.7	97.7	98.7	1.0	5.0	5.3	5.7	5.7	5.0	3.0	2.0	4.5	
OKC 70-18	6.0	8.0	6.7	97.7	97.7	99.0	1.0	5.3	6.7	6.3	4.7	3.3	3.0	2.0	4.5	
TRANSCONTINENTAL	5.0	6.0	5.0	85.0	90.0	99.0	1.0	5.0	6.0	6.0	5.0	4.0	3.0	2.0	4.4	
MIDLAWN	5.3	7.3	7.3	99.0	99.0	99.0	1.0	5.0	5.7	6.0	5.0	3.7	3.0	2.0	4.3	
CIS-CD6	5.7	6.7	5.3	99.0	99.0	99.0	1.0	5.3	5.7	5.0	4.7	3.0	3.0	2.0	4.1	
SUNSTAR	6.0	6.0	6.0	80.0	80.0	95.0	1.0	5.0	5.0	4.0	5.0	4.0	3.0	2.0	4.0	
CIS-CD5	5.0	5.3	4.3	91.3	91.3	97.7	1.0	4.3	5.3	5.3	5.0	2.7	2.7	1.7	3.9	
FMC-6	5.7	5.3	4.0	61.7	65.0	81.7	1.0	4.7	4.7	5.0	4.7	3.0	2.3	2.0	3.8	
PANAMA	6.0	6.0	4.0	52.5	55.0	87.5	1.0	5.0	5.0	5.0	5.0	2.5	2.0	1.5	3.7	
PRINCESS 77	7.0	7.0	4.0	95.0	95.0	99.0	1.0	5.0	5.0	4.0	5.0	2.0	3.0	2.0	3.7	
SR 9554	5.0	7.0	3.0	40.0	40.0	55.0	1.0	5.0	6.0	5.0	5.0	2.0	2.0	1.0	3.7	
TIFT NO. 1	6.0	7.0	5.0	95.0	95.0	99.0	1.0	6.0	6.0	5.0	3.0	2.0	2.0	2.0	3.7	
ASHMORE	4.0	9.0	8.0	99.0	99.0	99.0	1.7	4.7	4.3	5.0	4.0	2.7	2.7	2.0	3.6	
SOUTHERN STAR	5.0	7.0	3.0	65.0	70.0	95.0	1.0	5.0	5.0	3.0	4.0	3.0	2.0	2.0	3.4	
LAPALOMA (SRX 9500)	5.5	6.0	4.0	52.5	57.5	64.5	1.0	4.5	5.0	3.5	3.5	2.5	2.0	1.5	3.2	
SUNDEVIL II	5.0	5.5	3.5	67.5	70.0	87.0	1.0	4.0	4.5	4.0	4.0	2.5	2.0	1.0	3.1	
ARIZONA COMMON	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B-14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
CELEBRATION	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
MOHAWK	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
MS-CHOICE	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
NUMEX SAHARA	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
SUNBIRD (PST-R68A)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
SWI-1001	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
SWI-1003	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
TIFT NO. 2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
TIFT NO. 3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
TIFWAY	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
LSD VALUE	2.3	1.4	2.2	19.4	20.7	24.7	0.7	3.6	1.9	1.8	2.0	1.8	1.4	1.0	1.1	
C.V. (%)	15.4	9.4	16.7	10.2	10.5	9.4	21.4	15.5	13.7	13.5	15.7	20.2	15.7	16.9	11.1	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 13.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT MISS. ST., MS 1/  
2006 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SUMMER	FALL COLOR	SEEDHEAD RATINGS			QUALITY RATINGS							MEAN
					NOVEMBER	SPRING	SUMMER	FALL	APR	MAY	JUN	JUL	AUG	SEP	OCT	
MS-CHOICE	8.0	5.3	6.0	8.0	5.7	8.7	9.0	9.0	6.3	6.3	7.0	7.0	7.3	6.7	7.0	6.8
TIFSPORT	7.0	6.0	7.0	7.0	6.0	7.3	9.0	8.7	6.0	6.0	7.3	7.0	7.0	6.3	7.0	6.7
TIFWAY	6.7	5.7	7.0	6.7	6.0	8.0	9.0	9.0	6.0	6.0	7.3	7.0	6.7	6.7	7.0	6.7
TIFT NO. 4	6.0	5.0	7.0	7.0	6.7	6.3	9.0	8.7	5.7	5.7	7.0	7.0	6.7	6.3	6.7	6.4
CELEBRATION	6.7	4.7	6.0	6.7	6.0	4.7	5.3	6.7	5.7	5.7	6.3	6.0	6.3	6.7	6.7	6.2
OKC 70-18	6.0	6.3	6.7	5.7	5.7	6.7	8.0	7.0	6.0	6.0	6.7	6.3	5.3	5.7	6.0	6.0
TIFT NO. 1	6.0	5.0	6.0	6.3	5.0	6.0	7.0	6.0	5.7	5.7	6.0	6.0	6.0	6.0	6.0	5.9
CONTESSA (SWI-1045)	6.0	5.0	6.0	6.0	5.7	6.0	7.0	6.0	5.3	5.0	6.0	5.7	6.0	6.0	6.3	5.8
GN-1	6.3	5.0	6.0	5.7	4.7	7.3	8.0	6.7	5.7	5.7	6.0	6.3	5.3	5.7	6.0	5.8
TIFT NO. 3	6.0	5.0	6.0	5.7	5.7	7.0	7.7	6.7	5.0	5.0	6.0	6.0	6.3	6.0	6.0	5.8
AUSSIE GREEN	6.0	4.7	6.7	6.3	4.7	7.0	8.0	6.0	5.0	5.3	6.3	6.0	5.7	5.7	6.0	5.7
PRINCESS 77	6.3	5.0	6.0	6.3	5.0	5.7	6.3	6.0	5.0	5.0	6.0	6.0	6.0	6.0	6.0	5.7
SWI-1012	6.3	5.3	6.0	6.3	5.7	6.0	6.0	5.7	5.3	5.0	5.7	5.7	6.3	6.0	6.0	5.7
SWI-1046	6.0	5.0	6.0	6.3	6.0	6.0	7.7	7.0	5.0	5.0	6.0	6.0	5.7	6.0	6.0	5.7
TIFT NO. 2	6.3	5.0	6.0	6.0	6.0	6.7	7.7	6.3	5.0	5.0	6.0	6.0	5.7	5.7	6.3	5.7
VERACRUZ (SWI-1041)	6.3	5.0	6.0	6.0	6.0	5.7	7.7	6.3	5.0	5.0	6.0	6.0	6.0	5.7	6.0	5.7
SWI-1044	6.0	5.0	6.0	6.0	5.0	6.0	7.3	6.3	5.3	5.0	6.0	6.0	5.3	5.7	6.0	5.6
YUKON	6.7	5.3	5.7	6.0	6.0	6.0	7.0	6.3	5.3	5.0	5.3	5.3	6.0	6.0	6.0	5.6
SWI-1001	6.0	4.7	6.0	6.0	5.3	5.3	6.3	6.0	4.7	5.0	5.7	5.7	6.0	5.3	6.0	5.5
SWI-1003	6.0	4.7	6.0	6.0	5.7	6.0	7.0	6.0	5.0	5.0	5.7	5.7	5.7	5.7	6.0	5.5
SWI-1014	6.0	5.0	5.7	5.7	5.0	6.0	6.3	5.7	5.0	5.0	5.7	5.3	5.7	5.3	5.7	5.4
B-14	6.3	4.7	5.3	5.7	5.3	5.0	6.7	5.7	4.7	5.0	5.3	5.3	5.7	5.3	5.7	5.3
NUMEX SAHARA	6.0	5.0	5.7	5.7	5.3	5.3	7.3	6.0	4.7	4.7	5.3	5.7	5.3	5.7	6.0	5.3
PREMIER (OR 2002)	6.3	6.0	6.3	4.3	5.0	7.0	8.0	5.0	5.7	5.7	6.3	5.7	4.0	4.7	5.0	5.3
RIVIERA	6.3	5.0	6.0	6.0	5.3	6.0	7.3	6.3	4.7	5.0	5.7	5.3	5.7	5.3	5.7	5.3
SOUTHERN STAR	6.0	5.0	5.7	5.7	5.0	5.3	6.7	5.3	5.0	4.3	5.7	5.3	5.7	5.3	5.7	5.3
SUNBIRD (PST-R68A)	5.7	5.0	5.7	5.7	5.0	6.0	7.0	6.0	5.3	5.0	5.7	5.3	5.3	5.3	5.3	5.3
ASHMORE	5.0	6.0	8.0	5.3	5.0	8.3	9.0	9.0	6.0	5.7	6.0	5.0	4.3	4.7	5.0	5.2
PATRIOT	6.3	5.3	5.7	5.0	5.0	7.0	8.7	6.3	4.7	4.7	5.3	6.0	5.0	5.3	5.7	5.2
SR 9554	6.0	5.0	5.7	6.0	5.0	5.7	7.0	6.0	4.7	5.0	5.7	5.0	5.7	5.0	5.7	5.2
SUNDEVIL II	6.7	5.3	5.7	5.3	5.3	5.3	6.7	5.7	5.0	5.0	5.0	5.0	6.0	5.0	5.7	5.2
CIS-CD7	6.0	4.7	5.3	5.3	4.7	5.7	6.7	5.3	4.7	4.7	5.0	5.3	5.7	5.3	5.0	5.1
TRANSCONTINENTAL	6.0	5.3	5.7	5.7	4.7	5.7	7.7	5.7	4.7	4.7	5.0	5.3	5.0	5.3	5.7	5.1
CIS-CD6	6.0	5.3	5.3	5.0	5.3	6.0	7.7	5.7	5.0	5.0	5.3	5.0	5.0	5.0	5.0	5.0
FMC-6	6.0	5.0	5.3	5.0	5.0	6.0	7.0	5.3	4.7	4.0	5.3	5.0	5.0	5.3	5.3	5.0
LAPALOMA (SRX 9500)	6.0	5.0	5.0	5.0	5.0	5.3	7.0	5.3	4.3	4.3	5.0	5.7	5.0	5.0	5.3	5.0
MIDLAWN	6.0	5.0	5.3	4.3	4.7	7.0	8.0	7.0	4.7	5.0	5.7	5.3	4.3	5.0	5.0	5.0
MOHAWK	6.3	5.0	5.0	5.3	5.3	6.0	7.0	5.3	4.0	4.3	5.3	5.3	5.3	5.0	5.3	5.0
SUNSTAR	6.0	5.0	5.3	5.0	5.0	6.0	6.7	5.3	4.3	4.3	5.3	5.3	5.0	5.0	5.3	5.0
ARIZONA COMMON	5.7	5.0	4.7	5.0	4.7	6.0	6.3	5.3	4.7	4.7	4.7	4.7	5.3	4.7	5.3	4.9
CIS-CD5	5.7	4.7	5.7	5.3	5.3	6.0	7.0	5.7	4.7	4.7	5.3	4.7	4.7	4.7	5.3	4.9
PANAMA	5.7	5.3	4.7	4.7	5.0	6.0	7.3	5.3	4.3	4.3	5.0	5.0	5.0	4.7	5.0	4.8
LSD VALUE	0.7	0.9	0.7	0.9	1.2	0.6	1.0	0.7	0.9	0.6	0.8	0.7	0.9	0.8	0.9	0.5
C.V. (%)	6.6	8.9	7.3	9.6	10.9	6.8	8.7	7.7	10.1	7.5	8.4	7.4	10.3	8.8	9.2	6.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 14.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT RALEIGH, NC 1/  
2006 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	LEAF TEXTURE	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	PERCENT SPRING GREENUP	PERCENT OCTOBER	FALL COLOR NOVEMBER	MAY	JUN	QUALITY RATINGS				MEAN
											JUL	AUG	SEP	OCT	
TIFSPORT	7.7	8.0	9.0	9.0	8.7	81.7	91.7	66.7	8.0	8.0	8.7	8.3	8.3	8.3	8.3
AUSSIE GREEN	7.3	7.7	8.3	8.7	9.0	80.0	50.0	33.3	7.7	8.0	8.3	8.0	8.3	8.0	8.1
TIFWAY	7.3	8.0	8.3	8.3	9.0	76.7	95.0	76.7	7.7	7.7	8.0	8.3	8.7	8.3	8.1
CELEBRATION	7.3	7.7	8.3	9.0	9.0	81.7	55.0	35.0	7.3	8.0	8.3	8.0	8.3	8.0	8.0
OKC 70-18	7.7	7.7	9.0	8.0	9.0	80.0	65.0	43.3	8.0	8.0	8.3	7.7	7.7	8.3	8.0
PATRIOT	7.7	7.7	8.3	8.7	9.0	78.3	60.0	41.7	7.7	8.0	8.3	8.0	8.0	7.3	7.9
GN-1	8.0	7.7	7.3	8.0	7.7	80.0	58.3	40.0	7.0	8.0	8.0	7.0	7.3	7.0	7.4
TIFT NO. 4	7.3	8.3	7.7	7.0	8.3	71.7	86.7	66.7	7.3	7.0	7.3	8.0	7.0	8.0	7.4
MIDLAWN	6.3	7.0	8.3	7.3	8.0	80.0	93.3	75.0	7.7	6.7	7.0	7.3	7.0	8.0	7.3
TIFT NO. 2	7.0	7.3	7.7	8.7	8.7	71.7	60.0	41.7	7.0	7.0	7.3	7.7	7.3	7.7	7.3
TIFT NO. 3	7.3	7.0	7.0	7.7	8.0	76.7	85.0	65.0	7.0	7.3	7.7	7.0	6.7	8.0	7.3
ASHMORE	7.0	7.7	8.3	7.7	8.0	83.3	85.0	61.7	7.7	7.0	6.7	6.7	7.3	8.0	7.2
PRINCESS 77	7.0	7.0	8.0	8.7	8.7	75.0	71.7	50.0	7.0	7.3	7.3	7.7	7.3	6.3	7.2
TIFT NO. 1	7.3	7.3	7.0	7.7	8.7	75.0	60.0	40.0	7.0	7.3	7.7	7.7	7.0	6.7	7.2
VERACRUZ (SWI-1041)	7.3	7.3	7.7	7.7	8.7	78.3	66.7	48.3	7.3	6.7	7.7	8.0	7.3	6.3	7.2
MS-CHOICE	6.3	7.7	7.3	7.3	8.0	60.0	81.7	60.0	6.7	7.3	7.3	7.0	6.7	7.3	7.1
SWI-1003	6.7	7.0	7.0	7.3	8.0	73.3	70.0	48.3	7.0	7.0	7.7	7.3	6.7	6.7	7.1
SWI-1012	7.0	7.0	8.3	8.0	8.3	75.0	80.0	60.0	7.3	7.0	7.3	7.0	6.7	7.0	7.1
SWI-1044	7.0	7.3	7.7	7.7	8.0	80.0	71.7	48.3	7.3	7.0	7.3	7.0	7.0	6.7	7.1
YUKON	7.0	7.0	7.0	7.7	8.0	80.0	83.3	60.0	7.0	7.0	7.3	7.0	7.3	7.0	7.1
SWI-1046	7.0	7.3	7.0	7.7	7.7	76.7	71.7	53.3	7.0	7.3	7.0	7.0	6.7	7.0	7.0
CONTESSA (SWI-1045)	7.0	7.0	7.7	7.7	8.0	81.7	80.0	51.7	7.0	6.7	7.7	6.7	7.0	6.7	6.9
PREMIER (OR 2002)	7.0	8.0	8.0	8.0	8.0	71.7	88.3	65.0	7.3	7.0	7.0	6.7	6.7	6.7	6.9
RIVIERA	6.0	6.7	6.3	7.0	7.7	78.3	73.3	50.0	6.3	6.7	7.3	7.3	7.0	6.0	6.8
SWI-1014	6.0	6.3	7.0	7.7	7.3	73.3	81.7	63.3	7.0	6.3	7.3	6.7	7.0	6.0	6.7
SUNBIRD (PST-R68A)	6.0	6.3	7.0	7.7	8.0	83.3	68.3	46.7	7.0	6.0	7.0	6.3	7.0	6.0	6.6
CIS-CD5	6.0	6.0	6.7	7.3	7.0	76.7	71.7	53.3	6.7	6.0	7.0	6.7	6.7	6.0	6.5
LAPALOMA (SRX 9500)	6.0	6.3	6.3	7.0	7.7	81.7	66.7	45.0	6.3	6.0	7.0	6.7	7.0	6.0	6.5
CIS-CD6	6.0	6.3	6.7	7.0	8.0	81.7	56.7	35.0	7.0	6.3	6.7	6.3	6.3	6.0	6.4
CIS-CD7	6.0	6.0	6.7	7.0	7.7	76.7	66.7	53.3	6.7	6.0	6.7	6.7	6.3	6.0	6.4
FMC-6	6.0	6.3	6.7	7.0	7.3	80.0	65.0	43.3	6.7	6.0	6.7	6.7	6.0	6.3	6.4
SOUTHERN STAR	6.0	6.3	6.7	6.7	7.3	76.7	70.0	48.3	6.7	6.0	6.7	6.3	6.7	6.0	6.4
SUNSTAR	6.0	6.3	6.7	6.7	7.7	75.0	73.3	58.3	6.7	6.0	6.7	6.7	6.7	6.0	6.4
TRANSCONTINENTAL	6.0	6.3	6.7	7.0	7.3	78.3	66.7	48.3	6.7	6.0	7.0	6.7	6.3	6.0	6.4
PANAMA	6.0	6.0	6.3	6.7	7.0	76.7	68.3	46.7	6.3	6.0	6.0	6.7	6.7	6.0	6.3
SR 9554	6.0	6.7	6.7	7.0	8.0	76.7	70.0	48.3	6.3	6.3	6.0	6.3	6.7	6.0	6.3
SUNDEVIL II	6.0	6.3	6.3	6.7	7.0	76.7	66.7	46.7	6.3	6.0	6.3	6.3	7.0	6.0	6.3
SWI-1001	6.7	6.7	6.3	7.0	7.7	80.0	65.0	41.7	6.3	6.3	7.3	6.3	5.7	6.0	6.3
ARIZONA COMMON	6.0	6.3	6.7	7.3	7.3	76.7	71.7	46.7	6.3	6.0	6.3	6.3	6.3	5.7	6.2
B-14	6.0	6.0	5.3	6.7	7.0	78.3	71.7	53.3	5.7	6.0	6.3	6.7	6.0	6.0	6.1
NUMEX SAHARA	5.7	6.0	6.0	6.3	7.3	75.0	70.0	50.0	5.7	6.0	6.0	6.3	6.0	6.0	6.0
MOHAWK	5.7	6.0	4.7	6.3	6.3	68.3	70.0	48.3	5.3	5.7	6.0	6.3	5.3	6.0	5.8
LSD VALUE	0.7	0.7	1.5	1.2	0.9	9.0	10.9	13.8	1.0	0.8	1.2	0.9	1.3	0.8	0.6
C.V. (%)	6.8	6.6	12.3	9.1	7.2	6.2	9.7	16.4	8.0	7.7	9.5	7.6	10.5	8.0	5.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 15.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT LAS CRUCES, NM 1/  
2006 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	LEAF TEXTURE	FALL	FALL	FALL	SEEDHEAD RATINGS								QUALITY RATINGS							
			COLOR OCTOBER	COLOR NOVEMBER	COLOR DECEMBER	MARCH	JUNE	OCTOBER	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN
TIFSPORT	6.7	7.7	6.0	4.7	4.7	6.7	7.7	7.3	4.0	5.0	6.0	6.0	7.7	8.7	7.7	8.7	8.3	7.0	5.3	4.0	6.5
TIFWAY	7.0	8.0	6.0	5.3	5.3	6.7	8.0	7.0	4.0	4.0	6.0	6.0	7.3	9.0	7.3	8.7	8.0	6.0	5.3	4.0	6.3
PATRIOT	7.0	6.0	4.7	4.0	4.0	7.3	8.0	7.7	3.3	5.3	5.7	5.7	7.3	8.3	7.0	9.0	8.3	7.0	4.3	3.3	6.2
ASHMORE	5.0	8.0	5.0	3.7	3.3	6.3	7.3	6.3	3.0	3.7	5.0	5.3	9.0	8.0	7.0	7.7	8.7	6.7	4.0	3.0	5.9
MIDLAWN	5.7	7.7	5.3	3.3	3.3	6.7	8.0	7.0	3.3	5.0	5.3	6.0	7.0	8.0	7.0	8.0	7.7	6.3	4.3	3.3	5.9
PREMIER (OR 2002)	7.0	7.3	5.3	3.7	3.7	5.7	7.0	6.3	3.0	4.0	5.0	5.0	6.0	8.3	8.3	9.0	7.7	6.3	4.0	3.0	5.8
PRINCESS 77	7.0	5.7	5.3	3.7	3.7	7.3	8.0	7.3	3.3	4.3	5.0	5.7	6.7	7.7	8.3	8.3	7.3	5.0	4.3	3.0	5.8
AUSSIE GREEN	6.7	7.3	6.0	3.0	3.0	7.0	8.0	7.3	3.0	4.7	5.0	5.3	6.3	7.3	7.7	8.3	7.7	6.3	4.0	3.0	5.7
OKC 70-18	6.3	7.3	5.0	3.3	3.3	7.7	8.3	7.7	3.7	3.0	4.7	5.3	7.0	7.0	7.7	8.3	7.7	6.0	4.7	3.7	5.7
YUKON	5.7	4.7	5.3	3.7	3.7	6.0	7.7	6.7	3.7	4.3	5.0	5.3	6.0	7.7	6.7	7.3	7.3	6.3	4.7	3.7	5.7
SWI-1012	7.3	4.7	6.0	3.7	3.7	5.3	7.0	7.0	3.7	5.0	5.3	5.0	5.0	7.0	6.7	7.7	7.7	6.0	4.7	3.7	5.6
SWI-1044	6.3	6.3	5.7	4.0	4.0	6.7	7.3	7.3	4.0	4.0	5.7	5.3	5.7	6.7	6.7	8.0	7.0	5.7	5.0	3.7	5.6
SWI-1046	6.0	6.7	5.7	4.0	4.0	5.7	6.3	6.0	3.3	5.0	4.7	5.0	6.3	7.0	6.7	8.0	7.0	6.0	4.3	3.3	5.6
TIFT NO. 4	6.0	8.0	6.0	4.0	3.7	4.7	5.3	5.0	3.7	3.0	5.0	5.0	5.7	7.7	6.7	7.3	8.0	6.3	4.7	3.7	5.6
CELEBRATION	6.3	5.3	5.3	4.0	4.0	6.0	7.0	6.0	3.7	4.3	5.3	4.7	5.3	7.3	6.7	7.3	7.3	6.0	4.7	3.7	5.5
VERACRUZ (SWI-1041)	6.7	6.7	5.3	3.7	3.7	7.3	8.3	7.3	3.0	4.0	5.7	5.0	6.0	7.0	7.0	7.7	7.7	6.0	4.0	3.0	5.5
CONTESSA (SWI-1045)	6.7	4.7	5.3	4.7	4.7	7.3	8.7	7.7	3.7	4.7	5.0	5.0	5.7	6.7	6.0	8.0	7.0	5.3	4.7	3.3	5.4
GN-1	6.0	6.7	4.7	3.3	3.3	8.0	9.0	8.0	2.3	5.0	4.7	5.0	6.3	8.0	7.3	8.0	7.3	5.3	3.3	2.3	5.4
SWI-1001	5.7	5.3	5.0	3.3	3.3	6.7	8.0	6.7	2.7	5.0	5.3	5.7	6.7	6.3	7.3	7.3	7.3	5.3	3.7	2.7	5.4
SWI-1003	5.7	6.0	5.0	3.7	3.3	6.7	7.7	7.0	3.3	5.0	4.7	4.7	6.0	7.3	7.0	7.0	7.3	5.3	4.3	3.0	5.4
TIFT NO. 3	6.3	5.3	5.3	4.3	4.3	8.0	9.0	8.0	3.0	5.0	5.7	5.7	5.7	6.3	6.3	7.3	7.0	5.3	4.0	3.0	5.4
SWI-1014	6.3	3.7	5.3	3.7	3.7	7.7	8.7	7.7	3.0	4.7	5.0	5.0	5.3	6.7	6.0	7.3	7.0	6.0	4.0	3.0	5.3
CIS-CD5	5.3	4.7	4.3	3.3	3.3	8.0	9.0	8.0	2.3	5.0	5.0	5.7	6.0	6.7	6.7	6.7	7.3	5.7	3.3	2.3	5.2
MS-CHOICE	6.3	4.3	6.0	4.3	4.3	6.3	7.3	6.3	3.0	4.3	5.0	5.0	5.3	6.0	5.7	8.0	7.3	5.3	4.0	3.0	5.2
RIVIERA	6.0	5.3	5.3	3.3	3.3	7.3	8.7	7.3	3.0	4.3	5.3	5.0	6.0	6.3	6.0	7.7	7.0	4.7	4.0	3.0	5.2
TIFT NO. 2	6.0	6.0	4.7	4.3	4.0	7.7	8.7	7.7	3.0	3.7	5.0	5.0	5.3	7.3	6.3	7.3	7.0	5.3	4.0	3.0	5.2
CIS-CD6	5.7	3.3	4.7	4.3	4.3	6.7	8.0	7.0	3.0	5.0	5.3	5.3	5.3	5.7	5.3	6.7	7.0	5.7	4.0	3.0	5.1
TIFT NO. 1	5.7	5.7	4.3	3.7	3.7	8.0	9.0	8.0	2.7	4.3	4.7	5.0	5.3	7.0	6.7	7.3	7.0	5.0	3.7	2.7	5.1
CIS-CD7	6.0	4.3	5.3	3.7	3.7	7.3	8.3	7.3	2.3	5.0	5.3	5.0	5.7	5.3	5.7	7.0	7.0	5.0	3.3	2.3	4.9
NUMEX SAHARA	5.3	5.0	4.0	2.3	2.3	8.0	9.0	8.0	2.3	4.3	5.0	5.0	5.7	6.3	6.3	6.7	6.7	4.7	3.3	2.3	4.9
SOUTHERN STAR	5.3	4.7	5.0	3.0	3.0	6.0	7.7	6.7	2.0	5.0	5.0	5.0	6.0	5.7	6.3	6.3	7.0	5.0	3.0	2.3	4.9
SUNDEVIL II	5.7	5.0	4.3	2.7	2.7	7.0	8.3	7.3	2.0	5.0	4.3	5.3	5.7	6.0	6.0	7.0	7.0	5.0	3.0	2.0	4.9
SUNSTAR	6.0	4.3	4.7	3.0	3.0	7.3	8.0	7.0	2.7	3.7	5.3	5.0	5.0	6.0	5.7	7.0	7.0	5.3	3.7	2.7	4.9
TRANSCONTINENTAL	5.7	4.3	5.3	3.3	3.3	7.0	7.7	7.3	2.3	4.3	5.0	5.7	6.0	6.0	5.3	6.7	7.0	4.7	3.3	2.3	4.9
MOHAWK	5.3	4.7	5.0	3.3	3.3	6.7	8.0	6.7	2.3	3.7	5.0	5.0	5.7	6.0	6.3	6.3	7.3	4.7	3.3	2.3	4.8
SR 9554	5.3	4.7	5.7	4.3	4.3	6.7	8.0	7.3	2.3	4.0	5.3	5.0	5.3	5.3	5.3	7.0	7.3	5.0	3.3	2.3	4.8
SUNBIRD (PST-R68A)	5.7	5.0	4.7	2.7	2.7	7.0	7.7	7.3	2.0	3.3	5.3	5.0	6.0	5.7	6.3	6.7	7.0	4.3	3.0	2.3	4.8
ARIZONA COMMON	5.7	5.3	5.0	3.0	3.0	7.0	8.3	7.3	2.0	5.0	5.0	5.0	5.0	5.3	5.7	6.7	7.0	4.3	3.0	2.0	4.7
LAPALOMA (SRX 9500)	5.7	3.7	5.0	4.3	4.0	7.3	7.7	7.7	2.3	3.0	5.0	5.0	6.0	6.0	4.7	7.0	7.0	4.7	3.3	2.3	4.7
B-14	5.3	5.0	4.7	3.0	3.0	7.3	8.3	7.3	2.0	3.7	5.0	5.0	5.7	5.3	6.0	6.3	7.0	4.7	3.0	2.0	4.6
PANAMA	5.0	4.7	5.0	2.7	2.3	6.7	7.7	6.7	2.0	3.0	4.7	5.0	5.3	5.3	6.0	6.7	7.3	5.3	3.0	2.0	4.6
FMC-6	5.7	4.0	4.3	2.7	2.7	7.7	8.7	7.7	2.0	5.0	5.0	4.7	5.0	5.0	4.7	6.7	7.0	4.3	3.0	2.0	4.5
LSD VALUE	1.2	1.1	1.1	1.1	1.3	4.6	4.2	3.9	0.8	1.4	1.3	0.6	1.0	1.0	2.0	1.0	0.8	1.0	0.8	0.9	0.4
C.V. (%)	10.5	12.7	11.4	17.6	19.3	19.1	15.8	15.5	17.3	17.0	9.8	6.9	10.5	9.9	15.3	7.9	6.2	11.4	13.2	17.7	4.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 16.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT STILLWATER, OK 1/  
2006 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	LEAF TEXTURE	DENSITY SUMMER	PERCENT COVER SUMMER	FROST TOLERANCE	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	JUN	JUL	QUALITY RATINGS				MEAN
										AUG	SEP	OCT	NOV	
TIFSPORT	7.0	8.0	8.0	94.0	9.0	6.0	5.7	7.0	7.3	7.3	7.3	6.3	5.0	6.7
MIDLAWN	6.7	7.3	7.3	98.7	9.0	5.3	4.0	6.7	7.0	6.7	7.7	6.0	4.3	6.4
MS-CHOICE	9.0	6.0	7.7	96.0	7.3	6.3	3.7	5.3	5.7	6.7	9.0	7.0	4.3	6.3
TIFWAY	7.3	7.7	7.7	90.0	9.0	6.3	5.3	6.7	7.0	6.7	6.3	5.7	5.0	6.2
OKC 70-18	6.3	8.3	8.3	95.0	9.0	4.7	3.7	6.0	7.3	6.7	6.7	5.7	4.3	6.1
PREMIER (OR 2002)	6.7	8.3	8.0	95.3	8.3	5.3	4.7	6.3	6.7	6.3	6.3	5.3	4.7	5.9
CIS-CD7	7.7	6.3	7.0	96.0	9.0	6.0	4.3	5.3	5.3	6.3	7.0	6.0	4.7	5.8
CONTESSA (SWI-1045)	7.3	6.0	7.3	97.3	8.3	6.3	4.7	5.3	5.7	6.7	6.3	6.0	5.0	5.8
SWI-1012	7.7	6.7	7.3	96.3	8.3	5.7	4.7	5.3	6.0	6.3	6.7	6.3	4.3	5.8
VERACRUZ (SWI-1041)	7.3	7.3	8.0	91.7	9.0	5.7	4.0	5.3	5.7	6.3	6.7	5.7	5.0	5.8
YUKON	7.3	6.7	7.3	97.0	8.3	5.7	4.0	5.7	6.3	6.3	6.7	6.0	4.0	5.8
CIS-CD5	6.7	6.0	6.7	94.3	8.3	5.3	4.0	5.7	5.7	6.3	6.7	6.0	4.0	5.7
PRINCESS 77	6.7	7.0	7.7	91.7	7.7	5.7	4.3	5.3	6.0	6.3	6.3	6.0	4.3	5.7
RIVIERA	7.0	7.0	7.3	95.7	7.7	5.0	4.3	5.3	5.3	6.3	6.7	6.3	4.0	5.7
CIS-CD6	6.3	6.7	7.0	96.0	6.0	5.0	3.7	5.3	5.7	6.0	6.7	5.7	4.0	5.6
SWI-1014	7.3	6.0	7.0	93.3	7.0	5.3	3.7	5.7	5.7	6.0	6.0	6.0	4.0	5.6
TIFT NO. 3	7.3	6.7	7.7	90.0	8.7	6.0	5.0	5.3	5.7	6.0	6.0	6.0	4.7	5.6
TIFT NO. 4	6.7	7.3	8.0	88.3	9.0	5.7	6.0	6.0	6.3	5.7	5.3	5.3	5.0	5.6
TRANSCONTINENTAL	7.0	7.0	7.3	95.0	9.0	5.0	4.0	4.7	5.7	5.7	7.3	6.0	4.0	5.6
SWI-1044	6.7	7.0	7.7	93.3	8.3	6.0	4.3	4.3	4.7	6.3	7.0	6.3	4.3	5.5
AUSSIE GREEN	7.3	8.0	8.0	90.0	9.0	6.0	3.7	4.7	6.0	5.7	6.7	5.7	3.7	5.4
FMC-6	6.0	6.7	6.7	93.3	8.0	5.0	3.7	5.3	5.3	6.0	6.3	5.3	4.0	5.4
PATRIOT	8.0	7.0	8.0	86.7	9.0	5.3	4.0	5.0	5.7	5.3	6.7	6.0	4.0	5.4
SR 9554	7.0	6.7	7.0	94.3	9.0	5.0	4.0	4.7	5.0	5.7	7.0	6.0	4.0	5.4
SWI-1001	6.0	7.0	7.0	94.3	9.0	5.3	4.0	5.0	5.3	6.0	6.3	6.0	4.0	5.4
GN-1	8.0	7.0	7.3	90.0	9.0	6.0	4.7	4.3	5.3	6.3	6.0	5.7	4.0	5.3
LAPALOMA (SRX 9500)	6.7	6.3	7.0	93.3	9.0	5.3	4.3	4.7	5.7	5.7	6.3	6.0	3.7	5.3
MOHAWK	6.7	6.3	6.7	91.7	9.0	5.3	4.0	4.7	5.0	5.7	6.7	5.7	4.0	5.3
PANAMA	6.3	6.7	7.0	92.3	9.0	5.3	4.3	4.7	5.0	5.7	6.3	5.7	4.3	5.3
SUNBIRD (PST-R68A)	7.0	6.3	6.7	93.3	9.0	5.0	3.7	5.0	5.0	5.3	6.3	6.0	4.0	5.3
SUNSTAR	6.3	6.0	6.7	94.3	9.0	5.0	4.0	5.0	5.7	5.7	6.0	5.3	4.0	5.3
SWI-1003	6.7	7.0	8.0	95.0	8.0	5.7	4.0	5.0	5.0	5.3	6.0	5.7	4.7	5.3
SWI-1046	7.7	6.3	8.0	90.0	8.0	5.7	4.7	4.7	5.0	6.0	6.3	5.3	4.3	5.3
ARIZONA COMMON	6.7	6.0	6.7	93.3	8.3	5.0	4.0	4.3	4.7	5.7	7.0	5.7	4.0	5.2
TIFT NO. 2	8.0	7.0	7.7	88.3	8.7	6.0	4.7	4.7	5.3	5.0	5.7	5.7	5.0	5.2
ASHMORE	6.3	9.0	7.7	90.0	9.0	6.0	5.0	4.0	5.0	5.0	6.0	5.7	4.7	5.1
B-14	6.3	6.3	6.7	93.3	8.0	5.0	4.0	4.3	5.0	5.3	6.3	5.7	4.0	5.1
CELEBRATION	7.7	7.0	7.7	90.0	6.7	5.7	4.0	4.0	4.7	6.0	5.7	5.7	4.3	5.1
NUMEX SAHARA	6.0	6.3	6.7	92.3	9.0	5.0	4.3	4.3	5.0	5.3	6.7	5.3	3.3	5.0
SOUTHERN STAR	6.7	6.3	7.0	91.7	9.0	5.0	3.7	4.3	4.3	5.7	6.0	5.3	4.3	5.0
SUNDEVIL II	6.3	6.3	7.0	90.0	9.0	5.0	4.0	4.0	4.3	5.3	6.0	5.3	4.0	4.8
TIFT NO. 1	7.3	6.3	8.0	90.0	7.7	5.0	4.3	4.0	4.7	4.3	5.0	5.0	4.3	4.6
LSD VALUE	1.0	0.6	0.9	4.1	1.5	0.8	0.8	0.9	1.1	1.2	1.1	1.7	0.9	0.6
C.V. (%)	8.4	6.1	6.9	2.6	9.3	8.0	11.6	11.2	12.0	10.4	9.9	9.9	10.7	6.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 16.  
(CONT'D)

SPRING DEAD SPOT MEASUREMENTS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT STILLWATER (ANCILLARY), OK 1/  
2006 DATA

SPRING DEAD SPOT MEASURED IN SQ. CENTIMETERS 2/

NAME	SPRING DEAD SPOT MEASUREMENTS
SWI-1044	3452.3
CELEBRATION	2842.7
SWI-1046	2570.0
SUNDEVIL II	2562.0
TIFT NO. 1	2511.0
B-14	2356.0
SOUTHERN STAR	2241.7
PRINCESS 77	2234.3
NUMEX SAHARA	2062.7
TIFT NO. 2	2054.7
SWI-1001	2043.3
SUNBIRD (PST-R68A)	2023.3
FMC-6	1917.7
PANAMA	1821.0
MOHAWK	1798.0
TRANSCONTINENTAL	1796.3
ARIZONA COMMON	1756.7
SWI-1003	1742.3
GN-1	1720.7
LAPALOMA (SRX 9500)	1717.3
VERACRUZ (SWI-1041)	1650.3
CONTESSA (SWI-1045)	1646.0
SWI-1012	1471.7
TIFT NO. 3	1441.3
RIVIERA	1311.7
CIS-CD6	1308.0
MS-CHOICE	1250.3
SUNSTAR	1238.0
SR 9554	1129.7
AUSSIE GREEN	984.0
CIS-CD7	959.7
PATRIOT	940.0
CIS-CD5	778.0
YUKON	763.7
SWI-1014	745.7
TIFT NO. 4	541.3
PREMIER (OR 2002)	472.0
TIFWAY	178.0
MIDLAWN	41.0
OKC 70-18	8.3
TIFSPORT	6.3
ASHMORE	0.0
LSD VALUE	1479.3
C.V. (%)	56.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 17.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT FLORENCE, SC 1/  
2006 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	FALL	SEEDHEAD RATINGS	SPRING	DEAD SPOT	APR	MAY	QUALITY RATINGS					MEAN
				COLOR OCTOBER		MAY	OCTOBER			JUN	JUL	AUG	SEP	OCT	
OKC 70-18	6.0	6.3	6.0	7.0	8.3	7.0	5.3	6.0	5.7	6.7	6.7	5.7	5.3	5.7	6.0
CIS-CD5	5.7	5.7	7.7	6.7	7.0	6.3	5.3	5.7	5.7	6.0	6.0	5.7	5.3	5.7	5.7
TIFT NO. 3	6.3	6.3	7.3	6.7	8.7	6.0	5.3	5.7	5.3	6.3	6.7	5.0	5.0	5.0	5.6
TRANSCONTINENTAL	5.3	6.0	7.0	7.0	6.7	5.3	4.7	5.7	5.7	5.7	6.0	5.3	5.3	5.3	5.6
CIS-CD6	6.3	6.3	7.3	7.0	7.3	6.0	5.3	5.3	5.3	6.0	6.0	5.3	5.3	5.3	5.5
SWI-1001	6.0	6.3	7.0	7.0	7.3	6.7	5.7	5.7	5.7	5.7	6.0	5.0	5.3	5.3	5.5
TIFSPORT	6.3	6.0	6.3	6.7	8.0	7.3	5.7	5.7	5.7	6.7	5.7	5.0	5.0	5.0	5.5
TIFWAY	6.7	7.0	6.3	6.7	8.7	6.0	5.3	6.0	5.3	6.0	6.0	5.0	5.0	5.0	5.5
MIDLAWN	6.0	6.3	6.0	7.0	8.3	6.7	5.3	5.3	5.3	5.3	6.0	5.7	5.0	5.0	5.4
MS-CHOICE	6.7	6.0	8.0	6.7	7.7	7.3	6.0	5.7	5.3	5.3	5.7	5.3	5.3	5.3	5.4
PREMIER (OR 2002)	6.0	5.7	5.7	6.7	8.3	5.0	4.3	5.7	5.0	5.3	5.7	5.3	5.3	5.3	5.4
RIVIERA	6.7	6.0	6.7	6.7	8.0	4.7	4.3	5.7	5.7	5.7	5.7	5.0	5.0	5.0	5.4
SUNBIRD (PST-R68A)	6.3	6.3	7.0	7.0	7.3	5.3	4.7	5.7	5.7	5.7	5.3	5.3	5.0	5.0	5.4
TIFT NO. 4	5.7	5.7	6.0	7.0	8.7	5.7	5.7	5.3	5.3	6.3	6.0	5.0	5.0	5.0	5.4
AUSSIE GREEN	5.7	5.3	5.7	7.0	9.0	5.3	4.3	5.0	5.0	5.7	6.0	5.3	5.0	5.0	5.3
CONTESSA (SWI-1045)	5.7	6.0	7.0	7.0	7.0	6.3	5.7	5.7	5.3	5.7	5.7	5.0	5.0	5.0	5.3
FMC-6	5.3	5.3	6.7	7.0	6.3	6.0	4.7	5.0	5.3	5.7	5.3	5.3	5.3	5.3	5.3
LAPALOMA (SRX 9500)	5.7	6.0	7.3	7.0	6.3	5.7	5.0	5.7	5.0	5.3	5.7	5.0	5.0	5.3	5.3
PATRIOT	6.0	6.3	5.7	7.0	9.0	7.7	5.7	5.7	5.3	6.0	5.3	5.0	5.0	5.0	5.3
SWI-1003	6.7	5.7	6.0	7.0	7.7	5.3	5.0	5.7	5.7	5.7	5.7	5.3	4.7	4.7	5.3
SWI-1044	6.0	6.0	7.0	7.0	8.3	5.7	5.3	5.3	5.0	5.7	6.0	5.0	5.0	5.0	5.3
TIFT NO. 1	6.0	5.0	6.3	7.0	8.7	5.7	4.7	5.3	5.3	6.7	5.7	4.7	4.7	4.7	5.3
VERACRUZ (SWI-1041)	6.0	6.0	6.0	7.0	8.0	6.3	5.3	5.7	5.3	5.7	5.7	5.0	5.0	5.0	5.3
GN-1	6.0	6.0	6.0	7.0	8.7	5.7	5.0	5.3	5.0	5.3	5.7	5.3	5.0	5.0	5.2
PRINCESS 77	5.3	5.0	6.0	6.7	6.7	5.7	4.7	5.3	5.3	5.7	6.0	4.7	4.7	4.7	5.2
SOUTHERN STAR	6.0	5.3	6.7	6.7	7.7	5.0	4.7	5.0	5.0	5.3	5.3	5.0	5.3	5.7	5.2
SWI-1014	5.7	5.3	6.7	7.0	8.0	6.0	5.3	5.0	5.0	5.3	5.0	5.3	5.3	5.3	5.2
SWI-1046	6.3	5.7	6.0	6.7	7.3	5.7	5.0	5.0	5.3	5.7	5.7	5.0	5.0	5.0	5.2
ARIZONA COMMON	5.7	6.0	6.7	6.3	5.3	5.3	5.3	5.0	5.3	5.3	5.3	5.0	5.0	5.0	5.1
ASHMORE	5.7	5.7	6.0	6.7	8.0	6.3	5.3	5.3	5.3	5.3	5.3	5.0	4.7	5.0	5.1
CELEBRATION	6.0	6.0	7.3	6.3	8.7	6.3	5.0	5.0	4.7	5.7	5.3	5.0	4.7	5.3	5.1
CIS-CD7	6.0	6.0	7.3	7.0	7.3	5.3	5.0	5.7	5.0	5.0	5.0	5.0	5.0	5.0	5.1
MOHAWK	5.3	5.3	6.7	7.0	6.0	5.3	5.0	5.3	5.0	5.3	5.3	5.0	5.0	5.0	5.1
PANAMA	5.3	5.3	6.7	7.0	6.7	6.0	5.0	5.0	5.0	5.7	5.3	5.0	5.0	5.0	5.1
SR 9554	5.7	6.0	6.7	7.0	7.0	5.7	5.0	5.3	5.0	5.0	5.0	5.0	5.0	5.3	5.1
SUNSTAR	6.7	6.3	7.0	7.0	6.7	6.0	5.3	5.7	5.0	5.0	5.0	5.0	5.0	5.0	5.1
YUKON	6.0	5.7	5.7	6.7	8.0	6.0	5.3	5.0	5.0	5.0	5.7	5.0	5.0	5.0	5.1
NUMEX SAHARA	5.3	5.0	7.0	7.0	5.3	6.3	5.3	5.0	5.0	5.3	5.3	5.0	4.7	4.7	5.0
SUNDEVIL II	6.0	5.7	7.0	7.0	7.7	5.3	4.3	5.0	5.0	5.0	5.3	5.0	5.0	5.0	5.0
TIFT NO. 2	5.7	4.7	6.7	7.0	7.7	5.7	6.0	4.7	5.0	5.0	5.3	5.0	5.0	5.0	5.0
B-14	6.0	4.7	6.7	7.0	6.7	4.7	4.7	5.0	4.7	4.7	5.0	5.0	5.0	5.0	4.9
SWI-1012	5.3	5.3	7.0	7.0	7.7	5.7	5.3	4.7	4.7	5.0	5.3	4.7	4.7	4.7	4.8
LSD VALUE	1.3	1.9	0.7	1.2	1.3	2.0	1.9	1.8	1.1	0.9	1.3	2.0	1.2	1.5	0.5
C.V. (%)	9.2	12.5	6.8	4.9	10.1	15.0	13.0	10.3	8.2	9.1	9.7	9.5	7.2	8.6	4.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 18.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT CLEMSON, SC 1/  
2006 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	SPRING GREENUP	LEAF TEXTURE	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	PERCENT COVER SPRING	FALL COLOR SEPTEMBER	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	APR	MAY	JUN	QUALITY RATINGS					MEAN
													JUL	AUG	SEP	OCT	NOV	
CELEBRATION	7.7	8.0	8.0	7.0	7.7	99.0	7.7	6.7	4.3	8.0	8.0	8.0	8.0	7.7	8.0	8.0	4.3	7.5
TIFWAY	1.0	7.3	8.3	7.7	7.7	99.0	7.3	7.3	5.7	7.0	8.3	7.3	8.3	8.0	7.7	7.7	5.7	7.5
AUSSIE GREEN	5.0	7.7	7.0	7.7	8.0	99.0	8.0	6.7	4.7	7.3	7.7	7.7	8.0	7.3	8.0	7.7	4.7	7.3
TIFT NO. 4	1.7	8.0	8.3	7.3	7.7	92.7	7.0	7.0	6.3	6.7	8.0	7.7	8.0	7.3	7.7	6.7	6.3	7.3
CONTESSA (SWI-1045)	2.0	7.3	7.3	7.3	7.7	99.0	7.3	7.3	5.7	7.0	7.3	7.0	7.7	7.3	7.7	7.3	5.7	7.1
SWI-1046	3.0	7.7	7.0	6.7	7.3	99.0	6.7	7.7	5.7	7.7	7.3	6.7	7.7	7.0	7.3	7.3	5.7	7.1
TIFSPORT	1.0	7.3	8.0	8.0	7.3	97.7	7.3	7.7	5.3	6.3	7.7	7.0	7.7	7.7	7.7	7.3	5.3	7.1
MS-CHOICE	3.3	7.3	6.3	7.3	8.0	97.7	7.7	6.3	5.3	6.7	6.7	7.0	7.3	7.3	8.0	7.7	5.3	7.0
SWI-1001	2.3	6.7	7.0	6.0	7.3	96.0	6.7	7.0	5.3	7.0	7.3	8.0	7.3	6.7	7.7	7.0	5.3	7.0
TIFT NO. 2	3.7	7.7	7.0	6.7	7.7	99.0	7.7	6.3	5.7	7.0	7.0	7.3	7.7	7.0	7.7	7.0	5.7	7.0
SWI-1003	3.3	7.7	6.7	7.3	8.0	99.0	7.3	6.7	5.3	6.7	7.0	7.0	8.0	7.0	8.0	7.0	5.3	6.9
TIFT NO. 1	2.0	7.3	7.3	6.7	7.0	99.0	6.7	6.0	4.3	7.3	7.0	7.0	8.0	7.3	7.0	7.0	4.3	6.9
TIFT NO. 3	2.0	7.3	7.3	7.0	7.0	97.7	6.7	6.7	5.7	6.7	6.7	7.7	7.7	6.3	7.0	7.3	5.7	6.9
VERACRUZ (SWI-1041)	3.3	7.7	6.7	6.3	6.7	89.3	7.3	6.7	5.7	6.7	7.3	6.7	7.7	6.7	6.7	7.3	5.7	6.8
RIVIERA	5.3	6.7	6.7	6.0	7.7	99.0	7.0	6.3	5.3	7.3	6.7	6.0	6.7	6.7	7.7	7.0	5.3	6.7
GN-1	4.3	6.3	6.7	6.3	7.7	89.7	8.0	6.7	4.7	6.3	6.7	7.3	6.7	6.0	7.3	7.7	4.7	6.6
PRINCESS 77	2.7	7.3	7.0	7.3	7.0	92.7	6.7	6.3	3.7	6.0	7.3	6.3	7.7	7.3	7.3	7.0	3.7	6.6
SWI-1044	3.7	7.3	7.0	7.3	7.7	96.3	7.3	6.0	5.0	6.0	7.3	6.7	7.3	6.3	7.7	6.7	5.0	6.6
TRANSCONTINENTAL	1.7	6.7	6.0	7.0	7.3	92.7	7.0	6.3	4.7	6.0	6.3	6.7	6.7	7.0	7.3	7.3	4.7	6.5
MIDLAWN	1.0	6.0	6.3	5.7	7.0	89.3	6.0	7.0	5.7	5.3	6.0	7.3	7.0	5.7	7.0	7.0	5.7	6.4
OKC 70-18	1.0	6.3	7.3	5.7	6.7	96.0	7.3	6.0	5.0	6.3	7.3	7.3	6.7	5.7	6.7	6.3	5.0	6.4
SWI-1012	2.3	7.3	6.3	6.7	7.0	92.7	7.3	5.7	4.7	6.3	6.7	6.3	6.3	7.3	7.0	6.7	4.7	6.4
YUKON	1.7	7.3	7.0	7.0	7.3	96.0	6.7	6.7	4.3	5.7	6.7	6.7	7.3	7.3	7.0	6.3	4.3	6.4
CIS-CD6	2.7	6.7	6.3	6.7	7.0	94.3	6.0	5.0	4.3	6.0	6.3	6.0	6.7	6.0	7.0	6.7	4.3	6.1
PREMIER (OR 2002)	1.0	5.7	7.3	5.3	6.3	71.7	6.3	7.3	4.3	5.0	6.7	7.3	6.7	6.0	6.3	6.7	4.3	6.1
SUNBIRD (PST-R68A)	3.3	6.0	6.3	6.0	6.7	89.3	6.3	5.7	3.7	6.3	6.7	6.7	6.3	6.0	6.7	6.3	3.7	6.1
CIS-CD5	1.0	6.0	5.7	6.0	7.0	73.3	6.3	5.0	3.7	4.7	6.0	5.7	6.3	7.0	7.3	7.0	3.7	6.0
LAPALOMA (SRX 9500)	2.0	6.3	5.7	6.0	7.3	76.3	6.7	6.3	4.3	5.0	6.0	6.0	6.3	6.7	7.0	6.7	4.3	6.0
PATRIOT	1.0	5.7	7.0	6.3	5.3	99.0	5.3	5.7	3.3	6.3	7.0	8.0	7.7	5.0	5.7	5.3	3.3	6.0
SWI-1014	2.7	6.3	6.0	6.0	6.7	78.3	6.7	6.7	4.7	5.0	6.3	6.0	6.3	6.7	6.7	6.3	4.7	6.0
FMC-6	3.3	6.7	6.0	6.3	6.7	85.0	6.3	5.7	3.3	5.7	6.0	6.0	6.7	6.7	6.7	6.3	3.3	5.9
CIS-CD7	1.7	6.0	6.0	5.3	7.0	73.0	6.7	5.7	4.3	4.7	5.7	5.3	6.3	6.7	7.3	6.0	4.3	5.8
SOUTHERN STAR	2.3	5.7	5.7	5.0	6.0	89.3	5.3	5.3	4.0	6.0	6.3	6.0	6.3	6.0	6.0	6.0	4.0	5.8
PANAMA	1.3	6.0	5.3	5.7	6.3	81.7	6.7	5.0	4.3	5.0	6.0	5.3	6.0	6.3	6.3	6.0	4.3	5.7
SR 9554	1.7	6.0	5.7	5.3	6.7	76.3	7.0	5.3	3.7	4.7	6.0	6.0	6.0	5.7	6.7	6.7	3.7	5.7
SUNSTAR	1.3	6.0	5.3	5.3	5.7	83.3	5.7	5.7	3.7	5.3	6.3	5.3	6.3	6.0	5.7	6.0	3.7	5.6
ASHMORE	1.0	5.7	5.7	5.7	5.7	73.0	5.3	6.7	4.0	5.3	5.7	6.0	5.7	5.7	5.7	6.0	4.0	5.5
MOHAWK	1.3	6.0	5.0	5.3	5.7	68.3	6.0	6.0	4.0	4.3	5.3	5.3	5.7	6.7	5.7	7.0	4.0	5.5
NUMEX SAHARA	1.7	5.7	5.7	5.0	6.0	86.3	6.0	6.0	4.3	4.7	6.0	5.7	6.0	5.7	6.0	6.0	4.3	5.5
SUNDEVIL II	2.3	6.0	6.0	6.0	6.0	90.0	6.3	4.7	2.7	5.3	6.3	6.0	6.3	6.0	5.7	6.0	2.7	5.5
ARIZONA COMMON	1.3	5.7	5.3	5.3	5.3	83.3	5.0	6.3	3.3	5.3	6.0	6.0	5.7	5.7	5.3	6.0	3.3	5.4
B-14	2.3	5.7	5.3	5.0	6.3	83.3	6.0	5.3	3.7	5.0	5.3	4.7	5.7	6.3	6.3	6.3	3.7	5.4
LSD VALUE	1.9	0.9	1.1	1.1	1.1	27.3	1.7	1.5	1.5	1.4	0.9	1.2	1.1	1.0	1.1	1.5	1.5	0.5
C.V. (%)	48.6	8.7	10.3	10.5	9.3	13.5	12.7	12.7	18.6	13.8	8.4	11.1	9.4	9.2	9.7	10.9	18.6	5.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 19.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
 IN THE 2002 NATIONAL BERMUDAGRASS TEST AT DALLAS, TX 1/  
 2006 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	FALL COLOR SEPTEMBER	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	FALL COLOR DECEMBER
PREMIER (OR 2002)	6.3	4.7	7.3	7.7	8.0	8.3	6.7	7.0	4.3	2.0
TIFT NO. 4	8.0	5.0	7.7	7.0	8.0	8.3	7.7	7.3	5.7	2.0
ASHMORE	6.7	5.3	8.0	8.0	8.0	8.3	7.0	7.7	4.3	2.0
MIDLAWN	6.0	6.7	6.7	7.7	7.7	8.3	6.7	7.7	4.0	2.0
TIFWAY	7.0	4.0	7.0	7.3	7.0	8.0	7.3	7.3	6.0	2.0
TIFSPORT	7.7	6.7	7.0	7.0	7.3	8.0	7.7	7.7	6.0	2.3
AUSSIE GREEN	6.0	4.7	7.7	7.0	7.7	8.0	7.3	8.0	4.7	2.3
CELEBRATION	4.7	5.0	6.3	7.7	7.3	8.0	7.7	7.3	5.3	2.0
GN-1	6.3	4.0	6.7	6.3	7.7	7.3	7.7	7.7	5.3	2.0
TIFT NO. 1	7.7	4.7	6.0	6.3	7.3	8.7	7.7	7.0	5.3	2.0
TIFT NO. 3	6.3	3.0	6.0	6.0	6.3	8.0	7.3	7.0	5.3	2.0
OKC 70-18	6.7	6.0	6.7	6.7	6.7	7.3	7.3	7.7	5.0	2.0
VERACRUZ (SWI-1041)	5.7	4.0	6.0	6.7	6.7	8.3	6.7	7.0	6.0	2.0
SWI-1003	4.0	5.3	6.0	7.0	7.7	8.3	7.0	7.0	5.7	2.0
SWI-1046	6.0	3.0	6.0	6.3	7.3	8.0	7.3	7.3	6.0	2.0
TIFT NO. 2	6.0	3.3	6.7	6.0	7.3	7.3	7.7	7.7	6.0	2.0
PATRIOT	7.3	3.7	6.3	6.0	6.3	7.3	8.0	7.0	3.7	1.7
SWI-1012	7.0	5.0	6.0	7.3	7.7	7.7	6.7	7.0	5.3	2.0
YUKON	5.7	5.0	6.0	7.3	6.7	7.0	7.3	7.3	4.7	2.0
ARIZONA COMMON	5.7	5.7	6.0	6.3	7.0	7.3	7.0	7.3	4.7	2.0
CIS-CD6	7.0	4.3	6.0	6.0	7.0	7.3	7.0	7.0	5.0	2.0
CIS-CD7	5.7	5.0	5.3	6.7	6.3	7.0	7.3	6.7	4.7	2.0
MS-CHOICE	6.0	4.3	6.0	5.7	6.3	7.0	7.7	7.0	5.7	2.0
PRINCESS 77	6.0	5.0	6.0	6.0	6.3	8.0	7.0	7.7	5.3	2.0
SUNDEVIL II	6.0	3.7	6.3	6.0	6.3	6.7	7.7	7.0	4.3	1.7
MOHAWK	6.7	5.0	5.7	6.0	7.0	7.0	7.3	7.0	4.3	2.0
NUMEX SAHARA	6.3	4.7	5.3	7.7	7.7	7.3	7.3	7.0	5.7	1.7
SUNBIRD (PST-R68A)	5.7	3.0	5.3	6.3	6.3	6.7	7.0	7.0	5.0	2.0
TRANSCONTINENTAL	6.0	4.7	5.3	6.0	6.7	7.3	7.3	6.7	5.0	2.0
B-14	5.7	3.0	5.7	6.3	6.3	7.0	7.3	7.0	5.0	1.7
CIS-CD5	6.7	3.3	5.7	6.7	7.3	7.0	7.3	7.0	5.3	2.0
CONTESSA (SWI-1045)	5.3	4.0	5.3	6.0	5.7	7.0	7.0	6.7	6.0	2.0
SOUTHERN STAR	5.3	4.3	5.7	6.7	6.7	7.3	7.0	7.0	5.0	1.7
SR 9554	4.7	3.3	6.3	6.0	5.7	7.0	7.3	7.3	5.3	2.0
SWI-1001	5.7	4.0	6.0	6.3	6.7	7.3	7.0	7.0	5.3	2.0
SWI-1044	6.0	4.0	5.7	5.7	6.3	6.3	6.3	6.0	5.0	1.7
FMC-6	5.7	5.3	5.3	6.7	6.0	7.3	7.0	7.0	4.7	2.0
RIVIERA	6.3	4.7	5.7	6.0	6.3	6.3	7.0	6.7	5.0	2.0
SWI-1014	4.7	4.7	5.3	6.3	6.3	7.0	6.7	6.7	5.0	1.7
PANAMA	6.0	4.7	5.0	6.7	7.0	7.0	7.0	7.0	4.3	2.0
SUNSTAR	6.7	3.7	5.3	5.7	6.3	7.3	6.7	7.0	4.3	2.0
LAPALOMA (SRX 9500)	5.3	3.7	5.3	5.7	5.3	7.0	7.3	6.7	4.3	1.3
LSD VALUE	1.4	4.3	0.8	2.2	2.0	1.0	1.5	1.8	1.5	0.9
C.V. (%)	13.0	32.0	8.7	13.5	12.9	7.5	7.6	8.4	14.3	14.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 19.  
(CONT'D)MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT DALLAS, TX 1/  
2006 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS												MEAN
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
PREMIER (OR 2002)	4.7	5.3	4.0	7.0	7.3	7.0	7.3	7.3	6.3	7.0	4.7	4.3	6.0
TIFT NO. 4	5.0	6.0	3.7	6.3	6.0	7.0	6.3	6.7	7.0	7.7	5.7	4.7	6.0
ASHMORE	4.7	5.3	4.3	7.0	7.0	6.7	6.0	6.3	6.7	7.0	5.0	4.0	5.8
MIDLAWN	4.7	4.7	4.7	6.3	7.0	7.0	6.7	6.3	6.3	7.0	4.7	4.0	5.8
TIFWAY	5.0	5.7	3.7	6.3	6.0	6.7	6.7	7.0	6.0	7.0	5.7	4.3	5.8
TIFSPORT	5.0	4.7	4.0	6.3	6.0	6.3	6.3	6.3	6.3	6.7	5.3	5.0	5.7
AUSSIE GREEN	4.7	5.3	3.7	6.7	7.0	6.0	6.0	6.3	6.0	6.3	4.7	5.0	5.6
CELEBRATION	4.7	5.0	3.7	6.0	6.3	5.3	5.7	5.7	5.7	6.3	4.7	5.3	5.4
GN-1	5.0	4.3	2.3	5.7	6.7	6.3	6.0	6.0	6.3	6.3	4.7	4.3	5.3
TIFT NO. 1	4.3	4.3	3.3	5.0	5.7	6.0	5.7	5.7	6.0	6.7	4.7	3.7	5.1
TIFT NO. 3	4.0	4.0	2.3	5.0	5.3	5.7	6.0	6.3	6.0	7.0	5.0	4.0	5.1
OKC 70-18	3.0	3.7	3.7	6.0	6.0	6.0	5.7	6.3	5.7	6.0	4.3	3.3	5.0
VERACRUZ (SWI-1041)	4.3	4.3	3.7	5.3	5.7	5.7	5.0	5.3	5.7	6.3	5.0	3.7	5.0
SWI-1003	3.3	3.7	3.7	5.3	6.3	5.3	5.0	5.3	5.7	6.3	5.0	4.0	4.9
SWI-1046	4.0	3.7	2.7	5.3	5.7	6.0	5.7	5.3	5.7	6.0	5.0	4.3	4.9
TIFT NO. 2	4.0	4.0	2.3	5.3	6.0	5.3	5.7	6.0	5.0	6.0	4.7	4.0	4.9
PATRIOT	4.0	3.7	3.0	5.3	6.0	6.3	6.0	6.0	5.3	5.3	3.7	3.0	4.8
SWI-1012	3.3	4.0	3.0	5.7	6.3	6.0	5.3	5.3	5.3	5.7	4.3	3.7	4.8
YUKON	3.7	4.0	4.0	5.7	6.0	5.7	5.3	5.3	5.0	5.0	4.0	3.3	4.8
ARIZONA COMMON	3.3	3.0	3.0	5.0	5.3	5.3	5.0	5.7	5.3	5.7	4.3	3.7	4.6
CIS-CD6	3.3	3.7	2.7	5.0	5.0	5.7	5.3	5.3	5.3	5.3	4.7	3.3	4.6
CIS-CD7	3.3	3.7	2.3	5.3	5.0	5.3	5.3	5.3	5.3	5.7	4.3	3.7	4.6
MS-CHOICE	3.7	3.7	2.7	4.7	5.0	5.7	5.0	5.7	5.7	5.3	4.3	4.0	4.6
PRINCESS 77	3.3	3.7	3.0	4.7	5.0	5.3	5.0	5.3	5.0	5.7	4.0	3.7	4.5
SUNDEVIL II	3.7	3.0	2.3	4.7	5.7	5.0	5.3	5.3	5.3	5.7	4.3	3.3	4.5
MOHAWK	3.7	3.3	2.3	5.0	5.0	5.0	5.0	5.3	5.0	5.3	4.0	3.7	4.4
NUMEX SAHARA	2.3	2.3	2.3	5.7	5.3	5.7	5.3	5.3	5.3	5.3	4.3	3.3	4.4
SUNBIRD (PST-R68A)	3.3	3.7	2.7	5.3	4.7	5.3	4.7	5.3	5.3	5.3	4.0	3.0	4.4
TRANSCONTINENTAL	3.7	3.3	2.7	4.7	5.3	5.3	4.7	5.3	5.0	5.7	4.0	3.7	4.4
B-14	3.3	3.3	2.3	5.0	5.0	5.0	4.7	5.0	5.0	5.0	4.0	3.3	4.3
CIS-CD5	2.7	2.7	2.3	5.3	5.3	5.7	5.0	5.0	5.3	5.3	4.0	3.0	4.3
CONTESSA (SWI-1045)	3.7	3.7	2.0	4.7	5.0	5.3	4.7	5.0	5.0	5.0	4.7	3.0	4.3
SOUTHERN STAR	2.7	3.0	3.0	5.3	5.0	4.7	4.7	5.0	5.3	5.3	4.0	3.0	4.3
SR 9554	3.3	3.7	2.3	4.7	5.3	4.7	5.0	5.0	5.7	5.0	4.0	3.0	4.3
SWI-1001	3.3	3.7	2.7	4.7	4.7	5.0	4.7	5.0	5.0	6.0	3.7	3.3	4.3
SWI-1044	4.0	3.7	3.0	4.0	5.0	5.3	4.7	5.0	5.0	4.3	4.7	3.0	4.3
FMC-6	2.7	3.3	2.3	5.0	4.3	5.3	4.3	5.3	5.0	5.7	4.0	3.0	4.2
RIVIERA	3.0	3.7	2.3	4.7	5.0	5.0	5.0	4.7	5.0	5.0	4.0	3.0	4.2
SWI-1014	3.3	3.7	2.7	5.0	5.3	5.0	4.7	4.7	4.7	4.7	4.0	3.0	4.2
PANAMA	2.7	2.3	2.0	5.0	4.7	4.7	5.0	5.3	5.3	5.3	4.0	3.0	4.1
SUNSTAR	2.7	3.3	2.3	4.3	4.0	4.7	5.0	4.7	4.7	5.0	4.0	3.3	4.0
LAPALOMA (SRX 9500)	3.0	3.0	2.0	4.7	4.0	4.7	4.3	4.7	5.0	5.0	3.7	2.0	3.8
LSD VALUE	1.1	1.0	1.3	1.2	1.1	1.2	1.0	1.0	0.8	1.0	0.9	1.3	0.6
C.V. (%)	17.7	15.6	24.0	12.6	11.7	12.0	11.3	10.5	9.1	10.6	11.2	19.1	7.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 20.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT BLACKSBURG, VA 1/  
2006 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	DENSITY SUMMER	PERCENT COVER SUMMER	SEEDHEAD RATINGS	SPRING DEAD SPOT RATINGS			QUALITY RATINGS					MEAN	
						APRIL	MAY	JUNE	APR	MAY	JUN	JUL	AUG		SEP
YUKON	7.0	9.0	9.0	99.0	5.0	8.3	8.7	9.0	5.7	7.3	8.3	8.7	9.0	8.7	7.9
OKC 70-18	6.7	8.7	9.0	99.0	4.0	7.3	8.3	8.3	5.3	7.7	8.0	8.3	9.0	7.3	7.6
MIDLAWN	6.7	7.7	8.3	99.0	2.0	8.3	8.3	9.0	5.7	6.7	6.7	8.0	8.0	8.3	7.2
CIS-CD6	6.3	8.0	8.3	99.0	8.7	7.7	7.3	7.7	4.0	6.0	7.0	8.0	8.3	8.0	6.9
PATRIOT	6.7	8.7	8.7	97.7	2.0	7.7	8.0	7.7	4.0	7.0	6.7	8.0	7.7	7.7	6.8
RIVIERA	7.0	7.0	8.7	99.0	7.3	6.7	7.3	7.7	4.0	6.3	6.3	8.7	8.7	7.0	6.8
TIFWAY	7.3	4.7	8.7	97.7	2.0	7.3	8.0	7.7	3.3	6.3	6.7	8.0	8.3	8.0	6.8
PREMIER (OR 2002)	7.0	6.7	9.0	99.0	2.0	6.7	6.3	6.7	4.0	5.0	5.3	8.3	8.7	8.3	6.6
TIFSPORT	7.0	5.0	9.0	96.3	3.0	8.0	8.0	7.7	3.0	6.3	6.7	7.3	8.3	7.7	6.6
CIS-CD7	7.3	8.0	8.0	99.0	7.7	7.3	7.7	8.0	4.0	5.3	5.3	8.3	8.3	7.7	6.5
SWI-1012	8.0	7.3	8.3	96.0	8.3	6.7	6.3	6.0	3.7	6.0	5.0	7.7	8.0	8.0	6.4
SWI-1014	7.0	8.3	7.3	96.3	6.3	7.0	6.7	7.0	3.7	6.3	5.7	7.7	7.0	7.3	6.3
CONTESSA (SWI-1045)	6.7	7.0	8.7	97.7	6.0	6.3	6.7	6.7	3.3	5.0	5.0	7.7	8.3	7.7	6.2
SWI-1003	7.7	4.7	8.7	96.0	7.3	7.0	6.3	6.7	2.7	4.3	5.3	8.0	8.3	8.3	6.2
SWI-1046	7.7	6.0	8.7	96.0	3.7	6.3	6.3	6.7	4.0	4.7	4.7	7.3	8.7	7.3	6.1
GN-1	7.7	3.3	9.0	99.0	2.7	6.7	5.3	7.3	3.0	4.0	5.0	8.7	8.3	7.0	6.0
VERACRUZ (SWI-1041)	6.3	4.0	8.3	97.7	7.0	6.3	6.0	6.3	2.7	3.7	4.3	8.3	8.7	8.3	6.0
ASHMORE	6.0	9.0	8.3	99.0	2.0	8.0	8.0	8.3	5.7	7.3	7.0	6.3	5.0	4.0	5.9
AUSSIE GREEN	7.7	4.0	9.0	97.7	3.3	7.0	5.7	6.0	3.0	4.0	4.3	8.0	8.7	7.3	5.9
SWI-1044	7.3	4.7	8.7	96.3	7.3	6.0	5.3	6.3	3.0	4.3	4.3	7.7	8.7	7.7	5.9
TIFT NO. 4	7.0	2.7	9.0	97.7	2.3	7.3	7.3	7.7	2.7	4.3	5.7	7.3	7.3	8.0	5.9
NUMEX SAHARA	7.0	4.3	8.0	96.0	5.7	7.0	7.0	7.3	3.3	4.3	4.7	7.0	8.0	7.7	5.8
SWI-1001	6.7	3.3	8.0	97.7	8.0	6.0	5.3	6.7	2.7	3.3	4.7	8.3	8.0	7.0	5.7
SR 9554	6.3	5.3	8.0	96.0	6.7	6.7	6.7	7.0	3.3	4.7	5.3	6.0	7.7	6.3	5.6
ARIZONA COMMON	6.3	5.0	6.3	97.7	7.7	8.3	7.7	7.3	3.0	5.3	4.7	6.0	6.7	6.7	5.4
CELEBRATION	7.0	2.0	8.3	94.7	6.7	6.0	5.3	5.3	2.0	3.3	4.0	7.0	8.3	8.0	5.4
CIS-CD5	7.0	5.7	7.3	96.3	7.3	7.3	6.7	6.3	3.3	3.7	4.7	7.0	7.7	6.0	5.4
LAPALOMA (SRX 9500)	6.7	3.3	7.0	97.7	8.7	7.0	7.3	5.7	3.0	3.7	4.0	6.7	7.3	7.0	5.3
PRINCESS 77	7.0	3.7	8.3	99.0	8.0	4.7	6.3	7.0	2.7	3.3	3.7	7.7	8.0	6.7	5.3
SUNDEVIL II	7.0	4.3	7.3	99.0	7.0	5.3	5.7	6.0	3.0	3.0	4.0	7.0	7.7	7.3	5.3
TIFT NO. 3	7.3	3.0	9.0	90.0	6.7	6.0	5.0	6.3	2.7	3.3	4.0	7.3	8.0	6.7	5.3
MS-CHOICE	7.0	4.7	7.7	94.7	4.7	7.3	7.7	7.3	3.3	3.7	3.7	6.7	7.3	6.3	5.2
FMC-6	6.7	2.0	6.7	96.0	9.0	5.0	5.3	5.3	2.0	3.0	3.3	7.0	7.7	7.3	5.1
PANAMA	6.0	3.0	6.7	99.0	8.7	6.3	7.0	7.0	2.7	3.3	4.0	7.3	7.0	6.3	5.1
SUNBIRD (PST-R68A)	7.7	2.7	6.7	91.3	8.7	6.7	5.3	5.0	3.0	3.7	4.0	6.0	7.3	6.3	5.1
TIFT NO. 2	5.0	5.7	6.0	81.3	5.0	4.7	5.3	5.3	3.0	5.0	4.3	6.7	6.0	5.7	5.1
MOHAWK	6.3	2.3	6.3	96.3	8.7	6.3	5.0	4.3	2.3	3.0	3.3	6.3	7.0	6.7	4.8
SOUTHERN STAR	7.0	3.0	7.0	91.3	8.7	4.0	5.3	6.0	2.3	3.0	3.7	5.3	7.0	6.7	4.7
TRANSCONTINENTAL	6.3	2.3	6.3	88.0	9.0	4.3	4.0	4.3	2.7	2.7	3.3	5.3	5.7	6.0	4.3
SUNSTAR	4.7	5.0	5.0	63.7	5.7	5.3	5.3	5.0	2.7	2.7	3.3	4.0	5.0	5.0	3.8
B-14	5.3	2.7	4.7	65.0	6.3	4.7	3.3	4.0	2.3	2.3	3.0	4.0	4.7	5.0	3.6
TIFT NO. 1	5.3	2.0	6.0	46.7	5.3	4.7	5.7	3.7	2.0	2.3	2.3	5.0	5.0	4.7	3.6
LSD VALUE	4.4	2.9	2.8	39.6	3.2	3.4	4.4	3.2	1.2	1.7	2.2	3.1	2.7	3.9	1.8
C.V. (%)	18.5	35.2	17.8	16.3	32.2	22.9	26.9	23.4	22.1	23.7	25.8	20.3	17.6	21.6	17.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 21.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT VIRGINIA BEACH, VA 1/  
2006 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	SPRING GREENUP	SEEDHEAD RATINGS	QUALITY RATINGS APRIL
OKC 70-18	6.0	9.0	7.7
PATRIOT	6.0	9.0	7.7
AUSSIE GREEN	5.3	8.3	7.0
PREMIER (OR 2002)	6.3	6.3	7.0
RIVIERA	6.0	8.0	7.0
ASHMORE	4.7	8.7	6.7
CIS-CD7	5.0	7.0	6.7
MIDLAWN	4.0	9.0	6.7
TIFSPORT	5.3	9.0	6.7
TIFWAY	4.7	9.0	6.7
YUKON	5.0	8.0	6.7
CIS-CD6	5.7	7.0	6.3
GN-1	4.7	9.0	6.3
SOUTHERN STAR	5.7	6.3	6.3
TIFT NO. 3	4.7	8.3	6.3
ARIZONA COMMON	4.0	6.0	6.0
B-14	5.7	6.3	6.0
CIS-CD5	5.0	6.3	6.0
MOHAWK	5.7	6.0	6.0
SUNBIRD (PST-R68A)	4.7	6.3	6.0
SUNDEVIL II	5.7	6.3	6.0
SWI-1044	4.7	7.3	6.0
TRANSCONTINENTAL	5.0	6.7	6.0
CELEBRATION	4.3	9.0	5.7
CONTESSA (SWI-1045)	3.7	7.3	5.7
FMC-6	5.3	6.7	5.7
LAPALOMA (SRX 9500)	5.0	5.7	5.7
PANAMA	5.0	6.3	5.7
SR 9554	4.0	6.0	5.7
SWI-1003	4.3	8.3	5.7
SWI-1012	4.3	6.7	5.7
SWI-1046	3.7	7.7	5.7
TIFT NO. 1	4.0	7.3	5.7
TIFT NO. 2	4.7	7.7	5.7
VERACRUZ (SWI-1041)	4.7	7.7	5.7
NUMEX SAHARA	4.0	6.0	5.3
PRINCESS 77	4.0	6.7	5.3
SUNSTAR	4.3	7.0	5.3
SWI-1001	5.3	7.0	5.3
TIFT NO. 4	3.3	9.0	5.3
MS-CHOICE	4.0	9.0	5.0
SWI-1014	3.3	6.7	5.0
LSD VALUE	3.0	0.9	1.0
C.V. (%)	23.4	7.9	9.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.