

TABLE 1.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2013 NATIONAL BERMUDAGRASS TEST AT AUBURN, AL 1/
2015 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	QUALITY RATINGS							MEAN
				APR	MAY	JUN	JUL	AUG	SEP		
TIFTUF (DT-1)	8.0	7.7	7.0	6.3	5.3	7.0	8.3	9.0	8.3	7.4	
11-T-510	8.3	4.0	6.7	6.0	4.7	6.7	7.0	8.3	8.0	6.8	
JSC 2-21-18-V	6.7	5.3	7.7	5.3	5.0	6.3	6.3	6.3	5.3	5.8	
LATITUDE 36	6.7	7.3	8.0	5.0	4.7	7.7	7.0	6.0	4.7	5.8	
FAES 1326	7.0	4.7	7.3	5.0	4.7	6.0	5.7	6.3	6.3	5.7	
OKC 1131	7.3	4.3	7.7	5.7	4.3	8.0	6.3	5.0	5.0	5.7	
11-T-251	7.3	5.0	6.7	5.7	5.0	6.0	5.7	5.7	5.7	5.6	
FAES 1325	8.0	6.7	5.7	4.3	4.7	5.7	6.3	6.7	6.0	5.6	
TIFWAY	9.0	7.7	6.0	5.0	4.7	6.0	6.0	5.7	6.0	5.6	
FAES 1327	7.7	7.0	5.3	5.0	4.7	5.7	5.7	6.0	5.7	5.4	
12-TSB-1	8.0	3.7	5.7	5.3	4.3	5.7	5.7	5.3	5.7	5.3	
OKC 1163	7.3	2.0	9.0	4.7	2.3	6.3	6.3	7.0	5.3	5.3	
JSC 2-21-1-V	6.3	3.0	7.7	5.0	4.7	6.7	5.3	5.0	4.3	5.2	
OKC 1302	7.7	6.7	6.0	5.0	4.7	5.7	5.3	5.3	5.3	5.2	
PATRIOT	7.7	2.7	6.7	6.0	4.7	5.7	5.3	4.3	3.7	4.9	
PRINCESS 77	5.0	3.0	5.3	3.7	4.0	5.7	5.7	5.7	4.7	4.9	
MBG 002	6.3	5.3	4.7	4.0	4.7	5.7	5.3	5.0	4.0	4.8	
ASTRO	5.0	5.0	4.7	5.0	4.0	5.3	5.0	4.3	4.7	4.7	
CELEBRATION	8.3	4.7	4.7	4.3	4.0	4.3	5.0	5.3	4.7	4.6	
RIVIERA	5.7	6.0	4.3	4.3	3.7	4.0	4.7	5.0	3.7	4.2	
OKS 2011-1	6.7	6.3	3.3	3.7	3.0	4.7	5.0	4.3	3.7	4.1	
JSC 2007-13-S	6.3	4.3	4.3	4.0	3.0	5.0	5.0	3.7	3.3	4.0	
JSC 2007-8-S	5.0	6.0	3.0	4.7	3.7	4.3	4.0	4.0	3.3	4.0	
JSC 2009-2-S	5.0	4.0	4.3	3.7	3.3	4.7	4.3	4.3	3.3	3.9	
JSC 2009-6-S	5.3	5.0	4.7	4.0	3.3	4.3	3.7	3.0	2.3	3.4	
MSB 281	5.3	7.3	7.0	3.7	3.0	4.7	4.0	3.0	2.3	3.4	
BAR C291	5.0	5.7	2.7	4.0	3.0	3.3	3.3	3.0	3.0	3.3	
NORTH SHORE SLT	4.7	5.7	2.3	3.7	2.7	3.0	3.7	4.3	2.0	3.2	
OKS 2009-3	5.0	4.7	3.0	3.7	2.7	3.3	4.0	3.3	2.3	3.2	
PST-R6T9S	5.0	3.7	4.0	4.0	2.3	3.0	3.0	3.0	3.0	3.1	
OKS 2011-4	6.0	4.3	3.0	3.3	3.0	3.0	3.3	2.7	1.3	2.8	
KASHMIR (PST-R6P0)	4.3	4.7	3.0	3.0	2.7	3.0	3.0	2.7	1.7	2.7	
PST-R6CT	5.3	2.7	3.3	3.3	2.3	3.0	2.7	2.3	2.3	2.7	
YUKON	6.0	3.7	2.7	2.3	2.3	2.7	2.7	3.3	2.3	2.6	
NUMEX-SAHARA	3.3	2.7	2.0	2.0	1.7	1.3	1.7	1.7	1.3	1.6	
LSD VALUE	1.4	2.3	1.5	1.0	1.1	1.4	1.0	1.4	1.8	0.8	
C.V. (%)	14.5	27.5	19.7	14.6	18.7	18.5	13.1	18.8	27.6	11.8	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 2.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2013 NATIONAL BERMUDAGRASS TEST AT FAYETTEVILLE, AR 1/
2015 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SPRING	DENSITY FALL	FALL COLOR OCTOBER	MAY	QUALITY RATINGS				MEAN
								JUN	JUL	AUG	SEP	
OKC 1163	7.0	7.0	9.0	9.0	9.0	6.3	7.7	7.3	8.3	8.7	9.0	8.2
JSC 2-21-18-V	7.0	8.0	7.7	8.3	8.0	5.7	8.7	8.0	8.0	8.0	8.0	8.1
LATITUDE 36	7.0	7.3	8.0	8.0	8.0	7.7	8.0	8.0	8.0	7.7	7.7	7.9
TIFWAY	7.7	3.0	7.0	8.0	7.3	5.7	7.7	7.3	8.0	8.0	8.0	7.8
11-T-510	8.3	5.0	6.3	7.3	8.0	5.3	7.0	7.7	8.0	7.7	8.3	7.7
OKC 1131	8.0	5.7	8.3	8.3	8.0	5.7	7.7	7.0	8.0	7.7	8.3	7.7
OKC 1302	8.0	9.0	8.0	7.3	7.7	6.0	7.3	7.0	8.0	8.0	8.3	7.7
TIFTUF (DT-1)	7.0	5.3	7.7	7.3	7.3	5.3	7.0	7.3	8.0	8.0	7.3	7.5
FAES 1326	7.7	2.0	8.0	7.7	7.3	6.3	7.3	7.0	7.7	7.3	8.0	7.5
JSC 2-21-1-V	6.7	7.3	8.0	8.0	7.3	5.7	6.7	7.0	8.0	7.7	7.3	7.3
FAES 1327	7.0	2.7	7.0	7.7	7.3	6.3	7.3	7.0	7.3	6.7	7.0	7.1
PATRIOT	8.7	3.0	7.0	7.3	7.3	6.3	7.3	6.3	7.0	6.7	7.7	7.0
ASTRO	6.0	6.7	6.3	6.7	6.3	5.3	6.3	6.7	7.0	7.3	6.7	6.8
JSC 2007-13-S	7.0	6.3	6.0	6.0	6.3	4.3	6.0	5.7	7.0	7.3	7.0	6.6
11-T-251	7.0	2.3	7.0	7.3	6.3	6.3	6.7	5.7	6.7	7.0	6.7	6.5
PRINCESS 77	6.3	1.0	6.7	6.0	7.0	6.0	5.7	5.7	7.0	7.3	6.7	6.5
FAES 1325	7.7	2.3	6.3	6.3	6.7	5.0	5.7	5.7	7.0	7.0	6.7	6.4
JSC 2009-2-S	6.3	6.3	5.3	6.0	6.3	5.3	6.0	4.7	6.7	7.0	7.0	6.3
JSC 2009-6-S	6.7	6.0	5.3	6.3	6.3	5.3	6.3	5.7	6.7	6.3	6.7	6.3
OKS 2011-1	7.0	7.3	6.0	5.7	6.3	5.3	6.0	5.0	6.7	7.0	7.0	6.3
JSC 2007-8-S	8.0	6.3	4.7	5.7	6.0	5.0	6.0	5.0	7.0	7.0	6.0	6.2
12-TSB-1	7.0	1.0	6.0	5.0	6.7	5.7	5.0	5.0	6.7	7.3	6.7	6.1
BAR C291	5.7	5.7	5.3	5.0	5.7	5.3	5.0	5.3	7.0	7.0	6.0	6.1
CELEBRATION	7.0	4.0	4.3	5.7	6.0	7.7	5.3	5.7	6.3	6.3	7.0	6.1
MBG 002	6.7	4.7	5.3	6.0	6.0	5.7	6.0	5.7	6.7	6.3	6.0	6.1
RIVIERA	7.0	5.7	6.0	5.7	6.7	7.0	5.3	5.0	6.7	7.0	6.7	6.1
OKS 2009-3	6.0	5.7	4.7	5.7	6.0	5.3	5.7	4.7	6.3	7.0	6.3	6.0
NORTH SHORE SLT	5.7	4.7	5.3	4.3	6.0	6.0	5.0	4.7	6.0	6.7	6.0	5.7
OKS 2011-4	7.0	5.7	5.0	5.0	5.7	6.0	5.3	4.7	6.0	6.0	6.3	5.7
PST-R6CT	7.0	3.3	6.3	5.0	5.3	7.7	5.0	4.3	5.7	6.3	6.0	5.5
KASHMIR (PST-R6PO)	6.3	5.3	4.3	4.7	5.0	4.3	4.7	4.3	5.7	6.0	5.7	5.3
YUKON	6.7	8.0	5.3	5.3	5.3	6.7	4.3	4.7	5.7	6.0	5.0	5.1
NUMEX-SAHARA	6.0	4.0	5.3	3.7	4.7	5.3	4.0	3.7	5.3	5.7	5.0	4.7
MSB 281	6.3	4.0	6.7	5.7	6.3	6.0	3.3	4.7	5.3	5.7	4.0	4.6
PST-R6T9S	6.0	4.3	5.3	4.7	5.0	5.7	3.7	4.0	5.0	5.3	5.0	4.6
LSD VALUE	1.4	2.0	0.7	1.0	0.9	0.8	1.0	1.2	0.7	0.8	1.1	0.7
C.V. (%)	11.0	25.2	7.7	10.7	9.3	9.2	10.8	13.0	6.8	7.2	10.1	6.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 3.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2013 NATIONAL BERMUDAGRASS TEST AT TUCSON, AZ 1/
2015 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	DENSITY SPRING	DENSITY SUMMER	PERCENT COVER SPRING	PERCENT COVER SUMMER	FALL COLOR NOVEMBER	FALL COLOR DECEMBER	SEEDHEAD RATINGS	MAY	JUN	QUALITY RATINGS					MEAN
												JUL	AUG	SEP	OCT	NOV	
FAES 1325	7.3	5.3	8.3	8.3	96.0	99.0	7.0	4.7	8.7	8.7	8.3	8.7	9.0	8.3	7.7	7.0	8.2
TIFTUF (DT-1)	6.0	5.3	8.7	8.7	95.7	99.0	6.3	5.0	9.0	9.0	8.3	8.7	8.7	8.3	7.0	6.7	8.1
OKC 1163	6.3	5.3	8.7	8.7	98.7	99.0	5.3	4.7	9.0	8.7	8.7	8.7	8.7	8.7	7.7	5.7	8.1
TIFWAY	6.7	5.3	8.3	8.3	96.0	99.0	6.0	5.7	9.0	8.3	8.7	8.7	8.7	8.3	7.7	6.7	8.1
JSC 2-21-18-V	5.7	6.0	8.3	8.0	95.7	99.0	7.3	5.7	8.3	8.3	8.3	8.0	8.0	8.0	8.0	7.0	8.0
11-T-510	7.0	5.3	8.3	8.3	92.7	98.7	5.0	4.0	9.0	8.3	8.3	8.3	8.0	7.7	6.7	5.0	7.5
CELEBRATION	7.7	5.7	8.0	8.0	95.0	99.0	4.0	2.7	9.0	8.3	8.0	8.3	8.3	8.0	7.0	4.3	7.5
JSC 2-21-1-V	6.3	5.7	8.3	8.0	98.7	98.7	6.0	3.7	6.3	8.0	7.3	8.0	8.3	7.3	7.0	6.3	7.5
12-TSB-1	7.0	5.7	8.0	7.7	98.0	98.7	6.3	4.7	6.7	8.0	8.0	7.7	7.7	7.7	6.7	6.0	7.4
OKC 1131	6.7	5.0	8.3	8.3	95.7	99.0	4.3	2.3	7.7	7.7	8.0	7.7	8.0	8.3	7.0	5.0	7.4
FAES 1327	5.7	5.3	8.7	8.0	87.7	99.0	4.3	4.0	9.0	8.0	7.7	8.0	8.0	7.7	6.7	4.7	7.2
MBG 002	6.7	5.0	8.3	7.7	97.7	99.0	5.3	3.7	6.0	7.7	7.7	7.7	8.0	7.7	6.7	5.3	7.2
PRINCESS 77	6.0	5.3	7.7	8.0	94.7	99.0	4.7	3.3	7.0	7.7	8.0	8.0	8.0	7.7	7.0	4.0	7.2
11-T-251	7.0	5.0	8.0	8.3	88.3	99.0	4.7	3.7	9.0	7.3	8.0	8.0	7.7	7.0	6.0	4.7	7.0
LATITUDE 36	6.3	4.7	9.0	8.3	88.3	98.7	3.0	2.0	9.0	7.7	7.7	8.7	7.7	7.7	5.7	3.0	6.9
ASTRO	6.3	5.3	7.0	7.3	88.3	98.7	4.3	3.3	8.3	7.3	7.3	7.3	7.3	6.7	6.3	4.3	6.7
JSC 2009-6-S	6.7	5.3	7.3	7.3	97.3	98.3	3.3	1.7	5.0	7.7	7.0	7.3	7.0	7.0	6.3	3.0	6.5
RIVIERA	7.3	6.3	6.7	6.7	91.3	97.3	5.7	3.3	5.7	6.7	6.7	6.7	7.0	7.0	6.0	5.0	6.4
JSC 2009-2-S	6.3	5.7	7.3	7.0	97.3	98.7	4.3	2.0	5.7	7.0	6.7	7.0	7.0	6.7	6.0	4.0	6.3
MSB 281	6.3	5.7	8.0	7.3	91.0	97.7	4.3	2.3	6.7	7.7	6.0	7.7	6.7	6.7	5.3	4.3	6.3
PATRIOT	7.7	6.7	6.7	6.7	91.0	96.0	3.7	1.7	6.7	6.3	7.3	6.7	7.0	7.3	5.3	3.3	6.2
BAR C291	5.7	5.3	7.3	7.0	88.3	98.7	2.7	1.7	5.7	7.0	7.0	7.0	6.7	6.7	5.7	2.7	6.1
FAES 1326	7.0	5.3	6.3	6.7	81.3	96.3	5.0	4.0	9.0	5.7	6.7	7.3	6.3	6.3	5.7	5.0	6.1
JSC 2007-13-S	6.3	6.0	6.0	6.7	89.3	97.3	4.0	2.7	5.7	6.7	6.3	7.0	7.0	6.3	5.3	4.3	6.1
JSC 2007-8-S	7.0	6.3	6.3	6.7	94.0	97.3	5.0	2.3	5.3	6.7	6.7	6.7	6.7	6.3	5.3	4.7	6.1
KASHMIR (PST-R6P0)	6.7	6.7	6.7	6.7	93.0	98.0	4.3	2.7	4.0	6.3	6.3	6.7	6.3	6.7	5.3	4.3	6.0
NORTH SHORE SLT	6.7	5.7	6.7	6.7	93.0	97.0	3.7	1.7	3.7	6.7	6.3	6.7	6.3	6.3	5.7	3.7	6.0
YUKON	6.0	5.7	6.7	7.0	83.3	96.3	3.0	2.0	8.3	6.0	6.7	7.0	7.3	7.0	5.7	2.7	6.0
OKS 2011-1	6.7	5.7	6.0	6.7	85.0	97.7	5.3	3.0	6.0	6.0	6.3	6.7	6.7	6.7	5.3	3.7	5.9
PST-R6T9S	6.3	6.0	6.0	6.3	86.7	94.3	5.0	3.0	4.3	6.0	6.0	6.7	6.3	6.0	5.3	4.0	5.8
OKS 2011-4	7.0	5.3	6.7	6.0	93.3	98.3	4.3	2.0	4.7	6.0	6.0	6.0	6.3	6.0	5.3	4.3	5.7
PST-R6CT	5.3	5.0	6.7	6.7	96.3	98.7	4.3	2.3	3.0	6.3	6.0	6.0	6.3	6.0	5.3	3.7	5.7
OKS 2009-3	6.3	5.7	6.7	6.0	80.0	97.0	3.7	2.3	4.0	6.3	6.7	6.7	6.3	6.0	5.0	2.3	5.6
OKC 1302	6.0	5.3	6.3	6.7	70.0	94.3	3.7	3.0	8.7	5.7	6.7	6.0	6.0	6.3	4.7	3.0	5.5
NUMEX-SAHARA	5.7	6.0	5.3	5.3	80.0	92.7	4.0	2.0	6.3	5.3	5.3	5.3	5.3	5.0	4.0	3.0	4.8
LSD VALUE	1.5	2.0	1.3	1.1	21.8	3.1	2.4	1.7	1.2	1.4	1.2	1.1	1.2	1.1	1.6	2.0	1.0
C.V. (%)	10.7	12.6	11.1	9.2	9.7	1.7	26.7	32.9	12.1	11.9	10.0	9.0	10.2	9.9	15.2	26.4	9.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 4.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2013 NATIONAL BERMUDAGRASS TEST AT RIVERSIDE, CA 1/
2015 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	WINTER COLOR	QUALITY RATINGS												MEAN	
							JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		
TIFWAY	7.3	6.3	7.0	6.3	8.0	6.3	6.3	6.0	6.3	6.7	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.8
TIFTUF (DT-1)	7.0	6.3	6.7	7.7	8.3	6.3	6.3	6.0	6.3	6.3	6.3	6.3	6.3	6.7	6.7	6.7	7.0	7.0	7.0	6.5
11-T-510	7.3	5.3	6.7	7.3	8.3	5.3	5.3	5.3	6.0	6.7	7.0	7.0	6.7	7.0	6.7	6.7	6.3	6.3	6.4	6.4
FAES 1326	7.3	5.3	7.0	6.7	8.0	5.3	5.3	5.7	5.7	6.3	6.3	6.3	6.3	6.7	6.7	6.7	7.0	7.0	6.3	6.3
FAES 1325	7.0	5.0	6.7	6.0	7.7	5.0	5.0	5.3	6.0	6.3	6.7	6.7	6.0	5.7	5.7	6.0	7.0	7.0	6.1	6.1
FAES 1327	6.3	4.3	6.0	7.0	6.7	4.3	4.3	4.7	5.3	6.0	6.0	6.0	6.3	6.3	6.3	6.3	6.3	6.3	5.8	5.8
JSC 2-21-1-V	7.0	4.0	6.7	7.7	7.3	4.0	4.0	4.3	5.3	5.7	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	5.8	5.8
OKC 1163	7.0	3.3	6.7	5.7	7.7	3.3	3.3	4.3	5.3	6.0	6.7	6.7	6.3	6.3	6.0	6.0	6.3	6.3	5.8	5.8
11-T-251	7.0	4.3	6.3	7.7	7.0	4.3	4.3	5.0	5.7	6.0	6.0	6.0	6.0	6.0	6.0	5.7	6.0	6.0	5.7	5.7
JSC 2-21-18-V	7.3	3.7	7.0	6.3	7.3	3.7	3.7	4.3	5.0	6.0	7.0	7.0	6.0	6.0	5.7	5.7	6.0	6.0	5.7	5.7
JSC 2007-13-S	6.0	3.3	6.0	7.0	6.3	3.3	3.3	4.0	5.0	5.7	6.0	6.0	6.0	6.3	6.3	6.3	6.0	6.0	5.6	5.6
LATITUDE 36	7.0	3.0	6.7	6.3	7.3	3.0	3.0	4.0	5.0	6.0	6.7	6.7	6.0	6.0	5.7	5.7	6.0	6.0	5.6	5.6
PRINCESS 77	5.7	4.0	6.0	7.3	7.3	4.0	4.0	4.7	5.7	5.7	6.0	6.0	6.0	6.0	6.0	6.0	5.3	5.3	5.6	5.6
12-TSB-1	6.0	3.7	6.3	7.3	6.7	3.7	3.7	4.3	5.0	5.3	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	5.5	5.5
OKC 1302	6.7	3.7	6.3	6.0	7.3	3.7	3.7	4.3	5.0	5.7	6.7	6.7	6.0	5.7	5.0	5.0	6.0	6.0	5.5	5.5
CELEBRATION	6.0	4.3	6.0	5.7	7.0	4.3	4.3	4.3	5.3	5.3	5.7	5.7	5.7	5.3	5.3	5.3	6.0	6.0	5.4	5.4
JSC 2007-8-S	6.3	3.3	6.0	7.3	6.7	3.3	3.3	4.0	5.0	5.7	6.0	6.0	6.0	6.0	6.0	6.0	5.3	5.3	5.4	5.4
MBG 002	6.0	3.7	6.0	6.3	7.3	3.7	3.7	4.3	5.0	5.3	6.0	6.0	6.0	6.0	6.0	6.0	5.7	5.3	5.4	5.4
OKS 2011-1	6.3	3.0	6.0	5.0	7.0	3.0	3.0	4.0	4.7	5.3	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	5.4	5.4
PST-R6CT	5.3	4.0	6.0	6.7	6.0	4.0	4.0	4.7	5.0	5.7	5.7	5.7	6.0	5.7	6.0	5.7	5.3	5.0	5.4	5.4
RIVIERA	5.3	3.0	6.0	8.0	6.3	3.0	3.0	4.0	5.0	5.7	5.7	5.7	5.7	6.3	6.3	6.3	5.7	5.7	5.4	5.4
KASHMIR (PST-R6P0)	6.0	3.7	6.0	8.0	5.7	3.7	3.7	4.7	5.3	5.3	6.0	6.0	5.7	5.7	5.7	5.7	5.0	5.0	5.3	5.3
OKC 1131	6.7	2.0	6.3	6.3	8.0	2.0	2.0	4.0	4.7	5.3	6.0	6.0	6.0	5.7	5.7	5.7	6.0	6.0	5.3	5.3
ASTRO	6.3	3.0	6.3	6.7	7.0	3.0	3.0	4.0	5.0	5.3	6.0	6.0	5.3	5.0	5.0	6.0	6.0	6.0	5.2	5.2
JSC 2009-2-S	5.7	3.0	6.0	7.7	6.0	3.0	3.0	4.0	5.0	5.0	6.0	6.0	6.0	5.7	5.7	5.7	5.3	5.3	5.2	5.2
JSC 2009-6-S	6.0	2.7	6.0	8.0	6.0	2.7	2.7	4.0	5.0	5.0	6.0	6.0	5.7	5.7	5.7	5.7	5.7	5.7	5.2	5.2
OKS 2009-3	5.7	3.3	6.0	6.0	4.7	3.3	3.3	4.0	5.0	5.7	6.0	6.0	6.0	5.3	5.3	5.3	5.0	5.0	5.2	5.2
NUMEX-SAHARA	5.3	3.7	6.0	6.3	7.0	3.7	3.7	4.3	5.3	5.3	6.0	6.0	5.7	5.3	5.0	5.0	5.0	5.0	5.1	5.1
PATRIOT	5.7	2.0	6.0	5.3	6.3	2.0	2.0	4.0	5.0	5.3	5.7	5.7	6.0	6.0	6.0	5.7	5.3	5.0	5.1	5.1
PST-R6T9S	5.3	3.3	6.0	6.3	5.0	3.3	3.3	4.0	5.0	5.3	6.0	6.0	5.7	5.3	5.0	5.0	5.0	5.0	5.1	5.1
YUKON	5.7	2.0	5.7	6.3	7.0	2.0	2.0	4.0	4.3	5.0	5.3	5.3	6.0	6.3	6.7	6.0	5.7	5.0	5.1	5.1
BAR C291	5.3	3.0	6.0	7.7	7.0	3.0	3.0	4.0	4.7	5.3	6.0	6.0	6.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
NORTH SHORE SLT	5.3	3.3	6.0	7.7	6.3	3.3	3.3	4.0	5.0	5.3	5.7	5.7	5.7	5.0	5.0	5.0	5.0	5.0	5.0	5.0
OKS 2011-4	5.7	2.7	6.0	8.3	6.3	2.7	2.7	3.7	4.7	5.3	5.7	5.7	5.7	5.7	5.7	5.7	5.0	5.0	5.0	5.0
MSB 281	6.3	3.3	6.0	7.3	6.7	3.3	3.3	4.0	5.0	5.0	6.0	6.0	5.3	5.0	4.7	4.7	5.0	5.0	4.9	4.9
LSD VALUE	0.7	0.9	0.6	1.1	1.1	0.9	0.9	0.7	0.8	0.8	0.7	0.7	0.6	0.8	1.0	0.8	0.5	0.5	0.3	0.3
C.V. (%)	7.5	16.2	5.3	9.5	9.7	16.2	16.2	10.4	8.9	7.7	6.5	6.5	5.7	7.7	9.4	8.6	6.2	5.4	4.1	4.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5.

NEMATODES COUNTS AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2013 NATIONAL BERMUDAGRASS TEST AT GAINESVILLE (NEMATODES), FL 1/
2013-15 DATA

ROOT LENGTH MEASURED IN CM 2/

NAME	PERCENT GROUND COVER IN 2014			PERCENT GROUND COVER IN 2015			ROOT LENGTH MEASUREMENTS	
	SPRING	SUMMER	FALL	SPRING	SUMMER	FALL	2014	2015
TIFWAY	14.0	49.3	22.7	21.7	39.7	11.7	823.7	1068.7
TIFTUF (DT-1)	7.0	63.3	54.3	25.7	55.3	42.3	797.3	1032.3
CELEBRATION	23.0	38.7	39.3	29.0	44.0	33.3	513.7	1031.7
11-T-510	22.3	62.7	48.3	28.7	45.7	21.3	659.3	1029.3
PRINCESS 77	5.7	20.3	19.7	13.0	39.3	21.0	477.7	1015.3
OKC 1131	26.0	73.0	46.7	28.3	70.0	44.3	852.7	1001.7
JSC 2-21-18-V	15.7	56.7	26.7	11.3	34.7	14.3	585.3	994.0
PST-R6T9S	4.7	25.7	10.3	15.0	43.3	19.3	460.7	991.0
RIVIERA	10.7	35.0	22.3	19.7	43.3	28.7	678.0	975.7
JSC 2007-13-S	5.7	39.3	31.7	12.3	43.7	21.0	662.7	973.3
FAES 1327	15.3	52.3	18.0	19.3	53.0	26.0	802.0	969.7
LATITUDE 36	22.0	62.0	37.7	17.3	40.0	15.3	742.7	919.0
FAES 1326	19.3	48.7	37.3	24.0	35.7	31.0	831.3	902.0
JSC 2007-8-S	7.7	41.0	22.7	17.7	51.0	23.3	671.3	893.3
11-T-251	12.3	40.3	16.0	25.3	54.0	12.0	637.7	850.7
FAES 1325	13.7	57.0	37.3	27.7	49.3	31.0	783.3	839.0
12-TSB-1	16.3	50.7	33.0	15.3	48.7	30.0	682.3	822.7
JSC 2-21-1-V	16.0	58.0	25.7	12.0	28.3	11.0	792.7	791.0
OKS 2011-1	6.3	34.3	13.7	17.0	38.0	18.3	502.0	766.3
YUKON	7.3	18.7	6.3	15.3	31.7	18.3	406.0	756.0
OKS 2009-3	5.3	28.7	7.7	10.7	35.0	15.0	432.3	755.3
OKS 2011-4	4.7	29.7	9.7	9.3	37.3	18.7	371.0	707.7
JSC 2009-6-S	6.0	39.0	22.0	10.7	29.7	8.7	473.0	657.3
BAR C291	3.7	38.7	15.0	10.0	41.0	25.3	544.3	643.7
KASHMIR (PST-R6P0)	3.0	16.0	4.7	14.7	41.7	21.3	441.7	629.3
ASTRO	23.3	52.7	42.7	15.7	37.3	15.7	723.7	536.7
PATRIOT	11.3	47.7	10.0	9.3	36.0	9.0	410.0	529.7
OKC 1302	10.7	52.0	24.3	16.0	41.0	15.3	438.0	515.0
MBG 002	8.3	28.7	28.3	19.7	49.0	26.0	459.0	490.7
JSC 2009-2-S	3.7	27.0	15.3	7.7	25.3	9.7	727.0	489.3
PST-R6CT	4.3	25.7	15.7	16.0	41.7	24.7	529.7	453.0
NUMEX-SAHARA	5.0	26.0	6.7	11.0	23.7	15.3	533.3	444.0
NORTH SHORE SLT	6.0	29.7	5.0	5.7	24.0	7.3	419.3	438.0
OKC 1163	4.0	7.7	4.7	2.7	6.0	2.3	423.7	401.0
MSB 281	5.0	18.7	8.0	4.7	21.0	6.7	445.0	397.7
LSD VALUE	7.2	15.9	12.5	8.9	37.4	13.3	396.2	1278.9
C.V. (%)	43.0	25.6	36.2	34.5	39.8	40.5	31.5	50.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5. (CONT'D)

NEMATODES COUNTS AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS 1/
 IN THE 2013 NATIONAL BERMUDAGRASS TEST AT GAINESVILLE (NEMATODES), FL 2/
 2013-15 DATA

NAME	ROOT KNOT NEMATODES			STING NEMATODES			LESION NEMATODES			LANCE NEMATODES			HELICO NEMATODES		
	2013	2014	2015	2013	2014	2015	2013	2014	2015	2013	2014	2015	2013	2014	2015
TIFWAY	0.0	4.0	2.0	0.0	0.0	0.0	0.0	0.7	0.3	9.3	6.0	29.0	18.7	1.3	3.7
TIFTUF (DT-1)	0.3	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.3	1.7	3.7	4.0	23.3	58.3	6.7
CELEBRATION	0.0	7.3	3.5	0.0	0.0	0.0	0.0	0.0	4.5	14.3	15.0	25.5	17.7	75.3	10.5
11-T-510	0.0	3.0	2.0	0.0	4.0	0.0	0.0	0.0	0.7	3.3	8.3	6.0	21.3	106.0	50.7
PRINCESS 77	0.0	0.0	1.3	0.0	0.0	0.7	0.0	0.0	2.0	0.0	0.0	0.7	23.3	4.3	1.3
OKC 1131	0.0	13.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	9.0	33.3	24.3	12.3	85.0	38.0
JSC 2-21-18-V	0.0	2.7	3.7	0.0	0.0	0.0	0.0	0.7	4.7	6.7	7.0	5.0	19.3	31.3	17.0
PST-R6T9S	0.0	1.0	1.7	0.0	0.0	0.0	0.7	0.0	7.7	6.3	3.3	9.3	14.0	42.0	39.0
RIVIERA	1.0	1.0	6.3	0.3	0.0	0.0	0.3	0.3	0.7	4.7	2.7	3.7	29.0	62.3	7.7
JSC 2007-13-S	2.0	6.7	17.0	0.0	0.0	0.0	0.7	1.3	3.0	3.3	0.3	27.5	54.7	77.7	50.5
FAES 1327	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.0	14.0	13.0	25.3	23.7	5.3	4.7
LATITUDE 36	1.3	13.0	1.0	0.0	0.0	0.0	0.3	3.7	8.0	11.0	11.0	12.3	20.3	33.0	22.7
FAES 1326	0.3	5.0	6.0	0.0	0.0	1.0	0.3	0.7	15.7	0.0	0.0	0.0	24.0	12.7	26.3
JSC 2007-8-S	1.0	3.0	2.0	0.0	0.0	0.0	0.0	1.0	5.7	24.7	10.3	4.3	25.3	90.7	49.0
11-T-251	0.0	4.3	6.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	12.0	7.7	16.0	80.3	30.7
FAES 1325	0.3	1.0	0.3	0.3	0.0	0.0	0.0	0.0	1.7	2.3	2.7	5.3	31.0	102.3	68.3
12-TSB-1	0.0	0.0	0.3	0.0	0.0	0.0	1.0	0.3	5.0	1.7	1.0	4.7	43.3	41.3	46.3
JSC 2-21-1-V	0.3	14.7	3.0	0.0	0.7	0.0	0.0	0.3	0.0	7.3	15.0	14.7	35.0	181.7	7.7
OKS 2011-1	1.0	0.0	1.5	0.0	0.3	0.0	0.0	0.0	8.5	37.7	18.0	58.5	22.7	21.3	32.0
YUKON	0.7	0.3	1.0	0.0	0.0	0.0	1.0	3.7	0.5	8.0	2.7	17.5	25.0	2.7	4.0
OKS 2009-3	0.0	0.7	1.3	0.0	6.0	0.0	0.3	0.0	3.0	3.3	0.0	2.7	17.3	39.3	37.0
OKS 2011-4	0.0	0.0	1.3	2.0	0.0	0.0	0.0	0.0	1.0	8.0	1.0	2.3	4.3	5.3	11.7
JSC 2009-6-S	0.0	1.3	0.0	0.0	0.0	0.0	1.0	0.0	8.5	8.7	9.7	21.5	30.0	76.7	8.5
BAR C291	0.3	2.3	6.0	0.0	2.3	0.0	0.0	0.0	0.0	6.3	1.7	7.7	28.7	62.0	39.3
KASHMIR (PST-R6P0)	0.0	1.7	1.7	0.0	0.0	0.0	0.3	0.0	0.0	1.7	0.7	0.3	12.7	7.7	6.7
ASTRO	0.0	8.7	5.3	0.0	0.0	0.0	0.0	0.3	0.7	7.3	13.0	7.7	80.3	29.3	13.7
PATRIOT	0.3	0.7	0.7	0.0	6.7	0.0	0.0	2.0	1.3	18.0	35.7	80.3	21.0	98.3	29.7
OKC 1302	2.7	7.0	3.0	0.3	1.7	0.0	0.7	1.0	2.3	1.3	7.3	19.0	36.7	30.7	19.3
MBG 002	0.3	6.0	3.0	0.3	0.0	0.0	0.3	0.3	1.5	2.0	1.7	8.5	20.0	21.0	14.5
JSC 2009-2-S	0.0	2.7	3.7	0.0	0.3	0.0	0.0	0.0	3.7	7.0	4.0	9.0	9.7	42.7	7.7
PST-R6CT	0.0	0.7	0.0	0.0	1.0	0.0	0.3	0.0	0.0	2.0	0.7	4.0	18.7	136.0	70.0
NUMEX-SAHARA	0.0	1.7	3.3	0.0	0.0	0.0	0.0	0.0	1.3	3.3	7.7	22.7	6.3	28.7	63.7
NORTH SHORE SLT	0.3	2.0	0.3	0.0	2.0	0.0	0.0	0.0	0.7	1.3	4.7	9.7	10.7	9.0	3.0
OKC 1163	0.0	11.7	1.0	0.0	0.3	0.0	0.0	0.0	0.0	5.0	28.0	61.3	29.0	9.0	1.7
MSB 281	0.3	12.3	3.0	0.0	0.0	0.3	0.0	0.7	8.3	5.3	19.7	32.0	12.0	52.3	2.0
LSD VALUE	2.0	19.0	9.0	2.1	9.6	1.5	1.8	4.2	26.8	52.5	29.8	106.9	44.0	80.7	66.1
C.V. (%)	208.7	168.3	140.4	640.2	393.9	629.5	261.5	289.9	229.0	195.2	145.0	191.1	78.4	87.0	110.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5. (CONT'D)

NEMATODES COUNTS AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2013 NATIONAL BERMUDAGRASS TEST AT GAINESVILLE (NEMATODES), FL 1/
2013-15 DATA

NAME	DELTA NEMATODES			STUBBY NEMATODES			RING NEMATODES			SHEATH NEMATODES			SHEATHOID NEMATODES		
	2013	2014	2015	2013	2014	2015	2013	2014	2015	2013	2014	2015	2013	2014	2015
TIFWAY	4.7	0.7	0.0	1.7	1.0	0.7	229.7	209.7	75.7	0.3	23.3	12.7	1.0	6.0	14.0
TIFTUF (DT-1)	4.7	0.0	0.0	3.0	3.3	0.3	205.7	119.7	26.7	1.3	60.7	0.0	6.7	0.0	19.3
CELEBRATION	5.7	2.0	0.0	0.0	1.7	1.0	134.3	209.7	88.0	0.0	0.0	0.0	4.3	7.0	25.5
11-T-510	1.0	2.7	2.3	2.3	2.7	0.3	133.7	299.0	42.0	0.0	1.3	105.3	4.0	9.3	58.3
PRINCESS 77	13.0	0.3	0.3	3.7	2.0	0.7	151.3	64.3	17.7	0.0	2.0	148.7	0.3	0.7	0.0
OKC 1131	9.7	1.0	0.0	2.0	0.0	4.7	173.0	96.0	15.3	0.7	13.0	0.0	13.7	26.7	13.3
JSC 2-21-18-V	7.7	1.0	0.0	1.0	0.3	0.0	349.0	179.0	85.0	0.0	16.7	1.0	0.3	1.7	7.3
PST-R6T9S	49.0	10.7	0.0	0.0	1.0	0.7	190.3	379.7	77.3	0.3	4.3	27.3	0.7	1.7	4.7
RIVIERA	7.0	2.0	0.0	5.0	6.7	7.0	197.3	302.3	30.7	0.7	17.3	0.0	4.3	5.0	1.3
JSC 2007-13-S	2.0	0.3	0.0	1.0	2.7	2.0	178.0	129.0	46.0	0.3	1.3	8.0	2.7	0.0	7.0
FAES 1327	21.3	14.0	4.3	4.7	2.7	0.3	321.3	285.3	10.7	1.3	7.7	49.3	1.0	0.7	42.7
LATITUDE 36	8.0	1.7	0.0	1.0	0.7	0.0	243.3	224.3	54.7	2.3	6.7	6.3	17.7	25.7	95.0
FAES 1326	15.3	16.7	1.0	3.0	4.0	0.3	321.7	135.7	30.7	2.3	112.3	43.0	0.0	0.0	3.7
JSC 2007-8-S	17.7	1.3	0.3	1.3	1.7	0.7	180.0	390.3	32.0	0.3	1.0	0.3	13.0	12.0	12.3
11-T-251	3.3	1.0	0.0	3.3	0.7	0.0	210.0	167.3	24.3	0.3	1.7	38.3	1.0	3.0	112.0
FAES 1325	11.7	6.3	1.0	1.0	2.7	0.7	241.3	49.7	8.3	0.0	0.7	0.0	0.7	1.0	0.0
12-TSB-1	1.0	0.7	0.3	2.3	5.7	0.7	147.7	110.3	76.0	1.7	9.7	87.3	0.7	1.0	15.7
JSC 2-21-1-V	3.3	2.0	0.3	2.3	3.7	1.7	270.0	164.0	18.0	1.7	7.0	2.3	2.0	6.3	37.3
OKS 2011-1	0.3	0.0	0.0	1.3	2.0	1.0	261.0	268.0	58.5	1.0	7.0	0.0	3.7	0.3	5.0
YUKON	2.0	0.0	0.0	0.3	1.7	3.0	236.0	110.3	17.0	0.0	1.7	0.5	2.7	0.0	0.5
OKS 2009-3	0.3	2.0	1.0	0.7	0.3	1.0	205.3	297.7	95.7	1.0	3.0	0.7	9.3	1.0	3.3
OKS 2011-4	8.3	2.0	0.3	3.3	1.7	1.3	182.0	170.0	68.3	0.7	0.0	0.0	8.3	0.0	0.3
JSC 2009-6-S	16.0	1.7	0.0	1.7	14.3	10.5	271.3	234.3	23.0	0.3	0.0	1.0	8.3	3.0	30.5
BAR C291	2.3	0.3	0.0	0.7	2.3	5.0	259.0	157.0	9.3	0.0	11.3	40.3	6.7	8.3	31.3
KASHMIR (PST-R6P0)	22.0	7.7	1.7	2.3	2.7	4.3	178.0	310.0	37.3	0.0	0.0	0.3	2.7	0.3	1.0
ASTRO	5.7	3.0	0.0	2.0	3.0	0.0	230.0	204.3	22.3	0.7	3.7	1.7	4.0	3.7	11.0
PATRIOT	0.3	2.3	0.7	0.3	0.7	0.3	125.7	243.0	45.3	0.0	0.0	0.0	5.0	1.7	0.0
OKC 1302	14.0	4.3	3.0	1.3	1.0	0.7	256.7	158.0	17.7	1.0	14.3	0.7	0.7	0.3	0.0
MBG 002	0.3	0.3	1.0	0.0	1.7	0.0	315.3	259.3	45.0	0.0	6.0	0.0	12.0	16.0	99.0
JSC 2009-2-S	14.0	8.7	0.3	2.0	5.3	1.3	218.3	488.3	16.3	0.3	12.7	0.0	2.0	4.7	2.7
PST-R6CT	11.0	0.0	0.0	0.7	3.0	3.0	286.7	226.7	49.5	0.7	12.3	2.0	3.3	3.0	0.0
NUMEX-SAHARA	5.3	2.3	0.0	2.7	1.7	0.0	215.3	446.7	54.7	1.0	9.7	1.7	8.0	5.3	24.3
NORTH SHORE SLT	2.7	1.7	0.0	0.7	3.3	1.7	118.0	201.7	33.7	0.7	10.7	0.3	1.7	0.7	40.0
OKC 1163	4.7	1.0	0.3	0.3	0.0	0.0	228.0	98.7	39.3	0.0	70.0	0.0	4.0	3.3	5.0
MSB 281	3.0	0.7	0.0	0.7	0.3	1.3	178.3	497.7	51.7	0.3	0.3	0.3	0.0	1.0	1.0
LSD VALUE	41.6	21.3	6.6	9.7	13.6	11.0	352.6	648.0	126.1	4.3	96.7	264.8	33.7	42.8	138.6
C.V. (%)	163.0	227.3	315.5	148.4	170.4	220.7	47.3	86.5	95.2	195.7	269.5	380.5	194.9	260.9	216.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 6.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2013 NATIONAL BERMUDAGRASS TEST AT JAY, FL 1/
2015 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	FALL COLOR	FALL COLOR	COLOR SPRING	APR	MAY	QUALITY RATINGS					MEAN
						SEPTEMBER	OCTOBER				JUN	JUL	AUG	SEP	OCT	
JSC 2-21-18-V	6.0	2.7	5.3	7.3	6.7	6.7	5.3	5.7	5.7	5.7	5.0	6.3	6.0	7.7	7.0	6.2
FAES 1325	7.7	2.7	5.3	7.3	7.0	7.7	5.7	7.0	5.7	5.7	6.0	6.7	6.0	6.7	6.0	6.1
PATRIOT	8.3	1.0	3.7	6.7	6.3	7.3	6.7	6.7	4.7	5.3	5.3	7.3	6.0	7.3	6.3	6.0
12-TSB-1	7.0	2.3	6.0	6.7	7.0	6.3	6.7	7.0	5.7	5.3	5.3	6.0	6.0	6.7	6.0	5.9
BAR C291	6.7	3.0	5.0	6.7	5.7	6.0	5.0	6.3	5.7	5.3	5.7	5.3	6.3	7.0	5.7	5.9
ASTRO	6.0	2.0	4.7	7.0	6.0	5.3	4.7	5.7	5.3	6.0	4.7	5.7	6.0	6.7	5.7	5.7
MBG 002	6.3	2.7	5.0	6.7	6.7	6.3	6.0	6.0	5.0	5.3	5.7	6.3	5.0	7.0	5.7	5.7
NUMEX-SAHARA	6.0	2.3	4.3	5.7	5.0	6.0	5.7	5.7	5.0	6.0	6.0	5.0	5.0	6.7	6.0	5.7
YUKON	6.3	3.0	4.3	6.0	5.3	5.7	5.7	6.0	6.0	5.7	5.3	6.0	6.0	5.7	5.0	5.7
FAES 1327	7.7	2.3	4.3	6.7	7.0	7.0	6.7	6.3	4.7	5.0	5.0	5.7	6.7	6.3	5.7	5.6
JSC 2007-8-S	6.0	2.0	5.0	6.3	5.3	5.7	5.3	6.7	5.0	5.7	6.0	5.7	5.3	6.3	5.0	5.6
JSC 2009-2-S	6.7	2.3	4.7	6.0	6.0	6.3	5.3	6.3	4.7	6.0	5.3	6.0	5.3	6.3	5.3	5.6
OKS 2011-4	6.7	1.7	4.3	6.0	4.7	6.3	5.7	7.0	5.0	6.0	6.0	6.0	5.0	6.7	4.7	5.6
PRINCESS 77	6.7	2.0	4.0	6.7	7.0	7.0	7.7	6.7	4.7	5.3	4.7	6.3	5.7	6.3	6.3	5.6
TIFTUF (DT-1)	7.7	3.0	5.0	7.0	6.7	6.7	6.3	6.3	6.3	5.0	4.3	4.7	6.7	4.7	7.0	5.5
FAES 1326	7.3	2.0	4.7	7.0	7.0	6.3	6.7	6.3	5.7	5.0	5.0	5.7	6.3	5.7	5.3	5.5
RIVIERA	6.3	2.7	5.3	6.3	5.3	6.3	4.7	6.0	5.3	5.0	5.3	6.0	5.3	5.7	5.7	5.5
11-T-510	7.3	2.3	5.0	7.0	7.0	7.7	7.0	6.7	5.0	4.3	5.3	6.0	6.3	6.0	5.0	5.4
JSC 2009-6-S	6.3	2.0	5.0	5.7	6.0	6.3	6.0	6.3	6.0	4.3	5.0	5.7	5.0	5.7	6.0	5.4
PST-R6CT	5.7	2.3	5.3	5.3	6.0	6.7	5.7	6.3	4.7	5.7	5.3	5.7	4.7	6.3	5.7	5.4
CELEBRATION	7.0	3.3	4.7	6.0	6.7	7.7	7.7	6.0	4.7	4.7	4.7	6.3	6.0	6.0	5.0	5.3
TIFWAY	8.0	2.0	5.0	7.0	6.3	6.3	6.3	7.0	6.0	5.0	4.7	5.0	6.0	4.7	6.0	5.3
KASHMIR (PST-R6PO)	6.0	2.3	4.7	6.0	4.7	6.3	4.7	6.7	5.3	5.3	5.7	5.3	4.7	6.0	4.3	5.2
NORTH SHORE SLT	6.0	2.7	4.0	5.3	4.3	5.3	5.3	5.7	5.3	5.0	5.7	5.3	5.0	5.7	4.3	5.2
OKC 1302	7.3	2.3	5.0	7.7	5.3	5.7	5.3	6.0	5.0	4.7	5.3	5.3	5.3	5.3	5.3	5.2
OKS 2009-3	6.3	1.0	3.3	5.7	5.0	6.3	5.7	6.3	4.0	5.3	5.3	5.3	5.0	6.3	5.3	5.2
OKS 2011-1	6.3	1.7	3.3	6.3	5.3	6.3	5.3	6.0	3.7	5.0	6.0	6.0	5.0	6.0	5.0	5.2
11-T-251	7.0	3.0	5.0	6.3	6.3	7.7	7.3	7.3	6.0	5.0	5.0	5.7	4.7	5.0	4.7	5.1
JSC 2007-13-S	7.0	2.7	4.3	6.3	5.3	6.3	6.0	6.7	5.0	5.3	5.0	5.7	5.0	5.7	4.3	5.1
LATITUDE 36	7.0	2.3	4.0	7.0	6.3	7.0	6.0	5.0	4.0	4.7	4.3	4.7	5.3	6.0	6.0	5.0
JSC 2-21-1-V	6.7	2.3	4.3	6.3	5.7	6.3	5.7	4.3	3.7	5.0	4.7	5.7	4.3	5.3	5.0	4.8
OKC 1131	6.7	1.3	5.0	6.3	5.7	6.0	6.7	6.0	4.7	5.7	4.0	4.7	5.0	4.0	5.3	4.8
PST-R6T9S	5.7	2.7	4.0	5.0	5.0	6.3	5.3	6.7	5.0	5.3	5.0	4.3	4.3	5.0	4.7	4.8
MSB 281	6.3	3.0	3.3	5.0	4.7	6.7	5.7	4.7	4.0	3.3	4.7	5.3	4.0	4.7	4.3	4.3
OKC 1163	7.0	1.0	2.3	6.7	5.3	6.7	6.0	5.7	3.0	3.3	3.7	4.0	3.0	3.3	3.3	3.4
LSD VALUE	0.9	1.8	2.3	1.1	1.5	1.5	1.2	0.9	1.7	1.5	1.9	1.7	1.5	1.6	1.7	0.6
C.V. (%)	8.3	34.1	21.6	9.6	14.1	11.3	12.2	8.9	17.1	14.5	15.4	14.6	15.3	15.1	16.2	6.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 7.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2013 NATIONAL BERMUDAGRASS TEST AT GRIFFIN, GA 1/
2015 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	QUALITY RATINGS								MEAN
			MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
JSC 2-21-18-V	7.0	4.0	6.3	6.3	7.3	7.3	7.3	7.3	7.0	6.0	6.9
JSC 2-21-1-V	7.0	4.3	6.3	6.0	7.0	7.3	7.0	7.0	6.7	5.7	6.6
TIFTUF (DT-1)	6.3	3.0	6.3	6.0	6.3	7.0	7.0	6.7	6.7	6.0	6.5
OKC 1163	5.3	3.3	6.7	6.7	6.3	7.0	6.3	7.0	6.3	5.3	6.5
OKC 1131	6.3	3.3	6.3	5.7	6.3	6.3	6.7	6.7	6.0	5.3	6.2
OKC 1302	6.7	4.3	6.0	6.0	6.0	6.7	6.3	6.7	6.3	5.7	6.2
FAES 1327	6.3	3.7	5.3	5.7	6.0	6.3	6.7	6.7	6.3	5.7	6.1
LATITUDE 36	6.7	3.7	6.0	5.3	6.7	6.7	6.3	6.0	6.0	4.7	6.0
PATRIOT	7.0	2.7	5.7	6.0	6.0	6.0	6.7	6.3	5.7	4.7	5.9
TIFWAY	6.7	3.0	5.3	5.7	5.7	6.3	6.3	6.3	6.0	5.3	5.9
11-T-510	7.0	2.7	5.0	5.3	6.0	6.3	6.0	6.3	6.3	5.3	5.8
KASHMIR (PST-R6P0)	6.5	4.0	5.0	5.0	6.0	6.5	6.5	6.0	6.0	5.0	5.8
ASTRO	6.0	4.0	5.0	6.0	6.0	6.0	6.0	6.0	5.7	4.7	5.7
FAES 1325	6.3	2.3	4.7	5.0	5.7	6.0	6.0	6.0	6.0	5.0	5.5
JSC 2007-13-S	6.3	5.0	4.7	4.7	5.7	6.0	6.0	6.0	6.0	5.0	5.5
PST-R6CT	6.0	3.7	4.0	5.0	5.7	5.7	6.0	6.0	6.0	5.3	5.5
11-T-251	6.7	2.0	5.3	5.7	5.7	5.7	5.3	5.3	5.3	4.7	5.4
CELEBRATION	6.0	2.7	5.0	5.0	5.7	5.7	5.7	5.7	5.3	5.0	5.4
MBG 002	5.7	4.7	5.3	5.0	5.0	5.7	6.0	5.7	5.7	4.7	5.4
OKS 2011-1	6.0	4.0	4.3	5.0	5.7	6.0	5.7	6.0	5.7	4.7	5.4
OKS 2011-4	6.3	4.7	4.0	5.0	6.0	5.7	6.0	6.0	6.0	5.0	5.4
BAR C291	5.3	4.0	4.3	5.0	5.0	5.3	6.0	6.0	6.0	5.0	5.3
FAES 1326	5.7	3.7	5.3	5.0	5.0	5.7	5.3	5.7	5.7	5.0	5.3
MSB 281	6.0	4.0	4.3	5.3	5.7	5.7	5.3	5.7	5.7	4.3	5.3
OKS 2009-3	6.0	3.7	3.7	4.7	5.3	6.0	6.0	6.0	5.7	4.7	5.3
RIVIERA	6.0	5.0	4.7	5.0	5.7	6.0	6.0	6.0	5.0	4.3	5.3
JSC 2009-2-S	6.3	3.7	4.3	4.3	5.3	5.3	6.0	5.7	5.7	4.7	5.2
JSC 2007-8-S	6.3	5.0	4.7	4.3	5.3	5.3	6.0	6.0	5.0	4.0	5.1
12-TSB-1	5.7	3.3	3.3	5.0	5.0	5.7	5.7	6.0	5.3	4.3	5.0
NORTH SHORE SLT	5.7	3.3	3.3	3.7	5.0	5.3	6.0	6.0	5.7	4.0	4.9
NUMEX-SAHARA	6.0	3.0	3.5	3.5	5.5	5.0	5.5	6.0	5.5	4.5	4.9
PRINCESS 77	6.0	3.0	3.7	3.7	5.3	5.3	5.7	5.7	5.3	4.7	4.9
JSC 2009-6-S	5.7	5.0	4.0	4.0	5.3	4.7	5.3	5.3	4.7	4.0	4.7
PST-R6T9S	6.0	3.0	3.3	4.0	5.3	5.0	5.3	5.3	5.0	4.3	4.7
YUKON	5.7	2.3	2.7	3.3	4.7	5.3	5.7	5.3	5.3	4.0	4.5
LSD VALUE	1.0	1.5	1.2	1.1	0.9	0.9	0.9	0.8	1.0	1.3	0.6
C.V. (%)	8.2	22.1	15.7	13.4	8.9	9.0	8.2	7.2	9.4	13.1	7.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 8. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2013 NATIONAL BERMUDAGRASS TEST AT WEST LAFAYETTE, IN 1/
2015 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	LEAF TEXTURE	DENSITY SUMMER	JUL	QUALITY RATINGS			MEAN
					AUG	SEP	OCT	
OKC 1131	7.3	7.0	7.3	8.0	8.0	8.7	7.0	7.9
LATITUDE 36	8.0	7.7	8.0	7.7	8.0	8.0	6.7	7.6
JSC 2-21-1-V	8.0	7.3	7.7	7.3	7.3	7.7	6.3	7.2
TIFTUF (DT-1)	6.7	6.7	7.0	7.0	7.3	7.3	6.3	7.0
JSC 2-21-18-V	7.7	7.3	7.7	7.0	7.7	8.0	5.3	7.0
OKC 1163	7.3	8.3	8.3	7.0	7.3	7.7	6.0	7.0
11-T-251	7.0	7.0	7.0	8.0	7.3	7.3	5.0	6.9
OKC 1302	6.7	6.7	6.7	7.7	7.0	7.0	6.0	6.9
PATRIOT	6.7	7.0	7.0	7.0	7.3	7.3	6.0	6.9
PRINCESS 77	5.3	6.7	6.7	6.7	7.3	7.3	6.0	6.8
TIFWAY	6.0	7.0	7.3	7.0	7.0	7.0	6.3	6.8
YUKON	6.3	6.0	6.3	7.0	7.0	7.0	6.0	6.8
RIVIERA	6.7	5.7	6.0	6.7	7.0	7.0	6.0	6.7
FAES 1326	6.3	6.3	6.7	7.3	6.7	6.3	6.0	6.6
MSB 281	6.3	7.0	6.7	7.0	7.0	7.0	5.3	6.6
12-TSB-1	6.0	6.3	7.0	7.0	6.7	6.3	6.0	6.5
FAES 1327	6.0	7.0	6.7	7.0	6.7	6.3	6.0	6.5
FAES 1325	5.3	5.7	6.3	7.0	6.7	6.3	5.7	6.4
11-T-510	5.7	6.0	6.3	6.7	6.3	6.7	5.3	6.3
JSC 2009-6-S	6.7	6.0	6.0	6.7	6.7	6.7	5.0	6.3
MBG 002	5.7	5.7	6.3	6.3	6.3	6.7	5.7	6.3
PST-R6CT	6.3	6.3	5.7	6.7	6.7	6.3	5.3	6.3
JSC 2009-2-S	6.0	5.7	5.3	6.3	6.3	6.3	5.7	6.2
OKS 2011-1	6.0	5.3	5.7	6.3	6.3	6.0	6.0	6.2
JSC 2007-8-S	5.7	5.0	5.7	6.7	6.3	5.7	5.7	6.1
PST-R6T9S	6.3	6.3	6.0	7.0	6.3	5.7	5.3	6.1
OKS 2009-3	6.0	5.3	5.0	5.7	6.3	6.7	5.3	6.0
JSC 2007-13-S	6.0	5.3	5.3	6.0	6.0	6.0	5.7	5.9
ASTRO	5.7	6.3	5.0	6.3	6.0	6.0	5.0	5.8
KASHMIR (PST-R6P0)	6.0	6.3	6.7	6.3	6.3	6.0	4.7	5.8
NORTH SHORE SLT	6.0	4.7	5.0	6.0	6.0	5.7	4.7	5.6
NUMEX-SAHARA	5.7	4.3	6.0	5.3	6.0	6.3	4.7	5.6
OKS 2011-4	6.0	5.3	5.0	6.0	6.0	5.3	5.0	5.6
CELEBRATION	5.7	6.0	6.0	6.3	5.7	5.0	4.7	5.4
BAR C291	6.3	5.7	5.3	5.7	5.3	5.3	5.0	5.3
LSD VALUE	1.1	0.9	0.9	0.9	0.8	1.3	0.8	0.6
C.V. (%)	9.9	9.2	8.9	7.7	7.7	11.2	9.0	6.2

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 9.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2013 NATIONAL BERMUDAGRASS TEST AT WICHITA, KS 1/
2015 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	PERCENT COVER			FALL COLOR OCTOBER	SEEDHEAD RATINGS	MAY	QUALITY RATINGS					MEAN
				SPRING	SUMMER	FALL				JUN	JUL	AUG	SEP		
OKC 1302	6.3	6.3	7.3	86.7	94.3	89.0	4.7	8.7	6.0	7.3	7.3	5.7	6.3	6.5	
JSC 2-21-18-V	5.0	6.0	8.0	80.0	97.7	97.0	4.7	7.3	7.0	6.7	6.0	5.3	6.7	6.3	
OKC 1131	8.0	7.3	6.7	65.0	96.0	97.7	2.7	7.0	5.0	6.3	6.0	6.0	7.3	6.1	
JSC 2-21-1-V	5.0	6.7	7.7	75.0	98.0	98.3	4.7	7.0	5.0	6.0	6.3	5.3	6.7	5.9	
JSC 2007-13-S	6.3	6.3	6.0	71.7	96.7	94.7	4.0	5.3	5.0	6.3	5.7	5.7	6.3	5.8	
LATITUDE 36	6.7	6.0	7.7	68.3	97.0	97.0	5.0	8.3	5.3	5.7	6.0	5.0	6.3	5.7	
JSC 2009-6-S	6.7	6.7	5.7	75.0	97.7	98.3	3.7	4.3	5.0	6.0	5.7	5.0	6.3	5.6	
TIFTUF (DT-1)	5.7	6.3	7.0	61.7	98.0	99.0	6.0	6.7	4.3	5.7	6.0	6.0	5.7	5.5	
JSC 2009-2-S	7.3	6.7	5.3	73.3	97.7	96.3	4.0	5.0	4.7	5.3	6.0	5.7	6.0	5.5	
PATRIOT	8.0	7.7	5.7	46.7	94.7	95.0	2.7	7.7	3.7	5.7	5.7	6.0	6.7	5.5	
11-T-510	7.7	7.3	6.7	36.7	97.3	97.7	5.7	9.0	2.7	5.0	6.0	5.7	7.7	5.4	
ASTRO	5.3	7.0	5.7	59.3	98.3	98.0	4.3	5.0	4.0	5.3	6.0	5.3	6.3	5.4	
FAES 1326	6.3	6.3	7.0	46.7	96.7	98.3	5.3	7.3	3.3	5.7	6.0	5.7	5.7	5.3	
OKS 2011-1	6.0	6.0	5.3	80.0	96.3	96.3	4.0	5.3	5.3	5.7	5.0	4.7	5.7	5.3	
RIVIERA	6.0	6.7	5.3	73.3	96.3	97.0	4.0	5.7	5.0	5.7	5.3	5.0	5.7	5.3	
MBG 002	6.7	7.3	5.3	61.7	97.7	94.0	4.3	4.3	4.0	5.0	6.0	5.0	6.0	5.2	
JSC 2007-8-S	6.7	7.0	6.0	84.3	97.3	94.7	4.3	4.0	4.3	5.7	5.0	4.7	6.0	5.1	
YUKON	7.3	6.7	5.3	63.3	93.3	92.3	5.7	7.0	4.0	5.0	6.0	5.0	5.7	5.1	
OKC 1163	5.7	6.0	8.7	50.0	97.0	97.7	5.7	8.3	4.3	5.0	5.3	4.3	6.0	5.0	
TIFWAY	6.7	7.3	6.3	51.7	96.3	97.0	5.3	8.3	3.3	5.3	6.3	5.0	5.0	5.0	
KASHMIR (PST-R6PO)	6.0	7.7	5.0	40.0	95.0	94.0	4.3	3.3	3.3	5.0	5.3	4.7	6.0	4.9	
PST-R6CT	6.7	7.3	5.0	68.3	96.0	95.0	5.0	3.7	4.0	5.3	5.0	4.7	5.7	4.9	
BAR C291	5.7	7.0	5.7	61.7	92.3	94.0	4.7	4.7	3.7	5.3	5.0	4.3	5.7	4.8	
CELEBRATION	8.0	8.0	6.0	41.7	92.3	96.3	4.0	7.7	2.7	4.7	5.3	5.0	6.0	4.7	
FAES 1327	6.7	7.0	6.3	43.3	91.3	89.0	6.3	8.3	3.3	4.0	6.0	5.0	5.0	4.7	
OKS 2011-4	6.0	6.7	5.0	75.0	87.3	90.7	4.3	5.3	4.3	4.7	4.7	4.3	5.3	4.7	
FAES 1325	8.0	7.7	6.3	23.3	86.7	86.7	5.3	6.7	2.0	4.0	5.3	5.0	6.0	4.5	
11-T-251	7.7	6.7	7.0	33.3	96.7	95.0	4.0	5.7	2.7	4.0	4.7	5.3	5.3	4.4	
NORTH SHORE SLT	6.0	7.7	5.0	28.3	94.0	92.3	4.0	4.3	2.3	4.7	4.7	4.3	5.3	4.3	
OKS 2009-3	5.7	6.7	5.0	51.7	89.3	91.7	4.7	4.3	3.3	4.7	4.3	4.3	5.0	4.3	
PST-R6T9S	7.0	7.3	5.7	61.7	86.7	90.0	4.0	3.0	3.7	4.0	3.7	4.0	5.0	4.1	
NUMEX-SAHARA	6.0	6.7	5.7	23.3	83.3	81.7	4.3	5.7	2.3	4.3	4.3	3.3	4.3	3.7	
MSB 281	5.0	7.7	5.0	43.3	83.3	90.7	2.0	5.0	2.3	4.0	3.7	3.7	3.7	3.5	
PRINCESS 77	6.3	7.3	5.3	11.7	53.3	76.7	5.7	3.7	1.3	2.3	3.3	2.7	4.7	2.9	
12-TSB-1	6.7	7.3	5.3	22.7	48.3	65.0	5.3	3.7	1.3	1.7	2.3	2.3	2.7	2.1	
LSD VALUE	0.8	1.2	0.7	19.8	9.6	8.4	0.8	1.4	1.3	1.0	1.0	0.9	1.3	0.7	
C.V. (%)	7.8	8.9	8.0	22.9	6.9	5.6	11.0	15.7	21.6	13.0	12.1	12.0	13.7	9.3	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 10. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2013 NATIONAL BERMUDAGRASS TEST AT LEXINGTON, KY 1/
2015 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS							
	SPRING GREENUP	FALL COLOR OCTOBER	MAY	JUN	JUL	AUG	SEP	MEAN
OKC 1131	9.0	2.3	8.0	8.0	7.7	7.7	7.0	7.7
JSC 2-21-1-V	6.7	3.3	8.0	7.7	7.0	7.3	7.0	7.4
JSC 2-21-18-V	7.0	3.7	7.7	7.3	7.3	7.3	7.0	7.3
LATITUDE 36	6.7	3.0	8.0	7.7	7.0	7.3	6.7	7.3
MBG 002	5.0	3.3	7.0	7.3	7.3	7.3	7.3	7.3
OKC 1302	3.7	4.0	8.0	7.3	7.0	7.3	7.0	7.3
PATRIOT	6.0	2.0	8.0	8.0	7.0	7.0	6.7	7.3
11-T-510	2.3	4.0	7.3	6.7	7.3	7.7	7.0	7.2
TIFTUF (DT-1)	2.3	4.3	8.0	5.7	7.7	7.3	7.3	7.2
JSC 2007-13-S	6.7	3.3	7.0	7.3	7.0	7.7	7.0	7.2
JSC 2009-2-S	6.3	3.0	7.0	7.3	7.0	7.7	7.0	7.2
JSC 2009-6-S	7.0	3.0	7.0	7.3	7.0	7.7	7.0	7.2
RIVIERA	7.0	2.7	7.0	7.3	7.0	7.7	7.0	7.2
ASTRO	4.3	3.0	7.0	7.0	6.7	7.7	7.0	7.1
JSC 2007-8-S	5.7	3.3	7.0	7.0	7.3	7.3	7.0	7.1
OKC 1163	7.0	2.7	7.7	7.0	7.0	7.3	6.7	7.1
11-T-251	1.7	3.7	8.0	5.7	7.0	7.3	7.0	7.0
OKS 2011-1	7.0	3.0	7.0	7.0	6.3	7.3	7.3	7.0
OKS 2011-4	5.0	3.3	7.0	7.0	6.7	7.3	7.0	7.0
12-TSB-1	3.3	3.3	7.0	6.7	7.0	7.0	7.0	6.9
PST-R6CT	1.3	3.3	7.0	6.0	6.7	7.7	7.0	6.9
BAR C291	2.0	3.7	7.0	5.3	6.7	7.3	7.0	6.7
KASHMIR (PST-R6PO)	1.3	4.0	7.0	5.3	6.7	7.3	7.0	6.7
PRINCESS 77	1.7	3.3	7.0	5.3	6.7	7.3	7.0	6.7
YUKON	3.7	4.3	7.3	6.0	6.3	7.0	6.7	6.7
FAES 1326	2.3	3.7	7.5	4.0	5.7	7.3	7.3	6.2
FAES 1325	1.3	4.3	7.0	3.3	6.0	7.0	6.7	5.9
NORTH SHORE SLT	1.0	4.0	7.0	2.0	6.0	7.0	7.0	5.6
NUMEX-SAHARA	1.0	4.0	7.0	2.0	6.0	7.0	7.0	5.6
OKS 2009-3	1.0	4.3	7.0	1.7	6.0	7.0	7.0	5.5
PST-R6T9S	1.3	4.0	7.0	4.3	4.7	6.3	6.0	5.4
TIFWAY	1.0	5.7	8.0	2.0	5.0	7.0	6.3	5.3
CELEBRATION	1.0	4.7	7.0	2.3	4.7	6.3	6.3	5.1
MSB 281	1.0	3.7	7.0	2.0	4.7	6.7	5.7	5.0
FAES 1327	1.0	4.0	7.0	1.7	4.7	6.7	6.3	4.9
LSD VALUE	1.6	0.9	0.4	1.4	1.5	1.7	1.7	1.0
C.V. (%)	28.8	15.0	3.3	17.2	13.2	7.8	8.3	9.2

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 11.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2013 NATIONAL BERMUDAGRASS TEST AT LEXINGTON (TRAFFIC STUDY), KY 1/
2015 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY SEPTEMBER	COVER	PERCENT LIVING GROUND COVER AFTER TRAFFIC				PERCENT LIVING GROUND COVER AFTER TRAFFIC			
		BEFORE TRAFFIC 9_2	9_09	9_16	9_23	10_02	10_07	10_14	10_23	10_29
TIFWAY	7.0	91.7	90.0	81.7	88.3	78.3	75.0	75.0	73.3	73.3
JSC 2-21-1-V	7.3	99.0	93.3	91.7	90.0	86.7	76.7	78.3	73.3	71.7
NUMEX-SAHARA	7.3	97.7	95.0	80.0	88.3	80.0	75.0	58.3	66.7	71.7
TIFTUF (DT-1)	7.3	96.3	95.0	88.3	88.3	85.0	78.3	75.0	71.7	70.0
JSC 2-21-18-V	7.0	99.0	86.7	85.0	85.0	81.7	73.3	73.3	73.3	70.0
MBG 002	7.0	99.0	93.3	91.7	91.7	85.0	75.0	75.0	71.7	70.0
OKC 1131	7.3	99.0	91.7	90.0	93.3	83.3	80.0	76.7	73.3	70.0
OKC 1163	7.0	99.0	88.3	83.3	86.7	76.7	73.3	68.3	70.0	70.0
JSC 2007-13-S	7.7	99.0	96.3	91.7	90.0	83.3	75.0	70.0	65.0	68.3
JSC 2009-6-S	7.0	99.0	91.7	88.3	91.7	86.7	76.7	76.7	68.3	68.3
JSC 2009-2-S	7.3	97.7	91.7	83.3	88.3	78.3	73.3	75.0	61.7	65.0
PATRIOT	7.3	99.0	95.0	88.3	88.3	83.3	76.7	71.7	71.7	65.0
RIVIERA	7.7	99.0	90.0	91.7	88.3	80.0	73.3	71.7	66.7	65.0
ASTRO	7.3	96.0	91.7	90.0	88.3	76.7	71.7	63.3	61.7	61.7
OKS 2011-4	7.3	99.0	93.3	86.7	85.0	78.3	70.0	70.0	63.3	61.7
JSC 2007-8-S	7.3	99.0	95.0	86.7	88.3	76.7	68.3	75.0	65.0	60.0
OKS 2011-1	7.0	99.0	90.0	86.7	88.3	80.0	71.7	70.0	65.0	60.0
BAR C291	7.3	99.0	90.0	80.0	85.0	70.0	60.0	58.3	61.7	58.3
LATITUDE 36	7.3	89.3	85.0	81.7	83.3	76.7	68.3	63.3	63.3	58.3
NORTH SHORE SLT	7.0	91.7	90.0	76.7	83.3	63.3	58.3	45.0	50.0	58.3
FAES 1325	7.0	71.7	70.0	75.0	71.7	55.0	53.3	61.7	56.7	53.3
OKS 2009-3	7.0	97.7	88.3	80.0	81.7	66.7	56.7	63.3	55.0	53.3
PRINCESS 77	7.0	88.3	85.0	81.7	76.7	61.7	56.7	53.3	45.0	50.0
11-T-510	7.7	88.0	85.0	76.7	75.0	66.7	56.7	45.0	41.7	45.0
12-TSB-1	7.0	75.0	75.0	71.7	65.0	45.0	48.3	43.3	33.3	45.0
YUKON	7.0	96.0	88.3	81.7	78.3	60.0	53.3	46.7	38.3	43.3
FAES 1326	7.0	68.0	63.3	55.0	60.0	45.0	31.7	45.0	40.0	40.0
PST-R6T9S	7.0	61.7	61.7	58.3	51.7	41.7	45.0	48.3	38.3	38.3
OKC 1302	6.7	46.7	46.7	55.0	50.0	41.7	41.7	43.3	35.0	36.7
MSB 281	7.3	48.3	48.3	41.7	53.3	31.7	35.0	35.0	26.7	33.3
11-T-251	7.5	70.0	67.5	48.3	38.3	26.7	28.3	25.0	25.0	31.7
FAES 1327	7.0	46.7	46.7	43.3	45.0	23.3	31.7	28.3	25.0	25.0
KASHMIR (PST-R6P0)	7.0	65.0	61.7	48.3	30.0	13.3	13.3	15.0	8.3	20.0
PST-R6CT	6.7	45.0	45.0	36.7	31.7	23.3	26.7	26.7	16.7	20.0
CELEBRATION	7.3	43.3	41.7	38.3	35.0	20.0	21.7	18.3	16.7	18.3
LSD VALUE	.	21.8	21.6	21.0	20.7	19.7	19.7	23.9	21.0	19.1
C.V. (%)	.	16.1	16.5	17.5	17.7	20.4	21.5	25.8	25.4	22.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 12.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2013 NATIONAL BERMUDAGRASS TEST AT COLUMBIA (ANCILLARY), MO 1/
2015 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	PERCENT COVER SPRING	PERCENT COVER SUMMER	QUALITY RATINGS							MEAN
					APR	MAY	JUN	JUL	AUG	SEP	OCT	
JSC 2-21-18-V	5.0	6.7	86.7	90.0	6.0	6.7	6.3	8.0	7.7	8.0	7.0	7.1
OKC 1131	5.0	6.7	86.7	90.0	6.7	6.7	7.0	7.3	8.0	7.3	7.0	7.1
OKC 1163	4.7	5.7	90.0	90.0	6.3	7.0	5.7	6.3	8.0	8.0	6.7	6.9
TIFTUF (DT-1)	4.3	1.7	83.3	90.0	4.3	5.3	6.0	6.7	7.0	7.3	8.0	6.4
JSC 2-21-1-V	4.3	3.0	76.7	86.7	4.7	6.0	6.3	6.7	7.0	7.7	6.3	6.4
RIVIERA	6.0	5.7	90.0	90.0	5.3	6.0	4.3	6.7	6.7	6.0	5.0	5.7
JSC 2009-6-S	4.3	4.3	86.7	90.0	6.0	5.0	5.0	5.7	6.0	6.0	5.0	5.5
11-T-510	5.3	1.7	56.7	83.3	3.3	3.3	5.3	5.7	6.7	6.7	7.0	5.4
JSC 2007-13-S	4.7	4.0	80.0	90.0	5.3	4.3	5.0	5.7	6.3	6.0	5.0	5.4
PATRIOT	6.0	2.3	53.3	73.3	4.0	3.3	3.7	5.7	6.7	7.0	7.0	5.3
ASTRO	4.7	3.3	73.3	86.7	4.0	4.0	4.3	5.7	5.3	5.7	6.3	5.0
JSC 2007-8-S	3.7	4.3	86.7	90.0	5.0	4.7	4.3	5.7	5.0	5.3	5.0	5.0
YUKON	5.0	6.0	80.0	90.0	3.3	3.0	5.0	5.3	6.0	6.0	4.7	4.8
JSC 2009-2-S	5.0	2.0	66.7	86.7	3.7	3.0	4.7	5.0	5.3	5.7	5.0	4.6
OKS 2011-1	4.7	1.7	43.3	70.0	2.3	2.3	3.7	4.0	5.3	5.3	4.7	4.0
LATITUDE 36	4.3	1.7	20.0	30.0	2.3	2.7	2.7	3.0	4.3	4.3	3.3	3.2
MBG 002	5.0	1.0	0.0	56.7	1.3	1.0	2.0	3.3	4.3	4.3	5.0	3.0
BAR C291	5.7	1.0	0.0	33.3	1.0	1.0	1.7	2.7	3.7	4.7	4.3	2.7
OKS 2011-4	5.0	1.0	0.0	36.7	1.0	1.0	1.7	3.0	3.3	4.0	4.0	2.6
OKC 1302	3.0	1.3	16.7	30.0	1.7	1.7	2.0	2.7	3.0	3.3	2.7	2.4
OKS 2009-3	3.0	1.0	0.0	6.7	1.0	1.0	1.0	1.7	3.7	4.0	3.7	2.3
KASHMIR (PST-R6P0)	2.3	1.0	0.0	13.3	1.3	1.0	1.3	1.7	2.7	2.3	2.0	1.8
PRINCESS 77	2.3	1.0	0.0	0.0	1.3	1.0	1.3	1.0	2.3	2.3	2.0	1.6
PST-R6CT	4.0	1.0	0.0	3.3	1.0	1.0	1.0	1.3	1.7	1.7	1.3	1.3
12-TSB-1	2.3	1.0	0.0	0.0	1.3	1.0	1.0	1.0	1.3	1.3	1.7	1.2
MSB 281	1.0	1.0	0.0	3.3	1.0	1.0	1.0	1.3	1.7	1.3	1.3	1.2
CELEBRATION	1.0	1.0	0.0	0.0	1.0	1.0	1.0	1.0	1.7	1.0	1.0	1.1
FAES 1327	1.0	1.0	0.0	0.0	1.0	1.0	1.0	1.0	1.3	1.3	1.3	1.1
NUMEX-SAHARA	3.0	1.0	0.0	0.0	1.0	1.0	1.0	1.0	1.3	1.0	1.3	1.1
PST-R6T9S	1.0	1.0	0.0	0.0	1.0	1.0	1.0	1.0	1.3	1.3	1.0	1.1
11-T-251	1.0	1.0	0.0	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
FAES 1325	2.7	1.0	0.0	0.0	1.0	1.0	1.0	1.0	1.3	1.0	1.0	1.0
FAES 1326	2.7	1.0	0.0	0.0	1.0	1.0	1.0	1.0	1.3	1.0	1.0	1.0
NORTH SHORE SLT	1.0	1.0	0.0	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
TIFWAY	1.0	1.0	0.0	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
LSD VALUE	4.4	1.2	21.9	23.3	1.4	1.4	1.0	1.4	1.3	1.3	1.0	1.0
C.V. (%)	57.0	35.4	44.1	36.6	35.6	35.5	23.3	27.9	22.6	21.8	19.2	20.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 13.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
 IN THE 2013 NATIONAL BERMUDAGRASS TEST AT MISS. ST., MS 1/
 2015 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	FALL COLOR NOVEMBER	QUALITY RATINGS								MEAN
					APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	
TIFTUF (DT-1)	6.0	6.3	7.0	5.7	5.7	7.0	7.7	7.0	7.0	6.7	6.7	6.7	6.8
OKC 1131	6.3	7.0	7.0	5.0	6.0	8.0	7.7	7.0	7.0	6.0	6.0	6.0	6.7
TIFWAY	6.3	4.0	7.0	6.0	4.3	6.3	7.3	7.0	7.0	7.0	7.3	7.0	6.7
11-T-251	6.3	5.3	6.7	6.7	4.7	6.3	6.7	7.0	7.0	7.0	7.0	7.0	6.6
JSC 2-21-18-V	6.0	5.7	7.0	5.3	5.0	7.0	7.0	7.0	7.0	6.3	6.3	7.0	6.6
11-T-510	6.7	5.0	6.3	6.0	4.7	6.0	6.3	6.7	7.0	7.0	7.0	7.0	6.5
LATITUDE 36	6.0	4.0	7.0	6.0	4.7	6.3	7.0	6.7	7.0	6.7	7.0	7.0	6.5
MSB 281	6.0	5.3	7.0	5.7	5.3	6.3	6.3	6.7	6.7	6.3	7.0	7.0	6.5
OKC 1163	5.7	7.0	8.0	5.0	5.3	7.3	7.3	7.0	6.3	6.0	6.0	6.3	6.5
ASTRO	5.0	6.0	6.0	5.0	5.0	6.3	6.7	6.7	7.0	7.0	6.7	6.0	6.4
JSC 2-21-1-V	6.0	2.7	6.3	5.7	4.0	5.3	6.3	7.0	7.0	6.7	7.0	7.0	6.3
CELEBRATION	6.0	5.0	5.7	7.0	4.0	5.3	6.0	6.0	7.0	7.0	7.0	7.0	6.2
FAES 1327	6.3	4.3	6.0	5.7	4.3	5.7	5.7	6.7	7.0	6.7	7.0	6.3	6.2
OKC 1302	6.7	3.7	6.0	5.7	4.0	5.3	6.3	6.7	7.0	6.0	6.7	6.7	6.1
FAES 1325	6.3	3.3	5.7	5.3	4.0	5.3	6.0	6.0	7.0	6.3	6.7	7.0	6.0
JSC 2009-2-S	6.0	4.7	6.0	5.3	4.7	6.0	6.3	6.0	6.3	6.0	6.0	6.0	5.9
JSC 2009-6-S	5.7	5.0	6.0	6.0	4.3	5.7	6.0	6.3	6.3	6.0	6.3	6.3	5.9
PATRIOT	6.0	4.0	6.0	5.3	4.0	5.7	6.7	6.0	6.7	6.3	5.7	6.0	5.9
JSC 2007-8-S	6.0	4.3	6.0	5.3	4.3	5.3	5.7	6.0	6.3	6.3	6.7	6.0	5.8
MBG 002	6.0	3.3	6.0	6.0	4.0	5.0	6.0	6.3	6.7	6.0	6.0	6.0	5.8
12-TSB-1	6.0	4.0	5.7	6.0	4.0	5.0	6.0	6.0	6.3	6.0	6.0	6.0	5.7
JSC 2007-13-S	6.0	4.3	6.0	5.3	4.0	5.0	5.7	6.0	6.3	6.0	6.3	6.3	5.7
FAES 1326	6.0	3.0	5.7	6.0	3.3	4.3	5.3	6.0	6.7	6.3	6.3	6.3	5.6
OKS 2011-1	5.7	4.3	6.0	5.3	4.0	5.0	5.7	6.0	6.0	6.0	6.0	6.0	5.6
PST-R6CT	6.0	2.3	5.3	5.3	3.7	5.0	5.3	6.0	6.3	6.0	6.3	6.0	5.6
RIVIERA	6.0	4.7	5.3	5.7	4.0	5.0	5.3	6.0	6.3	6.0	6.0	6.0	5.6
OKS 2009-3	6.0	3.3	5.3	5.0	3.7	4.7	5.3	6.0	6.0	6.0	6.0	6.0	5.5
PRINCESS 77	6.0	2.0	5.7	6.0	3.3	4.7	5.7	6.0	6.7	6.0	6.0	6.0	5.5
PST-R6T9S	6.0	2.7	5.3	5.7	3.7	5.0	5.7	6.0	6.0	5.7	6.0	6.0	5.5
OKS 2011-4	6.0	3.0	5.0	5.0	3.7	4.7	5.0	6.0	6.0	6.0	6.0	6.0	5.4
KASHMIR (PST-R6P0)	6.0	2.3	5.0	5.3	3.7	4.7	5.0	5.7	6.0	6.0	5.7	5.7	5.3
BAR C291	5.7	2.0	5.0	5.3	3.0	3.7	5.0	5.0	6.0	6.0	5.7	5.7	5.0
NORTH SHORE SLT	5.7	2.3	4.7	5.3	3.0	4.0	5.0	5.3	5.7	5.7	5.7	5.7	5.0
NUMEX-SAHARA	5.7	2.7	4.7	5.3	3.3	4.3	5.0	5.3	5.7	5.7	5.3	5.7	5.0
YUKON	6.0	2.0	4.7	5.0	3.0	3.3	4.3	4.7	5.3	5.3	5.3	5.7	4.6
LSD VALUE	0.7	2.0	0.6	0.7	0.8	0.8	0.9	0.5	0.6	0.6	0.7	0.5	0.4
C.V. (%)	5.8	29.7	6.2	7.7	11.6	10.1	9.1	5.5	6.1	6.1	6.5	5.4	4.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 14.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2013 NATIONAL BERMUDAGRASS TEST AT RALEIGH, NC 1/
2015 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS									
	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	MAY	JUN	JUL	AUG	SEP	OCT	MEAN
TIFTUF (DT-1)	6.3	7.7	6.0	6.0	6.0	7.0	7.7	4.0	6.7	6.2
PATRIOT	7.7	7.3	6.0	5.0	6.7	6.7	7.7	5.0	5.0	6.0
JSC 2-21-18-V	6.0	7.0	7.0	6.0	7.0	6.7	7.0	3.3	5.3	5.9
11-T-510	7.0	6.0	6.0	5.0	6.3	6.7	7.7	4.0	5.3	5.8
LATITUDE 36	7.0	7.0	6.3	5.3	6.0	7.0	7.3	4.3	5.0	5.8
OKC 1302	7.0	7.3	6.7	5.3	5.7	7.0	7.3	4.3	5.3	5.8
JSC 2-21-1-V	6.3	6.0	6.7	4.7	6.3	6.7	6.7	4.3	5.3	5.7
OKC 1131	8.0	7.7	7.0	5.0	5.7	6.3	7.3	4.3	4.7	5.6
ASTRO	6.0	6.3	5.7	4.7	5.7	6.0	6.0	3.3	4.7	5.1
FAES 1325	7.0	5.0	6.0	4.0	5.7	5.7	5.7	4.0	5.7	5.1
OKC 1163	6.0	8.0	7.0	5.7	6.0	6.3	5.7	3.0	3.7	5.1
TIFWAY	7.0	6.3	6.0	4.7	5.7	5.7	6.0	3.7	4.3	5.0
FAES 1327	7.3	6.0	6.0	4.7	5.3	5.7	6.0	3.3	4.3	4.9
RIVIERA	7.0	6.0	6.0	4.0	4.7	5.7	6.7	4.0	4.3	4.9
CELEBRATION	8.0	4.7	6.0	3.7	4.0	5.7	6.3	4.0	5.3	4.8
JSC 2007-13-S	7.0	6.0	6.0	4.3	4.3	5.7	5.3	4.3	4.3	4.7
FAES 1326	7.7	2.7	6.0	2.7	4.3	6.0	6.0	4.3	4.3	4.6
11-T-251	7.7	5.3	6.0	4.0	4.7	5.3	5.3	3.3	4.3	4.5
MBG 002	7.0	5.7	6.0	3.7	4.3	4.7	5.3	3.7	5.0	4.4
MSB 281	6.7	7.7	6.3	4.7	5.0	4.7	4.7	3.3	4.0	4.4
JSC 2007-8-S	6.7	7.0	6.0	3.7	4.3	5.3	4.7	3.7	4.0	4.3
OKS 2011-1	7.0	6.7	6.0	4.0	4.0	5.3	4.7	3.7	4.0	4.3
PRINCESS 77	7.0	5.0	6.0	3.0	4.0	5.3	5.0	4.0	4.3	4.3
YUKON	7.0	7.3	6.0	3.0	4.7	3.7	5.3	4.3	4.7	4.3
BAR C291	6.7	4.3	5.7	3.0	4.3	5.0	5.3	3.7	4.0	4.2
JSC 2009-6-S	7.0	6.7	6.0	4.3	4.3	4.3	4.3	3.3	4.0	4.1
OKS 2011-4	7.0	6.7	5.3	3.7	4.3	4.0	5.0	3.7	3.7	4.1
12-TSB-1	7.0	5.7	6.0	3.0	3.7	4.7	5.3	3.3	4.0	4.0
JSC 2009-2-S	7.0	5.7	6.0	4.0	4.0	4.0	4.0	3.3	4.0	3.9
OKS 2009-3	7.0	6.0	5.7	3.3	4.3	4.0	4.7	3.7	3.7	3.9
KASHMIR (PST-R6P0)	7.0	5.7	5.3	3.3	3.3	3.7	3.7	4.0	4.3	3.7
NORTH SHORE SLT	6.7	3.7	5.0	3.0	3.3	3.7	3.7	3.7	3.7	3.5
PST-R6T9S	7.0	6.0	6.0	3.3	3.3	3.3	3.3	3.3	4.0	3.4
NUMEX-SAHARA	6.3	4.3	4.7	2.3	3.0	3.3	3.7	3.7	3.3	3.2
PST-R6CT	7.0	4.7	5.7	3.3	3.0	3.3	3.0	3.0	3.3	3.2
LSD VALUE	0.5	1.1	0.5	0.8	0.9	1.3	0.9	1.9	1.1	0.6
C.V. (%)	4.6	11.4	5.5	13.3	12.6	15.3	11.4	18.0	14.8	8.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 14. (CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2013 NATIONAL BERMUDAGRASS TEST AT RALEIGH, NC 1/
2015 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT COVER FALL	FALL COLOR OCTOBER	FALL COLOR DECEMBER	SEEDHEAD RATINGS
TIFTUF (DT-1)	8.0	8.0	8.0	90.0	99.0	99	6.3	4.3	6.7
PATRIOT	8.0	8.0	7.7	86.7	99.0	99	3.3	1.0	8.7
JSC 2-21-18-V	8.0	8.0	8.0	86.7	99.0	99	4.3	1.7	7.3
11-T-510	7.0	8.3	7.7	90.0	99.0	99	5.7	3.3	9.0
LATITUDE 36	7.7	8.3	8.0	90.0	99.0	99	4.0	1.3	8.7
OKC 1302	8.0	8.0	7.7	86.7	99.0	99	4.0	1.0	8.3
JSC 2-21-1-V	8.0	8.0	8.0	90.0	99.0	99	4.0	1.7	8.0
OKC 1131	8.0	8.3	8.0	90.0	99.0	99	4.0	1.3	4.7
ASTRO	7.0	7.7	7.0	83.3	99.0	99	4.7	2.7	6.3
FAES 1325	6.3	7.3	8.0	83.3	98.3	99	5.3	2.3	6.7
OKC 1163	8.0	8.7	7.3	86.7	99.0	99	3.0	1.0	9.0
TIFWAY	7.3	7.7	7.0	90.0	99.0	99	5.7	3.7	7.3
FAES 1327	7.7	7.3	7.3	86.7	99.0	99	4.7	2.3	7.3
RIVIERA	6.3	7.7	7.0	86.7	99.0	99	4.0	1.0	6.0
CELEBRATION	5.7	8.0	7.7	80.0	99.0	99	4.7	1.3	6.3
JSC 2007-13-S	6.3	7.7	7.3	83.3	99.0	99	4.3	1.3	6.0
FAES 1326	4.7	6.7	7.3	83.3	98.3	99	5.3	3.0	8.3
11-T-251	6.7	7.7	6.7	80.0	99.0	99	3.3	1.3	6.3
MBG 002	6.3	7.7	7.3	76.7	99.0	99	4.7	1.0	4.3
MSB 281	8.0	8.0	8.0	86.7	99.0	99	4.0	1.0	4.0
JSC 2007-8-S	6.3	7.0	7.0	70.0	99.0	99	4.3	1.3	4.0
OKS 2011-1	6.3	7.7	6.7	83.3	99.0	99	4.0	1.3	5.0
PRINCESS 77	5.0	7.0	7.7	80.0	99.0	99	4.0	1.3	4.7
YUKON	6.3	7.0	7.0	85.0	98.3	99	4.3	1.3	6.7
BAR C291	4.0	5.7	6.3	76.7	99.0	99	4.0	1.0	4.3
JSC 2009-6-S	6.7	7.0	7.0	83.3	99.0	99	4.0	1.0	4.0
OKS 2011-4	5.0	6.7	5.7	83.3	99.0	99	4.0	1.3	4.3
12-TSB-1	5.0	6.3	7.3	73.3	99.0	99	4.7	1.7	4.7
JSC 2009-2-S	6.7	7.0	6.7	83.3	99.0	99	4.0	1.0	4.0
OKS 2009-3	5.0	6.3	6.3	66.7	98.3	99	4.0	1.3	4.3
KASHMIR (PST-R6P0)	4.7	5.7	6.3	80.0	98.3	99	4.7	1.3	4.3
NORTH SHORE SLT	4.0	5.3	6.7	73.3	99.0	99	4.0	1.3	3.3
PST-R6T9S	4.0	5.3	6.3	70.0	98.3	99	4.3	1.3	4.0
NUMEX-SAHARA	4.0	5.3	4.7	66.7	96.0	99	3.7	2.3	6.0
PST-R6CT	4.0	5.0	4.3	66.7	97.7	99	3.7	1.3	3.7
LSD VALUE	1.4	1.0	1.2	25.1	1.9	0	1.0	1.0	1.4
C.V. (%)	14.7	8.7	10.6	12.3	0.8	0	13.5	38.7	15.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 15.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2013 NATIONAL BERMUDAGRASS TEST AT STILLWATER, OK 1/
2015 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	FALL COLOR	FALL COLOR	SEEDHEAD RATINGS	APR	MAY	JUN	QUALITY RATINGS					MEAN
							OCTOBER	DECEMBER					JUL	AUG	SEP	OCT	NOV	
OKC 1131	8.0	8.7	6.3	8.0	7.7	6.7	5.7	4.7	3.0	6.3	7.7	6.7	8.0	7.0	6.0	6.3	6.3	6.8
JSC 2-21-1-V	5.0	8.7	6.3	8.0	7.0	6.7	4.7	4.3	2.7	6.7	7.7	7.0	7.0	7.0	6.0	6.0	6.0	6.7
LATITUDE 36	6.7	7.3	6.7	7.7	7.0	7.0	5.0	4.7	5.3	6.0	7.0	6.7	7.3	7.0	6.0	6.3	6.3	6.6
TIFTUF (DT-1)	6.3	8.3	7.0	7.3	7.3	6.0	5.3	4.7	5.0	6.3	7.0	7.3	7.0	6.7	6.0	5.7	5.7	6.5
JSC 2-21-18-V	5.0	7.0	7.7	7.7	7.0	6.0	5.0	4.0	4.3	6.0	7.7	7.0	7.0	6.7	6.0	5.7	5.7	6.5
OKC 1163	5.0	7.7	8.0	8.0	8.0	8.0	5.0	3.7	6.3	6.3	6.7	6.7	7.0	6.3	5.7	6.0	6.0	6.3
OKC 1302	6.0	8.0	6.7	7.3	7.0	6.3	5.3	4.0	4.0	6.0	7.0	6.7	7.0	6.0	6.0	5.7	5.7	6.3
11-T-251	7.7	6.0	6.7	7.3	7.0	6.7	6.3	4.0	5.3	5.0	6.7	7.0	7.0	7.0	5.3	5.7	5.7	6.2
ASTRO	6.0	8.7	6.3	6.7	6.3	6.3	5.3	4.7	4.3	6.3	6.7	6.7	6.3	6.0	5.3	6.0	6.0	6.2
11-T-510	7.0	7.3	6.3	7.0	6.7	6.3	6.0	4.7	6.0	5.7	6.7	7.0	6.7	6.3	5.3	5.7	5.7	6.1
TIFWAY	7.0	5.7	7.0	6.7	7.0	7.0	6.0	4.7	4.3	5.3	6.3	6.7	7.0	6.7	5.7	5.7	5.7	6.1
FAES 1327	7.0	6.0	7.0	6.7	7.0	6.0	5.3	3.7	4.7	5.0	6.3	6.7	7.0	6.3	5.3	6.0	5.0	6.0
JSC 2007-13-S	7.0	8.3	6.0	6.0	6.3	6.0	5.7	4.3	4.3	6.0	6.3	6.7	6.7	6.0	5.3	5.3	5.3	6.0
JSC 2009-6-S	6.7	8.0	6.3	6.3	6.0	6.0	5.3	4.7	3.7	6.0	6.7	6.7	6.0	6.0	5.7	5.3	5.3	6.0
FAES 1325	7.3	6.0	7.0	6.0	6.3	6.0	6.0	4.0	4.0	5.0	6.3	6.3	6.3	6.0	6.0	5.7	5.7	5.9
FAES 1326	6.3	5.7	6.7	6.3	6.3	6.3	5.7	4.0	3.7	4.7	6.0	6.3	6.7	6.0	6.0	5.7	5.7	5.9
MBG 002	6.0	7.7	6.3	6.3	6.0	6.0	5.0	4.7	4.3	5.7	5.7	6.7	6.0	6.3	5.7	5.3	5.3	5.8
RIVIERA	6.0	8.0	6.7	6.0	6.0	6.0	5.0	4.0	3.3	6.0	6.0	6.0	6.0	6.0	6.0	5.3	5.3	5.8
12-TSB-1	6.7	5.7	6.3	6.3	5.7	5.7	6.0	4.0	5.0	5.0	6.0	6.0	6.0	6.0	5.7	5.3	5.3	5.7
JSC 2007-8-S	6.0	8.3	6.3	6.0	6.0	6.0	5.7	4.3	3.7	6.0	6.0	6.3	6.0	6.0	5.3	5.0	5.0	5.7
JSC 2009-2-S	6.0	8.3	6.7	6.0	6.3	6.0	5.0	3.7	3.7	5.7	6.0	6.7	6.3	6.0	5.0	5.0	5.0	5.7
BAR C291	6.3	7.7	6.3	5.3	6.0	5.7	5.0	4.3	5.0	6.0	5.3	6.0	6.3	6.0	5.3	5.0	5.0	5.6
PATRIOT	7.7	6.7	6.7	6.7	6.7	6.0	6.0	3.7	7.0	5.7	6.7	5.7	6.7	6.0	5.0	4.7	4.7	5.6
PRINCESS 77	6.7	5.7	6.0	6.3	6.0	6.3	5.0	4.0	4.7	5.0	5.3	6.3	6.3	6.3	5.3	5.0	5.0	5.6
CELEBRATION	7.7	6.0	7.0	5.7	5.7	7.0	7.0	4.7	3.3	5.0	5.3	6.0	6.3	6.3	5.7	4.7	4.7	5.5
OKS 2011-1	6.0	7.3	6.0	6.0	5.7	6.0	5.7	4.3	4.0	5.3	5.7	6.0	6.0	5.7	5.0	5.0	5.0	5.5
OKS 2011-4	6.3	7.7	6.0	5.0	5.7	5.3	5.3	4.0	4.3	5.3	5.3	6.0	6.0	6.0	5.3	5.0	5.0	5.5
PST-R6T9S	6.3	7.0	6.3	5.3	5.7	6.0	5.3	3.7	3.7	5.0	5.0	6.0	6.0	5.7	6.0	5.0	5.0	5.5
KASHMIR (PST-R6P0)	6.0	7.3	5.7	5.7	5.7	6.0	5.0	4.3	4.0	4.7	5.0	6.0	6.0	6.0	5.3	5.0	5.0	5.4
OKS 2009-3	6.0	7.3	6.0	5.7	5.3	5.7	5.3	4.0	4.7	5.0	5.3	6.0	6.0	5.7	5.0	5.0	5.0	5.4
PST-R6CT	6.0	6.7	6.0	5.3	5.7	6.0	5.0	4.0	4.0	5.0	5.0	6.0	6.0	6.0	5.3	5.0	5.0	5.4
YUKON	6.7	7.0	6.0	5.3	6.3	5.7	6.0	3.3	5.3	5.3	5.7	6.0	6.3	5.3	5.0	4.7	4.7	5.4
NORTH SHORE SLT	6.0	7.3	6.0	5.0	6.0	6.0	5.0	3.3	4.3	5.0	5.0	5.7	6.0	5.7	5.7	4.7	4.7	5.3
MSB 281	6.0	5.7	6.3	6.0	6.0	6.0	6.0	4.0	4.7	4.3	4.7	5.7	5.7	6.0	4.3	5.3	5.3	5.2
NUMEX-SAHARA	5.7	6.3	6.0	4.7	5.0	5.3	4.7	3.7	5.7	4.7	4.7	5.3	5.7	5.3	5.0	4.7	4.7	5.0
LSD VALUE	0.6	1.4	0.8	0.8	0.6	0.6	0.6	1.5	1.5	1.0	0.8	0.9	0.5	0.6	0.9	1.0	0.8	0.3
C.V. (%)	6.0	11.6	7.3	8.2	6.6	6.5	7.2	14.0	19.6	10.4	8.3	7.8	5.3	6.0	8.4	9.9	8.4	3.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 16.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2013 NATIONAL BERMUDAGRASS TEST AT KNOXVILLE, TN 1/
2015 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT COVER FALL	QUALITY RATINGS									MEAN
							APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV		
FAES 1325	8.3	9.0	3.0	94.0	98.3	98.3	8.0	8.3	8.7	8.7	8.7	7.7	8.0	7.7	8.2	
RIVIERA	7.7	9.0	2.0	92.7	98.7	98.7	6.7	8.0	8.3	8.0	8.3	8.0	8.7	8.7	8.1	
11-T-510	8.3	8.0	1.3	83.7	98.7	99.0	7.3	8.0	8.3	8.3	8.3	7.7	7.7	8.0	8.0	
JSC 2-21-18-V	7.7	9.0	1.7	96.7	98.3	99.0	7.3	8.3	8.0	8.0	8.0	7.3	8.0	8.7	8.0	
JSC 2009-6-S	7.7	8.7	2.3	90.0	98.3	99.0	7.7	7.7	8.3	8.0	8.3	8.0	7.7	8.0	8.0	
LATITUDE 36	7.0	9.0	2.0	93.7	97.3	98.7	7.0	8.0	8.7	8.3	8.0	7.3	8.0	8.3	8.0	
OKC 1131	8.0	9.0	2.0	97.0	99.0	98.7	6.7	8.3	9.0	8.7	8.7	7.7	7.3	7.3	8.0	
JSC 2009-2-S	7.7	8.3	2.7	83.0	97.7	98.7	7.0	7.7	8.7	8.3	8.0	8.3	7.7	7.7	7.9	
OKC 1302	6.3	9.0	2.0	94.7	93.7	98.0	7.7	8.3	9.0	8.7	7.3	7.7	6.3	8.0	7.9	
OKS 2009-3	7.3	8.3	2.7	86.3	98.7	98.3	7.0	8.0	8.0	8.3	8.0	8.0	8.0	7.7	7.9	
OKS 2011-1	7.3	8.3	2.7	83.0	98.0	97.7	7.0	7.7	8.3	8.0	8.0	7.7	8.3	8.3	7.9	
PRINCESS 77	8.0	9.0	3.0	90.0	99.0	98.0	7.0	8.0	8.3	8.3	8.3	7.7	7.7	7.7	7.9	
ASTRO	6.3	9.0	2.7	95.3	97.7	99.0	8.0	8.0	8.0	8.0	7.3	7.3	7.7	7.7	7.8	
CELEBRATION	8.7	9.0	2.7	94.0	98.7	99.0	7.3	8.0	9.0	8.0	8.0	7.0	7.3	8.0	7.8	
TIFTUF (DT-1)	7.7	9.0	1.7	95.7	98.3	98.0	7.3	8.0	9.0	8.7	8.7	7.3	6.7	7.0	7.8	
FAES 1327	7.3	9.0	2.0	95.3	97.7	99.0	7.7	7.7	8.3	8.3	8.0	7.0	7.0	8.0	7.8	
JSC 2-21-1-V	7.3	8.3	1.3	83.7	98.3	99.0	6.7	7.0	8.7	8.3	8.0	7.3	8.0	8.3	7.8	
JSC 2007-13-S	8.0	8.0	2.3	80.3	99.0	98.7	7.3	7.0	8.0	8.0	8.3	8.0	8.3	7.7	7.8	
JSC 2007-8-S	7.7	8.3	2.0	84.3	98.7	98.3	7.0	7.7	8.0	8.0	8.0	8.0	7.7	8.0	7.8	
KASHMIR (PST-R6P0)	7.3	7.7	2.3	80.0	98.0	98.7	7.0	7.3	8.0	8.0	8.0	8.0	7.7	8.7	7.8	
NORTH SHORE SLT	7.7	8.7	2.3	89.3	99.0	97.3	6.7	7.7	8.0	8.0	8.3	8.3	8.3	7.3	7.8	
NUMEX-SAHARA	7.3	8.3	2.7	84.3	98.3	95.3	8.0	7.7	8.3	8.3	8.0	7.7	7.7	6.7	7.8	
OKS 2011-4	8.0	8.7	3.0	88.3	98.0	97.3	7.3	7.7	8.0	8.0	8.3	7.7	8.0	7.3	7.8	
PST-R6CT	7.3	7.7	2.7	80.3	98.7	98.7	7.3	7.3	8.0	8.0	8.0	7.7	8.0	7.7	7.8	
TIFWAY	7.7	9.0	2.0	97.3	97.7	98.0	6.7	8.3	8.3	8.3	8.3	6.3	7.7	8.0	7.8	
YUKON	7.3	8.7	2.7	86.7	98.3	98.3	6.7	7.3	8.0	8.0	8.3	7.7	8.3	8.3	7.8	
11-T-251	8.0	6.7	2.0	67.0	97.0	98.3	6.7	7.0	8.7	8.3	8.3	7.7	7.7	7.3	7.7	
BAR C291	7.7	8.7	3.0	86.7	98.0	97.3	7.3	7.7	8.0	7.7	8.3	8.3	7.3	7.0	7.7	
FAES 1326	8.3	9.0	2.3	98.3	98.7	98.7	6.0	8.3	8.7	8.3	8.3	7.0	7.0	7.7	7.7	
MBG 002	8.0	9.0	2.7	89.7	99.0	98.7	6.0	7.7	8.3	8.3	8.3	7.7	7.3	7.7	7.7	
PST-R6T9S	7.7	7.3	2.3	73.0	98.7	97.7	7.7	7.0	8.0	8.3	8.0	8.0	7.7	7.0	7.7	
12-TSB-1	8.3	7.0	3.0	69.3	98.7	99.0	6.7	7.0	8.0	8.0	8.7	7.3	7.7	7.7	7.6	
PATRIOT	7.0	9.0	3.0	92.3	94.7	94.3	6.7	8.3	8.7	8.0	7.3	6.7	7.7	6.3	7.5	
OKC 1163	5.7	9.0	1.0	96.7	97.0	99.0	5.7	8.0	8.0	7.7	7.3	7.7	7.3	7.3	7.4	
MSB 281	5.7	4.7	2.3	45.7	95.3	98.3	6.0	6.3	7.0	6.7	6.7	7.3	7.0	7.3	6.8	
LSD VALUE	1.8	1.4	1.1	15.2	2.4	1.8	2.3	1.1	1.0	1.6	1.4	1.9	1.9	1.7	0.6	
C.V. (%)	11.2	9.8	24.9	10.5	1.3	1.0	12.0	7.3	5.9	6.8	7.3	8.9	9.3	9.4	3.5	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 17.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2013 NATIONAL BERMUDAGRASS TEST AT KNOXVILLE (TRAFFIC STUDY), TN 1/
2015 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT COVER FALL	QUALITY RATINGS							MEAN	
							APR	MAY	JUN	JUL	AUG	SEP	OCT		NOV
TIFTUF (DT-1)	7.0	9.0	1.7	95.7	98.3	98.3	7.3	8.0	9.0	8.7	8.7	8.3	9.0	9.0	8.5
FAES 1325	8.3	9.0	3.0	94.0	98.3	98.7	8.0	8.3	8.7	8.7	8.7	8.3	8.0	8.7	8.4
OKC 1302	8.0	9.0	2.0	94.7	93.7	98.7	7.7	8.3	9.0	8.7	7.3	8.3	8.7	9.0	8.4
11-T-510	7.0	8.0	1.3	83.7	98.7	99.0	7.3	8.0	8.3	8.3	8.3	8.7	8.7	9.0	8.3
FAES 1327	6.7	9.0	2.0	95.3	97.7	98.7	7.7	7.7	8.3	8.3	8.0	8.7	8.3	9.0	8.3
OKC 1131	8.0	9.0	2.0	97.0	99.0	98.3	6.7	8.3	9.0	8.7	8.7	8.0	8.7	8.7	8.3
CELEBRATION	8.0	9.0	2.7	94.0	98.7	99.0	7.3	8.0	9.0	8.0	8.0	8.0	8.3	8.7	8.2
JSC 2009-2-S	6.0	8.3	2.7	83.0	97.7	99.0	7.0	7.7	8.7	8.3	8.0	8.0	9.0	9.0	8.2
LATITUDE 36	7.3	9.0	2.0	93.7	97.3	99.0	7.0	8.0	8.7	8.3	8.0	8.0	8.7	8.7	8.2
RIVIERA	7.0	9.0	2.0	92.7	98.7	99.0	6.7	8.0	8.3	8.0	8.3	8.3	8.7	9.0	8.2
12-TSB-1	5.3	7.0	3.0	69.3	98.7	98.7	6.7	7.0	8.0	8.0	8.7	8.7	9.0	9.0	8.1
JSC 2-21-18-V	8.0	9.0	1.7	96.7	98.3	98.7	7.3	8.3	8.0	8.0	8.0	8.3	8.3	8.7	8.1
JSC 2009-6-S	7.0	8.7	2.3	90.0	98.3	98.0	7.7	7.7	8.3	8.0	8.3	8.0	8.0	8.7	8.1
KASHMIR (PST-R6P0)	6.3	7.7	2.3	80.0	98.0	98.3	7.0	7.3	8.0	8.0	8.0	8.7	9.0	9.0	8.1
PRINCESS 77	7.0	9.0	3.0	90.0	99.0	98.3	7.0	8.0	8.3	8.3	8.3	8.0	8.3	8.7	8.1
11-T-251	6.0	6.7	2.0	67.0	97.0	98.7	6.7	7.0	8.7	8.3	8.3	8.0	8.3	8.7	8.0
ASTRO	6.3	9.0	2.7	95.3	97.7	99.0	8.0	8.0	8.0	8.0	7.3	8.0	8.0	8.3	8.0
BAR C291	6.3	8.7	3.0	86.7	98.0	97.3	7.3	7.7	8.0	7.7	8.3	8.3	8.3	8.7	8.0
JSC 2007-13-S	6.0	8.0	2.3	80.3	99.0	99.0	7.3	7.0	8.0	8.0	8.3	8.3	8.3	9.0	8.0
JSC 2007-8-S	6.7	8.3	2.0	84.3	98.7	98.0	7.0	7.7	8.0	8.0	8.0	8.3	8.3	8.7	8.0
MBG 002	6.7	9.0	2.7	89.7	99.0	98.3	6.0	7.7	8.3	8.3	8.3	8.3	8.0	8.7	8.0
NORTH SHORE SLT	7.0	8.7	2.3	89.3	99.0	97.7	6.7	7.7	8.0	8.0	8.3	8.3	8.7	8.3	8.0
OKS 2011-4	6.7	8.7	3.0	88.3	98.0	98.3	7.3	7.7	8.0	8.0	8.3	8.3	8.3	8.3	8.0
TIFWAY	8.3	9.0	2.0	97.3	97.7	94.7	6.7	8.3	8.3	8.3	8.3	7.7	8.3	8.3	8.0
YUKON	6.3	8.7	2.7	86.7	98.3	98.7	6.7	7.3	8.0	8.0	8.3	8.0	8.7	8.7	8.0
OKS 2011-1	6.3	8.3	2.7	83.0	98.0	97.7	7.0	7.7	8.3	8.0	8.0	8.0	8.0	8.3	7.9
PATRIOT	8.3	9.0	3.0	92.3	94.7	96.3	6.7	8.3	8.7	8.0	7.3	7.7	8.0	8.3	7.9
OKC 1163	7.0	9.0	1.0	96.7	97.0	98.7	5.7	8.0	8.0	7.7	7.3	8.3	8.0	8.7	7.7
PST-R6CT	4.7	5.7	2.7	57.7	73.3	74.0	7.3	7.0	7.3	7.3	7.3	8.0	8.0	8.0	7.5
FAES 1326	6.0	6.3	2.3	68.3	71.7	80.0	5.7	7.3	8.0	7.7	7.7	7.3	7.3	8.0	7.4
NUMEX-SAHARA	4.7	5.7	2.7	54.7	68.7	69.0	7.3	6.7	7.3	7.3	7.3	7.0	7.7	7.7	7.3
JSC 2-21-1-V	5.0	6.0	1.3	60.0	71.0	71.7	6.0	6.3	7.7	7.3	7.3	7.3	7.3	8.0	7.2
PST-R6T9S	5.0	5.3	2.3	51.0	69.0	69.3	6.7	6.7	7.0	7.0	7.3	7.3	7.7	8.0	7.2
OKS 2009-3	5.7	5.7	2.7	59.3	71.7	70.3	6.7	7.0	7.0	7.0	7.3	7.0	7.3	7.7	7.1
MSB 281	4.7	4.7	2.3	45.7	69.3	71.3	5.7	6.3	7.0	6.7	6.7	7.7	7.7	8.0	7.0
LSD VALUE	2.0	3.6	1.1	36.8	66.7	62.6	3.0	1.5	2.0	2.7	2.0	3.0	2.9	2.8	2.0
C.V. (%)	16.7	21.0	24.9	21.8	21.1	19.9	14.1	9.2	9.5	10.3	9.5	10.3	10.1	8.9	8.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 18.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2013 NATIONAL BERMUDAGRASS TEST AT COLLEGE STATION (DROUGHT), TX 1/
2015 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	LEAF TEXTURE	FALL	FALL	SEEDHEAD RATINGS	JUL	AUG	QUALITY RATINGS			MEAN
			COLOR NOVEMBER	COLOR DECEMBER				SEP	OCT	NOV	
TIFTUF (DT-1)	7.7	7.7	9.0	8.0	9.0	7.7	8.0	6.3	7.7	8.0	7.5
OKC 1131	7.7	8.3	7.0	3.3	9.0	8.0	8.3	3.3	7.7	7.0	6.9
11-T-510	7.0	7.0	6.7	5.0	9.0	7.0	7.7	4.7	6.7	6.0	6.4
JSC 2-21-18-V	8.0	8.3	8.0	5.3	7.3	7.7	7.7	2.3	5.3	6.0	5.8
PATRIOT	7.7	6.7	5.0	3.0	7.0	6.7	7.0	5.3	5.3	4.7	5.8
11-T-251	6.7	6.7	6.3	2.7	9.0	6.3	6.7	3.3	6.0	6.3	5.7
FAES 1325	6.7	6.7	7.0	4.7	7.3	6.3	5.7	5.3	5.0	6.3	5.7
JSC 2007-13-S	6.7	6.0	6.3	3.7	6.7	6.7	6.3	4.7	5.7	5.3	5.7
LATITUDE 36	8.3	8.0	7.0	5.7	9.0	7.7	8.0	2.3	5.0	5.7	5.7
12-TSB-1	6.0	6.0	7.0	5.0	6.0	5.3	5.7	4.7	6.3	6.0	5.6
OKC 1302	8.3	7.0	7.7	6.0	7.7	7.0	7.7	2.7	5.3	5.3	5.6
CELEBRATION	6.3	6.7	7.0	4.7	9.0	5.7	6.0	4.0	5.0	6.7	5.5
JSC 2-21-1-V	8.0	7.7	8.0	6.3	8.7	7.7	7.3	2.0	4.3	6.0	5.5
TIFWAY	7.7	7.7	7.3	5.7	9.0	7.0	6.7	2.7	4.3	5.7	5.3
MBG 002	6.0	5.7	6.7	4.3	6.0	5.7	5.7	4.0	5.7	5.0	5.2
OKC 1163	8.3	8.7	6.3	3.3	9.0	7.7	8.0	1.0	4.7	4.7	5.2
FAES 1326	7.7	7.0	7.0	5.0	8.0	6.7	6.7	2.7	4.0	5.7	5.1
RIVIERA	6.0	6.0	4.7	3.7	6.0	6.3	5.7	4.0	5.0	4.0	5.0
JSC 2007-8-S	6.3	5.7	5.0	3.0	4.3	5.7	5.7	4.0	4.7	4.3	4.9
JSC 2009-2-S	6.3	5.7	6.0	3.3	4.3	5.3	6.3	4.0	4.7	4.0	4.9
PRINCESS 77	6.3	6.0	6.0	4.7	6.3	6.3	5.3	3.3	5.3	4.0	4.9
FAES 1327	7.7	7.3	7.0	4.7	9.0	7.0	6.7	1.7	3.7	4.7	4.7
PST-R6CT	6.7	5.7	6.0	3.7	3.0	5.7	5.3	2.7	4.7	5.0	4.7
ASTRO	5.3	6.3	5.7	4.3	8.3	5.7	6.3	1.7	4.3	4.0	4.4
BAR C291	6.3	5.0	4.3	3.0	4.0	5.3	4.7	4.3	4.3	3.3	4.4
JSC 2009-6-S	5.7	5.0	5.0	2.7	4.7	4.7	4.7	3.3	5.0	4.0	4.3
KASHMIR (PST-R6P0)	6.0	5.0	5.0	3.0	4.0	4.5	4.5	3.0	5.0	4.0	4.2
PST-R6T9S	5.3	5.3	4.7	3.7	4.0	4.3	4.7	3.0	4.7	4.3	4.2
OKS 2011-4	5.3	5.3	5.3	3.0	4.7	4.7	5.0	3.0	4.3	3.7	4.1
NORTH SHORE SLT	5.7	4.7	5.0	3.7	4.7	4.7	4.3	2.7	5.0	3.3	4.0
NUMEX-SAHARA	5.3	4.0	4.3	3.3	3.7	4.7	4.0	4.0	4.3	3.0	4.0
OKS 2011-1	6.0	4.7	4.3	2.7	4.0	5.0	5.0	2.7	3.7	3.7	4.0
YUKON	6.0	4.7	6.3	3.0	8.7	5.0	4.3	2.7	4.0	4.0	4.0
OKS 2009-3	5.7	4.3	4.7	3.3	4.3	5.0	4.0	3.0	4.0	3.3	3.9
MSB 281	4.0	7.0	5.7	2.0	9.0	3.0	3.0	1.3	1.3	2.3	2.2
LSD VALUE	0.8	0.8	1.1	1.1	1.0	1.0	1.1	1.5	1.7	1.2	0.8
C.V. (%)	8.3	8.5	11.6	18.0	9.7	11.0	11.9	27.7	20.6	16.3	9.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 18. (CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2013 NATIONAL BERMUDAGRASS TEST AT COLLEGE STATION (DROUGHT), TX 1/
2015 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	PERCENT LIVING GROUND COVER RATINGS FOR DROUGHT TOLERANCE AND RECOVERY													
	8_10	8_17	8_24	8_31	9_07	9_14	9_23	9_29	10_7	10_13	10_21	10_28	11_4	11_10
TIFTUF (DT-1)	78.3	80.0	75.0	71.7	66.7	66.7	66.7	70.0	71.7	73.3	75.0	81.7	85.0	85.0
OKC 1131	76.7	73.3	65.0	58.3	56.7	58.3	65.0	68.3	76.7	76.7	75.0	78.3	75.0	75.0
11-T-510	81.7	81.7	71.7	68.3	63.3	68.3	73.3	76.7	76.7	73.3	73.3	75.0	73.3	71.7
JSC 2-21-18-V	75.0	66.7	55.0	53.3	46.7	50.0	56.7	60.0	63.3	65.0	63.3	66.7	70.0	70.0
PATRIOT	80.0	80.0	73.3	68.3	61.7	63.3	65.0	65.0	66.7	66.7	66.7	68.3	70.0	71.7
11-T-251	75.0	75.0	65.0	60.0	58.3	58.3	63.3	65.0	66.7	66.7	66.7	68.3	68.3	70.0
FAES 1325	81.7	80.0	76.7	68.3	61.7	65.0	66.7	70.0	71.7	70.0	70.0	75.0	73.3	75.0
JSC 2007-13-S	81.7	78.3	71.7	66.7	63.3	63.3	65.0	66.7	70.0	68.3	68.3	73.3	75.0	73.3
LATITUDE 36	78.3	68.3	61.7	48.3	48.3	48.3	55.0	60.0	63.3	65.0	65.0	65.0	65.0	65.0
12-TSB-1	78.3	80.0	76.7	71.7	66.7	66.7	66.7	66.7	71.7	71.7	71.7	75.0	73.3	73.3
OKC 1302	76.7	68.3	56.7	51.7	48.3	50.0	58.3	61.7	63.3	65.0	66.7	66.7	66.7	66.7
CELEBRATION	76.7	75.0	66.7	61.7	60.0	58.3	61.7	65.0	68.3	66.7	68.3	68.3	70.0	70.0
JSC 2-21-1-V	76.7	63.3	51.7	41.7	35.0	35.0	48.3	56.7	61.7	63.3	63.3	65.0	66.7	66.7
TIFWAY	75.0	70.0	61.7	51.7	50.0	50.0	53.3	60.0	61.7	63.3	65.0	65.0	65.0	65.0
MBG 002	78.3	76.7	66.7	66.7	63.3	65.0	66.7	68.3	73.3	71.7	71.7	71.7	70.0	70.0
OKC 1163	70.0	60.0	38.3	26.7	26.7	30.0	50.0	58.3	60.0	56.7	56.7	55.0	55.0	53.3
FAES 1326	75.0	71.7	61.7	53.3	51.7	51.7	55.0	60.0	65.0	65.0	63.3	66.7	68.3	66.7
RIVIERA	80.0	78.3	68.3	66.7	63.3	63.3	63.3	65.0	68.3	68.3	68.3	68.3	68.3	68.3
JSC 2007-8-S	83.3	80.0	71.7	66.7	61.7	61.7	65.0	66.7	68.3	70.0	68.3	70.0	70.0	68.3
JSC 2009-2-S	81.7	80.0	73.3	66.7	60.0	61.7	65.0	65.0	68.3	70.0	70.0	70.0	70.0	70.0
PRINCESS 77	75.0	75.0	65.0	66.7	61.7	63.3	63.3	65.0	68.3	71.7	68.3	70.0	71.7	71.7
FAES 1327	68.3	65.0	50.0	40.0	38.3	41.7	51.7	56.7	60.0	63.3	63.3	63.3	63.3	65.0
PST-R6CT	76.7	73.3	63.3	61.7	60.0	60.0	63.3	65.0	68.3	68.3	66.7	70.0	70.0	71.7
ASTRO	76.7	70.0	60.0	53.3	50.0	50.0	60.0	61.7	65.0	63.3	66.7	70.0	71.7	71.7
BAR C291	80.0	80.0	71.7	68.3	63.3	63.3	63.3	66.7	68.3	68.3	68.3	70.0	70.0	70.0
JSC 2009-6-S	80.0	76.7	68.3	60.0	58.3	61.7	63.3	65.0	68.3	68.3	68.3	71.7	70.0	71.7
KASHMIR (PST-R6PO)	80.0	77.5	65.0	65.0	60.0	60.0	62.5	65.0	70.0	70.0	67.5	67.5	70.0	70.0
PST-R6T9S	78.3	78.3	70.0	66.7	61.7	61.7	65.0	66.7	68.3	68.3	68.3	70.0	70.0	70.0
OKS 2011-4	78.3	75.0	65.0	65.0	60.0	61.7	65.0	66.7	70.0	68.3	68.3	70.0	70.0	70.0
NORTH SHORE SLT	76.7	73.3	65.0	63.3	61.7	61.7	63.3	66.7	70.0	70.0	68.3	71.7	70.0	68.3
NUMEX-SAHARA	80.0	78.3	71.7	68.3	68.3	60.0	68.3	68.3	70.0	70.0	70.0	71.7	66.7	66.7
OKS 2011-1	78.3	75.0	65.0	56.7	53.3	55.0	60.0	63.3	68.3	65.0	65.0	65.0	66.7	66.7
YUKON	75.0	73.3	63.3	61.7	61.7	60.0	63.3	63.3	66.7	70.0	71.7	73.3	75.0	73.3
OKS 2009-3	81.7	76.7	66.7	65.0	60.0	60.0	61.7	65.0	66.7	66.7	66.7	66.7	68.3	68.3
MSB 281	60.0	58.3	35.0	30.0	31.7	31.7	43.3	50.0	51.7	50.0	48.3	46.7	48.3	51.7
LSD VALUE	4.7	6.9	9.6	8.6	7.7	8.5	5.6	4.8	4.8	6.4	8.3	8.6	8.1	8.6
C.V. (%)	3.9	5.8	9.5	9.6	9.0	9.7	5.9	4.8	4.5	5.7	6.9	7.4	7.0	7.2

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 19. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2013 NATIONAL BERMUDAGRASS TEST AT BLACKSBURG, VA 1/
2015 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	PERCENT COVER SPRING	PERCENT COVER FALL	QUALITY RATINGS						MEAN
			MAY	JUN	JUL	AUG	SEP	OCT	
OKC 1163	99.0	99.0	6.3	7.0	8.7	8.7	8.0	7.0	7.6
JSC 2-21-1-V	99.0	99.0	5.3	6.7	9.0	8.7	8.0	6.7	7.4
11-T-510	93.0	99.0	5.3	6.3	8.3	8.7	8.0	6.7	7.2
ASTRO	99.0	99.0	5.0	6.0	7.7	8.7	7.7	7.3	7.1
JSC 2-21-18-V	97.7	99.0	5.7	6.7	9.0	8.7	7.3	5.0	7.1
LATITUDE 36	99.0	99.0	5.3	6.3	9.0	8.7	7.7	5.0	7.0
PATRIOT	99.0	99.0	6.0	6.7	8.7	8.0	7.3	5.3	7.0
YUKON	97.7	99.0	6.0	6.3	7.3	8.0	7.7	6.7	7.0
OKC 1302	96.3	99.0	5.3	5.7	7.7	8.3	7.7	7.0	6.9
TIFTUF (DT-1)	97.7	99.0	5.3	5.7	8.0	8.7	7.3	5.7	6.8
OKC 1131	97.7	99.0	5.7	6.0	7.3	8.0	7.0	5.3	6.6
RIVIERA	99.0	99.0	5.0	5.3	7.3	7.7	7.3	7.0	6.6
JSC 2007-13-S	99.0	99.0	5.3	5.7	7.3	7.3	7.0	6.0	6.4
MBG 002	96.3	99.0	4.3	4.7	6.7	7.3	7.3	7.3	6.3
FAES 1326	89.7	99.0	5.0	5.3	6.3	8.0	6.7	6.0	6.2
JSC 2007-8-S	97.7	99.0	5.0	5.3	6.7	7.0	6.7	6.3	6.2
JSC 2009-2-S	96.3	99.0	4.7	5.0	6.3	7.7	6.7	6.3	6.1
JSC 2009-6-S	97.7	99.0	5.0	5.0	6.7	6.7	6.7	6.3	6.1
OKS 2011-1	99.0	99.0	4.7	5.0	7.3	6.7	6.7	6.0	6.1
FAES 1325	83.0	99.0	3.7	4.3	4.7	8.0	6.7	7.3	5.8
CELEBRATION	84.7	99.0	4.0	4.7	6.0	7.7	6.3	5.3	5.7
OKS 2011-4	97.7	99.0	4.3	4.7	6.7	6.3	6.3	5.7	5.7
TIFWAY	75.0	99.0	3.7	4.7	5.3	8.7	6.3	5.0	5.6
11-T-251	70.0	91.0	3.7	4.3	4.7	7.3	5.7	5.7	5.2
MSB 281	80.0	97.7	4.3	4.7	5.3	6.7	5.7	4.7	5.2
BAR C291	96.3	99.0	3.7	3.7	6.0	6.0	5.7	5.7	5.1
OKS 2009-3	86.3	99.0	3.0	3.7	5.0	6.0	6.0	6.7	5.1
KASHMIR (PST-R6P0)	90.0	99.0	3.7	4.3	5.3	6.0	5.3	5.0	4.9
FAES 1327	73.3	96.0	3.3	4.3	4.7	7.0	5.3	4.3	4.8
PRINCESS 77	63.3	82.7	3.0	3.3	3.7	6.3	5.0	5.0	4.4
PST-R6T9S	78.3	91.3	2.7	3.0	4.0	5.0	4.7	4.7	4.0
PST-R6CT	63.3	91.3	2.7	2.7	3.7	5.0	4.7	5.0	3.9
12-TSB-1	37.5	96.0	2.5	2.5	3.0	5.0	4.0	3.5	3.4
NORTH SHORE SLT	53.3	74.3	2.7	2.7	2.7	4.7	4.0	4.0	3.4
NUMEX-SAHARA	10.0	22.5	2.0	2.0	4.0	2.5	3.0	3.0	2.8
LSD VALUE	15.5	15.2	1.1	1.0	1.5	1.6	1.1	2.2	0.9
C.V. (%)	11.5	9.7	15.5	12.5	14.6	13.9	10.9	19.6	9.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.