

TABLE 1.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BENTGRASS CULTIVARS IN THE
2014 NATIONAL BENTGRASS (FAIRWAY) TEST AT RIVERSIDE, CA 1/
2016 DATA

NAME	GENETIC COLOR	TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/ QUALITY RATINGS											MEAN	
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV		DEC
PENNCROSS	7.3	6.0	6.3	6.7	7.0	6.7	6.0	6.3	5.7	6.0	6.0	6.3	6.0	6.3
007	7.3	5.3	5.7	6.7	7.3	6.7	6.3	6.3	6.0	6.0	6.3	6.0	5.3	6.2
SHARK	7.0	6.0	5.7	6.0	6.3	6.7	6.3	6.0	6.0	6.7	6.0	6.3	6.0	6.2
PST-ORBS	7.3	5.7	6.0	6.0	7.0	6.7	6.3	7.0	6.0	6.0	5.0	5.7	5.7	6.1
PIRANHA (DC-1)	7.7	5.7	5.3	6.0	6.3	6.7	6.3	6.3	6.0	6.0	6.0	5.7	5.7	6.0
CHINOOK (H10G-OP)	7.3	5.0	5.3	5.7	5.7	6.7	6.0	7.0	6.0	6.7	6.0	5.7	5.0	5.9
KINGDOM	8.0	5.3	5.7	6.0	6.7	6.3	6.0	6.3	5.7	5.7	5.7	6.0	5.3	5.9
L-93XD	7.0	5.3	5.3	5.7	6.7	6.0	6.0	6.7	6.0	6.3	6.3	5.7	5.3	5.9
PST-DCV6	7.7	4.7	5.7	6.3	6.3	7.0	6.0	6.3	6.0	6.0	6.3	5.7	4.7	5.9
BARRACUDA	7.0	5.7	5.7	6.0	6.0	6.3	5.7	6.0	6.0	5.7	5.3	5.7	5.7	5.8
NIGHTLIFE	8.0	4.3	5.3	6.0	6.3	6.7	6.3	6.3	6.0	6.3	6.3	5.7	4.3	5.8
V-8	7.0	5.0	5.0	5.7	6.7	6.7	5.3	6.0	6.0	6.0	5.7	5.7	5.0	5.7
ARMOR	8.0	5.0	5.0	5.0	6.0	6.0	5.7	6.3	6.0	5.7	5.7	5.7	5.0	5.6
CRYSTAL BLUE LINKS	7.7	5.0	5.3	5.7	5.7	6.3	5.7	6.3	5.7	5.7	5.7	5.3	5.0	5.6
MUSKET (PPG-AT 104)	7.0	5.3	5.3	5.7	6.0	6.0	5.7	6.0	6.0	5.7	5.0	5.3	5.3	5.6
DLFPS-AT/3026	7.0	5.0	5.0	5.7	5.7	6.0	5.3	6.3	5.7	5.7	5.3	5.3	5.0	5.5
GREENTIME	7.3	4.7	4.7	5.7	6.0	6.0	5.7	6.3	5.3	5.3	4.7	5.0	4.7	5.3
LSD VALUE	0.9	2.7	1.6	1.5	1.8	1.1	2.1	1.8	3.1	3.1	1.3	1.9	2.7	1.1
C.V. (%)	6.0	16.9	11.3	10.1	11.5	7.1	11.5	9.2	13.8	15.2	10.6	11.1	16.9	7.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 2. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BENTGRASS CULTIVARS IN THE
2014 NATIONAL BENTGRASS (FAIRWAY) TEST AT AMES, IA 1/
2016 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	QUALITY RATINGS							MEAN
		MAY	JUN	JUL	AUG	SEP	OCT		
PIRANHA (DC-1)	8.0	6.3	6.3	6.7	7.0	7.3	8.0	6.9	
SHARK	7.0	6.3	6.7	7.0	6.3	7.3	7.3	6.8	
007	8.0	6.3	6.3	7.0	6.0	7.0	7.7	6.7	
BARRACUDA	6.7	6.3	6.3	7.3	6.3	6.0	7.7	6.7	
CHINOOK (H10G-OP)	7.7	6.7	6.3	7.7	6.3	6.0	7.3	6.7	
V-8	8.0	6.0	6.3	6.3	6.7	7.7	7.3	6.7	
KINGDOM	9.0	6.3	7.0	6.7	7.0	6.3	6.0	6.6	
L-93XD	6.3	6.3	6.7	7.0	6.0	7.0	6.7	6.6	
ARMOR	8.7	5.7	5.7	5.7	6.7	7.3	7.3	6.4	
NIGHTLIFE	8.7	6.3	6.3	5.7	6.7	6.3	7.3	6.4	
PST-DCV6	7.3	5.3	6.0	7.0	6.7	6.3	7.0	6.4	
PST-ORBS	7.7	5.3	6.0	7.0	6.3	7.0	7.0	6.4	
CRYSTAL BLUE LINKS	7.3	5.0	6.0	6.3	6.3	6.0	6.3	6.0	
GREENTIME	7.3	5.0	5.7	5.3	5.3	6.0	6.7	5.7	
MUSKET (PPG-AT 104)	6.0	5.0	6.0	6.3	5.0	5.0	6.0	5.6	
DLFPS-AT/3026	6.7	4.7	6.0	6.3	5.0	5.0	5.7	5.4	
PENNCROSS	6.7	4.7	5.0	5.0	4.7	5.0	6.3	5.1	
LSD VALUE	1.2	1.3	2.3	1.6	0.9	1.2	1.1	0.7	
C.V. (%)	9.6	12.0	13.0	12.1	8.8	11.3	8.9	6.4	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 3. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BENTGRASS CULTIVARS IN THE
2014 NATIONAL BENTGRASS (FAIRWAY) TEST AT URBANA, IL 1/
2016 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	QUALITY RATINGS							MEAN
			APR	MAY	JUN	JUL	AUG	SEP	OCT	
CRYSTAL BLUE LINKS	7.7	7.7	7.3	6.3	8.7	8.0	7.3	8.3	9.0	7.9
KINGDOM	8.0	6.7	7.3	7.0	7.7	8.3	7.7	7.7	9.0	7.8
ARMOR	8.0	7.3	7.3	7.7	8.0	8.3	7.0	7.3	8.3	7.7
BARRACUDA	7.0	7.7	7.7	7.0	8.7	8.3	7.3	6.7	8.0	7.7
NIGHTLIFE	8.0	6.7	7.7	7.7	7.7	8.7	7.0	7.3	8.0	7.7
PIRANHA (DC-1)	7.0	5.3	7.3	6.7	8.0	8.3	7.3	7.3	8.7	7.7
CHINOOK (H10G-OP)	7.7	6.3	8.0	7.3	8.0	8.0	7.0	6.7	8.0	7.6
PST-DCV6	7.3	7.0	7.3	6.3	8.0	8.7	7.3	7.0	8.7	7.6
Q07	7.3	5.7	7.0	7.7	7.7	8.0	7.3	7.0	8.0	7.5
SHARK	7.0	7.0	7.7	6.7	8.7	8.7	7.3	6.3	7.3	7.5
V-8	7.0	7.7	7.7	7.0	8.0	8.3	7.0	6.7	8.0	7.5
DLFPS-AT/3026	6.0	7.3	6.3	5.7	8.7	8.3	7.3	6.7	8.0	7.3
L-93XD	7.3	6.3	7.3	7.3	8.0	8.3	7.0	6.0	7.3	7.3
PST-ORBS	7.7	6.3	7.7	6.7	7.7	8.3	7.3	5.7	7.0	7.2
GREENTIME	7.0	7.7	5.0	4.3	8.0	8.3	7.7	8.0	8.3	7.1
PENNCROSS	8.0	7.7	4.7	4.0	8.0	8.3	7.3	7.3	9.0	7.0
MUSKET (PPG-AT 104)	6.0	7.3	6.3	5.7	8.0	8.0	6.7	5.7	7.0	6.8
LSD VALUE	0.5	1.7	1.0	0.9	1.3	1.7	1.8	1.6	1.0	0.6
C.V. (%)	4.6	11.9	9.0	9.2	6.6	6.2	7.7	11.7	7.0	4.2

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 4.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BENTGRASS CULTIVARS IN THE
2014 NATIONAL BENTGRASS (FAIRWAY) TEST AT WEST LAFAYETTE, IN 1/
2016 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	LEAF TEXTURE	SPRING DENSITY	DIVOT RECOVERY	SURFACE SMOOTHNESS	QUALITY RATINGS							MEAN
						APR	MAY	JUN	JUL	AUG	SEP	OCT	
NIGHTLIFE	8.0	7.7	8.3	5.3	5.7	7.7	7.3	8.7	7.7	7.0	6.0	5.7	7.1
ARMOR	8.0	7.3	8.3	2.7	3.7	6.7	5.3	7.7	8.0	7.7	6.0	5.3	6.7
PST-DCV6	6.0	7.0	7.7	6.0	5.7	6.3	6.3	7.0	8.0	7.3	6.0	6.0	6.7
CHINOOK (H10G-OP)	7.7	7.7	8.0	3.7	3.0	7.0	6.0	7.3	7.3	5.7	5.7	5.0	6.3
CRYSTAL BLUE LINKS	7.3	6.7	7.3	4.3	7.0	5.3	5.7	6.7	7.0	6.0	5.3	5.7	6.0
KINGDOM	8.3	7.7	8.7	4.7	3.0	6.7	6.3	7.7	7.7	6.0	4.3	3.3	6.0
MUSKET (PPG-AT 104)	6.3	7.0	6.7	3.3	7.0	5.0	4.3	6.3	6.3	6.3	6.0	6.7	5.9
DLFPS-AT/3026	6.3	6.0	6.7	4.3	8.3	5.0	4.7	6.3	6.3	5.7	6.0	6.7	5.8
L-93XD	5.7	7.7	8.0	3.0	3.7	6.0	6.0	7.3	7.3	5.0	4.7	4.3	5.8
PIRANHA (DC-1)	7.3	7.0	8.0	4.0	4.3	6.3	6.0	7.7	8.0	5.3	4.0	3.3	5.8
PENNCROSS	6.0	5.3	5.7	5.3	9.0	4.7	5.3	5.7	6.0	6.0	6.0	6.0	5.7
V-8	7.0	7.7	8.0	4.3	5.0	6.0	5.3	6.7	7.3	5.3	5.3	4.0	5.7
PST-ORBS	7.0	7.3	8.3	4.7	3.7	6.0	5.3	7.7	7.3	5.3	4.0	3.3	5.6
SHARK	6.0	7.7	7.3	4.0	4.3	5.3	5.0	6.7	7.3	5.3	4.7	4.0	5.5
007	7.7	8.0	8.0	3.7	4.3	6.3	5.3	7.3	7.7	5.0	3.7	2.7	5.4
BARRACUDA	6.7	7.3	8.0	3.7	5.0	6.0	5.7	7.0	7.3	4.7	3.7	3.0	5.3
GREENTIME	6.3	7.0	6.3	3.0	8.3	4.3	4.0	5.3	5.0	5.7	5.7	5.7	5.1
LSD VALUE	1.0	1.3	1.0	4.0	2.6	1.3	1.5	1.0	0.9	1.4	1.6	1.8	0.9
C.V. (%)	9.0	9.4	7.8	35.8	29.0	12.9	14.1	8.8	7.5	13.0	17.2	22.2	8.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BENTGRASS CULTIVARS IN THE 2014 NATIONAL BENTGRASS (FAIRWAY) TEST AT MANHATTAN, KS 1/ 2016 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	DOLLAR SPOT	QUALITY RATINGS					SEP	MEAN
			MAY	JUN	JUL	AUG			
CHINOOK (H10G-OP)	7.3	7.7	7.7	8.0	8.3	5.7	5.7	7.1	
BARRACUDA	7.0	6.0	7.3	7.7	8.7	6.0	4.7	6.9	
V-8	7.0	8.0	6.7	7.7	8.3	6.3	5.7	6.9	
ARMOR	7.7	6.0	7.0	7.3	8.3	6.3	5.0	6.8	
PIRANHA (DC-1)	7.0	5.3	7.3	7.7	9.0	5.3	4.3	6.7	
L-93XD	7.3	7.3	6.0	7.0	7.7	6.0	5.0	6.3	
SHARK	6.3	6.7	5.7	6.7	7.0	6.3	6.0	6.3	
PST-ORBS	6.0	5.0	6.7	6.3	8.0	6.0	4.0	6.2	
CRYSTAL BLUE LINKS	6.7	6.3	6.7	6.7	7.0	5.0	5.0	6.1	
MUSKET (PPG-AT 104)	6.7	6.3	6.0	7.0	7.3	5.3	5.0	6.1	
PENNCROSS	6.0	6.3	6.0	5.7	7.3	6.7	4.7	6.1	
KINGDOM	7.7	8.0	6.7	6.3	7.0	5.7	4.3	6.0	
007	6.3	6.0	6.3	6.7	6.7	5.3	4.7	5.9	
NIGHTLIFE	6.7	6.3	6.0	6.0	6.7	5.3	5.3	5.9	
PST-DCV6	6.7	3.7	7.0	6.7	7.0	5.0	4.0	5.9	
DLFPS-AT/3026	6.0	6.0	5.3	6.0	7.7	5.3	4.3	5.7	
GREENTIME	5.7	5.7	5.7	5.0	6.3	4.7	4.3	5.2	
LSD VALUE	3.6	5.0	3.4	2.4	5.3	3.8	2.6	2.8	
C.V. (%)	17.3	28.7	18.3	15.7	21.9	20.8	19.9	14.7	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 6. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BENTGRASS CULTIVARS IN THE 2014 NATIONAL BENTGRASS (FAIRWAY) TEST AT LEXINGTON, KY 1/ 2016 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	FALL	QUALITY RATINGS								
	COLOR	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	MEAN
	OCTOBER									
DLFPS-AT/3026	5.0	6.7	8.0	7.0	7.0	6.0	5.7	6.7	5.7	6.6
GREENTIME	5.7	6.3	7.7	7.0	7.3	6.0	6.3	6.7	5.7	6.6
MUSKET (PPG-AT 104)	5.7	7.0	8.0	7.0	6.0	5.3	5.7	6.7	6.0	6.5
PST-DCV6	5.3	6.3	7.3	6.0	6.7	6.3	6.3	7.0	6.3	6.5
KINGDOM	7.0	5.7	7.0	6.3	6.7	5.7	6.3	7.0	6.3	6.4
PST-ORBS	6.0	6.3	7.0	6.3	6.3	6.3	6.3	6.7	5.7	6.4
ARMOR	7.0	5.7	7.0	6.7	6.3	5.7	6.0	7.0	6.0	6.3
CRYSTAL BLUE LINKS	5.7	6.0	7.0	6.3	6.7	6.3	5.7	6.7	5.7	6.3
PENNCROSS	6.0	5.7	6.7	6.0	7.0	6.0	5.7	6.7	6.7	6.3
NIGHTLIFE	7.7	6.0	7.0	6.0	6.3	5.3	5.7	6.7	6.3	6.2
SHARK	6.0	6.3	7.0	6.0	6.0	5.0	5.7	6.7	6.0	6.1
V-8	5.7	6.0	7.0	6.3	6.7	6.0	5.0	6.0	5.0	6.0
007	6.0	5.7	7.0	6.0	6.0	5.0	5.0	6.0	6.0	5.8
BARRACUDA	6.0	6.3	7.3	6.0	6.0	4.7	4.7	6.0	5.7	5.8
CHINOOK (H10G-OP)	6.0	6.3	7.3	6.0	6.0	5.0	4.3	6.0	5.0	5.8
PIRANHA (DC-1)	6.0	6.0	7.0	6.0	6.0	5.3	4.3	6.3	5.3	5.8
L-93XD	6.0	6.0	7.0	6.0	6.0	5.0	4.0	6.3	5.0	5.7
LSD VALUE	0.5	1.1	0.5	1.1	0.5	1.1	1.4	0.9	1.4	0.4
C.V. (%)	5.6	7.8	4.4	7.9	5.1	10.2	14.0	6.5	10.8	4.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 7.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BENTGRASS CULTIVARS IN THE
2014 NATIONAL BENTGRASS (FAIRWAY) TEST GROWN UNDER TRAFFIC STRESS AT AMHERST, MA 1/
2016 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	SPRING GREENUP	WEAR TOLERANCE RATINGS				QUALITY RATINGS							MEAN	
		MAY	JULY	SEPTEMBER	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV		DEC
PIRANHA (DC-1)	6.3	6.7	6.3	6.3	5.7	6.3	6.7	7.0	7.0	7.0	7.0	6.0	6.0	6.5
DLFPS-AT/3026	6.7	3.3	3.3	4.7	6.0	7.0	6.0	5.0	7.0	6.3	6.3	6.3	6.7	6.3
KINGDOM	4.0	7.3	7.0	7.0	5.7	6.0	6.7	6.3	6.7	6.7	6.3	5.0	5.0	6.0
L-93XD	5.7	5.3	5.0	5.7	5.3	6.0	6.0	6.3	7.0	6.7	6.0	5.0	5.7	6.0
NIGHTLIFE	5.3	7.3	6.7	6.7	5.7	5.7	6.7	6.0	6.7	6.7	6.3	5.3	5.0	6.0
CHINOOK (H10G-OP)	6.3	5.7	5.3	5.7	5.0	6.0	5.7	6.0	6.0	6.3	6.0	6.0	6.0	5.9
MUSKET (PPG-AT 104)	5.3	3.7	4.3	5.7	5.7	7.0	5.0	5.0	6.3	5.3	5.7	6.0	5.7	5.7
SHARK	5.3	6.3	5.0	5.0	4.3	6.3	6.0	6.0	6.7	6.7	5.7	5.0	5.0	5.7
007	6.7	6.0	5.3	6.0	5.7	5.7	5.0	5.3	6.0	6.0	6.3	5.3	5.0	5.6
ARMOR	4.7	6.3	6.3	6.3	5.3	6.0	6.3	5.7	6.3	6.0	5.3	5.0	4.3	5.6
PST-DCV6	5.7	5.7	5.7	5.3	4.3	5.7	6.3	6.3	6.3	6.0	5.0	5.0	5.7	5.6
BARRACUDA	6.3	6.0	5.0	4.7	5.0	6.3	5.3	5.0	6.0	5.7	5.3	5.0	5.3	5.4
PST-ORBS	5.3	5.3	6.0	6.0	4.7	6.0	6.0	5.3	6.0	6.0	5.0	5.0	4.7	5.4
V-8	5.0	5.3	5.3	5.3	4.7	6.3	5.3	5.3	6.0	5.7	5.0	4.7	4.7	5.3
GREENTIME	4.7	3.3	3.3	4.3	5.0	5.0	5.3	4.7	5.7	4.7	5.3	6.0	5.3	5.2
CRYSTAL BLUE LINKS	4.7	5.0	5.3	4.7	4.0	5.0	5.3	4.7	5.3	5.0	5.0	4.7	5.0	4.9
PENNCROSS	5.3	4.0	3.7	4.0	3.7	4.0	4.0	3.7	4.3	4.3	4.7	4.0	4.3	4.1
LSD VALUE	1.1	0.7	0.7	1.0	0.8	0.7	0.8	0.9	0.9	0.9	0.5	0.4	0.9	0.3
C.V. (%)	11.8	9.0	9.0	10.7	9.2	7.4	8.9	9.6	8.8	9.0	6.1	5.4	9.7	4.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 8. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BENTGRASS CULTIVARS IN THE 2014 NATIONAL BENTGRASS (FAIRWAY) TEST AT COLLEGE PARK, MD 1/ 2016 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	BROWN PATCH	QUALITY RATINGS							
	WARM TEMP.	MAY	JUN	JUL	AUG	SEP	OCT	NOV	MEAN
PIRANHA (DC-1)	9.0	7.7	8.0	7.7	6.0	6.0	5.7	6.7	6.8
L-93XD	9.0	8.0	8.7	8.3	6.0	4.7	5.0	6.0	6.7
BARRACUDA	9.0	7.3	7.3	7.3	6.3	6.0	5.0	6.3	6.5
CHINOOK (H10G-OP)	9.0	8.0	9.0	7.3	5.3	5.3	4.7	5.0	6.4
SHARK	8.3	7.0	7.0	7.7	5.7	6.0	5.3	6.0	6.4
DLFPS-AT/3026	4.3	6.7	7.0	6.3	4.7	5.7	6.3	6.7	6.2
007	9.0	7.7	8.0	7.7	5.3	5.0	4.3	5.0	6.1
MUSKET (PPG-AT 104)	5.0	6.3	6.7	7.0	4.7	5.7	6.0	6.3	6.1
NIGHTLIFE	9.0	7.0	7.7	8.0	5.0	5.0	4.7	5.3	6.1
CRYSTAL BLUE LINKS	9.0	7.0	7.0	7.0	4.0	5.0	5.3	6.0	5.9
V-8	9.0	7.3	7.7	7.0	4.3	4.3	4.3	4.3	5.6
KINGDOM	9.0	7.3	7.3	7.0	3.7	4.3	4.3	4.3	5.5
PST-DCV6	9.0	6.3	6.7	7.3	4.3	4.7	4.3	5.0	5.5
ARMOR	9.0	6.7	7.0	7.3	3.7	3.7	3.7	3.7	5.1
PST-ORBS	9.0	4.3	7.0	6.7	3.0	3.7	3.7	3.7	4.6
GREENTIME	4.3	4.0	4.3	4.0	3.0	4.0	4.7	5.0	4.1
PENNCROSS	9.0	3.3	4.0	5.0	3.3	3.3	3.3	3.0	3.6
LSD VALUE	0.7	1.7	0.5	0.8	1.4	0.9	0.9	1.2	0.6
C.V. (%)	6.0	15.4	5.1	7.5	17.8	11.5	11.9	14.6	7.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 9.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BENTGRASS CULTIVARS IN THE
2014 NATIONAL BENTGRASS (FAIRWAY) TEST AT EAST LANSING, MI 1/
2016 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	DOLLAR SPOT		DOLLAR SPOT		QUALITY RATINGS						MEAN	
		JULY	AUGUST	SEPTEMBER	OCTOBER	APR	MAY	JUN	JUL	AUG	SEP		OCT
DLFPS-AT/3026	5.0	7.7	8.0	7.7	6.3	6.0	6.7	7.0	6.7	5.7	6.0	5.7	6.2
CHINOOK (H10G-OP)	6.0	8.3	8.3	7.3	4.3	5.3	6.0	7.7	6.3	6.7	5.3	4.7	6.0
MUSKET (PPG-AT 104)	5.0	8.0	5.7	7.7	7.3	5.0	5.3	6.7	5.3	5.0	6.0	6.0	5.6
BARRACUDA	6.0	7.7	6.0	5.3	4.0	5.3	5.0	7.0	6.0	5.3	5.0	4.7	5.5
007	6.3	8.3	6.3	4.7	5.0	5.0	4.7	7.3	6.3	5.3	4.3	4.7	5.4
L-93XD	6.0	8.3	7.0	6.3	4.0	5.0	4.7	6.7	6.3	6.0	5.0	4.3	5.4
V-8	6.0	7.3	8.0	6.3	4.7	4.7	4.7	6.7	6.0	6.0	5.0	4.7	5.4
CRYSTAL BLUE LINKS	6.0	6.3	6.0	5.0	4.0	5.0	5.0	7.0	5.7	5.3	4.7	4.3	5.3
GREENTIME	6.0	5.7	5.7	5.3	3.7	5.0	4.7	6.7	6.0	5.3	5.0	4.3	5.3
PENNCROSS	6.0	5.7	6.0	4.7	4.0	5.0	5.0	6.7	5.3	5.0	4.0	3.7	5.0
PIRANHA (DC-1)	6.7	8.7	7.3	5.7	4.0	5.0	5.7	6.0	5.3	5.0	4.3	3.7	5.0
SHARK	6.0	7.0	5.7	4.7	3.7	4.3	3.7	6.7	5.7	5.3	4.7	4.7	5.0
KINGDOM	6.3	6.7	8.0	5.7	4.3	4.0	4.0	6.0	5.3	6.0	4.7	4.0	4.9
PST-ORBS	6.0	6.3	5.7	4.3	4.0	4.7	4.0	6.3	5.7	5.0	4.0	4.3	4.9
PST-DCV6	6.0	6.3	5.0	4.3	2.7	4.7	3.7	6.3	5.7	5.3	4.7	3.3	4.8
NIGHTLIFE	7.0	6.0	5.7	4.3	4.3	3.7	3.3	6.0	5.3	5.0	4.7	4.3	4.6
ARMOR	6.3	5.7	6.7	3.7	3.0	3.3	3.3	6.0	5.3	5.3	3.7	3.0	4.3
LSD VALUE	0.5	2.4	2.5	1.7	4.1	0.8	0.8	1.9	1.2	1.8	1.0	1.4	0.7
C.V. (%)	4.7	16.9	18.4	18.4	37.8	9.9	11.3	11.1	9.3	12.8	11.7	16.7	7.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 10.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BENTGRASS CULTIVARS IN THE
2014 NATIONAL BENTGRASS (FAIRWAY) TEST AT COLUMBIA, MO 1/
2016 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	DOLLAR SPOT	BROWN PATCH WARM TEMP.	QUALITY RATINGS								MEAN
				MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	
CHINOOK (H10G-OP)	5.0	9.0	8.7	5.0	5.7	5.7	6.7	5.0	7.7	6.0	5.3	5.9
L-93XD	5.0	7.3	8.7	5.7	5.7	5.7	6.3	5.3	7.0	5.3	6.3	5.9
BARRACUDA	4.7	8.0	9.0	5.0	5.0	5.3	6.7	5.0	7.3	6.0	5.7	5.8
PIRANHA (DC-1)	5.0	8.7	9.0	4.7	5.7	5.7	6.7	4.3	7.3	6.0	5.7	5.8
V-8	5.0	7.7	8.3	4.7	6.0	5.3	6.3	4.7	6.7	5.0	6.0	5.6
007	5.3	7.0	8.7	4.7	4.3	5.0	6.3	5.0	6.7	5.3	6.3	5.5
DLFPS-AT/3026	4.0	7.7	3.7	6.7	5.3	5.3	6.3	4.3	5.7	4.3	5.0	5.4
SHARK	4.7	6.7	7.7	4.7	5.0	5.0	6.0	4.3	6.3	6.3	5.3	5.4
MUSKET (PPG-AT 104)	3.7	7.3	3.3	6.7	5.3	5.0	6.0	4.7	5.3	4.7	4.3	5.3
CRYSTAL BLUE LINKS	5.0	5.3	8.3	4.7	4.7	4.7	6.0	4.0	5.0	4.7	5.0	4.8
PST-ORBS	5.3	4.3	8.0	5.3	6.0	5.0	5.0	3.0	4.0	4.0	5.7	4.8
KINGDOM	8.0	3.7	9.0	4.7	6.0	5.0	5.0	2.7	3.3	4.3	5.0	4.5
NIGHTLIFE	8.0	4.3	9.0	4.3	5.7	5.3	5.0	2.7	3.7	4.0	5.0	4.5
PST-DCV6	5.0	5.0	8.7	5.0	4.7	4.7	4.3	2.7	3.0	4.3	5.3	4.3
ARMOR	7.3	2.7	9.0	4.0	5.3	4.3	4.0	2.3	3.0	4.0	4.7	4.0
GREENTIME	4.0	7.7	2.3	6.0	3.3	4.0	4.3	2.3	3.0	3.3	3.7	3.8
PENNCROSS	3.7	3.0	8.7	3.0	3.3	4.0	3.7	2.3	2.0	3.3	4.0	3.2
LSD VALUE	0.7	2.1	1.2	1.3	1.9	1.2	1.4	1.0	1.7	1.7	1.3	0.6
C.V. (%)	9.3	20.8	10.1	14.8	18.3	11.6	14.9	17.4	20.5	19.2	13.7	7.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 11.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BENTGRASS CULTIVARS IN THE
2014 NATIONAL BENTGRASS (FAIRWAY) TEST AT FARGO, ND 1/
2016 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	SPRING DENSITY	PERCENT GROUND COVER RATINGS			QUALITY RATINGS					MEAN
		SPRING	SUMMER	FALL	MAY	JUN	JUL	AUG	SEP	
SHARK	5.0	83.3	90.0	99.0	5.0	6.7	6.0	7.3	7.0	6.4
BARRACUDA	5.0	90.0	95.0	99.0	5.7	5.7	6.0	7.3	7.0	6.3
CRYSTAL BLUE LINKS	5.3	86.7	91.7	99.0	5.3	6.0	6.3	7.0	7.0	6.3
CHINOOK (H10G-OP)	5.0	83.3	91.7	96.0	5.0	6.3	6.0	6.3	6.7	6.1
KINGDOM	5.0	83.3	93.3	97.7	5.0	5.7	6.0	6.7	7.0	6.1
PIRANHA (DC-1)	5.0	83.3	90.0	95.0	5.0	6.0	6.0	6.7	7.0	6.1
007	4.0	85.0	81.7	96.3	5.3	5.7	6.0	6.7	6.3	6.0
PST-ORBS	4.0	88.3	91.7	95.0	5.3	5.7	6.0	7.0	6.0	6.0
L-93XD	4.3	78.3	83.3	90.0	4.3	5.3	6.7	6.7	6.3	5.9
PENNCROSS	5.0	85.0	86.7	90.0	5.0	5.0	6.3	7.0	6.0	5.9
V-8	4.0	80.0	91.7	99.0	4.7	5.7	6.0	6.7	6.0	5.8
PST-DCV6	4.0	81.7	91.7	95.0	4.7	5.3	6.0	6.3	6.0	5.7
DLFPS-AT/3026	4.0	75.0	83.3	95.0	4.0	4.7	6.3	6.3	6.3	5.5
MUSKET (PPG-AT 104)	4.0	78.3	88.3	96.3	4.0	5.0	6.0	6.3	6.0	5.5
NIGHTLIFE	4.0	85.0	91.7	96.0	5.0	5.3	5.0	6.0	6.0	5.5
ARMOR	5.0	73.3	80.0	90.0	4.0	5.3	5.3	5.7	6.0	5.3
GREENTIME	4.7	73.3	81.7	90.0	3.7	4.7	6.3	6.0	5.7	5.3
LSD VALUE	0.4	9.1	7.3	3.3	1.1	1.1	1.6	1.1	0.5	0.7
C.V. (%)	5.4	5.9	4.7	2.2	12.5	10.2	10.0	8.1	5.0	6.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 12.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BENTGRASS CULTIVARS IN THE
2014 NATIONAL BENTGRASS (FAIRWAY) TEST AT NORTH BRUNSWICK, NJ 1/
2016 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY FALL	MAR	APR	QUALITY RATINGS				MEAN
							MAY	JUN	SEP	OCT	
PIRANHA (DC-1)	5.7	4.7	8.0	9.0	8.0	8.3	9.0	7.7	7.7	8.3	8.2
L-93XD	5.0	4.7	8.0	8.0	8.3	7.7	8.7	7.3	7.0	6.7	7.6
007	5.7	4.0	7.0	7.3	7.3	6.3	7.3	8.0	7.0	8.0	7.3
CHINOOK (H10G-OP)	5.0	4.3	7.0	7.7	7.0	5.7	8.0	7.0	7.3	8.3	7.2
BARRACUDA	5.3	4.3	6.3	6.7	7.3	6.3	7.0	6.3	7.3	7.0	6.9
V-8	4.7	2.3	6.3	5.7	6.3	7.0	7.3	7.7	7.0	5.7	6.8
SHARK	5.0	4.0	6.3	6.3	7.0	6.3	6.3	7.0	6.7	5.0	6.4
DLFPS-AT/3026	2.3	7.0	8.3	7.0	5.3	4.7	6.7	6.3	6.3	6.0	5.9
PST-ORBS	6.3	4.0	5.7	4.7	6.0	5.3	6.7	6.3	5.3	4.0	5.6
NIGHTLIFE	8.7	2.3	5.3	5.3	6.3	5.3	6.3	5.7	4.7	4.3	5.4
CRYSTAL BLUE LINKS	6.3	3.0	5.0	6.0	6.0	5.3	4.7	4.7	6.0	5.3	5.3
PST-DCV6	5.3	4.0	4.3	4.3	6.7	4.3	5.7	7.0	4.7	3.3	5.3
MUSKET (PPG-AT 104)	2.7	6.7	7.7	7.0	4.3	3.7	6.0	7.0	5.3	5.0	5.2
KINGDOM	8.7	2.3	4.7	5.0	4.3	4.3	5.3	4.7	4.3	3.3	4.4
GREENTIME	2.0	6.0	7.3	6.0	4.0	3.0	3.3	6.3	5.0	4.3	4.3
ARMOR	8.0	2.3	5.7	4.3	4.7	4.0	5.3	4.0	3.7	2.0	3.9
PENNCROSS	4.0	2.7	3.0	3.3	4.0	2.3	3.0	2.0	3.0	1.7	2.7
LSD VALUE	0.7	1.4	1.2	1.3	1.5	1.6	1.2	1.1	1.4	1.6	0.8
C.V. (%)	9.0	22.3	12.1	13.2	15.1	19.4	12.8	12.0	15.5	19.3	9.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 13. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BENTGRASS CULTIVARS IN THE
2014 NATIONAL BENTGRASS (FAIRWAY) TEST AT LOGAN, UT 1/
2016 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS								
	SPRING GREENUP	APR	MAY	JUN	JUL	AUG	SEP	OCT	MEAN
KINGDOM	6.3	6.7	8.0	7.3	8.3	8.3	6.7	8.3	7.7
NIGHTLIFE	6.7	7.0	8.0	7.7	6.7	8.3	6.7	8.3	7.5
007	7.0	7.0	6.0	7.0	7.0	7.7	7.3	6.7	7.0
ARMOR	7.0	6.7	7.7	6.3	6.3	7.7	6.3	8.0	7.0
BARRACUDA	7.0	6.7	6.0	6.3	6.3	7.0	6.7	7.0	6.6
CRYSTAL BLUE LINKS	6.7	7.0	6.0	6.0	6.7	7.3	7.0	6.3	6.6
V-8	5.7	6.7	7.0	5.7	6.7	7.0	6.3	7.0	6.6
L-93XD	6.7	6.7	7.0	6.3	6.0	7.0	6.0	6.3	6.5
PST-DCV6	7.0	7.0	5.7	5.7	7.0	6.7	6.3	6.3	6.4
PST-ORBS	6.7	7.0	6.0	5.7	6.0	7.0	6.0	6.7	6.3
PIRANHA (DC-1)	6.3	6.3	7.0	5.7	5.3	6.0	6.0	7.0	6.2
CHINOOK (H10G-OP)	6.3	6.7	6.3	5.0	5.7	6.7	5.7	7.0	6.1
SHARK	6.3	6.7	6.0	5.3	6.3	6.3	5.3	7.0	6.1
MUSKET (PPG-AT 104)	7.3	6.0	5.3	6.0	7.3	5.3	6.3	6.0	6.0
DLFPS-AT/3026	7.3	5.7	4.7	4.3	5.7	5.0	6.3	4.7	5.2
GREENTIME	7.3	5.7	4.3	3.3	5.7	5.0	5.3	5.0	4.9
PENNCROSS	6.3	5.7	3.0	4.0	4.3	3.7	4.3	4.3	4.2
LSD VALUE	1.2	1.4	0.7	1.0	1.6	1.2	1.8	1.1	0.5
C.V. (%)	8.3	9.6	7.6	11.4	13.9	11.6	13.6	10.6	5.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 14.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BENTGRASS CULTIVARS IN THE
2014 NATIONAL BENTGRASS (FAIRWAY) TEST GROWN UNDER TRAFFIC STRESS AT BLACKSBURG, VA 1/
2016 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	PERCENT COVER	PERCENT COVER	PERCENT COVER	PERCENT COVER	QUALITY RATINGS							MEAN
	AUG_10	AUG_15	AUG_24	SEPTEMBER	MAR	MAY	JUN	JUL	AUG	SEP	OCT	
DLFPS-AT/3026	5.0	16.7	20.0	35.0	7.0	7.7	6.0	7.0	5.0	6.7	6.0	6.5
MUSKET (PPG-AT 104)	15.0	28.3	33.3	35.0	6.7	7.3	6.0	6.3	4.3	6.0	6.3	6.1
CRYSTAL BLUE LINKS	15.0	35.0	40.0	51.7	7.0	6.0	6.0	7.3	5.0	6.0	5.0	6.0
GREENTIME	6.7	15.0	21.7	45.0	6.3	6.0	6.3	6.7	4.7	6.3	6.0	6.0
PIRANHA (DC-1)	15.0	28.3	41.7	45.0	7.0	7.0	6.3	7.3	4.7	5.0	4.7	6.0
SHARK	20.0	28.3	48.3	56.7	7.0	7.7	7.0	8.0	4.3	4.7	3.7	6.0
CHINOOK (H10G-OP)	13.3	23.3	33.3	48.3	7.3	7.0	6.0	7.0	5.0	4.7	4.3	5.9
NIGHTLIFE	11.7	23.3	33.3	58.3	6.0	5.0	6.3	7.7	5.3	6.0	5.0	5.9
PENNCROSS	8.3	21.7	28.3	50.0	6.0	5.0	5.7	6.0	5.3	6.7	5.3	5.7
PST-ORBS	20.0	36.7	53.3	56.7	6.0	5.7	6.0	6.7	4.7	5.3	5.3	5.7
007	16.7	43.3	55.0	70.0	5.7	6.0	6.0	7.3	5.0	4.7	4.7	5.6
L-93XD	18.3	28.3	38.3	43.3	6.0	6.7	6.7	7.7	4.3	3.7	4.3	5.6
V-8	5.0	10.0	25.0	48.3	6.0	6.0	6.7	7.3	5.0	4.7	3.7	5.6
PST-DCV6	11.7	26.7	38.3	55.0	5.3	5.3	6.0	6.3	4.3	5.3	5.7	5.5
BARRACUDA	13.3	30.0	35.0	40.0	6.3	6.0	5.7	6.3	5.0	4.3	3.7	5.3
ARMOR	25.0	36.7	45.0	58.3	5.3	5.0	5.0	7.0	3.7	4.7	4.0	5.0
KINGDOM	20.0	33.3	46.7	63.3	5.7	5.0	5.0	7.0	4.7	4.3	3.7	5.0
LSD VALUE	32.7	70.3	77.7	74.9	4.4	1.2	1.9	3.1	3.1	3.6	1.9	2.0
C.V. (%)	76.2	75.4	62.4	44.1	21.5	11.6	12.6	14.8	20.0	26.3	20.2	12.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 15. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BENTGRASS CULTIVARS IN THE
2014 NATIONAL BENTGRASS (FAIRWAY) TEST AT PULLMAN, WA 1/
2016 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	QUALITY RATINGS							MEAN
			APR	MAY	JUN	JUL	AUG	SEP	OCT	
KINGDOM	8.0	7.0	5.0	7.7	8.0	8.0	8.0	7.3	7.0	7.3
ARMOR	8.0	7.0	5.0	7.0	8.0	7.7	7.0	7.0	7.0	7.0
NIGHTLIFE	8.0	7.0	5.0	6.7	8.0	8.0	7.7	6.7	7.0	7.0
PIRANHA (DC-1)	6.3	7.0	7.0	6.7	7.0	6.7	7.0	6.3	6.7	6.8
PST-ORBS	6.0	7.0	7.0	6.3	7.3	6.7	6.7	5.7	6.3	6.6
007	6.7	7.0	6.7	6.7	7.0	7.0	6.7	5.7	6.0	6.5
CRYSTAL BLUE LINKS	6.3	7.3	7.0	6.0	6.3	6.3	6.3	6.3	7.0	6.5
PST-DCV6	6.0	6.3	6.3	6.3	7.0	6.7	6.7	6.0	6.3	6.5
BARRACUDA	6.0	7.0	6.7	6.3	6.3	6.0	6.0	5.3	6.7	6.2
CHINOOK (H10G-OP)	6.3	6.7	6.7	6.0	6.7	6.0	6.0	6.0	6.0	6.2
SHARK	6.0	6.7	6.3	6.0	6.7	6.3	6.0	6.0	6.0	6.2
V-8	5.7	7.0	6.0	6.0	6.3	6.0	6.3	6.3	6.3	6.2
L-93XD	6.0	7.3	6.3	6.0	6.3	6.0	6.0	6.0	6.0	6.1
PENNCROSS	6.0	6.3	4.7	5.0	5.7	5.0	5.0	5.7	5.0	5.1
GREENTIME	7.0	6.7	4.0	4.3	5.3	5.0	5.0	5.0	5.0	4.8
MUSKET (PPG-AT 104)	7.0	6.7	4.0	4.0	5.3	5.3	5.0	5.0	5.0	4.8
DLFPS-AT/3026	7.0	6.7	4.0	4.0	5.0	5.0	5.0	5.0	5.0	4.7
LSD VALUE	0.5	2.1	0.6	0.5	0.9	0.8	0.5	0.9	0.6	0.3
C.V. (%)	4.9	9.4	7.2	5.9	8.7	7.7	5.2	9.2	6.5	3.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.