

TABLE 1.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BENTGRASS CULTIVARS
GROWN ON A FAIRWAY OR TEE UNDER REDUCED IRRIGATION AT RIVERSIDE, CA 1/
2017 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	QUALITY RATINGS												MEAN
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
007	7.0	6.3	6.0	6.7	7.3	6.7	6.3	6.3	6.0	6.0	6.3	6.0	6.3	6.4
L-93XD	7.0	6.0	5.7	6.0	6.7	6.0	6.3	6.7	6.3	6.7	6.7	6.0	6.0	6.3
PENNCROSS	7.0	6.3	6.3	6.7	6.7	6.7	6.0	6.3	6.0	6.0	6.0	6.3	6.0	6.3
PST-ORBS	7.0	6.3	6.0	6.0	7.0	6.7	6.3	6.7	6.0	6.3	6.0	5.7	6.3	6.3
SHARK	7.0	6.3	6.0	6.3	6.3	6.7	6.3	6.0	6.0	6.7	6.0	6.3	6.3	6.3
CHINOOK (H10G-0P)	7.3	6.0	5.7	6.0	6.0	6.7	6.0	7.0	6.3	6.7	6.0	6.0	6.0	6.2
CRYSTAL BLUE LINKS	7.7	6.0	6.0	6.3	5.7	6.3	6.3	6.3	6.3	6.3	6.3	6.0	6.0	6.2
PC2.0 (PST-0CV6)	7.7	6.0	6.0	6.3	6.3	7.0	6.0	6.3	6.0	6.0	6.3	6.0	6.0	6.2
PIRANHA (DC-1)	8.0	6.0	5.7	6.0	6.7	6.7	6.3	6.3	6.3	6.3	6.3	6.0	6.0	6.2
BARRACUDA	7.3	6.0	6.0	6.3	6.3	6.3	5.7	6.0	6.3	6.3	6.0	6.0	6.0	6.1
KINGDOM	8.0	5.7	6.0	6.0	6.7	6.3	6.0	6.3	5.7	6.0	6.0	6.0	6.0	6.1
NIGHTLIFE	8.0	5.7	6.0	6.0	6.3	6.7	6.3	6.3	6.0	6.3	6.3	5.7	5.0	6.1
ARMOR	8.0	6.0	5.7	5.7	6.0	6.0	5.7	6.3	6.3	6.3	5.7	6.0	6.0	6.0
DLFPS-AT/3026	7.0	6.0	5.7	5.7	6.0	6.0	5.7	6.3	6.0	5.7	5.3	6.0	6.0	5.9
MUSKET (PPG-AT 104)	7.0	6.0	5.7	5.7	6.0	6.0	5.7	6.0	6.0	6.0	6.0	6.0	6.0	5.9
V-8	7.0	5.7	5.7	5.7	6.7	6.7	5.7	6.0	6.0	6.0	5.7	6.0	5.7	5.9
GREENTIME	7.3	5.3	5.3	6.0	6.0	6.0	5.7	6.3	5.7	6.3	5.3	5.7	6.0	5.8
LSD VALUE	0.5	1.0	1.3	1.0	1.2	1.1	2.0	1.8	2.0	2.1	1.2	1.3	0.5	0.5
C.V. (%)	4.2	6.7	7.4	7.2	8.4	7.1	10.2	8.8	9.3	10.2	8.4	6.8	4.7	3.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 2. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BENTGRASS CULTIVARS IN THE 2014 NATIONAL BENTGRASS (FAIRWAY) TEST AT AMES, IA 1/ 2017 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	DOLLAR SPOT	BROWN PATCH WARM TEMP	QUALITY RATINGS							MEAN
				APR	MAY	JUN	JUL	AUG	SEP	OCT	
CHINOOK (H10G-OP)	8.0	7.7	9.0	6.3	7.0	7.3	7.3	7.0	6.7	7.0	7.0
CRYSTAL BLUE LINKS	6.7	7.7	9.0	5.3	6.0	7.0	8.0	6.7	7.0	7.3	6.8
NIGHTLIFE	8.3	7.3	9.0	6.0	6.7	6.3	6.7	7.3	6.7	7.0	6.7
V-8	7.7	7.0	9.0	5.7	7.0	6.7	7.0	6.7	6.7	7.3	6.7
PENNCROSS	7.0	6.3	8.3	5.0	5.7	6.3	8.0	6.3	8.0	6.3	6.5
GREENTIME	7.0	7.0	8.0	5.7	6.0	6.3	5.7	6.3	7.3	7.3	6.4
PST-ORBS	7.3	6.3	7.3	5.7	6.3	6.3	7.0	6.7	6.3	6.7	6.4
ARMOR	8.0	7.0	9.0	6.0	6.3	6.3	6.3	6.0	6.7	6.3	6.3
BARRACUDA	6.3	8.3	8.7	5.7	6.3	5.3	6.3	7.3	5.7	7.3	6.3
KINGDOM	9.0	7.7	9.0	4.7	6.3	6.3	6.7	7.0	6.0	7.0	6.3
PST-OCV6	7.3	6.0	8.7	5.3	5.7	6.3	7.7	6.3	6.3	6.3	6.3
SHARK	7.0	6.7	9.0	5.7	6.3	7.3	6.0	6.0	5.3	6.0	6.1
007	7.3	8.0	8.0	5.3	6.3	6.3	6.7	6.3	5.0	6.3	6.0
PIRANHA (DC-1)	8.3	8.0	9.0	6.3	6.7	5.7	5.3	6.0	5.7	6.3	6.0
L-93XD	6.0	8.3	9.0	6.7	5.7	6.0	5.3	5.7	5.3	5.3	5.7
DLFPS-AT/3026	6.3	8.7	8.3	5.7	6.0	5.3	5.0	5.3	5.7	6.0	5.6
MUSKET (PPG-AT 104)	7.0	7.3	5.0	5.3	5.0	5.7	5.3	5.3	6.0	6.0	5.5
LSD VALUE	1.5	1.4	2.3	2.8	2.6	3.2	2.0	1.6	2.0	2.3	1.2
C.V. (%)	10.7	10.3	13.4	16.3	14.5	17.1	15.8	11.4	15.2	13.6	8.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 3. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BENTGRASS CULTIVARS IN THE
2014 NATIONAL BENTGRASS (FAIRWAY) TEST AT URBANA, IL 1/
2017 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	FALL COLOR NOVEMBER	QUALITY RATINGS							MEAN
				APR	MAY	JUN	JUL	AUG	SEP	OCT	
KINGDOM	7.7	8.0	7.3	8.0	8.7	8.0	8.0	8.7	6.3	8.3	8.0
NIGHTLIFE	8.0	8.0	7.7	7.7	8.7	7.3	8.0	8.7	6.7	8.3	7.9
ARMOR	7.0	8.0	7.0	8.0	8.0	7.7	8.0	8.3	6.0	7.7	7.7
CRYSTAL BLUE LINKS	7.7	7.3	7.3	7.0	8.0	7.3	7.0	7.7	7.0	9.0	7.6
PST-OCV6	7.0	7.3	7.3	7.3	8.0	7.0	7.3	8.0	6.7	8.7	7.6
007	7.3	7.7	7.7	8.0	8.7	6.0	7.0	7.7	6.7	8.3	7.5
BARRACUDA	7.7	7.3	7.7	7.7	8.0	6.3	7.3	7.0	6.7	8.3	7.3
PIRANHA (DC-1)	7.0	7.7	7.0	7.3	8.0	6.7	6.7	8.0	6.0	8.3	7.3
SHARK	7.7	7.7	7.7	8.3	8.0	6.3	7.0	7.3	6.3	7.7	7.3
CHINOOK (H10G-OP)	7.7	7.3	7.7	7.7	8.7	6.3	7.3	6.7	6.0	7.7	7.2
L-93XD	7.3	7.0	7.3	8.0	7.3	6.7	7.0	7.0	6.3	8.0	7.2
PENNCROSS	7.0	7.0	8.0	7.3	8.7	5.7	6.7	7.0	6.7	8.7	7.2
V-8	7.3	7.3	7.0	7.7	7.0	7.0	7.3	7.0	6.3	8.0	7.2
GREENTIME	6.7	7.3	7.3	8.0	7.0	6.7	7.3	6.7	6.3	8.0	7.1
PST-ORBS	7.7	7.3	7.7	7.3	8.0	6.3	8.0	7.3	5.3	7.7	7.1
DLFPS-AT/3026	6.0	7.0	7.7	8.0	8.0	5.0	6.7	6.0	5.7	7.7	6.7
MUSKET (PPG-AT 104)	6.0	7.3	6.3	7.7	7.0	6.0	6.3	6.3	5.3	7.3	6.6
LSD VALUE	0.8	0.8	1.1	1.0	0.5	1.1	1.1	1.8	1.0	1.0	0.5
C.V. (%)	6.3	5.1	6.8	5.9	4.3	9.6	7.8	12.0	8.1	6.1	3.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 4. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BENTGRASS CULTIVARS IN THE 2014 NATIONAL BENTGRASS (FAIRWAY) TEST AT WEST LAFAYETTE, IN 1/ 2017 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	LEAF TEXTURE	SUMMER DENSITY	MOW QUALITY	QUALITY RATINGS							MEAN
					MAY	JUN	JUL	AUG	SEP	OCT	NOV	
NIGHTLIFE	8.0	7.7	8.0	7.3	7.3	8.0	8.3	8.0	7.0	7.7	6.0	7.5
PST-OCV6	6.7	7.7	7.7	7.0	7.7	8.3	7.7	7.3	7.0	7.0	6.0	7.3
ARMOR	8.3	7.3	8.7	6.0	6.3	7.3	7.7	7.7	7.0	7.3	7.3	7.2
CHINOOK (H10G-OP)	7.0	6.7	8.3	6.3	6.7	7.0	7.0	7.3	6.3	7.3	5.7	6.8
V-8	6.7	7.0	8.0	6.7	6.0	6.7	7.0	7.7	7.0	7.3	6.0	6.8
BARRACUDA	7.0	7.0	7.3	6.7	5.7	6.7	7.0	7.7	6.7	6.7	6.3	6.7
L-93XD	6.7	7.0	8.0	5.7	6.0	7.0	7.0	7.7	6.3	6.7	6.0	6.7
PST-ORBS	7.3	7.7	8.7	4.3	5.7	6.7	7.3	7.3	6.0	7.3	5.7	6.6
CRYSTAL BLUE LINKS	6.3	6.7	7.3	6.7	6.3	6.3	6.7	7.3	6.7	6.7	5.3	6.5
KINGDOM	8.3	7.3	8.0	5.0	5.7	6.7	7.0	7.0	6.3	7.0	6.0	6.5
PIRANHA (DC-1)	7.0	7.7	8.0	5.0	5.7	7.0	7.0	6.7	7.0	6.7	5.3	6.5
007	7.0	7.3	9.0	4.7	5.0	6.7	7.0	7.0	6.3	7.3	5.7	6.4
SHARK	6.7	7.0	8.0	5.3	6.0	6.7	7.0	7.0	6.0	6.3	6.0	6.4
MUSKET (PPG-AT 104)	5.3	7.3	7.7	6.7	6.0	6.7	6.0	6.3	6.7	5.7	6.3	6.2
DLFPS-AT/3026	5.3	6.3	7.3	8.0	5.7	6.0	6.3	6.7	6.3	5.3	4.7	5.9
PENNCROSS	6.7	5.0	5.7	8.3	5.7	6.3	6.3	6.3	5.7	5.7	5.0	5.9
GREENTIME	7.7	6.7	7.0	7.3	5.3	5.3	5.7	6.3	5.0	5.7	4.3	5.4
LSD VALUE	0.7	1.2	0.8	2.0	2.3	2.0	1.0	1.4	1.6	1.0	1.6	0.7
C.V. (%)	6.1	9.4	6.6	17.2	15.7	12.9	8.3	8.9	10.8	9.0	13.6	6.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5. MEAN TURFGRASS QUALITY RATINGS OF BENTGRASS CULTIVARS IN THE 2014 NATIONAL BENTGRASS (FAIRWAY) TEST AT MANHATTAN, KS 1/ 2017 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS						MEAN
	APR	MAY	JUN	JUL	AUG	OCT	
L-93XD	5.7	6.0	6.0	5.7	6.7	7.7	6.3
CRYSTAL BLUE LINKS	5.0	6.0	6.7	6.0	6.3	7.3	6.2
CHINOOK (H10G-OP)	6.7	6.0	6.3	5.3	5.3	7.0	6.1
GREENTIME	4.3	6.3	6.0	5.7	6.3	6.7	5.9
007	5.0	6.0	5.7	5.3	6.7	6.3	5.8
DLFPS-AT/3026	3.7	5.3	6.3	6.0	6.7	7.0	5.8
PENNCROSS	4.0	5.7	6.3	5.7	6.7	6.3	5.8
SHARK	6.0	5.3	5.7	5.3	6.0	6.3	5.8
V-8	6.0	6.3	5.7	5.0	5.7	6.0	5.8
ARMOR	5.0	5.3	5.7	5.3	5.7	7.0	5.7
MUSKET (PPG-AT 104)	5.0	6.0	5.7	5.7	5.7	6.3	5.7
PIRANHA (DC-1)	6.0	5.3	5.7	4.3	5.3	7.3	5.7
BARRACUDA	5.7	5.3	5.0	4.7	6.0	6.7	5.6
NIGHTLIFE	5.0	6.3	5.3	5.0	6.0	6.0	5.6
PST-OCV6	3.3	5.0	6.0	6.0	6.3	6.3	5.5
KINGDOM	5.0	5.3	5.7	4.7	5.3	6.3	5.4
PST-ORBS	4.0	4.7	4.7	4.3	5.7	7.3	5.1
LSD VALUE	1.8	3.0	3.6	4.0	4.7	2.5	2.7
C.V. (%)	18.5	17.2	18.9	22.8	21.9	13.2	13.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 6. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BENTGRASS CULTIVARS IN THE
2014 NATIONAL BENTGRASS (FAIRWAY) TEST AT LEXINGTON, KY 1/
2017 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS							MEAN
	APR	MAY	JUN	JUL	AUG	SEP	OCT	
BARRACUDA	7.3	7.7	7.3	7.3	9.0	8.3	7.7	7.8
CHINOOK (H10G-OP)	7.0	7.7	7.3	7.7	9.0	8.3	7.3	7.8
007	7.0	7.0	7.7	8.0	9.0	7.7	7.7	7.7
ARMOR	7.0	7.3	7.3	8.0	8.7	8.0	7.3	7.7
NIGHTLIFE	7.3	7.3	7.3	7.3	8.7	8.3	7.7	7.7
PIRANHA (DC-1)	7.0	7.0	8.0	7.3	9.0	8.0	7.3	7.7
CRYSTAL BLUE LINKS	7.0	7.0	7.7	7.7	8.3	8.0	7.7	7.6
MUSKET (PPG-AT 104)	8.0	8.0	8.0	6.3	8.0	6.7	7.7	7.5
SHARK	7.0	7.0	7.3	7.7	8.7	7.7	7.3	7.5
KINGDOM	7.0	7.0	7.0	7.3	8.3	8.3	7.0	7.4
L-93XD	6.7	6.7	7.3	7.3	8.7	7.7	7.3	7.4
PST-OCV6	7.0	7.3	7.3	7.0	8.3	7.7	7.3	7.4
PST-ORBS	7.3	7.3	7.0	7.0	8.3	7.7	7.0	7.4
V-8	6.3	6.7	7.3	7.3	8.7	7.7	8.0	7.4
DLFPS-AT/3026	7.3	7.7	7.3	6.0	8.0	7.0	7.0	7.2
GREENTIME	7.7	7.0	7.3	6.0	8.0	7.0	7.3	7.2
PENNCROSS	6.7	7.0	7.0	6.7	8.3	7.3	7.3	7.2
LSD VALUE	1.0	0.7	1.4	0.9	0.8	0.9	1.2	0.4
C.V. (%)	6.6	5.4	6.6	7.5	4.5	6.5	5.9	2.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 7.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BENTGRASS CULTIVARS IN THE
2014 NATIONAL BENTGRASS (FAIRWAY) TEST GROWN UNDER TRAFFIC STRESS AT AMHERST, MA 1/
2016 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	SPRING GREENUP	WEAR TOLERANCE RATINGS						QUALITY RATINGS					MEAN
		MAY	JULY	SEPTEMBER	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	
MUSKET (PPG-AT 104)	6.0	6.0	5.3	3.7	4.0	6.3	7.0	6.3	6.0	6.3	6.7	5.3	6.0
DLFPS-AT/3026	6.7	6.0	5.0	4.0	4.0	6.3	7.0	6.7	6.7	5.7	5.7	5.0	5.9
PIRANHA (DC-1)	4.7	6.7	5.3	7.0	2.3	5.7	6.0	6.3	6.7	6.0	6.7	6.7	5.8
KINGDOM	3.0	6.7	7.3	7.3	2.0	5.7	5.0	6.7	6.7	5.3	6.7	7.0	5.6
L-93XD	4.0	5.0	4.7	5.3	2.3	6.0	6.0	6.3	5.7	5.7	5.7	6.3	5.5
NIGHTLIFE	3.3	6.3	7.0	7.7	2.0	5.3	5.0	6.3	6.7	6.0	6.0	6.3	5.5
007	3.3	5.3	4.7	6.7	2.3	5.7	5.7	6.3	5.7	5.3	6.0	5.3	5.3
ARMOR	3.3	5.7	6.0	6.7	2.0	6.0	5.0	6.3	5.7	5.3	6.0	5.7	5.3
CHINOOK (H10G-OP)	5.0	5.3	4.7	6.0	2.3	5.3	6.0	6.7	5.0	5.7	6.0	5.7	5.3
V-8	2.7	5.0	4.7	5.7	2.0	5.0	5.0	5.7	5.7	5.3	6.7	6.0	5.2
GREENTIME	4.0	6.0	5.3	4.3	4.0	5.7	5.3	5.3	5.3	5.0	5.3	4.7	5.1
PST-DCV6	5.0	5.0	4.3	6.0	3.0	5.0	5.0	6.0	5.3	5.3	6.0	5.0	5.1
SHARK	3.0	4.7	4.7	7.0	2.0	5.0	5.7	6.3	5.3	5.3	5.7	5.7	5.1
BARRACUDA	4.0	4.7	5.0	6.0	2.7	5.0	5.3	5.3	5.3	5.0	5.3	5.3	4.9
PST-ORBS	4.0	4.0	4.0	6.0	2.3	5.3	5.0	6.0	5.0	5.0	5.3	5.0	4.9
CRYSTAL BLUE LINKS	3.0	5.0	4.0	5.3	2.3	4.7	4.3	5.0	5.0	4.7	5.0	4.7	4.5
PENNCROSS	2.7	3.7	3.7	3.7	1.7	4.0	4.0	4.0	4.0	4.0	4.0	4.0	3.7
LSD VALUE	0.9	0.9	0.6	0.8	0.6	0.8	0.4	0.9	0.7	0.8	0.7	0.7	0.4
C.V. (%)	14.6	10.8	8.1	9.3	16.0	8.4	5.5	8.6	7.7	8.9	7.8	7.8	4.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 8. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BENTGRASS CULTIVARS IN THE 2014 NATIONAL BENTGRASS (FAIRWAY) TEST AT COLLEGE PARK, MD 1/ 2017 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	DOLLAR SPOT	QUALITY RATINGS							
		MAY	JUN	JUL	AUG	SEP	OCT	NOV	MEAN
PIRANHA (DC-1)	6.3	6.0	7.0	7.7	7.3	7.3	8.0	9.0	7.5
CHINOOK (H10G-OP)	8.0	6.0	6.7	7.7	7.0	7.0	8.0	9.0	7.3
L-93XD	7.3	6.3	7.3	7.0	7.0	7.0	7.7	8.7	7.3
BARRACUDA	5.3	5.7	6.7	7.3	7.0	6.3	7.0	8.3	6.9
SHARK	4.7	5.0	7.0	7.0	6.3	6.0	6.7	8.0	6.6
MUSKET (PPG-AT 104)	7.7	6.3	7.0	6.7	6.0	5.0	6.7	7.7	6.5
007	6.7	4.7	5.7	7.0	6.3	6.0	6.7	8.3	6.4
DLFPS-AT/3026	8.0	6.7	6.7	6.7	6.0	5.0	6.3	7.3	6.4
V-8	6.0	4.3	5.7	6.0	5.7	5.0	6.0	7.3	5.7
NIGHTLIFE	4.7	4.7	6.0	6.0	5.3	4.7	5.3	7.3	5.6
CRYSTAL BLUE LINKS	6.7	5.3	5.7	6.0	5.0	3.7	5.0	7.0	5.4
PST-OCV6	6.3	5.0	5.3	5.3	4.7	4.0	5.3	7.0	5.2
KINGDOM	5.7	3.7	4.0	4.3	4.3	4.0	5.0	6.3	4.5
ARMOR	4.0	3.0	4.0	4.3	3.7	3.7	4.7	6.7	4.3
PST-ORBS	5.7	3.3	4.0	4.0	4.0	3.7	4.3	5.7	4.1
GREENTIME	6.0	3.3	3.0	3.3	3.0	3.0	3.7	5.0	3.5
PENNCROSS	5.7	2.7	3.0	2.7	2.7	2.0	3.0	4.7	3.0
LSD VALUE	1.8	1.1	0.8	0.9	0.8	0.7	0.8	0.9	0.6
C.V. (%)	16.5	14.1	9.4	10.4	10.4	9.9	8.8	7.9	6.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 9.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BENTGRASS CULTIVARS IN THE
2014 NATIONAL BENTGRASS (FAIRWAY) TEST AT EAST LANSING, MI 1/
2017 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	QUALITY RATINGS							MEAN
			MAY	JUN	JUL	AUG	SEP	OCT		
CHINOOK (H10G-OP)	7.3	6.0	6.0	6.3	7.3	7.7	7.0	7.3	6.9	
BARRACUDA	7.0	5.3	5.3	6.0	7.7	7.3	7.0	7.3	6.8	
SHARK	7.0	5.7	6.0	6.0	7.3	7.3	7.0	7.0	6.8	
PST-OCV6	7.0	6.7	5.7	6.0	7.0	7.3	6.7	6.7	6.6	
V-8	7.3	6.7	5.7	6.0	7.3	7.0	6.7	6.7	6.6	
007	7.0	5.0	4.7	6.0	6.7	7.7	7.0	7.0	6.5	
CRYSTAL BLUE LINKS	7.0	6.7	5.7	6.0	7.3	7.0	6.3	6.7	6.5	
NIGHTLIFE	7.7	5.7	5.7	5.7	7.3	7.3	6.0	7.0	6.5	
GREENTIME	6.7	6.3	5.7	6.0	6.7	7.0	6.3	6.7	6.4	
KINGDOM	7.7	6.3	5.7	5.7	7.0	7.3	6.3	6.7	6.4	
PST-ORBS	7.0	6.0	5.3	6.0	7.0	7.3	6.3	6.7	6.4	
ARMOR	7.3	6.0	5.0	6.0	6.7	7.3	6.3	6.7	6.3	
DLFPS-AT/3026	6.0	6.3	6.3	5.7	6.3	6.0	6.0	6.3	6.1	
MUSKET (PPG-AT 104)	6.3	6.0	6.0	5.3	5.3	6.3	6.0	6.3	5.9	
PIRANHA (DC-1)	7.0	3.7	4.7	5.0	5.3	6.7	6.7	7.0	5.9	
L-93XD	7.0	4.0	4.3	5.0	5.7	7.0	6.3	6.7	5.8	
PENNCROSS	7.0	6.7	5.3	5.7	6.0	6.3	5.3	5.7	5.7	
LSD VALUE	0.7	2.3	1.1	0.9	1.3	0.9	1.1	0.8	0.6	
C.V. (%)	5.3	18.5	10.5	7.3	10.5	6.8	8.1	5.9	4.9	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 10.

MEAN TURFGRASS QUALITY RATINGS OF BENTGRASS CULTIVARS IN THE
2014 NATIONAL BENTGRASS (FAIRWAY) TEST AT COLUMBIA, MO 1/
2017 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS								MEAN
	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	
BARRACUDA	5.7	6.3	6.0	5.7	5.7	6.0	6.0	5.7	5.9
PST-OCV6	4.7	5.0	6.0	6.3	6.3	5.7	6.3	6.7	5.9
PST-ORBS	5.3	5.7	6.0	6.7	5.7	5.3	6.0	6.3	5.9
CRYSTAL BLUE LINKS	5.7	5.3	5.3	6.3	6.3	5.3	5.7	6.3	5.8
KINGDOM	6.0	6.0	6.3	6.7	5.0	5.0	6.0	5.7	5.8
PIRANHA (DC-1)	5.7	7.0	5.7	5.3	4.7	5.7	6.0	6.7	5.8
V-8	5.0	6.0	5.0	6.3	5.3	5.3	6.3	7.0	5.8
007	6.0	7.0	5.7	5.7	5.0	4.7	5.7	6.0	5.7
NIGHTLIFE	5.7	6.0	6.0	6.0	5.7	5.3	5.3	5.3	5.7
ARMOR	4.7	5.3	5.3	5.7	5.3	5.3	5.7	6.3	5.5
L-93XD	5.0	6.3	5.0	5.0	4.3	4.7	5.7	6.3	5.3
DLFPS-AT/3026	6.0	5.7	5.0	4.7	6.0	4.3	5.0	5.0	5.2
SHARK	5.0	5.7	5.7	5.0	5.0	4.3	5.3	5.3	5.2
CHINOOK (H10G-OP)	5.3	6.0	5.3	5.0	4.7	4.3	5.0	5.0	5.1
MUSKET (PPG-AT 104)	5.3	4.7	5.0	5.3	5.0	4.3	5.0	5.3	5.0
PENNCROSS	3.7	3.3	3.3	3.3	3.0	3.7	4.0	4.0	3.5
GREENTIME	3.7	3.0	3.3	3.7	3.0	3.0	3.7	3.7	3.4
LSD VALUE	1.3	1.2	1.2	1.3	1.5	3.4	1.8	2.9	1.1
C.V. (%)	13.7	12.9	13.2	13.9	16.5	25.9	15.9	21.7	11.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 11.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BENTGRASS CULTIVARS
GROWN ON A FAIRWAY OR TEE UNDER REDUCED IRRIGATION AT FARGO, ND 1/
2017 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	SPRING	SUMMER	FALL	PERCENT GROUND COVER			QUALITY RATINGS					MEAN
	DENSITY	DENSITY	DENSITY	SPRING	SUMMER	FALL	MAY	JUN	JUL	AUG	SEP	
KINGDOM	5.0	6	7.0	93.3	93.3	99.0	5.7	6.0	6.7	7.0	7.3	6.5
SHARK	5.0	6	7.0	95.0	99.0	99.0	6.7	6.7	6.0	7.3	6.0	6.5
PST-ORBS	4.0	6	7.0	95.0	95.0	99.0	5.7	6.0	6.0	7.0	7.0	6.3
CRYSTAL BLUE LINKS	6.0	6	7.0	90.0	95.0	99.0	6.0	6.0	6.0	7.0	6.0	6.2
PIRANHA (DC-1)	5.0	6	6.0	93.3	95.0	99.0	6.0	6.0	6.0	7.0	6.0	6.2
007	4.0	6	6.0	95.0	95.0	96.3	5.7	5.7	6.0	6.7	6.3	6.1
CHINOOK (H10G-OP)	5.0	6	7.0	90.0	95.0	96.0	6.3	6.0	6.0	6.3	6.0	6.1
L-93XD	5.0	6	7.0	85.0	90.0	95.0	5.3	5.3	6.0	7.0	7.0	6.1
MUSKET (PPG-AT 104)	4.0	5	7.0	85.0	95.0	99.0	4.7	5.3	6.0	7.0	7.7	6.1
PENNCROSS	5.3	6	6.0	95.0	90.0	99.0	4.7	5.7	7.0	7.0	6.0	6.1
PST-OCV6	4.0	6	6.3	95.0	99.0	99.0	5.3	5.3	6.7	7.0	6.3	6.1
ARMOR	5.0	6	6.0	83.3	90.0	95.0	5.3	5.3	6.3	6.0	6.3	5.9
BARRACUDA	5.0	6	7.0	93.3	99.0	99.0	5.7	5.7	5.0	7.0	6.0	5.9
DLFPS-AT/3026	4.0	6	6.0	85.0	95.0	95.0	4.7	5.7	6.3	6.3	6.3	5.9
NIGHTLIFE	4.0	5	7.0	88.3	95.0	99.0	5.0	5.3	6.0	6.0	7.0	5.9
V-8	4.0	6	7.0	93.3	95.0	99.0	5.7	5.7	5.0	6.7	6.0	5.8
GREENTIME	4.7	5	7.0	83.3	91.7	95.0	4.7	5.0	6.0	6.3	6.7	5.7
LSD VALUE	0.3	0	0.2	4.6	1.5	2.3	0.8	0.9	0.4	0.6	0.6	0.4
C.V. (%)	4.4	0	2.1	3.2	1.1	1.4	9.0	7.8	4.7	4.9	5.8	3.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 12.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BENTGRASS CULTIVARS IN THE
2014 NATIONAL BENTGRASS (FAIRWAY) TEST AT NORTH BRUNSWICK, NJ 1/
2017 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS													MEAN
	SPRING GREENUP	LEAF TEXTURE	FALL DENSITY	DOLLAR SPOT	ANTHRACNOSE	COLOR NOVEMBER	APR	MAY	JUN	JUL	AUG	SEP	OCT	
PIRANHA (DC-1)	8.0	8.0	7.3	9.0	7.0	8.0	7.7	8.7	7.7	6.0	8.0	7.7	8.0	7.7
CHINOOK (H10G-OP)	6.7	6.3	6.7	9.0	7.3	8.0	7.0	8.0	7.0	6.7	7.3	7.3	7.0	7.2
DLFPS-AT/3026	3.7	7.0	6.7	8.0	9.0	3.7	5.0	6.3	7.0	6.3	8.0	7.0	7.0	6.7
V-8	5.7	6.3	5.7	7.3	8.7	6.3	5.3	7.0	7.3	5.7	7.7	6.0	7.0	6.6
007	5.7	6.7	6.3	7.3	6.3	7.3	6.3	7.3	6.0	5.0	6.7	6.3	7.0	6.4
BARRACUDA	6.0	7.0	6.3	6.7	6.7	6.0	6.3	6.0	6.3	5.0	8.0	7.3	6.0	6.4
MUSKET (PPG-AT 104)	4.7	7.3	5.7	8.3	9.0	3.0	5.7	6.0	7.0	6.3	7.3	6.0	6.3	6.4
SHARK	4.3	5.7	5.3	5.3	8.0	5.3	5.7	6.3	6.0	6.3	7.7	6.7	6.0	6.4
L-93XD	6.7	6.7	6.0	7.0	8.7	6.7	5.3	7.0	5.7	5.3	6.7	7.3	6.0	6.2
CRYSTAL BLUE LINKS	7.0	5.0	4.7	5.7	4.3	5.0	6.3	6.0	6.3	5.0	4.7	4.0	4.7	5.3
GREENTIME	5.7	5.0	4.7	4.7	9.0	3.7	4.0	4.0	6.3	5.0	6.3	5.7	4.7	5.1
NIGHTLIFE	3.7	5.0	5.0	4.7	6.7	5.0	5.0	4.7	4.7	4.3	5.0	3.7	3.7	4.4
PST-OCV6	5.3	4.7	4.0	1.7	9.0	4.7	5.0	3.0	3.3	5.3	4.7	4.3	4.3	4.3
KINGDOM	4.0	5.0	5.7	5.3	6.0	5.7	4.0	4.3	4.3	4.0	4.3	4.0	4.3	4.2
PST-ORBS	4.0	5.7	4.7	1.3	5.3	4.7	4.0	3.7	4.0	4.3	5.0	4.0	4.7	4.2
ARMOR	4.0	5.7	5.7	1.7	7.3	5.7	2.3	3.3	3.7	4.7	4.0	4.0	4.3	3.8
PENNCROSS	4.0	3.7	4.0	2.3	3.3	3.7	4.7	3.0	4.3	5.3	1.7	3.0	2.7	3.5
LSD VALUE	3.0	1.1	1.4	2.0	2.1	1.3	1.4	1.5	1.8	1.4	1.8	2.2	1.5	1.0
C.V. (%)	28.3	11.8	14.8	22.5	17.6	15.4	16.7	17.1	18.5	14.1	18.4	22.8	17.2	11.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 13.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BENTGRASS CULTIVARS
GROWN ON A FAIRWAY OR TEE UNDER REDUCED IRRIGATION AT LOGAN, UT 1/
2017 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	SPRING	QUALITY RATINGS							
	GREENUP	APR	MAY	JUN	JUL	AUG	SEP	OCT	MEAN
MUSKET (PPG-AT 104)	7.0	5.0	7.3	6.0	7.0	6.7	5.7	5.7	6.2
NIGHTLIFE	6.7	6.0	8.7	4.0	6.0	6.0	6.0	6.0	6.1
DLFPS-AT/3026	7.0	5.7	7.3	6.0	6.7	6.0	5.3	4.7	6.0
ARMOR	7.3	5.3	8.0	4.0	6.0	6.0	6.3	5.3	5.9
KINGDOM	6.3	5.7	9.0	5.0	6.0	5.0	5.7	4.7	5.9
CRYSTAL BLUE LINKS	6.7	6.0	7.0	3.7	6.0	5.3	5.0	6.0	5.6
PIRANHA (DC-1)	6.7	6.3	7.7	3.7	6.0	4.7	5.0	5.3	5.5
SHARK	6.7	5.7	6.7	3.0	4.7	6.0	5.3	5.7	5.3
CHINOOK (H10G-OP)	7.0	5.7	7.3	3.3	5.0	5.0	5.0	5.0	5.2
V-8	6.0	6.0	7.3	3.3	5.7	4.7	4.3	5.3	5.2
BARRACUDA	7.0	5.3	7.3	3.3	5.7	5.3	4.0	4.7	5.1
PST-OCV6	6.7	5.7	7.3	3.3	5.3	4.7	4.0	4.7	5.0
PST-ORBS	6.3	5.0	7.0	3.0	4.7	5.0	4.7	5.3	5.0
007	6.3	6.0	6.7	2.3	4.3	4.7	4.7	4.7	4.8
PENNCROSS	5.7	4.3	5.0	2.0	5.3	5.3	5.3	5.0	4.6
GREENTIME	6.3	5.0	5.0	2.0	3.7	4.7	4.7	4.7	4.2
L-93XD	7.0	5.3	7.0	3.0	3.7	3.7	3.7	3.3	4.2
LSD VALUE	1.0	1.1	1.0	0.9	1.5	2.6	1.9	2.9	0.9
C.V. (%)	7.5	10.0	8.4	17.0	15.7	20.1	18.0	20.9	9.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 14.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BENTGRASS CULTIVARS
GROWN UNDER TRAFFIC STRESS AT BLACKSBURG, VA 1/
2017 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	DISEASE JULY	QUALITY RATINGS BEFORE TRAFFIC (APR-AUG)				QUALITY RATINGS FOR TRAFFIC				QUALITY RATINGS FOR DIVOT				MEAN
		APR	JUN	JUL	AUG	SEP	OCT_11	OCT_25	NOV	SEP	OCT_11	OCT_25	NOV	
GREENTIME	9.0	6.0	7.7	7.0	7.3	6.0	6.7	7.3	7.0	7.3	7.7	8.0	7.7	7.1
CRYSTAL BLUE LINKS	7.0	6.7	6.7	6.0	7.7	6.3	6.0	7.3	7.0	6.7	7.7	7.7	7.3	6.9
DLFPS-AT/3026	7.0	7.0	6.3	6.7	7.3	4.3	6.0	7.0	6.3	7.7	8.0	8.0	8.0	6.9
PENNCROSS	8.7	6.0	7.3	6.7	7.3	5.3	5.3	6.7	7.3	7.3	7.3	7.7	7.3	6.8
MUSKET (PPG-AT 104)	8.0	7.0	6.3	6.0	7.7	5.3	6.0	7.0	6.7	7.0	6.7	7.3	7.3	6.7
V-8	7.0	5.7	6.3	6.0	7.3	5.7	5.7	7.0	7.0	7.0	7.0	8.0	7.3	6.7
PST-ORBS	6.3	6.3	6.0	6.0	7.3	5.3	5.7	7.0	7.0	7.0	7.0	7.3	7.0	6.6
SHARK	5.7	7.0	5.3	5.0	7.0	5.3	6.0	7.0	7.0	7.0	7.0	8.0	7.3	6.6
ARMOR	6.7	6.0	6.3	5.7	6.3	5.3	5.7	7.0	7.0	6.7	6.7	7.7	7.0	6.4
KINGDOM	6.7	6.0	6.0	5.3	6.0	5.3	6.0	7.3	7.0	6.7	7.0	7.7	7.0	6.4
NIGHTLIFE	5.3	6.3	5.7	5.0	5.7	5.7	6.0	7.3	7.0	6.7	6.7	7.7	7.0	6.4
PC2.0 (PST-OCV6)	7.3	6.0	6.3	5.3	6.7	4.7	5.7	7.0	7.0	6.7	7.0	7.7	7.0	6.4
007	6.3	6.3	5.7	5.0	6.7	5.0	5.0	6.7	6.7	7.0	7.3	7.3	7.3	6.3
BARRACUDA	7.0	6.0	6.3	5.7	6.3	4.7	5.3	6.7	6.7	6.7	6.7	7.3	7.3	6.3
L-93XD	6.7	6.0	6.0	5.3	6.7	5.0	5.3	6.7	6.3	6.7	6.7	7.3	7.3	6.3
PIRANHA (DC-1)	6.3	7.0	5.3	5.3	7.0	4.7	4.7	6.7	6.3	6.3	6.7	7.3	7.3	6.2
CHINOOK (H10G-OP)	5.3	6.7	5.3	4.0	5.7	5.3	5.7	7.0	6.7	6.7	6.3	7.3	7.0	6.1
LSD VALUE	2.5	0.8	1.1	1.3	1.6	1.5	1.6	2.0	0.9	1.3	0.8	1.3	1.2	0.4
C.V. (%)	17.3	6.6	9.6	12.5	11.1	12.5	11.3	8.4	5.7	7.2	6.0	6.0	5.9	3.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 15. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BENTGRASS CULTIVARS IN THE 2014 NATIONAL BENTGRASS (FAIRWAY) TEST AT PULLMAN, WA 1/ 2017 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC	QUALITY RATINGS							MEAN
	COLOR	MAY	JUN	JUL	AUG	SEP	OCT		
KINGDOM	8.0	7.7	7.7	7.0	7.3	7.7	7.0	7.4	
NIGHTLIFE	7.7	7.0	7.0	6.7	7.0	8.0	7.0	7.1	
ARMOR	8.0	7.0	7.0	7.0	7.0	7.0	6.7	6.9	
007	6.0	7.0	7.0	6.0	6.0	6.3	6.3	6.4	
PIRANHA (DC-1)	6.0	6.7	6.3	6.0	6.3	6.7	6.7	6.4	
PST-ORBS	5.0	6.7	6.3	5.7	6.0	6.7	6.7	6.3	
CRYSTAL BLUE LINKS	5.7	6.7	6.7	6.0	6.0	6.0	6.0	6.2	
PST-OCV6	5.3	6.0	6.3	6.0	5.7	6.7	6.7	6.2	
L-93XD	5.0	6.3	6.0	5.0	6.0	6.7	6.7	6.1	
SHARK	5.3	6.7	6.3	5.7	6.0	6.0	6.0	6.1	
CHINOOK (H10G-OP)	5.3	6.7	6.0	5.3	5.3	6.3	6.3	6.0	
V-8	5.3	6.0	6.0	5.7	5.7	6.3	6.3	6.0	
BARRACUDA	5.0	6.7	5.7	5.3	5.3	6.3	6.3	5.9	
DLFPS-AT/3026	6.0	4.0	5.3	6.0	5.0	5.0	5.0	5.1	
GREENTIME	6.0	4.7	5.3	6.0	5.0	4.7	4.7	5.1	
PENNCROSS	5.3	5.0	4.7	4.7	5.0	5.0	5.0	4.9	
MUSKET (PPG-AT 104)	6.0	4.0	5.0	6.0	5.0	4.0	4.0	4.7	
LSD VALUE	0.7	0.7	0.8	0.5	0.6	0.7	0.7	0.3	
C.V. (%)	7.4	7.3	8.4	5.3	6.8	7.8	7.1	3.7	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.