

TABLE K. 1998 MANAGEMENT - ON-SITE BENTGRASS TEST AT DALLAS, TX (BENT TREE COUNTRY CLUB)

ESTABLISHMENT		FERTILIZATION			HERBICIDES		
Seeding date	10-Sep-97	Date(s)	Product	Rate (lbs./M)	Date(s)	Product	Rate (oz./M)
Problems during	None	March -June every two weeks	14-4-10 6-0-0 0-0-13		October, Dec.	Scotts Weedgrass Preventer	3.4 lbs./M
FACTORS OF PLAY					INSECTICIDES		
Date opened for play		monthly April-June	Turf Plex VI		Date(s)	Product	Rate (oz./M)
Date closed for play	not closed						
Type of spikes allowed	softspikes		Scotts 22-0-12		June	Battle GC	
Uses of green	putting, chipping		Scotts 18-9-18 ISK 18-3-16 SulPoMag 0-0-22 Polyon 0-0-46 Polyon 0-0-50		July August	Orthene WSP Battle GC	
MOWING					OTHER PRODUCTS		
Initial height	3/8"			TOTAL N: 6.95 lbs.	Date(s)	Product	Rate (oz./M)
Current height	1/8"			TOTAL P: 1.73 lbs.			
Frequency	6 days/week			TOTAL K: 12.17 lbs.	every two weeks from July- December	Astron FG-20 Knife	
Type of mower	walking					Now 12-0-12 Now 6-12-3 Now 4-4-16 Phlex-Man Phlex-Mag Renaissance	
Rollers used	June-Sept. (solid)						
Groomers used	Oct.-May depends on weather						
CULTIVATION		FUNGICIDES					
		Date(s)	Product	Rate (oz./M)			
Aerification - dates	Hydroject monthly-June-Sept.						
Aerification - type	Deep drill - September 23	weekly May-Sept.	Banol or Subdue WSP		monthly from July-Dec.	Perk-Up Maxiplex Prevacle	
Verticutting	bimonthly-March-May & Oct. monthly-June, July, Sept.		Daconil Ultrex or Chipco 26019 WP or Banner Maxx or Cleary 3336 WP or ProStar 70WP				
Dates of topdressing	bimonthly-Feb-June, Oct.-Dec. monthly-July, Aug., Sept.		Aliette or Fore			Pro-Mag 36 Mini-Mag Gypsum	
Other cultural practices	None	August and Sept. Spring: 2 applications Fall: 2 applications Spring	Heritage Heritage Koban 30	0.4 0.4 6 oz. as spring drench application at 4 gal./M			
					NOTES/COMMENTS		
					Kept green as dry as possible. It was necessary to hand cool greens during excessive heat in June-Sept. Had more than 50 days over 100 degrees F with 40 in a row. Record highs over 110 degrees F in July and Sept.		

Product and company names mentioned herein may be trademarks and/or registered trademarks of their respective owners