

## **NATIONAL TURFGRASS EVALUATION PROGRAM**

The National Turfgrass Evaluation Program (NTEP) is designed to develop and coordinate uniform evaluation trials of turfgrass varieties and promising selections in the United States and Canada. Test results can be used by national companies and plant breeders to determine the broad picture of the adaptation of a cultivar. Results can also be used to determine if a cultivar is well adapted to a local area or level of turf maintenance.

Briefly, the NTEP is a self-supporting, non-profit program, sponsored by the Beltsville Agricultural Research Center and the National Turfgrass Federation, Inc. Program policy is made by a policy committee consisting of one member from each of the four (4) Regional Turfgrass Research Committees in the United States, one member from the Lawn Seed Division of the American Seed Trade Association, one member from the United States Golf Association (USGA) Green Section, one member from the Golf Course Superintendents Assoc. of America (GCSAA), one member for the Turfgrass Producers International (TPI), one member from the Turfgrass Breeders Association and an executive director. The program does not make variety recommendations. However, the data from tests can be used by extension specialists and others for making recommendations.

The policy committee is responsible for determining program policy including, (1) requirements for submission of entries, (2) scheduling tests, (3) evaluation methods, (4) selecting standard or control test entries, (5) setting entry fees, (6) coordinating tests in their respective regions, (7) establishing guidelines for publication and data distribution and (8) scheduling committee meetings.

Executive Director - Kevin N. Morris, National Turfgrass Evaluation Program, Inc.

### **CURRENT POLICY COMMITTEE MEMBERS:**

Mr. Aaron Kuenzi, Mountain View Seeds.  
Mr. Ryan Jeffries, Columbia Seeds, Inc.  
Dr. Mike Kenna, USGA Green Section  
Dr. Jason Kruse, University of Florida  
Dr. David Kopec, University of Arizona  
Mr. Gary Wilbur, Oakwood Sod Farms  
Mr. Mark Johnson, Golf Course Superintendents Assoc. of America  
Dr. Eric Watkins, University of Minnesota  
Mr. Steve Reid, DLF Pickseed USA  
Dr. Scott Ebdon, University of Massachusetts

### **FOR ADDITIONAL REPORTS OR INFORMATION CONTACT:**

Kevin Morris, Executive Director  
National Turfgrass Evaluation Program  
Beltsville Agricultural Research Center-West  
Building 005, Room 307  
Beltsville, Maryland 20705  
[kmorris@ntep.org](mailto:kmorris@ntep.org)  
[www.ntep.org](http://www.ntep.org)

CONTENTS

2016 National Perennial Ryegrass Test - 2017 data

LOCATIONS SUBMITTING DATA FOR 2017.....1

NATIONAL PERENNIAL RYEGRASS TEST, 2016 - Entries and Sponsors.....2

Table A - 2017 Locations, Site Descriptions and Management Practices  
in the 2016 National Perennial Ryegrass Test.....3

Table B - Locations and Data Collected in 2017.....4

Table 1 - Mean Turfgrass Quality Ratings of Perennial Ryegrass Cultivars  
Grown in Location Performance Index (LPI) Group 1.....6

Table 2 - Mean Turfgrass Quality Ratings of Perennial Ryegrass Cultivars  
Grown in Location Performance Index (LPI) Group 2.....8

Table 3 - Mean Turfgrass Quality and Other Ratings of Perennial Ryegrass  
Cultivars Grown at Five Locations in the U.S. Using Schedule A.....11

Table 4 - Mean Turfgrass Quality Ratings of Perennial Ryegrass Cultivars  
Grown at Three Locations in the U.S. Using Schedule B.....14

Table 5 - Mean Turfgrass Quality Ratings of Perennial Ryegrass Cultivars  
Grown at Six Locations in the U.S. Using Schedule C.....16

Table 6 - Mean Turfgrass Quality Ratings of Perennial Ryegrass Cultivars  
Grown at Two Locations in the Northeast Region.....20

Table 7 - Mean Turfgrass Quality Ratings of Perennial Ryegrass Cultivars  
Grown at Three Locations in the Transition Region.....21

Table 8 - Mean Turfgrass Quality Ratings of Perennial Ryegrass Cultivars  
Grown at Six Locations in the North Central Region.....23

Table 9 - Mean Turfgrass Quality Ratings of Perennial Ryegrass Cultivars  
Grown at Logan, UT.....26

Table 10 - Mean Turfgrass Quality Ratings of Perennial Ryegrass Cultivars  
For Each Month Grown at Fresno, CA.....29

Table 11 - Mean Turfgrass Quality Ratings of Perennial Ryegrass Cultivars  
For Each Month Grown at Corvallis, OR.....32

Table 12 - Mean Turfgrass Quality Ratings of Perennial Ryegrass Cultivars  
Grown Under Stress at Amherst, MA.....35

Table 13 - Mean Turfgrass Quality Ratings of Perennial Ryegrass Cultivars  
Grown Under Traffic Stress at Corvallis, OR.....38

Table 14 - Mean Turfgrass Quality Ratings of Perennial Ryegrass Cultivars  
Grown Under Traffic Stress at Blacksburg, VA.....40

CONTENTS (continued)

Table 15 - Mean Turfgrass Quality Ratings of Perennial Ryegrass Cultivars Grown Under Drought Stress at Logan, UT.....	43
Table 16 - Mean Turfgrass Quality Ratings of Perennial Ryegrass Cultivars For Salt Tolerance Study in Greenhouse at Fort Collins, CO.....	46
Table 17 - Genetic Color Ratings of Perennial Ryegrass Cultivars.....	49
Table 18 - Spring Greenup Ratings of Perennial Ryegrass Cultivars.....	52
Table 19 - Seedling Vigor Ratings of Perennial Ryegrass Cultivars.....	54
Table 20 - Percent Living Ground Cover (Spring) Ratings of Perennial Ryegrass Cultivars.....	57
Table 21 - Percent Living Ground Cover (Fall) Ratings of Perennial Ryegrass Cultivars.....	59
Table 22 - Crown Rust Ratings of Perennial Ryegrass Cultivars.....	61
Table 23 - Gray Leaf Spot Ratings of Perennial Ryegrass Cultivars.....	63
Table 24 - Pink Snow Mold Ratings of Perennial Ryegrass Cultivars.....	65
Table 25 - Fall Color Ratings in November of Perennial Ryegrass Cultivars.....	67
Table 26 - Percent Establishment Ratings of Perennial Ryegrass Cultivars.....	69
Table 27 - Percent Establishment Ratings of Perennial Ryegrass Cultivars in Fargo, ND.....	72
Table 28 - Percent Establishment Ratings of Perennial Ryegrass Cultivars in Logan, UT.....	74
Table 29 - Percent Divot Recovery Ratings of Perennial Ryegrass Cultivars in Lexington, KY.....	76
Table 30 - Winter Kill Ratings of Perennial Ryegrass Cultivars.....	79
Table 31 - Quality Ratings of Perennial Ryegrass Cultivars in December .....	81
Appendix Table - Summary of Turfgrass Quality Ratings of Perennial Ryegrass Cultivars.....	83

## A Guide to NTEP Turfgrass Ratings

### Introduction

The quality and scientific merit of NTEP data is extremely important. However, the evaluation of turfgrass species and cultivars is a difficult and complex issue. Furthermore, turfgrass evaluation is generally a subjective process based on visual estimates of factors, like genetic color, stand density, leaf texture, uniformity and quality. These factors can not be measured in the same way as other agricultural crops. Turfgrass quality is not a measure of yield or nutritive value. Turfgrass quality is a measure of aesthetics (i.e. density, uniformity, texture, smoothness, growth habit and color), and functional use. The most common way of assessing turfgrass quality is a visual rating system that is based on the turfgrass evaluator's judgement.

### General Considerations

Most visual ratings collected on NTEP trials are based on a 1 to 9 rating scale. One is the poorest or lowest and 9 is the best or highest rating. However, a few characteristics, such as winter kill or percent living ground cover, are rated on a percentage basis, again by using the evaluator's judgement. Most disease ratings found in NTEP reports will use the 1-9 scale, 9=no disease except where the evaluator made a judgement of the percentage of disease in each plot. Percent disease data will be found in separate tables and will normally not be included with disease data using the 1-9 scale.

### Turfgrass Quality

Turfgrass Quality is based on 9 being outstanding or ideal turf and 1 being poorest or dead. A rating of 6 or above is generally considered acceptable. A quality rating value of 9 is reserved for a perfect or ideal grass, but it also can reflect an absolutely outstanding treatment plot. The NTEP requires quality ratings on a monthly basis. Quality ratings take into account the aesthetic and functional aspects of the turf. Quality ratings are not based on color alone, but on a combination of color, density, uniformity, texture, and disease or environmental stress.

Turfgrass quality ratings are grouped and presented by region, management level, a particular stress (shade, traffic, etc.) and in some cases, by individual location (starting with 2001 data, data from each location will be posted separately as well on the NTEP web site, <http://www.ntep.org>). Also available now is a summary table (Appendix) in the back of this report. This summary table includes various statistical measures not previously compiled for NTEP reports. For an explanation of this table and these changes, please go to the NTEP web site at <http://www.ntep.org/pdf/grandmean.mem.pdf>.

### Other Ratings

More detailed information on the ratings of specific characteristics can be found on the NTEP web site at <http://www.ntep.org/reports/ratings.htm>.

2016 NATIONAL PERENNIAL RYEGRASS TEST

LOCATIONS SUBMITTING DATA FOR 2017

State	Location	Code
California	Fresno	CA7
Colorado	Ft. Collins (Salt Tolerance)	CO1
Connecticut	Storrs	CT1
Illinois	Urbana	IL1
Iowa	Ames	IA1
Kentucky	Lexington	KY1
Kansas	Manhattan	KS1
Massachusetts	Amherst (Traffic)	MA1
Michigan	East Lansing	MI1
Minnesota	St. Paul	MN1
Missouri	Columbia	MO1
Nebraska	Mead	NE1
New Jersey	Adelphia	NJ2
North Dakota	Fargo	ND1
Oregon	Corvallis	OR1
Oregon	Corvallis (Traffic)	OR2
Utah	Logan	UT1
Utah	Logan (Drought)	UT2
Virginia	Blacksburg	VA1
Virginia	Blacksburg (Traffic)	VA2
Wisconsin	Madison	WI1

## 2016 NATIONAL PERENNIAL RYEGRASS TEST Entries and Sponsors

Entry #	Name	Sponsor	Entry #	Name	Sponsor	Entry #	Name	Sponsor
1	021	The Scotts Miracle-Gro Co.	40	APR2616	Pennington Seed	*79	Furlong (LTP-FCB)	Lebanon Seaboard Corp.
2	BSP-17	Bailey Seed & Grain LLC	41	GO-141	Grassland Oregon	80	BAR LP 6117	Barenbrug USA
3	BWH	Bailey Seed & Grain LLC	42	GO-142	Grassland Oregon	81	BAR LP 6131	Barenbrug USA
4	BSP-25	Bailey Seed & Grain LLC	43	GO-143	Grassland Oregon	82	BAR LP 6159	Barenbrug USA
*5	Savant	Ledeboer Seed LLC	44	APR2612	ProSeeds Marketing	83	BAR LP 6233	Barenbrug USA
6	LPB-SD-105	Ledeboer Seed LLC	45	APR3060	Pennington Seed	84	PST-2FOXY	Pure-Seed Testing, Inc.
*7	Saguaro	Ledeboer Seed LLC	46	AMP-R1	AMPAC Seed Co.	*85	Silver Sport (PST-2CRP)	Pure-Seed Testing, Inc.
8	LPB-SD-104	Ledeboer Seed LLC	47	DLFPS-236/3546	DLF Pickseed USA, Inc	86	PST-2EGAD	Pure-Seed Testing, Inc.
*9	Mensa	Ledeboer Seed LLC	48	DLFPS-236/3547	DLF Pickseed USA, Inc	*87	Gray Hawk (PST-2FIND)	Pure-Seed Testing, Inc.
10	LPB-SD-101	Ledeboer Seed LLC	49	DLFPS-236/3548	DLF Pickseed USA, Inc	88	PST-2GTD	Pure-Seed Testing, Inc.
11	LPB-SD-102	Ledeboer Seed LLC	50	PR-6-15	Columbia Seeds	89	PST-2BDT	Grassland Oregon
12	LPB-SD-103	Ledeboer Seed LLC	51	DLFPS-236/3550	DLF Pickseed USA, Inc	90	PST-2MAY	Pure-Seed Testing, Inc.
13	DLFPS-236/3540	DLF Pickseed USA, Inc	52	DLFPS-236/3552	DLF Pickseed USA, Inc	*91	Gray Wolf (PST-2GAL)	Pure-Seed Testing, Inc.
14	DLFPS-236/3542	DLF Pickseed USA, Inc	53	023	Brett Young Seeds	92	PST-2PDA	Pure-Seed Testing, Inc.
15	DLFPS-236/3544	DLF Pickseed USA, Inc	54	FP2	Turf Merchants, Inc.	93	PST-2A2	Pure-Seed Testing, Inc.
*16	Intense	Landmark Turf & Native Seed	55	02BS2	Brett Young Seeds	94	DLFPS-236/3553	DLF Pickseed USA, Inc.
*17	Xcelerator	Landmark Turf & Native Seed	56	RRT	The Scotts Miracle-Gro Co	95	DLFPS-236/3554	DLF Pickseed USA, Inc.
18	UF3	Landmark Turf & Native Seed	57	PPG-PR 241	Mountain View Seeds	96	PR-5-16	Columbia Seeds
19	JR-123	Jacklin Seed by Simplot	58	PPG-PR 329	Mountain View Seeds	97	BAR LP 6158	Barenbrug USA
20	JR-747	Jacklin Seed by Simplot	59	PPG-PR 331	Turf Merchants, Inc	98	BAR LP 6162	Barenbrug USA
21	JR-888	Jacklin Seed by Simplot	*60	Derby Xtreme	Standard	99	BAR LP 6164	Barenbrug USA
22	DLFPS-236/3541	DLF Pickseed USA, Inc	61	PPG-PR 339	Mountain View Seeds	100	BAR LP 6165	Barenbrug USA
23	DLFPS-236/3543	DLF Pickseed USA, Inc	62	PPG-PR 343	Mountain View Seeds	*101	Overdrive 5G	Burlingham Seeds, LLC.
24	DLFPS-236/3545	DLF Pickseed USA, Inc	63	PPG-PR 360	Integra Turf	102	02BS1	ProSeeds Marketing
*25	Evolve	SiteOne Landscape Supply	64	PPG-PR 367	Mountain View Seeds	103	CPN	Columbia Seeds
26	MRSL-PR16	SiteOne Landscape Supply	65	PPG-PR 370	Lewis Seed Company	104	JR-197	Jacklin Simplot
27	PL2	SiteOne Landscape Supply	66	PPG-PR 371	Turf Merchants, Inc.	105	DLFPS-238/3014	DLF Pickseed USA, Inc.
28	MRS-PR15	SiteOne Landscape Supply	67	PPG-PR 372	Columbia Seeds	*106	Pepper II (RAD-PR 103)	Lewis Seed Company
29	SNX	Smith Seed Services	68	PPG-PR 385	Mountain View Seeds	107	RAD-PR 112	Bailey Seed
*30	Signet	Smith Seed Services	69	PPG-PR 419	Mountain View Seeds	*108	UMPQUA	Vista Seed Partners LLC
*31	Shield (02BS4)	Smith Seed Services	70	PPG-PR 420	Peak Plant Genetics, LLC.	*109	Seabiscuit	Lebanon Seaboard Corp.
32	CS-6	Columbia Seeds	71	PPG-PR 421	Proseeds Marketing	*110	Man O'War	Lebanon Seaboard Corp.
33	DLFPS-236/3556	DLF Pickseed USA, Inc	72	PPG-PR 422	Columbia Seeds	*111	Pharaoh	Lebanon Seaboard Corp.
*34	ASP0116EXT	Allied Seed LLC	73	PPG-PR 423	Peak Plant Genetics, LLC	*112	Allstar III	Standard
*35	ASP0117 (A-PR15)	Allied Seed LLC	74	PPG-PR 424	Peak Plant Genetics, LLC	*113	Brightstar SLT	Standard
*36	ASP0118GL (A-4G)	Allied Seed LLC	*75	Karma	Standard	*114	Linn	Standard
*37	ASP0218 (A-6D)	Allied Seed LLC	*76	SR 4650	Standard			
38	NP-3	Pennington Seed	77	DLFPS-236/3538	DLF Pickseed USA, Inc.			
39	NP-2	Pennington Seed	*78	Grand Slam GLD	Standard			

\*COMMERCIALY AVAILABLE IN THE USA IN 2018

TABLE A.

2017 LOCATIONS, SITE DESCRIPTIONS AND MANAGEMENT PRACTICES IN  
THE 2016 NATIONAL PERENNIAL RYEGRASS TEST

LOCATION	SOIL TEXTURE	SOIL PH	SOIL PHOSPHOROUS (LBS/ACRE)	SOIL POTASSIUM (LBS/ACRE)	NITROGEN (LBS/1000 SQ FT)	SUN OR SHADE	MOWING HEIGHT (IN)	IRRIGATION PRACTICED
CA7	SANDY LOAM	6.6-7.0	0-60	0-150	1.1-2.0	FULL SUN	3.6-4.0	TO PREVENT DORMANCY
CO1	-	-	-	-	-	-	-	-
CT1	SANDY LOAM	6.1-6.5	61-150	151-240	-	FULL SUN	1.1-1.5	TO PREVENT STRESS
IA1	SANDY CLAY LOAM	7.1-7.5	0-60	0-150	2.1-3.0	FULL SUN	2.6-3.0	TO PREVENT DORMANCY
IL1	SILT LOAM AND SILT	6.1-6.5	0-60	376-500	3.1-4.0	FULL SUN	0.6-1.0	TO PREVENT STRESS
KS1	-	-	-	-	-	-	-	-
KY1	SILT LOAM AND SILT	6.1-6.5	451+	241-375	0.0-1.0	FULL SUN	0.6-1.0	TO PREVENT STRESS
MA1	LOAM	5.6-6.0	0-60	241-375	3.1-4.0	FULL SUN	0.0-0.5	TO PREVENT STRESS
MI1	-	-	-	-	-	-	-	-
MN1	SILTY CLAY LOAM	6.6-7.0	0-60	151-240	2.1-3.0	FULL SUN	1.6-2.0	ONLY DURING SEVERE STRESS
MO1	-	-	-	-	-	-	-	-
ND1	SILTY CLAY AND CLAY	7.1-7.5	0-60	151-240	2.1-3.0	FULL SUN	2.1-2.5	TO PREVENT DORMANCY
NE1	SILTY CLAY AND CLAY	7.1-7.5	0-60	376-500	3.1-4.0	FULL SUN	0.6-1.0	TO PREVENT STRESS
NJ2	SANDY LOAM	6.1-6.5	271-450	376-500	4.1-5.0	FULL SUN	1.1-1.5	TO PREVENT STRESS
OR1	SILTY CLAY LOAM	5.6-6.0	61-150	241-375	4.1-5.0	FULL SUN	2.1-2.5	TO PREVENT DORMANCY
OR2	SILTY CLAY LOAM	5.6-6.0	61-150	241-375	4.1-5.0	FULL SUN	2.1-2.5	TO PREVENT DORMANCY
UT1	SILT LOAM AND SILT	7.1-7.5	0-60	151-240	-	FULL SUN	2.6-3.0	TO PREVENT STRESS
UT2	SILT LOAM AND SILT	7.1-7.5	0-60	151-240	-	FULL SUN	2.6-3.0	TO PREVENT DORMANCY
VA1	SILT LOAM AND SILT	6.1-6.5	0-60	0-150	2.1-3.0	FULL SUN	1.1-1.5	ONLY DURING SEVERE STRESS
VA2	SILT LOAM AND SILT	6.1-6.5	0-60	0-150	2.1-3.0	FULL SUN	1.1-1.5	ONLY DURING SEVERE STRESS
WI1	SILT LOAM AND SILT	7.1-7.5	-	-	3.1-4.0	FULL SUN	0.0-0.5	TO PREVENT DORMANCY

TABLE B.

## LOCATIONS AND DATA COLLECTED IN 2017

LOCATION	JANUARY QUALITY RATING	FEBRUARY QUALITY RATING	MARCH QUALITY RATING	APRIL QUALITY RATING	MAY QUALITY RATING	JUNE QUALITY RATING	JULY QUALITY RATING	AUGUST QUALITY RATING	SEPTEMBER QUALITY RATING	OCTOBER QUALITY RATING	NOVEMBER QUALITY RATING	DECEMBER QUALITY RATING	GENETIC COLOR	SPRING GREENUP	WEAR TOLERANCE
CA7	X	X	X	X	X	X	X	X	X	X	X	X			
CO1															
CT1					X	X	X	X	X	X			X		
IA1				X	X	X	X	X	X	X			X		
IL1				X	X	X		X	X	X			X	X	
KS1															
KY1				X	X	X	X	X	X	X					
MA1							X	X	X	X					X
MI1					X	X	X	X	X	X			X		
MN1					X	X	X	X	X	X			X		
MO1				X	X	X	X	X	X	X	X		X		
ND1															
NE1				X	X	X	X	X	X	X			X	X	
NJ2				X	X	X	X	X	X	X	X		X		
OR1				X	X	X	X	X	X	X	X	X	X		
OR2										X	X	X			
UT1				X	X	X	X	X	X	X			X	X	
UT2				X	X	X	X	X	X	X				X	
VA1				X	X	X	X	X	X	X	X				
VA2				X	X	X	X	X	X	X	X	X			
WI1					X	X	X	X	X	X	X		X		



TABLE B. (CONT'D)

LOCATIONS AND DATA COLLECTED IN 2017

OCTOBER	LOCATION	SEEDLING VIGOR	SPRING DENSITY	PERCENT COVER SPRING	PERCENT COVER FALL	CROWN RUST	GRAY LEAF SPOT	PINK SNOW MOLD	FALL COLOR NOVEMBER	MOWING QUALITY	PERCENT ESTABLISHMENT	WINTER KILL	QUALITY DECEMBER 2016	PERCENT ESTABLISHMENT RATINGS	SUMMER	FALL	SEPTEMBER
	CA7	X											X				
	* CO1																
	CT1										X						
	IA1	X															
	IL1								X								
	KS1	X															
	* KY1	X															
	MA1									X	X						
	MI1										X						
	MN1																
	MO1	X		X							X					X	X
	ND1																
	NE1										X						
	NJ2					X	X										
	OR1																
	OR2																
	UT1							X								X	X
	UT2							X								X	X
	VA1			X	X												
	* VA2		X	X													
	WI1										X						

\* MORE DATA FOR CO1, KY1 AND VA2 IN TABLE 16, 14 AND 29.

TABLE 1.

TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
GROWN IN LOCATION PERFORMANCE INDEX (LPI) GROUP 1 \*\*/  
2017 DATA

## TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	# ENTRY	NJ2	MN1	CT1	MEAN	NAME	# ENTRY	NJ2	MN1	CT1	MEAN
NP-2	39	6.8	6.0	7.3	6.7	PPG-PR 339	61	5.7	5.3	6.8	6.0
*FURLONG (LTP-FCB)	79	6.7	5.9	7.3	6.6	JR-123	19	5.8	5.3	6.7	6.0
PPG-PR 424	74	6.6	5.9	7.3	6.6	DLFPS-236/3553	94	5.7	5.3	6.8	6.0
PPG-PR 423	73	6.5	5.8	7.2	6.5	PR-5-16	96	5.7	5.3	6.8	5.9
PPG-PR 331	59	6.4	5.8	7.2	6.5	DLFPS-236/3545	24	5.7	5.3	6.8	5.9
DLFPS-236/3556	33	6.6	5.7	7.1	6.5	Apr-16	40	5.7	5.3	6.7	5.9
23	53	6.5	5.8	7.1	6.5	*GRAY HAWK (PST-2FIND)	87	5.7	5.3	6.8	5.9
PPG-PR 372	67	6.4	5.7	7.2	6.4	DLFPS-236/3538	77	5.6	5.3	6.8	5.9
PL2	27	6.4	5.7	7.1	6.4	PPG-PR 367	64	5.6	5.2	6.7	5.9
DLFPS-236/3546	47	6.5	5.7	7.1	6.4	*UMPQUA	108	5.5	5.2	6.7	5.8
PPG-PR 419	69	6.3	5.7	7.1	6.4	DLFPS-236/3550	51	5.6	5.2	6.7	5.8
*XCELERATOR	17	6.3	5.6	7.1	6.3	*PHARAOH	111	5.5	5.2	6.7	5.8
NP-3	38	6.3	5.6	7.0	6.3	*GRAY WOLF (PST-2GAL)	91	5.5	5.2	6.7	5.8
PPG-PR 421	71	6.2	5.6	7.1	6.3	21	1	5.5	5.2	6.7	5.8
PPG-PR 420	70	6.2	5.6	7.1	6.3	*MAN O WAR	110	5.5	5.2	6.7	5.8
DLFPS-236/3543	23	6.2	5.6	7.0	6.3	DLFPS-236/3544	15	5.4	5.1	6.7	5.7
PPG-PR 360	63	6.2	5.6	7.0	6.3	*SEABISCUIT	109	5.4	5.1	6.6	5.7
DLFPS-236/3547	48	6.2	5.6	7.0	6.2	*GRAND SLAM GLD	78	5.3	5.1	6.6	5.7
DLFPS-236/3540	13	6.1	5.6	7.0	6.2	PST-2FOXY	84	5.3	5.1	6.6	5.7
DLFPS-236/3541	22	6.2	5.5	6.9	6.2	DLFPS-236/3552	52	5.3	5.1	6.6	5.7
PPG-PR 422	72	6.1	5.6	7.0	6.2	*DERBY XTREME	60	5.4	5.0	6.5	5.6
DLFPS-236/3554	95	5.9	5.6	7.1	6.2	PST-2BDT	89	5.4	5.0	6.5	5.6
PPG-PR 329	58	6.1	5.5	6.9	6.2	PPG-PR 385	68	5.3	5.0	6.5	5.6
*OVERDRIVE 5G	101	6.0	5.5	6.9	6.1	O2BS1	102	5.2	5.0	6.5	5.6
FP2	54	6.0	5.5	7.0	6.1	LPB-SD-102	11	5.2	5.0	6.5	5.6
PR-6-15	50	6.0	5.5	6.9	6.1	*KARMA	75	5.4	4.9	6.4	5.6
*SIGNET	30	6.0	5.5	6.9	6.1	*ASPO117 (ASP0117 (A-PR15))	35	5.2	5.0	6.5	5.6
PPG-PR 370	65	5.9	5.5	6.9	6.1	PST-2PDA	92	5.2	4.9	6.5	5.5
RRT	56	6.0	5.5	6.9	6.1	PST-2EGAD	86	5.1	5.0	6.5	5.5
CPN	103	5.9	5.5	6.9	6.1	PST-2MAY	90	5.1	4.9	6.5	5.5
PPG-PR 343	62	5.9	5.4	6.9	6.1	PST-2GTD	88	5.0	4.9	6.5	5.5
*SHIELD (O2BS4)	31	5.9	5.4	6.9	6.1	*SAGUARO	7	5.1	4.8	6.3	5.4
PPG-PR 241	57	5.9	5.4	6.9	6.1	*MENSA	9	5.0	4.8	6.4	5.4
O2BS2	55	5.9	5.4	6.9	6.1	RAD-PR 112	107	4.9	4.8	6.3	5.4
JR-197	104	5.9	5.4	6.8	6.1	JR-888	21	4.9	4.8	6.3	5.3
*SR 4650	76	5.9	5.4	6.8	6.0	Apr-60	45	4.9	4.7	6.3	5.3
*INTENSE	16	5.9	5.4	6.8	6.0	BAR LP 6164	99	4.7	4.7	6.3	5.3
*SILVER SPORT (PST-2CRP)	85	5.8	5.4	6.9	6.0	CS-6	32	4.8	4.7	6.2	5.2
DLFPS-236/3542	14	5.8	5.4	6.9	6.0	*ALLSTAR III	112	4.8	4.6	6.2	5.2
PST-2A2	93	5.9	5.4	6.8	6.0	*ASPO118GL (A-4G)	36	4.7	4.6	6.2	5.2
UF3	18	5.9	5.3	6.8	6.0	LPB-SD-104	8	4.9	4.6	6.1	5.2
DLFPS-236/3548	49	5.8	5.4	6.8	6.0	BSP-17	2	4.8	4.6	6.2	5.2
PPG-PR 371	66	5.7	5.4	6.9	6.0	*EVOLVE	25	4.8	4.6	6.2	5.2

TABLE 1. TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
 (CONT'D) GROWN IN LOCATION PERFORMANCE INDEX (LPI) GROUP 1 \*\*/  
 2017 DATA  
 TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	# ENTRY	NJ2	MN1	CT1	MEAN
LPB-SD-103	12	4.7	4.6	6.2	5.2
*PEPPER 11 (RAD-PR 103)	106	4.5	4.6	6.2	5.1
BAR LP 6159	82	4.6	4.6	6.2	5.1
JR-747	20	4.7	4.5	6.1	5.1
LPB-SD-101	10	4.5	4.6	6.2	5.1
*ASP0218 (A-6D)	37	4.6	4.6	6.2	5.1
*ASP0116EXT	34	4.5	4.5	6.2	5.1
MRS�-PR15	28	4.5	4.5	6.1	5.0
MRS�-PR16	26	4.5	4.5	6.1	5.0
LPB-SD-105	6	4.5	4.5	6.1	5.0
BAR LP 6233	83	4.5	4.5	6.1	5.0
BAR LP 6117	80	4.3	4.5	6.1	5.0
GO-142	42	4.5	4.4	6.0	5.0
GO-141	41	4.4	4.4	6.1	5.0
BAR LP 6158	97	4.5	4.4	6.0	5.0
AMP-R1	46	4.5	4.4	6.0	4.9
SNX	29	4.3	4.4	6.0	4.9
Apr-12	44	4.3	4.3	6.0	4.8
*SAVANT	5	4.1	4.4	6.1	4.8
GO-143	43	4.2	4.3	5.9	4.8
BSP-25	4	4.1	4.3	5.9	4.8
BWH	3	3.9	4.1	5.8	4.6
BAR LP 6131	81	3.7	4.1	5.8	4.5
*BRIGHTSTAR SLT	113	3.8	4.0	5.7	4.5
DLFPS-238/3014	105	3.3	3.7	5.4	4.2
BAR LP 6165	100	3.3	3.7	5.5	4.2
BAR LP 6162	98	2.4	3.2	5.0	3.5
*LINN	114	0.7	1.6	3.4	1.9
LSD VALUE		0.9	0.9	0.9	0.9
C.V. (%)		10.6	11.2	8.6	10.0

\* COMMERCIALY AVAILABLE IN THE USA IN 2018

\*\* ENTRIES WITHIN THIS TABLE ARE ORDERED BY THE OVERALL MEAN AND HAVE SIMILAR TURF QUALITY PERFORMANCES IN ALL TEST LOCATIONS INCLUDED IN THIS LPI GROUP. IF YOUR STATE IS NOT REPRESENTED, THEN CHOOSE A LPI GROUP THAT CONTAINS A LOCATION AND MANAGEMENT SIMILAR TO YOUR PLANTING CONDITIONS. FOR MORE INFORMATION ON LPI, GO TO [WWW.NTEP.ORG/LPI\\_Q&A.PDF](http://WWW.NTEP.ORG/LPI_Q&A.PDF)

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 2.

TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
GROWN IN LOCATION PERFORMANCE INDEX (LPI) GROUP 2 \*/  
2017 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	KY1	WI1	NE1	OR1	MI1	UT1	IL1	MO1	VA1	CA7	IA1	MEAN
DLFPS-236/3554	7.1	6.2	5.5	7.6	5.8	5.9	7.6	4.4	6.8	6.6	6.7	6.6
CPN	6.9	6.0	5.2	7.3	5.5	5.7	7.4	4.1	6.5	6.2	6.4	6.4
PR-5-16	6.9	6.0	5.2	7.3	5.6	5.7	7.4	4.1	6.5	6.3	6.5	6.3
GRAY WOLF (PST-2GAL)	6.9	5.9	5.2	7.3	5.5	5.7	7.4	4.1	6.5	6.3	6.5	6.3
OVERDRIVE 5G	6.9	5.9	5.2	7.2	5.5	5.6	7.3	4.0	6.4	6.2	6.3	6.3
UMPQUA	6.8	5.9	5.2	7.2	5.5	5.6	7.3	4.0	6.4	6.3	6.4	6.3
DLFPS-236/3553	6.8	5.9	5.2	7.2	5.5	5.6	7.3	4.0	6.4	6.2	6.3	6.3
PHARAOH	6.8	5.9	5.1	7.2	5.4	5.6	7.3	4.0	6.4	6.2	6.4	6.2
PST-2A2	6.8	5.9	5.1	7.2	5.4	5.5	7.2	3.9	6.3	6.1	6.2	6.2
JR-197	6.8	5.8	5.1	7.1	5.4	5.5	7.2	3.9	6.3	6.1	6.2	6.2
PPG-PR 331	7.1	6.1	5.4	7.4	5.7	5.8	7.5	4.2	6.5	6.3	6.4	6.2
PPG-PR 424	7.1	6.2	5.4	7.4	5.7	5.8	7.5	4.2	6.5	6.2	6.4	6.2
PST-2MAY	6.7	5.8	5.1	7.2	5.4	5.6	7.3	4.0	6.5	6.3	6.5	6.2
SEABISCUIT	6.7	5.8	5.1	7.2	5.4	5.5	7.2	4.0	6.4	6.2	6.4	6.2
PPG-PR 372	7.0	6.1	5.4	7.4	5.6	5.8	7.5	4.1	6.5	6.3	6.4	6.2
PPG-PR 419	7.0	6.1	5.4	7.4	5.6	5.8	7.5	4.1	6.5	6.3	6.4	6.2
PPG-PR 371	6.9	6.0	5.3	7.4	5.6	5.7	7.4	4.2	6.6	6.4	6.5	6.2
LTP-FCB	7.1	6.1	5.4	7.4	5.6	5.7	7.4	4.1	6.5	6.2	6.3	6.2
MAN O WAR	6.7	5.8	5.1	7.1	5.4	5.5	7.2	3.9	6.3	6.1	6.3	6.2
PPG-PR 420	7.0	6.1	5.3	7.4	5.6	5.7	7.4	4.1	6.5	6.3	6.4	6.2
SILVER SPORT (PST-2CRP)	6.9	6.0	5.3	7.3	5.6	5.7	7.4	4.1	6.5	6.3	6.4	6.1
PPG-PR 421	7.0	6.0	5.3	7.3	5.6	5.7	7.4	4.1	6.5	6.2	6.4	6.1
DLFPS-236/3540	7.0	6.0	5.3	7.3	5.6	5.7	7.4	4.1	6.5	6.2	6.4	6.1
O2BS1	6.7	5.7	5.0	7.1	5.4	5.5	7.2	3.9	6.3	6.2	6.3	6.1
NP-2	7.1	6.1	5.3	7.4	5.6	5.7	7.4	4.1	6.4	6.1	6.2	6.1
DLFPS-236/3542	6.9	6.0	5.2	7.3	5.6	5.7	7.4	4.1	6.5	6.3	6.4	6.1
PPG-PR 370	6.9	6.0	5.3	7.3	5.6	5.7	7.4	4.1	6.5	6.3	6.4	6.1
PPG-PR 343	6.9	6.0	5.3	7.3	5.6	5.7	7.4	4.1	6.5	6.3	6.4	6.1
FP2	6.9	6.0	5.3	7.3	5.6	5.7	7.4	4.1	6.5	6.2	6.4	6.1
PPG-PR 422	6.9	6.0	5.3	7.3	5.6	5.7	7.4	4.1	6.5	6.2	6.4	6.1
RAD-PR 103	6.6	5.7	5.0	7.1	5.4	5.5	7.2	4.0	6.4	6.3	6.5	6.1
XCELERATOR	6.9	6.0	5.3	7.3	5.5	5.7	7.4	4.0	6.4	6.2	6.3	6.1
DLFPS-236/3544	6.8	5.9	5.2	7.3	5.5	5.6	7.3	4.1	6.5	6.3	6.5	6.1
PPG-PR 339	6.9	5.9	5.2	7.3	5.5	5.6	7.3	4.1	6.5	6.2	6.4	6.1
DLFPS-236/3538	6.8	5.9	5.2	7.3	5.5	5.6	7.3	4.1	6.5	6.3	6.4	6.1
BAR LP 6164	6.6	5.7	5.0	7.1	5.3	5.5	7.2	4.0	6.4	6.3	6.4	6.1
DLFPS-236/3545	6.8	5.9	5.2	7.3	5.5	5.6	7.3	4.1	6.5	6.3	6.4	6.1
PST-2EGAD	6.7	5.8	5.1	7.2	5.5	5.6	7.3	4.1	6.5	6.4	6.5	6.1
DLFPS-236/3552	6.8	5.9	5.2	7.2	5.5	5.6	7.3	4.1	6.5	6.3	6.5	6.1
PPG-PR 423	7.0	6.0	5.3	7.3	5.5	5.6	7.3	4.0	6.4	6.1	6.2	6.1
DLFPS-236/3543	6.9	6.0	5.2	7.3	5.5	5.6	7.3	4.0	6.4	6.1	6.3	6.1
PST-2GTD	6.7	5.8	5.1	7.2	5.5	5.6	7.3	4.1	6.5	6.3	6.5	6.1
GRAY HAWN (PST-2FIND)	6.8	5.9	5.2	7.2	5.5	5.6	7.3	4.0	6.4	6.2	6.4	6.1

TABLE 2. (CONT'D)

TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
GROWN IN LOCATION PERFORMANCE INDEX (LPI) GROUP 2 \*/  
2017 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	KY1	WI1	NE1	OR1	MI1	UT1	IL1	MO1	VA1	CA7	IA1	MEAN
PL2	6.9	6.0	5.2	7.3	5.5	5.6	7.3	4.0	6.4	6.1	6.2	6.0
PST-2PDA	6.6	5.6	4.9	7.0	5.3	5.4	7.1	3.8	6.2	6.0	6.2	6.0
NP-3	6.9	6.0	5.2	7.2	5.5	5.6	7.3	4.0	6.4	6.1	6.2	6.0
RAD-PR 112	6.5	5.6	4.9	7.0	5.3	5.4	7.1	3.9	6.3	6.1	6.3	6.0
PST-2FOXY	6.7	5.8	5.1	7.2	5.4	5.6	7.3	4.0	6.4	6.3	6.4	6.0
23	6.9	6.0	5.2	7.2	5.5	5.6	7.3	4.0	6.3	6.0	6.2	6.0
02BS2	6.8	5.9	5.2	7.2	5.5	5.6	7.3	4.0	6.4	6.1	6.3	6.0
RRT	6.8	5.9	5.2	7.2	5.5	5.6	7.3	4.0	6.4	6.1	6.3	6.0
PR-6-15	6.8	5.9	5.2	7.2	5.5	5.6	7.3	4.0	6.4	6.1	6.3	6.0
DLFPS-236/3547	6.9	5.9	5.2	7.2	5.5	5.6	7.3	4.0	6.4	6.1	6.2	6.0
DLFPS-236/3548	6.8	5.9	5.2	7.2	5.5	5.6	7.3	4.0	6.4	6.2	6.3	6.0
PPG-PR 241	6.8	5.9	5.2	7.2	5.5	5.6	7.3	4.0	6.4	6.1	6.3	6.0
21	6.8	5.8	5.1	7.2	5.4	5.5	7.3	4.0	6.4	6.2	6.3	6.0
PPG-PR 367	6.8	5.8	5.1	7.2	5.4	5.5	7.2	4.0	6.4	6.2	6.3	6.0
SAVANT	6.5	5.6	5.0	7.1	5.4	5.5	7.2	4.0	6.5	6.4	6.6	6.0
GRAND SLAM GLD	6.7	5.8	5.1	7.2	5.4	5.5	7.2	4.0	6.4	6.2	6.4	6.0
PST-2BDT	6.5	5.6	4.9	6.9	5.2	5.3	7.0	3.7	6.1	5.9	6.1	6.0
DLFPS-236/3550	6.7	5.8	5.1	7.2	5.4	5.5	7.2	4.0	6.4	6.2	6.3	6.0
SHIELD (02BS4)	6.8	5.9	5.1	7.2	5.4	5.5	7.2	3.9	6.3	6.1	6.2	6.0
PPG-PR 329	6.8	5.9	5.1	7.2	5.4	5.5	7.2	3.9	6.3	6.1	6.2	6.0
PPG-PR 360	6.8	5.9	5.1	7.2	5.4	5.5	7.2	3.9	6.3	6.0	6.2	6.0
LPB-SD-102	6.7	5.8	5.0	7.1	5.4	5.5	7.2	4.0	6.4	6.2	6.3	6.0
BAR LP 6117	6.5	5.6	5.0	7.1	5.3	5.5	7.2	4.0	6.4	6.3	6.5	5.9
SIGNET	6.8	5.8	5.1	7.1	5.4	5.5	7.2	3.9	6.3	6.0	6.1	5.9
Apr-16	6.7	5.8	5.1	7.1	5.4	5.5	7.2	3.9	6.3	6.0	6.2	5.9
SR 4650	6.7	5.8	5.1	7.1	5.4	5.5	7.2	3.9	6.3	6.0	6.1	5.9
DLFPS-236/3546	6.8	5.9	5.1	7.1	5.4	5.5	7.2	3.8	6.2	5.9	6.0	5.9
DLFPS-236/3556	6.8	5.9	5.1	7.1	5.4	5.5	7.2	3.8	6.2	5.9	6.0	5.9
LPB-SD-101	6.5	5.6	4.9	7.0	5.3	5.4	7.1	3.9	6.3	6.2	6.4	5.9
ASPO116EXT	6.5	5.6	4.9	7.0	5.3	5.4	7.1	3.9	6.3	6.2	6.4	5.9
DLFPS-236/3541	6.8	5.8	5.1	7.1	5.3	5.4	7.1	3.8	6.2	5.9	6.1	5.9
INTENSE	6.7	5.8	5.0	7.1	5.3	5.4	7.1	3.8	6.2	6.0	6.1	5.9
PPG-PR 385	6.6	5.7	5.0	7.0	5.3	5.4	7.1	3.8	6.2	6.1	6.2	5.9
JR-123	6.7	5.7	5.0	7.0	5.3	5.4	7.1	3.8	6.2	6.0	6.1	5.8
BAR LP 6159	6.5	5.6	4.9	7.0	5.2	5.4	7.1	3.9	6.3	6.2	6.3	5.8
BAR LP 6131	6.3	5.4	4.8	7.0	5.2	5.3	7.1	3.9	6.4	6.3	6.5	5.8
A-PR15	6.6	5.7	4.9	7.0	5.3	5.4	7.1	3.8	6.2	6.0	6.2	5.8
JR-888	6.5	5.6	4.9	7.0	5.2	5.4	7.1	3.8	6.3	6.1	6.3	5.8
SNX	6.4	5.5	4.8	7.0	5.2	5.3	7.1	3.9	6.3	6.2	6.4	5.8
A-4G	6.5	5.6	4.9	7.0	5.2	5.4	7.1	3.8	6.3	6.1	6.3	5.8
Apr-60	6.5	5.6	4.9	7.0	5.2	5.4	7.1	3.8	6.2	6.1	6.2	5.8
MRSL-PR16	6.4	5.5	4.8	6.9	5.2	5.3	7.0	3.8	6.3	6.1	6.3	5.8
DERBY XTREME	6.6	5.6	4.9	7.0	5.2	5.3	7.1	3.8	6.2	6.0	6.1	5.8
ALLSTAR III	6.3	5.4	4.7	6.8	5.0	5.1	6.8	3.6	6.0	5.8	6.0	5.8

TABLE 2. (CONT'D)

TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
GROWN IN LOCATION PERFORMANCE INDEX (LPI) GROUP 2 \*/  
2017 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	KY1	WI1	NE1	OR1	MI1	UT1	IL1	MO1	VA1	CA7	IA1	MEAN
UF3	6.6	5.7	5.0	7.0	5.2	5.3	7.0	3.7	6.1	5.9	6.0	5.8
GO-141	6.4	5.5	4.8	6.9	5.2	5.3	7.0	3.8	6.2	6.1	6.3	5.8
MENSA	6.5	5.6	4.9	6.9	5.2	5.3	7.0	3.8	6.2	6.0	6.2	5.8
A-6D	6.4	5.5	4.8	6.9	5.2	5.3	7.0	3.8	6.2	6.1	6.2	5.8
LPB-SD-105	6.4	5.5	4.8	6.9	5.1	5.3	7.0	3.8	6.2	6.1	6.2	5.7
CS-6	6.4	5.5	4.8	6.9	5.2	5.3	7.0	3.7	6.2	6.0	6.2	5.7
BAR LP 6158	6.2	5.3	4.6	6.7	5.0	5.1	6.8	3.6	6.0	5.9	6.0	5.7
BAR LP 6233	6.4	5.5	4.8	6.9	5.1	5.3	7.0	3.7	6.2	6.1	6.2	5.7
MRSL-PR15	6.4	5.5	4.8	6.9	5.1	5.3	7.0	3.7	6.2	6.0	6.2	5.7
SAGUARO	6.5	5.5	4.8	6.9	5.1	5.3	7.0	3.7	6.1	5.9	6.1	5.7
Apr-12	6.3	5.4	4.7	6.8	5.1	5.2	6.9	3.7	6.1	6.0	6.2	5.7
BRIGHTSTAR SLT	6.2	5.2	4.6	6.7	5.0	5.1	6.8	3.7	6.1	6.0	6.2	5.7
EVOLVE	6.4	5.5	4.8	6.8	5.1	5.2	6.9	3.7	6.1	5.9	6.1	5.7
BSP-25	6.3	5.4	4.7	6.8	5.1	5.2	6.9	3.7	6.1	6.1	6.2	5.7
LPB-SD-103	6.4	5.4	4.7	6.8	5.1	5.2	6.9	3.7	6.1	5.9	6.1	5.7
BSP-17	6.3	5.4	4.7	6.8	5.1	5.2	6.9	3.7	6.1	5.9	6.1	5.7
KARMA	6.4	5.5	4.8	6.8	5.1	5.2	6.9	3.6	6.0	5.8	5.9	5.6
GO-143	6.2	5.3	4.7	6.8	5.0	5.2	6.9	3.7	6.1	6.0	6.1	5.6
GO-142	6.3	5.3	4.7	6.8	5.0	5.1	6.8	3.6	6.0	5.9	6.1	5.6
BWH	6.2	5.3	4.6	6.7	5.0	5.1	6.8	3.6	6.1	6.0	6.2	5.6
BAR LP 6165	6.0	5.1	4.5	6.7	4.9	5.1	6.8	3.6	6.1	6.1	6.2	5.6
AMP-R1	6.2	5.3	4.6	6.7	5.0	5.1	6.8	3.6	6.0	5.9	6.0	5.6
DLFPS-238/3014	6.0	5.1	4.5	6.6	4.9	5.0	6.7	3.6	6.0	6.0	6.2	5.6
JR-747	6.2	5.3	4.6	6.7	4.9	5.0	6.8	3.5	5.9	5.7	5.9	5.5
LPB-SD-104	6.2	5.3	4.6	6.7	4.9	5.0	6.7	3.5	5.9	5.7	5.9	5.5
BAR LP 6162	5.8	4.9	4.3	6.5	4.8	4.9	6.6	3.5	6.0	6.1	6.2	5.4
LINN	4.3	3.4	2.8	5.0	3.3	3.4	5.1	2.0	4.5	4.6	4.8	3.9
LSD VALUE	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
C.V. (%)	8.5	9.8	11.2	8.0	10.6	10.3	7.9	14.5	8.9	9.2	9.0	9.5

\* ENTRIES WITHIN THIS TABLE ARE ORDERED BY THE OVERALL MEAN AND HAVE SIMILAR TURF QUALITY PERFORMANCES IN ALL TEST LOCATIONS INCLUDED IN THIS LPI GROUP. IF YOUR STATE IS NOT REPRESENTED, THEN CHOOSE A LPI GROUP THAT CONTAINS A LOCATION AND MANAGEMENT SIMILAR TO YOUR PLANTING CONDITIONS. FOR MORE INFORMATION ON LPI, GO TO [WWW.NTEP.ORG/LPI\\_Q&A.PDF](http://WWW.NTEP.ORG/LPI_Q&A.PDF)

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 3. MEAN TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
 GROWN AT FIVE LOCATIONS IN THE U.S. 1/  
 MAINTAINED USING "SCHEDULE A" \*  
 2017 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	IL1	KY1	MI1	NE1	NJ2	MEAN
NP-2	7.4	6.7	5.9	5.4	6.9	6.5
FURLONG (LTP-FCB)	7.3	7.1	5.6	5.0	7.3	6.4
PPG-PR 423	7.7	6.7	5.7	5.5	6.5	6.4
PPG-PR 424	7.6	7.1	5.3	5.3	6.6	6.4
023	7.2	6.7	5.7	5.7	6.5	6.3
DLFPS-236/3540	7.4	6.9	5.6	5.6	6.2	6.3
PPG-PR 371	7.3	7.0	5.3	5.5	6.4	6.3
PPG-PR 419	7.2	7.2	5.4	5.6	6.2	6.3
PPG-PR 421	7.4	7.2	5.2	5.2	6.3	6.3
DLFPS-236/3556	7.5	6.9	5.7	5.1	6.2	6.3
SILVER SPORT (PST-2CRP)	6.9	6.9	5.7	5.5	6.3	6.3
PPG-PR 420	7.6	6.9	5.4	5.1	6.3	6.3
PR-6-15	7.4	6.8	5.9	5.3	5.9	6.3
DLFPS-236/3554	7.6	7.1	5.3	5.4	5.8	6.3
XCELERATOR	7.6	6.9	5.6	5.2	6.0	6.3
PPG-PR 331	7.4	6.9	5.8	5.0	6.1	6.2
PPG-PR 343	7.6	6.9	5.4	5.0	6.3	6.2
DLFPS-236/3547	7.5	7.2	5.1	4.9	6.4	6.2
DLFPS-236/3543	7.1	6.9	5.6	5.4	6.2	6.2
PPG-PR 329	7.1	6.9	5.6	5.6	6.0	6.2
PL2	7.7	7.0	5.5	5.0	6.0	6.2
DLFPS-236/3542	7.6	6.7	5.3	5.1	6.3	6.2
DLFPS-236/3546	7.3	6.9	5.5	5.0	6.3	6.2
PPG-PR 372	7.1	7.0	5.5	5.3	6.1	6.2
JR-197	7.3	6.7	5.4	5.6	6.0	6.2
RRT	6.9	6.8	5.6	5.4	6.3	6.2
PPG-PR 241	7.2	6.8	5.3	5.5	6.0	6.2
CPN	7.3	6.7	5.3	5.7	5.9	6.2
DLFPS-236/3541	6.9	6.9	5.2	5.3	6.5	6.2
DLFPS-236/3552	7.2	6.9	5.6	5.4	5.6	6.2
SIGNET	7.2	6.8	5.7	5.0	6.1	6.1
APR2616	7.2	6.6	5.4	5.4	6.0	6.1
PST-2A2	7.4	6.9	5.7	4.7	5.9	6.1
NP-3	7.4	6.5	5.7	4.6	6.4	6.1
PST-2BDT	6.9	7.0	5.4	5.9	5.5	6.1
PPG-PR 339	7.6	6.8	5.7	4.9	5.7	6.1
DLFPS-236/3544	7.6	6.8	5.2	5.4	5.6	6.1
SHIELD (02BS4)	6.6	6.9	5.8	5.4	5.8	6.1
DLFPS-236/3548	7.5	6.9	5.6	4.3	6.3	6.1
PPG-PR 422	7.5	6.8	5.2	5.0	5.9	6.1
PPG-PR 370	6.7	7.0	5.4	5.2	6.0	6.1
DLFPS-236/3545	7.2	6.8	5.2	5.4	5.9	6.1
PPG-PR 360	7.2	6.8	5.2	5.0	6.3	6.1
PHARAOH	7.2	6.7	5.4	5.2	5.8	6.1

TABLE 3.  
(CONT'D)

MEAN TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
GROWN AT FIVE LOCATIONS IN THE U.S. 1/  
MAINTAINED USING "SCHEDULE A" \*  
2017 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	IL1	KY1	MI1	NE1	NJ2	MEAN
GRAY WOLF (PST-2GAL)	7.1	6.8	5.3	5.3	5.9	6.1
DLFPS-236/3550	7.2	6.6	5.6	5.1	5.8	6.1
OVERDRIVE 5G	7.2	6.7	5.1	5.4	5.9	6.1
FP2	6.7	6.7	5.3	5.6	6.0	6.0
PST-2GTD	7.4	6.6	5.6	5.2	5.4	6.0
O21	6.9	6.5	5.7	5.0	6.1	6.0
SR 4650	6.8	7.0	5.3	5.4	5.7	6.0
INTENSE	7.2	6.5	5.0	5.3	6.2	6.0
DLFPS-236/3538	7.0	6.9	5.6	5.1	5.5	6.0
PST-2FOXY	7.7	6.8	5.2	5.0	5.4	6.0
O2BS2	7.0	6.8	5.6	4.9	5.8	6.0
SEABISCUIT	7.4	6.7	5.7	4.7	5.6	6.0
PR-5-16	7.2	7.0	5.3	5.1	5.3	6.0
UMPQUA	7.4	6.8	5.5	4.6	5.6	6.0
DLFPS-236/3553	7.0	7.0	5.2	5.0	5.5	6.0
PST-2MAY	7.5	6.5	5.2	4.9	5.6	5.9
GRAND SLAM GLD	7.1	6.8	5.6	4.9	5.3	5.9
MENSA	7.3	6.9	5.5	5.1	4.8	5.9
MAN O WAR	7.2	6.5	5.4	4.8	5.7	5.9
O2BS1	7.3	6.7	4.8	4.9	5.9	5.9
ASP0118GL (A-4G)	7.8	6.5	5.1	5.0	5.1	5.9
PPG-PR 367	6.7	6.9	5.5	5.0	5.5	5.9
PEPPER 11 (RAD-PR 103)	7.9	6.6	5.3	4.5	5.0	5.9
KARMA	7.1	6.7	4.9	5.0	5.7	5.9
DERBY XTREME	7.2	6.6	5.3	5.0	5.3	5.9
PPG-PR 385	7.4	6.6	5.1	4.6	5.6	5.9
UF3	7.1	6.6	5.2	4.8	5.8	5.9
LPB-SD-102	6.8	6.8	5.6	5.8	4.4	5.9
JR-123	6.9	6.8	5.1	4.9	5.7	5.9
PST-2EGAD	7.4	6.5	5.1	5.2	5.0	5.8
PST-2PDA	6.8	6.6	5.5	5.0	5.3	5.8
GRAY HAWK (PST-2FIND)	7.1	6.4	5.4	5.0	5.2	5.8
ASP0117 (A-PR15)	7.3	6.6	5.2	4.9	5.0	5.8
ASP0116EXT	7.5	6.9	5.6	4.6	4.4	5.8
SAGUARO	6.9	6.4	5.5	5.3	4.6	5.7
SAVANT	6.9	6.4	5.6	5.7	4.0	5.7
ALLSTAR III	7.1	6.4	5.4	4.8	5.0	5.7
JR-888	6.9	6.2	5.6	5.6	4.2	5.7
BAR LP 6159	6.8	6.6	5.6	5.1	4.4	5.7
MRSL-PR16	7.8	6.4	5.2	4.5	4.5	5.7
BAR LP 6164	7.2	6.4	5.4	4.8	4.7	5.7
APR2612	7.2	6.6	5.3	4.4	4.8	5.7
BAR LP 6233	6.8	6.4	5.2	5.2	4.6	5.7
LPB-SD-101	6.9	6.6	5.4	5.6	3.8	5.6
RAD-PR 112	7.8	6.6	4.7	4.1	4.9	5.6



TABLE 3. MEAN TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
 (CONT'D) GROWN AT FIVE LOCATIONS IN THE U.S. 1/  
 MAINTAINED USING "SCHEDULE A" \*  
 2017 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/						
NAME	IL1	KY1	MI1	NE1	NJ2	MEAN
BAR LP 6117	7.1	6.5	5.2	5.0	4.3	5.6
EVOLVE	6.9	6.2	5.5	4.9	4.4	5.6
LPB-SD-103	7.2	6.4	4.9	5.0	4.5	5.6
CS-6	7.3	6.6	5.4	4.0	4.5	5.6
ASP0218 (A-6D)	7.5	6.4	4.9	4.4	4.7	5.6
APR3060	6.5	6.6	5.1	4.9	4.8	5.6
SNX	7.6	6.6	5.2	4.1	4.4	5.6
MRSL-PR15	7.3	6.4	5.3	4.4	4.3	5.6
AMP-R1	7.6	6.8	5.1	3.7	4.6	5.5
GO-142	7.2	6.5	4.8	4.7	4.5	5.5
BSP-25	7.5	6.3	5.4	4.0	4.4	5.5
BWH	7.4	6.3	5.4	4.7	3.7	5.5
GO-141	7.0	6.3	5.3	4.9	3.9	5.5
GO-143	7.4	6.5	4.6	4.6	4.2	5.5
LPB-SD-105	6.5	5.9	5.5	5.8	3.7	5.5
LPB-SD-104	5.9	6.6	5.4	4.9	4.5	5.4
BAR LP 6158	6.8	6.5	4.9	4.4	4.4	5.4
BRIGHTSTAR SLT	7.2	6.1	5.5	5.0	3.3	5.4
BSP-17	7.2	6.1	5.3	4.2	4.2	5.4
JR-747	6.2	6.6	4.9	5.1	4.0	5.4
BAR LP 6131	7.0	6.5	5.2	4.8	3.2	5.3
BAR LP 6165	6.4	6.1	4.7	5.0	3.8	5.2
DLFPS-238/3014	6.7	6.0	4.3	4.2	3.2	4.9
BAR LP 6162	7.1	6.0	4.3	4.1	2.9	4.9
LINN	2.8	3.1	3.2	3.0	1.0	2.6
LSD VALUE	0.7	0.4	0.7	0.7	0.7	0.3
C.V. (%)	6.3	4.2	7.7	8.9	8.4	7.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

\*\*/ SCHEDULE A (HIGH MAINTENANCE/FAIRWAY)  
 0.5 - 0.75 INCH MOWING HEIGHT  
 0.5 - 0.75 lb. N/1000 SQ. FT PER GROWING MONTH  
 IRRIGATION TO PREVENT STRESS OR DORMANCY  
 FUNGICIDES USE ONLY IF SEVERE STAND LOSS IS POSSIBLE  
 WEED AND INSECTICIDES CONTROL TO PREVENT STAND LOSS

TABLE 4.

MEAN TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
GROWN AT THREE LOCATIONS IN THE U.S. 1/  
MAINTAINED USING "SCHEDULE B" \*  
2017 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	OR1	VA1	WI1	MEAN	NAME	OR1	VA1	WI1	MEAN
DLFPS-236/3545	7.4	7.0	6.8	7.0	021	7.3	6.3	5.8	6.5
PPG-PR 424	7.4	6.7	6.7	6.9	PPG-PR 360	7.2	6.3	6.0	6.5
PPG-PR 423	7.2	6.5	7.0	6.9	DLFPS-236/3552	7.3	6.8	5.3	6.5
DLFPS-236/3554	7.1	7.1	6.2	6.8	DLFPS-238/3014	6.7	6.5	6.2	6.5
DLFPS-236/3548	7.4	6.8	6.1	6.8	02BS2	7.3	5.8	6.3	6.5
PR-5-16	7.0	6.8	6.4	6.8	PPG-PR 385	6.9	6.6	5.9	6.5
PPG-PR 343	7.3	7.0	5.9	6.7	PST-2EGAD	7.0	6.6	5.7	6.5
PST-2A2	7.3	6.5	6.4	6.7	PPG-PR 339	7.4	6.0	6.0	6.5
PPG-PR 367	7.3	6.6	6.2	6.7	DLFPS-236/3547	7.3	6.5	5.5	6.5
DLFPS-236/3553	7.3	6.5	6.4	6.7	SHIELD (02BS4)	7.2	6.5	5.5	6.4
PPG-PR 421	7.2	6.8	6.1	6.7	SAVANT	7.1	5.6	6.6	6.4
PST-2FOXY	7.3	6.5	6.3	6.7	SIGNET	7.0	6.5	5.8	6.4
DLFPS-236/3538	7.1	6.9	6.0	6.7	JR-197	7.3	6.0	6.0	6.4
NP-3	7.3	6.5	6.3	6.7	PEPPER 11 (RAD-PR 103)	7.1	6.8	5.4	6.4
FP2	7.3	6.9	5.9	6.7	PPG-PR 329	7.0	6.2	6.0	6.4
SILVER SPORT (PST-2CRP)	6.9	6.9	6.2	6.7	DLFPS-236/3541	7.4	6.4	5.4	6.4
UMPQUA	7.2	6.8	6.0	6.7	MAN O WAR	7.4	6.1	5.8	6.4
OVERDRIVE 5G	7.3	6.5	6.2	6.7	GRAY WOLF (PST-2GAL)	7.0	6.8	5.3	6.4
SR 4650	7.1	6.7	6.2	6.7	023	7.2	6.3	5.7	6.4
PPG-PR 419	7.1	6.8	6.0	6.6	GRAND SLAM GLD	7.1	6.5	5.6	6.4
PPG-PR 331	7.2	6.4	6.3	6.6	EVOLVE	6.8	6.7	5.7	6.4
PPG-PR 420	7.3	7.0	5.6	6.6	JR-888	6.7	6.0	6.4	6.4
PPG-PR 372	7.4	6.7	5.8	6.6	LPB-SD-101	7.1	5.8	6.0	6.3
RRT	7.3	6.3	6.1	6.6	DLFPS-236/3542	7.5	6.5	5.0	6.3
SEABISCUIT	7.3	6.5	6.0	6.6	DLFPS-236/3543	7.3	6.3	5.4	6.3
FURLONG (LTP-FCB)	7.3	6.2	6.2	6.6	GRAY HAWK (PST-2FIND)	7.3	5.8	6.0	6.3
PPG-PR 371	7.2	6.8	5.8	6.6	PST-2GTD	7.2	6.6	5.2	6.3
PPG-PR 370	7.1	6.7	6.0	6.6	BSP-25	7.0	6.3	5.7	6.3
XCELERATOR	7.2	6.3	6.2	6.6	APR2612	6.7	6.0	6.2	6.3
CPN	7.3	6.6	5.9	6.6	BAR LP 6131	6.4	6.5	6.0	6.3
NP-2	7.3	6.3	6.0	6.6	DERBY XTREME	7.2	6.2	5.5	6.3
DLFPS-236/3546	7.0	6.4	6.2	6.6	GO-141	6.7	6.3	5.8	6.3
PR-6-15	7.3	6.3	6.0	6.5	02BS1	7.2	6.5	5.1	6.3
INTENSE	7.3	6.4	6.0	6.5	RAD-PR 112	7.3	6.3	5.1	6.2
PHARAOH	7.3	6.3	6.0	6.5	PST-2MAY	7.2	5.9	5.6	6.2
BAR LP 6117	7.1	7.0	5.5	6.5	PST-2PDA	6.9	6.4	5.4	6.2
DLFPS-236/3550	7.3	6.4	6.0	6.5	SNX	7.0	6.3	5.4	6.2
PL2	7.1	6.4	6.0	6.5	SAGUARO	6.9	6.1	5.6	6.2
DLFPS-236/3544	7.4	6.8	5.4	6.5	LPB-SD-105	7.1	4.9	6.6	6.2
DLFPS-236/3540	7.2	6.3	6.1	6.5	BAR LP 6164	6.8	6.6	5.1	6.2
DLFPS-236/3556	7.2	6.3	6.0	6.5	BAR LP 6165	6.6	7.1	4.9	6.2
APR2616	7.3	6.7	5.5	6.5	GO-142	6.8	6.1	5.7	6.2
PPG-PR 241	7.4	6.2	6.0	6.5	MRSLS-PR15	6.8	5.8	5.9	6.2
PPG-PR 422	7.4	6.1	6.0	6.5	CS-6	6.8	6.0	5.7	6.2

TABLE 4. MEAN TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
(CONT'D) GROWN AT THREE LOCATIONS IN THE U.S. 1/  
MAINTAINED USING "SCHEDULE B" \*  
2017 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/				
NAME	OR1	VA1	WI1	MEAN
JR-747	7.1	5.8	5.5	6.1
PST-2BDT	7.1	6.0	5.3	6.1
BAR LP 6162	6.4	7.1	4.9	6.1
ASP0117 (A-PR15)	6.9	6.1	5.3	6.1
JR-123	7.2	6.1	5.0	6.1
ASP0218 (A-6D)	6.9	5.9	5.6	6.1
KARMA	6.9	6.2	5.2	6.1
UF3	7.2	5.7	5.3	6.1
ALLSTAR III	6.8	5.6	5.8	6.1
APR3060	6.6	6.4	5.1	6.1
LPB-SD-104	7.2	5.3	5.6	6.1
LPB-SD-102	7.4	5.1	5.7	6.1
MENSA	7.2	5.3	5.6	6.0
ASP0116EXT	7.0	6.5	4.7	6.0
MRSL-PR16	6.7	6.4	5.0	6.0
BAR LP 6233	6.5	6.2	5.3	6.0
LPB-SD-103	7.1	5.1	5.7	6.0
BAR LP 6158	6.5	6.3	5.0	6.0
BAR LP 6159	6.4	6.1	5.2	5.9
ASP0118GL (A-4G)	7.0	5.8	4.9	5.9
AMP-R1	6.6	6.1	5.0	5.9
GO-143	6.9	6.1	4.6	5.9
BRIGHTSTAR SLT	6.4	5.9	5.0	5.8
BWH	7.0	5.3	4.7	5.7
BSP-17	7.0	4.7	5.0	5.6
LINN	5.9	4.5	3.4	4.6
LSD VALUE	0.3	1.1	1.3	0.6
C.V. (%)	3.0	10.6	14.1	9.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

\*/ SCHEDULE B (MEDIUM MAINTENANCE/ATHLETIC FIELD)  
1.0 - 2.0 INCH MOWING HEIGHT  
0.5 - 1 lb. N/1000 SQ.FT. PER GROWING MONTH (HIGH RATE ONLY DURING ESTABLISHMENT)  
IRRIGATION ONLY DURING SEVERE STRESS OR TO PREVENT DORMANCY  
FUNGICIDES ONLY TO PREVENT SEVERE STAND LOSS  
WEED AND INSECT CONTROL TO PREVENT STAND LOSS

TABLE 5. MEAN TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
 GROWN AT SIX LOCATIONS IN THE U.S. 1/  
 MAINTAINED USING "SCHEDULE C" \*  
 2017 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	CA7	CT1	IA1	MN1	MO1	UT1	MEAN
DLFPS-236/3554	6.6	7.1	6.9	5.9	4.2	6.2	6.2
PPG-PR 331	6.4	7.5	6.4	6.2	4.1	6.0	6.1
PPG-PR 372	6.5	7.4	6.8	6.3	4.0	5.5	6.1
GRAY HAWK (PST-2FIND)	6.8	6.9	6.6	6.3	4.1	5.5	6.0
PPG-PR 422	6.7	7.6	6.4	5.7	4.3	5.4	6.0
FURLONG (LTP-FCB)	6.3	7.1	6.9	5.4	4.5	5.7	6.0
PPG-PR 419	6.3	7.1	6.0	5.8	4.3	6.1	6.0
NP-2	5.9	7.2	6.4	6.1	4.0	6.1	5.9
PPG-PR 370	6.5	7.4	6.3	5.0	4.1	6.1	5.9
PPG-PR 424	6.2	7.1	6.3	5.9	4.2	5.8	5.9
FP2	6.1	6.8	6.5	5.8	4.6	5.6	5.9
PPG-PR 420	6.2	7.6	6.8	5.5	4.2	5.1	5.9
DLFPS-236/3542	6.4	6.9	6.6	4.8	4.3	6.3	5.9
DLFPS-236/3543	5.9	7.1	6.4	5.7	4.3	5.9	5.9
GRAY WOLF (PST-2GAL)	6.7	7.2	6.9	4.6	4.1	5.9	5.9
DLFPS-236/3540	6.4	7.2	6.7	5.4	3.8	5.6	5.8
02BS2	6.7	7.0	6.1	5.4	4.0	5.8	5.8
PR-5-16	6.3	7.1	6.3	5.7	4.3	5.3	5.8
XCELERATOR	6.0	7.6	6.1	5.5	3.9	6.0	5.8
CPN	6.3	6.7	6.8	5.9	3.9	5.4	5.8
PL2	6.0	7.6	6.1	6.0	4.2	5.1	5.8
PPG-PR 421	6.5	6.9	6.3	5.6	3.8	5.7	5.8
PPG-PR 339	6.9	6.7	6.1	5.7	4.1	5.4	5.8
023	6.1	7.6	6.2	5.5	4.2	5.2	5.8
LPB-SD-102	6.3	6.5	6.8	6.2	3.3	5.7	5.8
OVERDRIVE 5G	6.3	7.0	6.4	5.7	4.0	5.4	5.8
PST-2EGAD	6.1	6.7	6.9	5.1	4.4	5.6	5.8
PPG-PR 371	6.8	6.7	6.4	4.3	4.4	6.0	5.8
PPG-PR 360	5.5	7.1	6.4	5.3	4.2	6.1	5.8
NP-3	5.9	6.9	6.3	5.5	4.0	6.0	5.8
JR-123	6.2	7.0	5.6	5.5	4.7	5.5	5.8
DLFPS-236/3547	6.0	6.9	6.4	5.3	4.3	5.4	5.7
PST-2MAY	6.5	6.3	6.8	4.3	4.1	6.4	5.7
DLFPS-236/3538	5.6	6.8	6.6	5.4	4.7	5.4	5.7
SILVER SPORT (PST-2CRP)	6.1	6.4	6.9	5.1	4.0	5.8	5.7
SHIELD (02BS4)	5.8	7.2	6.6	5.4	3.8	5.4	5.7
DLFPS-236/3553	6.1	6.6	6.1	5.6	4.5	5.3	5.7
UMPQUA	6.2	6.6	6.9	5.4	3.7	5.4	5.7
UF3	6.2	7.1	5.9	5.6	4.0	5.4	5.7
PPG-PR 343	6.4	6.5	6.4	5.2	3.7	5.9	5.7
GRAND SLAM GLD	6.3	6.7	6.8	5.3	3.8	5.1	5.7
BSP-17	5.4	6.3	6.3	5.5	4.0	6.4	5.7
DLFPS-236/3544	6.1	6.2	6.7	5.3	4.3	5.3	5.7
PPG-PR 241	6.1	6.5	6.2	5.5	3.8	5.8	5.7

TABLE 5. MEAN TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
 (CONT'D) GROWN AT SIX LOCATIONS IN THE U.S. 1/  
 MAINTAINED USING "SCHEDULE C" \*  
 2017 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	CA7	CT1	IA1	MN1	MO1	UT1	MEAN
BAR LP 6164	7.0	6.2	6.4	5.4	3.8	5.1	5.7
PPG-PR 367	6.3	6.7	6.1	5.4	3.7	5.7	5.7
RRT	5.9	6.9	6.5	4.8	4.0	5.8	5.7
MAN O WAR	7.0	6.7	6.5	5.3	3.8	4.6	5.6
PPG-PR 329	5.9	6.8	6.0	5.4	4.1	5.7	5.6
PST-2GTD	6.6	6.8	6.6	4.3	4.1	5.4	5.6
APR3060	6.8	6.6	6.2	5.1	3.9	5.3	5.6
O2BS1	6.8	6.7	6.8	4.3	4.1	5.2	5.6
O21	6.4	6.2	6.7	4.8	3.8	5.9	5.6
PR-6-15	6.1	6.7	6.1	5.7	3.8	5.3	5.6
PHARAOH	6.4	7.2	6.4	4.3	4.0	5.4	5.6
RAD-PR 112	6.3	6.2	6.3	5.2	3.7	6.0	5.6
DLFPS-236/3552	6.3	6.7	6.0	4.5	4.5	5.6	5.6
DLFPS-236/3546	5.6	7.0	5.6	5.8	4.3	5.3	5.6
PPG-PR 423	5.1	7.3	6.5	5.3	3.7	5.8	5.6
ASP0117 (A-PR15)	6.4	6.4	6.2	5.8	4.1	4.6	5.6
SIGNET	6.3	6.9	5.9	5.3	3.7	5.4	5.6
DLFPS-236/3556	5.7	7.2	5.9	6.1	3.5	5.0	5.6
JR-197	5.9	6.6	6.3	5.4	4.2	5.0	5.6
DLFPS-236/3548	6.2	6.8	6.3	4.7	4.0	5.4	5.6
DLFPS-236/3541	6.4	6.4	5.5	5.4	3.7	6.0	5.6
DLFPS-236/3550	6.6	6.5	6.0	4.9	3.6	5.9	5.6
BAR LP 6159	6.3	5.9	6.3	5.2	3.8	5.7	5.5
SEABISCUIT	6.5	6.9	6.6	4.7	3.8	4.9	5.5
DLFPS-236/3545	6.2	6.6	6.0	4.8	4.0	5.5	5.5
PST-2FOXY	5.9	6.3	6.3	5.0	4.5	5.0	5.5
INTENSE	6.1	6.8	6.1	5.0	3.7	5.3	5.5
LPB-SD-101	6.5	6.3	5.9	5.4	3.4	5.4	5.5
SR 4650	5.5	6.9	6.0	5.4	3.5	5.6	5.5
PST-2A2	6.5	6.9	5.8	5.1	3.5	4.9	5.5
ASP0116EXT	6.3	5.7	6.6	5.2	3.5	5.6	5.5
PST-2PDA	6.5	6.7	6.0	4.8	3.9	4.9	5.5
APR2616	5.7	6.4	6.1	5.0	3.9	5.5	5.4
BAR LP 6117	6.3	5.9	6.0	4.7	4.3	5.5	5.4
ASP0218 (A-6D)	5.9	6.6	6.2	4.1	4.0	5.8	5.4
JR-888	6.1	6.3	5.6	5.6	3.8	5.2	5.4
PEPPER 11 (RAD-PR 103)	5.8	5.8	6.4	4.0	4.1	6.4	5.4
SAVANT	6.8	6.5	6.1	3.6	3.5	6.0	5.4
PPG-PR 385	5.8	6.5	6.4	4.4	3.8	5.5	5.4
DERBY XTREME	5.6	6.8	5.9	4.8	3.9	5.4	5.4
CS-6	6.0	5.8	5.9	5.3	3.8	5.6	5.4
ASP0118GL (A-4G)	6.2	6.1	6.8	4.3	3.5	5.6	5.4
LPB-SD-105	5.4	6.1	6.6	5.3	3.3	5.6	5.4
GO-141	6.0	6.3	5.8	4.9	3.9	5.4	5.4
MRSL-PR16	6.4	5.7	6.4	4.9	3.4	5.6	5.4

TABLE 5. MEAN TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
 (CONT'D) GROWN AT SIX LOCATIONS IN THE U.S. 1/  
 MAINTAINED USING "SCHEDULE C" \*  
 2017 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/							
NAME	CA7	CT1	IA1	MN1	MO1	UT1	MEAN
SNX	5.9	6.1	6.5	4.1	3.9	5.8	5.4
BAR LP 6131	6.6	6.1	6.0	4.5	3.6	5.3	5.4
LPB-SD-103	5.5	5.9	6.4	4.9	3.3	6.0	5.3
MENSA	6.2	6.2	5.8	5.0	3.5	5.3	5.3
SAGUARO	5.4	6.1	6.0	5.5	3.2	5.7	5.3
MRSL-PR15	5.8	6.6	6.3	4.3	3.8	5.0	5.3
BAR LP 6233	5.9	5.8	6.7	4.6	4.0	4.7	5.3
GO-143	6.4	6.1	5.6	4.3	3.8	5.2	5.2
BAR LP 6158	6.1	6.2	5.8	4.5	3.8	4.9	5.2
PST-2BDT	5.4	6.1	6.1	4.8	3.8	4.9	5.2
KARMA	5.8	6.2	5.8	4.5	4.1	4.7	5.2
BWH	5.3	6.4	6.4	3.7	3.2	5.9	5.2
EVOLVE	5.6	6.3	5.6	4.9	3.8	4.8	5.1
AMP-R1	5.7	5.7	6.2	4.4	3.4	5.4	5.1
BRIGHTSTAR SLT	5.5	6.1	6.4	4.5	3.6	4.7	5.1
JR-747	5.2	6.1	5.4	5.2	2.9	6.0	5.1
LPB-SD-104	5.4	5.9	5.6	4.9	3.5	5.2	5.1
GO-142	6.4	5.9	5.4	4.4	3.8	4.6	5.1
ALLSTAR III	6.1	5.8	5.8	4.4	3.3	5.0	5.1
BSP-25	5.8	5.7	6.0	3.8	3.5	5.4	5.0
APR2612	5.9	5.3	6.1	3.6	3.6	5.3	5.0
DLFPS-238/3014	5.0	5.6	6.3	3.4	4.3	4.7	4.9
BAR LP 6165	6.1	4.7	6.6	3.8	3.5	4.4	4.8
BAR LP 6162	6.0	5.1	6.0	2.3	3.8	4.3	4.6
LINN	5.5	4.1	5.3	1.4	2.9	2.9	3.7
LSD VALUE	1.1	0.9	1.0	1.5	0.7	0.8	0.4
C.V. (%)	10.9	9.0	10.0	18.1	10.9	9.5	11.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

\*/ SCHEDULE C (HOME LAWN)

1.5 - 2.5 INCH MOWING HEIGHT  
 0.3 - 0.5 lb. N/1000 SQ.FT. PER GROWING MONTH  
 NO IRRIGATION, IRRIGATION ONLY DURING SEVERE STRESS OR TO PREVENT DORMANCY  
 NO FUNGICIDES OR INSECTICIDES USED  
 WEED CONTROL TO PREVENT SIGNIFICANT STAND LOSS

TABLE 6. MEAN TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
 GROWN AT TWO LOCATIONS 1/  
 IN THE NORTHEAST REGION  
 2017 DATA  
 TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	CT1	NJ2	MEAN	NAME	CT1	NJ2	MEAN
FURLONG (LTP-FCB)	7.1	7.3	7.2	PR-6-15	6.7	5.9	6.3
023	7.6	6.5	7.1	DLFPS-236/3545	6.6	5.9	6.2
NP-2	7.2	6.9	7.0	SEABISCUIT	6.9	5.6	6.2
PPG-PR 420	7.6	6.3	6.9	PPG-PR 241	6.5	6.0	6.2
PPG-PR 423	7.3	6.5	6.9	APR2616	6.4	6.0	6.2
PPG-PR 424	7.1	6.6	6.8	PR-5-16	7.1	5.3	6.2
PL2	7.6	6.0	6.8	MAN O WAR	6.7	5.7	6.2
PPG-PR 331	7.5	6.1	6.8	PPG-PR 339	6.7	5.7	6.2
XCELERATOR	7.6	6.0	6.8	DLFPS-236/3538	6.8	5.5	6.2
PPG-PR 372	7.4	6.1	6.8	DLFPS-236/3550	6.5	5.8	6.1
PPG-PR 370	7.4	6.0	6.7	021	6.2	6.1	6.1
PPG-PR 422	7.6	5.9	6.7	DLFPS-236/3552	6.7	5.6	6.1
DLFPS-236/3556	7.2	6.2	6.7	PST-2GTD	6.8	5.4	6.1
DLFPS-236/3540	7.2	6.2	6.7	UMPQUA	6.6	5.6	6.1
DLFPS-236/3547	6.9	6.4	6.7	PPG-PR 367	6.7	5.5	6.1
NP-3	6.9	6.4	6.7	DLFPS-236/3553	6.6	5.5	6.1
PPG-PR 360	7.1	6.3	6.7	PPG-PR 385	6.5	5.6	6.1
DLFPS-236/3546	7.0	6.3	6.6	GRAY HAWK (PST-2FIND)	6.9	5.2	6.0
DLFPS-236/3542	6.9	6.3	6.6	DERBY XTREME	6.8	5.3	6.0
PPG-PR 419	7.1	6.2	6.6	GRAND SLAM GLD	6.7	5.3	6.0
DLFPS-236/3543	7.1	6.2	6.6	PST-2MAY	6.3	5.6	6.0
PPG-PR 421	6.9	6.3	6.6	PST-2PDA	6.7	5.3	6.0
RRT	6.9	6.3	6.6	KARMA	6.2	5.7	5.9
PPG-PR 371	6.7	6.4	6.6	DLFPS-236/3544	6.2	5.6	5.9
GRAY WOLF (PST-2GAL)	7.2	5.9	6.5	PST-2EGAD	6.7	5.0	5.9
DLFPS-236/3548	6.8	6.3	6.5	PST-2FOXY	6.3	5.4	5.9
SHIELD (02BS4)	7.2	5.8	6.5	PST-2BDT	6.1	5.5	5.8
SIGNET	6.9	6.1	6.5	ASP0117 (A-PR15)	6.4	5.0	5.7
INTENSE	6.8	6.2	6.5	APR3060	6.6	4.8	5.7
PHARAOH	7.2	5.8	6.5	ASP0218 (A-6D)	6.6	4.7	5.6
DLFPS-236/3554	7.1	5.8	6.5	ASP0118GL (A-4G)	6.1	5.1	5.6
OVERDRIVE 5G	7.0	5.9	6.5	RAD-PR 112	6.2	4.9	5.5
DLFPS-236/3541	6.4	6.5	6.4	MENSA	6.2	4.8	5.5
PPG-PR 329	6.8	6.0	6.4	LPB-SD-102	6.5	4.4	5.5
UF3	7.1	5.8	6.4	MRSL-PR15	6.6	4.3	5.5
02BS2	7.0	5.8	6.4	BAR LP 6164	6.2	4.7	5.4
PST-2A2	6.9	5.9	6.4	PEPPER 11 (RAD-PR 103)	5.8	5.0	5.4
PPG-PR 343	6.5	6.3	6.4	ALLSTAR III	5.8	5.0	5.4
FP2	6.8	6.0	6.4	EVOLVE	6.3	4.4	5.4
JR-123	7.0	5.7	6.4	SAGUARO	6.1	4.6	5.3
SILVER SPORT (PST-2CRP)	6.4	6.3	6.3	BAR LP 6158	6.2	4.4	5.3
02BS1	6.7	5.9	6.3	SNX	6.1	4.4	5.3
JR-197	6.6	6.0	6.3	BSP-17	6.3	4.2	5.3
SR 4650	6.9	5.7	6.3	SAVANT	6.5	4.0	5.3
CPN	6.7	5.9	6.3	JR-888	6.3	4.2	5.2

TABLE 6.  
(CONT'D)

MEAN TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
GROWN AT TWO LOCATIONS 1/  
IN THE NORTHEAST REGION  
2017 DATA  
TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	CT1	NJ2	MEAN
BAR LP 6233	5.8	4.6	5.2
LPB-SD-103	5.9	4.5	5.2
LPB-SD-104	5.9	4.5	5.2
CS-6	5.8	4.5	5.2
GO-142	5.9	4.5	5.2
BAR LP 6159	5.9	4.4	5.2
AMP-R1	5.7	4.6	5.2
GO-143	6.1	4.2	5.1
MRS�-PR16	5.7	4.5	5.1
GO-141	6.3	3.9	5.1
BAR LP 6117	5.9	4.3	5.1
BWH	6.4	3.7	5.1
ASP0116EXT	5.7	4.4	5.0
LPB-SD-101	6.3	3.8	5.0
APR2612	5.3	4.8	5.0
JR-747	6.1	4.0	5.0
BSP-25	5.7	4.4	5.0
LPB-SD-105	6.1	3.7	4.9
BRIGHTSTAR SLT	6.1	3.3	4.7
BAR LP 6131	6.1	3.2	4.6
DLFPS-238/3014	5.6	3.2	4.4
BAR LP 6165	4.7	3.8	4.2
BAR LP 6162	5.1	2.9	4.0
LINN	4.1	1.0	2.6
LSD VALUE	0.9	0.7	0.6
C.V. (%)	9.0	8.4	8.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.



TABLE 7.

MEAN TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
GROWN AT THREE LOCATIONS 1/  
IN THE TRANSITION REGION  
2017 DATA  
TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	KY1	MO1	VA1	MEAN	NAME	KY1	MO1	VA1	MEAN
DLFPS-236/3554	7.1	4.2	7.1	6.2	GRAND SLAM GLD	6.8	3.8	6.5	5.7
DLFPS-236/3538	6.9	4.7	6.9	6.1	PPG-PR 385	6.6	3.8	6.6	5.7
PPG-PR 419	7.2	4.3	6.8	6.1	XCELERATOR	6.9	3.9	6.3	5.7
PPG-PR 371	7.0	4.4	6.8	6.1	NP-3	6.5	4.0	6.5	5.7
PR-5-16	7.0	4.3	6.8	6.1	SIGNET	6.8	3.7	6.5	5.7
FP2	6.7	4.6	6.9	6.0	KARMA	6.7	4.1	6.2	5.7
DLFPS-236/3547	7.2	4.3	6.5	6.0	NP-2	6.7	4.0	6.3	5.7
DLFPS-236/3552	6.9	4.5	6.8	6.0	DLFPS-236/3541	6.9	3.7	6.4	5.6
PPG-PR 420	6.9	4.2	7.0	6.0	SEABISCUIT	6.7	3.8	6.5	5.6
DLFPS-236/3553	7.0	4.5	6.5	6.0	APR3060	6.6	3.9	6.4	5.6
DLFPS-236/3544	6.8	4.3	6.8	6.0	PST-2A2	6.9	3.5	6.5	5.6
PPG-PR 424	7.1	4.2	6.7	6.0	PST-2PDA	6.6	3.9	6.4	5.6
PPG-PR 370	7.0	4.1	6.7	6.0	DLFPS-236/3540	6.9	3.8	6.3	5.6
SILVER SPORT (PST-2CRP)	6.9	4.0	6.9	6.0	PPG-PR 339	6.8	4.1	6.0	5.6
PPG-PR 421	7.2	3.8	6.8	6.0	JR-197	6.7	4.2	6.0	5.6
FURLONG (LTP-FCB)	7.1	4.5	6.2	5.9	PHARAOH	6.7	4.0	6.3	5.6
BAR LP 6117	6.5	4.3	7.0	5.9	PR-6-15	6.8	3.8	6.3	5.6
PST-2FOXY	6.8	4.5	6.5	5.9	BAR LP 6164	6.4	3.8	6.6	5.6
PPG-PR 372	7.0	4.0	6.7	5.9	BAR LP 6162	6.0	3.8	7.1	5.6
DLFPS-236/3545	6.8	4.0	7.0	5.9	ASP0116EXT	6.9	3.5	6.5	5.6
GRAY WOLF (PST-2GAL)	6.8	4.1	6.8	5.9	DLFPS-238/3014	6.0	4.3	6.5	5.6
PPG-PR 343	6.9	3.7	7.0	5.9	PPG-PR 423	6.7	3.7	6.5	5.6
DLFPS-236/3548	6.9	4.0	6.8	5.9	ASP0117 (A-PR15)	6.6	4.1	6.1	5.6
JR-123	6.8	4.7	6.1	5.9	PST-2BDT	7.0	3.8	6.0	5.6
DLFPS-236/3546	6.9	4.3	6.4	5.9	PPG-PR 241	6.8	3.8	6.2	5.6
PST-2EGAD	6.5	4.4	6.6	5.9	SNX	6.6	3.9	6.3	5.6
PL2	7.0	4.2	6.4	5.8	DERBY XTREME	6.6	3.9	6.2	5.6
DLFPS-236/3542	6.7	4.3	6.5	5.8	DLFPS-236/3556	6.9	3.5	6.3	5.6
DLFPS-236/3543	6.9	4.3	6.3	5.8	BAR LP 6165	6.1	3.5	7.1	5.6
PEPPER 11 (RAD-PR 103)	6.6	4.1	6.8	5.8	DLFPS-236/3550	6.6	3.6	6.4	5.6
PPG-PR 331	6.9	4.1	6.4	5.8	EVOLVE	6.2	3.8	6.7	5.6
UMPQUA	6.8	3.7	6.8	5.8	BAR LP 6131	6.5	3.6	6.5	5.5
PST-2GTD	6.6	4.1	6.6	5.8	BAR LP 6233	6.4	4.0	6.2	5.5
SHIELD (02BS4)	6.9	3.8	6.5	5.8	BAR LP 6158	6.5	3.8	6.3	5.5
02BS1	6.7	4.1	6.5	5.8	021	6.5	3.8	6.3	5.5
PPG-PR 360	6.8	4.2	6.3	5.7	INTENSE	6.5	3.7	6.4	5.5
PPG-PR 367	6.9	3.7	6.6	5.7	02BS2	6.8	4.0	5.8	5.5
PPG-PR 422	6.8	4.3	6.1	5.7	GO-141	6.3	3.9	6.3	5.5
CPN	6.7	3.9	6.6	5.7	BAR LP 6159	6.6	3.8	6.1	5.5
SR 4650	7.0	3.5	6.7	5.7	RAD-PR 112	6.6	3.7	6.3	5.5
APR2616	6.6	3.9	6.7	5.7	PST-2MAY	6.5	4.1	5.9	5.5
PPG-PR 329	6.9	4.1	6.2	5.7	GO-143	6.5	3.8	6.1	5.5
OVERDRIVE 5G	6.7	4.0	6.5	5.7	CS-6	6.6	3.8	6.0	5.5
RRT	6.8	4.0	6.3	5.7	GO-142	6.5	3.8	6.1	5.5
023	6.7	4.2	6.3	5.7	MAN O WAR	6.5	3.8	6.1	5.4

TABLE 7.  
(CONT'D)

MEAN TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
GROWN AT THREE LOCATIONS 1/  
IN THE TRANSITION REGION  
2017 DATA  
TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	KY1	MO1	VA1	MEAN
AMP-R1	6.8	3.4	6.1	5.4
ASP0218 (A-6D)	6.4	4.0	5.9	5.4
GRAY HAWK (PST-2FIND)	6.4	4.1	5.8	5.4
APR2612	6.6	3.6	6.0	5.4
UF3	6.6	4.0	5.7	5.4
MRSL-PR16	6.4	3.4	6.4	5.4
BSP-25	6.3	3.5	6.3	5.3
JR-888	6.2	3.8	6.0	5.3
MRSL-PR15	6.4	3.8	5.8	5.3
ASP0118GL (A-4G)	6.5	3.5	5.8	5.3
LPB-SD-101	6.6	3.4	5.8	5.3
SAGUARO	6.4	3.2	6.1	5.2
MENSA	6.9	3.5	5.3	5.2
BRIGHTSTAR SLT	6.1	3.6	5.9	5.2
SAVANT	6.4	3.5	5.6	5.2
LPB-SD-104	6.6	3.5	5.3	5.1
ALLSTAR III	6.4	3.3	5.6	5.1
JR-747	6.6	2.9	5.8	5.1
LPB-SD-102	6.8	3.3	5.1	5.1
BSP-17	6.1	4.0	4.7	5.0
BWH	6.3	3.2	5.3	5.0
LPB-SD-103	6.4	3.3	5.1	4.9
LPB-SD-105	5.9	3.3	4.9	4.7
LINN	3.1	2.9	4.5	3.5
LSD VALUE	0.4	0.7	1.1	0.4
C.V. (%)	4.2	10.9	10.6	8.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 8. MEAN TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
 GROWN AT SIX LOCATIONS 1/  
 IN THE NORTH CENTRAL REGION  
 2017 DATA  
 TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	IA1	IL1	MI1	MN1	NE1	WI1	MEAN
PPG-PR 423	6.5	7.7	5.7	5.3	5.5	7.0	6.3
DLFPS-236/3554	6.9	7.6	5.3	5.9	5.4	6.2	6.2
NP-2	6.4	7.4	5.9	6.1	5.4	6.0	6.2
PPG-PR 424	6.3	7.6	5.3	5.9	5.3	6.7	6.2
PPG-PR 331	6.4	7.4	5.8	6.2	5.0	6.3	6.2
LPB-SD-102	6.8	6.8	5.6	6.2	5.8	5.7	6.1
CPN	6.8	7.3	5.3	5.9	5.7	5.9	6.1
DLFPS-236/3540	6.7	7.4	5.6	5.4	5.6	6.1	6.1
PPG-PR 372	6.8	7.1	5.5	6.3	5.3	5.8	6.1
PR-6-15	6.1	7.4	5.9	5.7	5.3	6.0	6.1
FURLONG (LTP-FCB)	6.9	7.3	5.6	5.4	5.0	6.2	6.1
GRAY HAWK (PST-2FIND)	6.6	7.1	5.4	6.3	5.0	6.0	6.1
SILVER SPORT (PST-2CRP)	6.9	6.9	5.7	5.1	5.5	6.2	6.1
LPB-SD-105	6.6	6.5	5.5	5.3	5.8	6.6	6.1
DLFPS-236/3556	5.9	7.5	5.7	6.1	5.1	6.0	6.1
PL2	6.1	7.7	5.5	6.0	5.0	6.0	6.0
XCELERATOR	6.1	7.6	5.6	5.5	5.2	6.2	6.0
PPG-PR 420	6.8	7.6	5.4	5.5	5.1	5.6	6.0
JR-197	6.3	7.3	5.4	5.4	5.6	6.0	6.0
PPG-PR 419	6.0	7.2	5.4	5.8	5.6	6.0	6.0
PPG-PR 421	6.3	7.4	5.2	5.6	5.2	6.1	6.0
PR-5-16	6.3	7.2	5.3	5.7	5.1	6.4	6.0
OVERDRIVE 5G	6.4	7.2	5.1	5.7	5.4	6.2	6.0
O23	6.2	7.2	5.7	5.5	5.7	5.7	6.0
PPG-PR 339	6.1	7.6	5.7	5.7	4.9	6.0	6.0
UMPQUA	6.9	7.4	5.5	5.4	4.6	6.0	6.0
FP2	6.5	6.7	5.3	5.8	5.6	5.9	6.0
NP-3	6.3	7.4	5.7	5.5	4.6	6.3	6.0
PPG-PR 241	6.2	7.2	5.3	5.5	5.5	6.0	6.0
PPG-PR 422	6.4	7.5	5.2	5.7	5.0	6.0	6.0
DLFPS-236/3538	6.6	7.0	5.6	5.4	5.1	6.0	6.0
JR-888	5.6	6.9	5.6	5.6	5.6	6.4	5.9
DLFPS-236/3544	6.7	7.6	5.2	5.3	5.4	5.4	5.9
PPG-PR 329	6.0	7.1	5.6	5.4	5.6	6.0	5.9
PST-2FOXY	6.3	7.7	5.2	5.0	5.0	6.3	5.9
DLFPS-236/3543	6.4	7.1	5.6	5.7	5.4	5.4	5.9
PPG-PR 343	6.4	7.6	5.4	5.2	5.0	5.9	5.9
DLFPS-236/3546	5.6	7.3	5.5	5.8	5.0	6.2	5.9
DLFPS-236/3545	6.0	7.2	5.2	4.8	5.4	6.8	5.9
DLFPS-236/3553	6.1	7.0	5.2	5.6	5.0	6.4	5.9
PST-2EGAD	6.9	7.4	5.1	5.1	5.2	5.7	5.9
SHIELD (O2BS4)	6.6	6.6	5.8	5.4	5.4	5.5	5.9
O2BS2	6.1	7.0	5.6	5.4	4.9	6.3	5.9
RRT	6.5	6.9	5.6	4.8	5.4	6.1	5.9
LPB-SD-101	5.9	6.9	5.4	5.4	5.6	6.0	5.9

TABLE 8. MEAN TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
 (CONT'D) GROWN AT SIX LOCATIONS 1/  
 IN THE NORTH CENTRAL REGION  
 2017 DATA  
 TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	IA1	IL1	MI1	MN1	NE1	WI1	MEAN
GRAND SLAM GLD	6.8	7.1	5.6	5.3	4.9	5.6	5.9
SR 4650	6.0	6.8	5.3	5.4	5.4	6.2	5.9
PST-2A2	5.8	7.4	5.7	5.1	4.7	6.4	5.9
MAN O WAR	6.5	7.2	5.4	5.3	4.8	5.8	5.8
PPG-PR 360	6.4	7.2	5.2	5.3	5.0	6.0	5.8
021	6.7	6.9	5.7	4.8	5.0	5.8	5.8
SEABISCUIT	6.6	7.4	5.7	4.7	4.7	6.0	5.8
PPG-PR 367	6.1	6.7	5.5	5.4	5.0	6.2	5.8
ASP0117 (A-PR15)	6.2	7.3	5.2	5.8	4.9	5.3	5.8
DLFPS-236/3547	6.4	7.5	5.1	5.3	4.9	5.5	5.8
SAGUARO	6.0	6.9	5.5	5.5	5.3	5.6	5.8
SIGNET	5.9	7.2	5.7	5.3	5.0	5.8	5.8
APR2616	6.1	7.2	5.4	5.0	5.4	5.5	5.8
DLFPS-236/3550	6.0	7.2	5.6	4.9	5.1	6.0	5.8
PPG-PR 371	6.4	7.3	5.3	4.3	5.5	5.8	5.8
PPG-PR 370	6.3	6.7	5.4	5.0	5.2	6.0	5.8
PHARAOH	6.4	7.2	5.4	4.3	5.2	6.0	5.8
INTENSE	6.1	7.2	5.0	5.0	5.3	6.0	5.8
DLFPS-236/3548	6.3	7.5	5.6	4.7	4.3	6.1	5.8
SAVANT	6.1	6.9	5.6	3.6	5.7	6.6	5.8
DLFPS-236/3542	6.6	7.6	5.3	4.8	5.1	5.0	5.7
GRAY WOLF (PST-2GAL)	6.9	7.1	5.3	4.6	5.3	5.3	5.7
PST-2BDT	6.1	6.9	5.4	4.8	5.9	5.3	5.7
MENSA	5.8	7.3	5.5	5.0	5.1	5.6	5.7
PST-2GTD	6.6	7.4	5.6	4.3	5.2	5.2	5.7
BAR LP 6164	6.4	7.2	5.4	5.4	4.8	5.1	5.7
BAR LP 6159	6.3	6.8	5.6	5.2	5.1	5.2	5.7
PST-2MAY	6.8	7.5	5.2	4.3	4.9	5.6	5.7
ASP0116EXT	6.6	7.5	5.6	5.2	4.6	4.7	5.7
DLFPS-236/3552	6.0	7.2	5.6	4.5	5.4	5.3	5.7
LPB-SD-103	6.4	7.2	4.9	4.9	5.0	5.7	5.7
PPG-PR 385	6.4	7.4	5.1	4.4	4.6	5.9	5.7
BAR LP 6233	6.7	6.8	5.2	4.6	5.2	5.3	5.6
MRSL-PR16	6.4	7.8	5.2	4.9	4.5	5.0	5.6
ASP0118GL (A-4G)	6.8	7.8	5.1	4.3	5.0	4.9	5.6
DLFPS-236/3541	5.5	6.9	5.2	5.4	5.3	5.4	5.6
UF3	5.9	7.1	5.2	5.6	4.8	5.3	5.6
DERBY XTREME	5.9	7.2	5.3	4.8	5.0	5.5	5.6
BRIGHTSTAR SLT	6.4	7.2	5.5	4.5	5.0	5.0	5.6
PST-2PDA	6.0	6.8	5.5	4.8	5.0	5.4	5.6
CS-6	5.9	7.3	5.4	5.3	4.0	5.7	5.6
PEPPER 11 (RAD-PR 103)	6.4	7.9	5.3	4.0	4.5	5.4	5.6
GO-141	5.8	7.0	5.3	4.9	4.9	5.8	5.6
BSP-17	6.3	7.2	5.3	5.5	4.2	5.0	5.6
BAR LP 6131	6.0	7.0	5.2	4.5	4.8	6.0	5.6
EVOLVE	5.6	6.9	5.5	4.9	4.9	5.7	5.6

TABLE 8. MEAN TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
 (CONT'D) GROWN AT SIX LOCATIONS 1/  
 IN THE NORTH CENTRAL REGION  
 2017 DATA  
 TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	IA1	IL1	MI1	MN1	NE1	WI1	MEAN
MRSL-PR15	6.3	7.3	5.3	4.3	4.4	5.9	5.6
BAR LP 6117	6.0	7.1	5.2	4.7	5.0	5.5	5.6
RAD-PR 112	6.3	7.8	4.7	5.2	4.1	5.1	5.6
ALLSTAR III	5.8	7.1	5.4	4.4	4.8	5.8	5.5
O2BS1	6.8	7.3	4.8	4.3	4.9	5.1	5.5
JR-123	5.6	6.9	5.1	5.5	4.9	5.0	5.5
APR3060	6.2	6.5	5.1	5.1	4.9	5.1	5.5
APR2612	6.1	7.2	5.3	3.6	4.4	6.2	5.5
SNX	6.5	7.6	5.2	4.1	4.1	5.4	5.5
ASP0218 (A-6D)	6.2	7.5	4.9	4.1	4.4	5.6	5.5
KARMA	5.8	7.1	4.9	4.5	5.0	5.2	5.4
BSP-25	6.0	7.5	5.4	3.8	4.0	5.7	5.4
LPB-SD-104	5.6	5.9	5.4	4.9	4.9	5.6	5.4
JR-747	5.4	6.2	4.9	5.2	5.1	5.5	5.4
BWH	6.4	7.4	5.4	3.7	4.7	4.7	5.4
GO-142	5.4	7.2	4.8	4.4	4.7	5.7	5.4
AMP-R1	6.2	7.6	5.1	4.4	3.7	5.0	5.3
BAR LP 6158	5.8	6.8	4.9	4.5	4.4	5.0	5.2
BAR LP 6165	6.6	6.4	4.7	3.8	5.0	4.9	5.2
GO-143	5.6	7.4	4.6	4.3	4.6	4.6	5.2
DLFPS-238/3014	6.3	6.7	4.3	3.4	4.2	6.2	5.2
BAR LP 6162	6.0	7.1	4.3	2.3	4.1	4.9	4.8
LINN	5.3	2.8	3.2	1.4	3.0	3.4	3.2
LSD VALUE	1.0	0.7	0.7	1.5	0.7	1.3	0.4
C.V. (%)	10.0	6.3	7.7	18.1	8.9	14.1	11.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 9.

TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
FOR EACH MONTH GROWN AT LOGAN, UT 1/  
2017 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF: MONTHS 2/

NAME	APR	MAY	JUN	JUL	AUG	SEP	OCT	MEAN
PST-2MAY	4.7	7.3	7.3	6.0	6.7	7.7	5.3	6.4
PEPPER 11 (RAD-PR 103)	4.7	7.0	7.7	6.0	7.3	7.7	4.7	6.4
BSP-17	5.0	7.3	7.3	5.7	7.3	7.0	5.0	6.4
DLFPS-236/3542	4.3	7.3	6.7	5.7	7.3	7.7	5.0	6.3
DLFPS-236/3554	4.7	7.7	7.0	5.3	7.3	7.3	4.3	6.2
PPG-PR 360	5.0	7.3	7.0	6.3	6.3	6.7	4.3	6.1
PPG-PR 419	5.0	6.7	6.7	5.7	7.0	7.0	5.0	6.1
NP-2	5.7	6.7	6.7	5.3	6.3	7.3	5.0	6.1
PPG-PR 370	4.7	7.7	6.7	5.0	7.0	6.7	5.0	6.1
SAVANT	4.7	6.7	6.3	5.3	7.7	6.7	5.0	6.0
PPG-PR 331	4.0	6.3	6.7	6.0	7.0	7.0	5.3	6.0
RAD-PR 112	4.7	7.0	7.3	5.0	7.3	7.0	4.0	6.0
JR-747	4.7	8.0	7.3	6.0	6.0	6.3	3.7	6.0
PPG-PR 371	5.3	6.7	7.0	5.3	6.0	7.0	4.7	6.0
XCELERATOR	5.0	7.3	6.7	4.7	6.7	6.7	5.0	6.0
DLFPS-236/3541	4.3	6.3	6.7	5.3	7.0	6.7	5.3	6.0
LPB-SD-103	5.0	7.0	6.3	5.0	6.7	6.7	5.0	6.0
NP-3	5.0	6.3	6.0	6.0	6.7	7.0	4.7	6.0
DLFPS-236/3543	5.0	6.3	6.0	5.3	7.0	7.3	4.3	5.9
GRAY WOLF (PST-2GAL)	5.0	6.3	6.0	5.7	7.0	6.7	4.7	5.9
BWH	5.3	8.0	6.7	4.7	6.0	6.0	4.3	5.9
DLFPS-236/3550	5.0	7.3	6.3	5.0	5.7	7.3	4.3	5.9
PPG-PR 343	4.3	7.7	7.0	5.3	6.0	6.3	4.3	5.9
021	5.0	6.7	5.3	6.0	6.3	6.7	5.0	5.9
02BS2	5.0	6.7	5.3	5.7	6.7	6.3	5.0	5.8
ASPO218 (A-6D)	4.7	6.3	6.3	5.7	6.7	6.3	4.7	5.8
PPG-PR 241	4.3	7.0	7.0	5.3	6.3	6.0	4.7	5.8
RRT	4.7	6.0	6.3	5.0	6.7	7.0	5.0	5.8
PPG-PR 424	5.3	6.7	6.7	4.3	6.0	6.7	5.0	5.8
PPG-PR 423	4.7	6.7	7.0	4.7	6.0	7.0	4.3	5.8
SILVER SPORT (PST-2CRP)	4.0	6.0	7.0	5.3	6.7	6.7	4.7	5.8
SNX	5.7	7.3	6.7	4.7	5.3	6.3	4.3	5.8
LPB-SD-102	4.7	6.0	6.7	5.0	6.3	6.7	4.7	5.7
BAR LP 6159	4.7	7.3	6.7	5.3	6.0	6.0	4.0	5.7
FURLONG (LTP-FCB)	3.7	5.7	6.3	5.7	6.7	7.0	4.7	5.7
PPG-PR 329	4.3	6.7	5.7	5.3	6.3	6.3	5.0	5.7
PPG-PR 367	4.3	6.7	6.0	5.0	6.0	6.3	5.3	5.7
PPG-PR 421	3.7	6.0	6.3	5.3	7.0	7.0	4.3	5.7
SAGUARO	4.0	6.3	6.7	5.3	6.3	6.3	4.7	5.7
DLFPS-236/3540	4.7	7.3	6.0	4.7	6.0	6.7	4.0	5.6
DLFPS-236/3552	4.0	6.3	6.3	5.7	6.7	6.7	3.7	5.6
FP2	4.7	7.0	6.0	4.7	6.0	6.3	4.7	5.6
LPB-SD-105	3.7	6.3	6.7	5.7	5.7	6.7	4.7	5.6
ASPO118GL (A-4G)	5.3	6.7	5.7	5.3	5.3	6.0	4.7	5.6
ASPO116EXT	4.3	5.7	6.7	5.3	6.3	5.7	5.0	5.6

TABLE 9.  
(CONT'D)

TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
FOR EACH MONTH GROWN AT LOGAN, UT 1/  
2017 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF: MONTHS 2/

NAME	APR	MAY	JUN	JUL	AUG	SEP	OCT	MEAN
CS-6	4.3	7.0	6.3	5.7	5.3	5.3	5.0	5.6
MRLS-PR16	3.3	6.7	6.7	5.7	6.3	5.7	4.7	5.6
PST-2EGAD	5.0	6.7	5.7	4.7	5.7	6.7	4.7	5.6
SR 4650	4.7	6.7	6.0	4.7	5.3	7.0	4.7	5.6
APR2616	4.0	7.0	6.3	5.0	6.0	6.3	4.0	5.5
BAR LP 6117	4.3	6.7	5.7	5.0	7.0	6.0	4.0	5.5
PPG-PR 372	3.7	6.3	7.0	5.3	5.3	6.3	4.7	5.5
GRAY HAWK (PST-2FIND)	4.3	6.3	6.3	5.0	5.7	6.3	4.3	5.5
JR-123	5.0	7.0	6.0	4.7	5.0	6.0	4.7	5.5
DLFPS-236/3545	4.0	5.7	6.0	5.0	6.0	7.0	4.7	5.5
PPG-PR 385	5.3	6.0	5.3	5.3	5.7	6.3	4.3	5.5
LPB-SD-101	4.7	6.3	6.0	4.3	5.3	6.7	4.7	5.4
SIGNET	4.7	6.7	6.3	5.0	5.3	5.7	4.3	5.4
BSP-25	3.7	5.7	6.7	5.7	5.7	6.3	4.3	5.4
DERBY XTREME	4.3	6.0	6.0	4.0	5.3	7.0	5.3	5.4
DLFPS-236/3547	4.3	6.3	6.0	5.0	5.3	6.3	4.7	5.4
PPG-PR 422	3.7	5.3	6.0	5.0	6.0	7.0	5.0	5.4
SHIELD (02BS4)	4.3	6.7	6.3	4.7	6.3	5.3	4.0	5.4
AMP-R1	4.0	6.0	6.0	4.7	6.0	6.3	4.7	5.4
CPN	5.3	6.0	6.0	4.3	4.7	6.7	4.7	5.4
DLFPS-236/3538	3.7	5.0	5.7	5.3	7.0	6.0	5.0	5.4
DLFPS-236/3548	3.7	6.3	6.7	5.3	5.7	6.0	4.0	5.4
GO-141	3.7	7.0	6.0	5.3	5.3	6.0	4.3	5.4
OVERDRIVE 5G	6.0	6.3	6.0	4.0	5.3	5.7	4.3	5.4
PHARAOH	6.0	6.3	6.0	3.7	5.0	7.0	3.7	5.4
PPG-PR 339	4.3	5.7	6.3	4.7	5.3	6.3	5.0	5.4
PST-2GTD	4.3	6.0	6.7	5.0	5.3	6.0	4.3	5.4
UF3	5.3	5.7	5.3	5.0	5.3	6.3	4.7	5.4
UMPQUA	5.7	5.3	5.3	4.7	5.7	6.3	4.7	5.4
APR2612	3.7	5.3	5.7	5.3	6.3	6.3	4.7	5.3
BAR LP 6131	4.7	6.3	5.3	4.3	6.7	5.7	4.3	5.3
DLFPS-236/3544	3.7	5.3	5.3	5.7	6.3	6.3	4.7	5.3
DLFPS-236/3553	4.3	6.7	6.0	4.7	5.7	6.0	4.0	5.3
MENSA	3.7	6.7	6.7	4.3	6.0	5.7	4.3	5.3
PR-5-16	3.7	5.3	6.0	5.3	6.3	6.0	4.7	5.3
APR3060	3.3	6.0	6.0	6.0	6.0	5.3	4.3	5.3
DLFPS-236/3546	4.0	7.0	7.0	4.3	5.0	5.7	4.0	5.3
INTENSE	5.0	5.3	5.3	4.7	5.3	7.0	4.3	5.3
PR-6-15	3.7	7.0	5.7	4.0	5.3	6.3	5.0	5.3
023	3.7	4.7	5.3	5.0	6.0	7.0	5.0	5.2
02BS1	4.3	5.3	5.7	4.3	5.3	7.0	4.3	5.2
GO-143	3.7	6.0	5.3	4.7	6.0	6.0	4.7	5.2
LPB-SD-104	3.7	5.7	6.0	4.7	6.0	6.0	4.3	5.2
JR-888	4.3	6.7	6.3	4.7	5.3	5.3	3.7	5.2
BAR LP 6164	3.7	5.7	5.7	4.7	5.7	6.0	4.7	5.1
GRAND SLAM GLD	4.3	6.0	5.3	4.7	6.0	5.7	4.0	5.1

TABLE 9.  
(CONT'D)

TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
FOR EACH MONTH GROWN AT LOGAN, UT 1/  
2017 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF: MONTHS 2/

NAME	APR	MAY	JUN	JUL	AUG	SEP	OCT	MEAN
PL2	4.7	5.7	5.7	4.0	5.3	6.0	4.3	5.1
PPG-PR 420	3.7	6.0	5.7	4.7	5.7	5.7	4.3	5.1
MRSL-PR15	4.3	7.0	6.3	4.7	4.7	5.3	3.0	5.0
PST-2FOXY	3.7	5.7	5.7	4.3	6.0	5.7	4.3	5.0
ALLSTAR III	4.3	5.3	5.0	4.3	5.3	6.0	4.7	5.0
DLFPS-236/3556	4.3	5.0	6.3	4.7	4.7	5.7	4.3	5.0
JR-197	3.7	5.7	5.3	4.7	5.3	5.7	4.3	5.0
BAR LP 6158	4.7	6.3	5.7	4.0	5.3	4.7	3.7	4.9
PST-2BDT	3.7	6.0	5.7	4.0	4.7	5.7	4.7	4.9
PST-2PDA	4.7	4.3	5.0	5.0	5.7	5.7	4.0	4.9
PST-2A2	4.0	6.3	5.7	4.3	4.7	5.3	4.0	4.9
SEABISCUIT	4.3	5.0	5.7	4.0	5.3	5.0	4.7	4.9
EVOLVE	5.3	6.0	5.0	4.3	4.3	5.3	3.0	4.8
KARMA	4.0	5.3	5.3	4.3	4.7	5.7	3.7	4.7
BAR LP 6233	5.7	5.0	4.3	4.7	4.3	4.7	4.0	4.7
BRIGHTSTAR SLT	5.3	5.7	5.7	3.7	3.3	5.3	3.7	4.7
DLFPS-238/3014	4.3	5.7	5.7	4.3	3.7	5.0	4.0	4.7
ASPO117 (A-PR15)	4.0	6.0	5.7	4.0	3.7	5.0	4.0	4.6
MAN O WAR	4.7	5.7	5.0	4.0	4.3	5.0	3.7	4.6
GO-142	3.7	6.7	5.0	3.7	3.7	5.7	3.7	4.6
BAR LP 6165	4.3	4.7	4.7	5.0	4.0	4.3	4.0	4.4
BAR LP 6162	4.7	5.0	5.0	4.3	3.7	4.3	3.3	4.3
LINN	6.3	1.7	2.7	2.3	2.7	2.3	2.3	2.9
LSD VALUE	1.4	1.8	1.3	1.3	1.6	1.5	1.2	0.8
C.V. (%)	19.0	18.2	13.0	16.5	17.3	15.0	16.6	9.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.



TABLE 10.

TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
FOR EACH MONTH GROWN AT FRESNO, CA 1/  
2017 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF: MONTHS 2/

NAME	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN
MAN O WAR	8.0	7.7	8.0	7.0	7.3	5.3	5.3	5.3	7.3	7.7	7.3	8.0	7.0
BAR LP 6164	7.3	6.7	6.7	6.7	7.3	5.7	5.3	5.7	8.7	8.3	7.7	8.0	7.0
PPG-PR 339	7.3	7.0	7.7	7.7	6.0	4.7	5.0	5.3	8.3	8.0	7.7	7.7	6.9
GRAY HAWK (PST-2FIND)	7.7	7.7	8.0	7.0	6.3	4.7	4.0	5.0	8.3	8.3	7.3	7.7	6.8
APR3060	7.3	6.7	7.0	6.7	6.3	4.7	4.7	5.3	8.7	8.3	8.0	7.7	6.8
O2BS1	7.7	7.7	7.7	7.3	6.7	4.3	4.3	4.7	7.7	8.0	7.7	7.3	6.8
PPG-PR 371	7.3	7.3	7.3	6.7	6.3	4.3	4.3	5.0	8.3	8.3	8.3	7.3	6.8
SAVANT	7.0	7.3	7.0	6.7	6.3	5.0	4.7	5.0	7.3	8.0	8.0	8.7	6.8
O2BS2	7.0	7.0	7.0	6.0	6.0	4.7	5.0	5.0	8.0	8.3	8.3	8.3	6.7
GRAY WOLF (PST-2GAL)	6.7	6.7	6.7	5.7	6.3	5.0	4.7	5.0	8.7	8.7	8.3	7.7	6.7
PPG-PR 422	8.0	7.7	8.0	7.3	6.3	4.3	3.7	5.0	7.3	8.0	7.7	6.7	6.7
DLFPS-236/3554	7.3	7.3	7.3	5.7	6.3	5.0	4.3	4.7	8.0	8.0	7.7	7.3	6.6
BAR LP 6131	7.0	6.7	8.0	7.3	5.3	3.7	3.7	5.3	9.0	8.3	7.3	7.0	6.6
PST-2GTD	6.7	6.3	6.3	5.7	6.3	5.0	5.0	5.3	8.3	8.3	7.7	7.7	6.6
DLFPS-236/3550	7.0	6.7	7.0	6.3	6.3	4.7	4.3	5.0	8.3	8.0	7.3	7.7	6.6
PST-2A2	8.3	8.0	8.3	6.3	5.7	4.3	4.0	4.3	6.7	7.3	7.7	7.3	6.5
PST-2MAY	7.7	7.3	7.3	6.0	6.7	4.7	4.3	4.7	7.3	7.7	7.3	7.3	6.5
LPB-SD-101	7.3	6.3	6.7	7.3	6.3	5.0	5.0	5.3	7.0	7.0	7.3	7.3	6.5
PPG-PR 370	6.3	6.3	6.7	6.7	7.0	4.7	4.3	5.0	8.0	8.0	7.7	7.3	6.5
PPG-PR 421	6.7	6.0	6.7	6.7	6.7	5.0	4.7	5.0	8.3	7.7	7.0	7.7	6.5
PPG-PR 372	6.0	6.3	6.3	7.3	6.3	4.7	4.7	5.3	8.0	8.0	7.0	7.7	6.5
PST-2PDA	7.0	7.0	7.0	6.3	7.3	4.7	4.0	4.7	7.7	7.7	6.7	7.7	6.5
SEABISCUIT	7.0	7.0	6.3	6.7	6.3	4.7	4.3	5.0	8.0	8.0	7.3	7.0	6.5
PPG-PR 331	7.0	6.7	6.7	5.7	5.3	4.3	4.0	5.3	8.3	8.3	7.7	8.0	6.4
PHARAOH	7.0	6.3	7.0	6.7	6.3	4.7	4.7	5.0	7.7	7.7	7.3	7.0	6.4
O21	6.7	6.3	6.3	6.0	5.7	5.3	5.3	5.3	8.0	8.0	7.0	7.0	6.4
ASP0117 (A-PR15)	6.0	6.0	6.0	6.0	6.7	5.0	4.7	4.7	8.3	8.3	8.3	7.0	6.4
DLFPS-236/3541	6.3	6.7	7.0	6.0	5.7	4.7	5.0	5.0	8.0	8.0	7.3	7.3	6.4
PPG-PR 343	7.3	6.3	6.7	5.7	5.7	4.3	4.0	5.0	8.0	8.3	8.0	7.7	6.4
DLFPS-236/3540	6.7	6.3	6.0	6.7	6.7	4.7	4.7	5.0	8.0	7.7	6.7	7.7	6.4
DLFPS-236/3542	7.7	7.0	7.3	5.3	6.3	4.3	3.7	4.7	7.3	7.7	7.3	8.0	6.4
GO-143	8.0	7.3	6.7	4.7	6.3	4.3	4.0	4.7	8.0	8.0	6.7	7.7	6.4
MRS�-PR16	7.7	7.0	7.3	5.0	5.7	4.0	3.7	4.7	8.0	8.0	7.7	7.7	6.4
GO-142	8.3	7.7	7.7	7.0	7.0	4.3	3.7	4.3	7.0	6.7	6.0	6.7	6.4
BAR LP 6159	7.0	7.0	7.0	6.7	6.0	5.0	4.7	5.0	7.0	6.7	6.3	7.3	6.3
CPN	6.3	6.3	6.7	6.0	5.7	4.3	4.0	5.0	8.3	8.3	7.0	7.7	6.3
DLFPS-236/3552	6.7	6.3	6.0	5.3	6.0	4.3	4.3	5.3	8.7	8.3	7.0	7.3	6.3
GRAND SLAM GLD	6.3	5.7	6.3	7.3	5.7	4.7	4.7	5.3	7.3	8.0	7.3	7.0	6.3
FURLONG (LTP-FCB)	6.3	6.0	5.7	4.7	6.7	4.7	4.3	5.0	8.0	8.3	8.3	7.7	6.3
PPG-PR 419	7.7	7.3	7.3	5.3	6.3	3.7	3.3	4.3	7.7	8.0	7.3	7.3	6.3
SIGNET	6.7	6.3	6.7	6.3	6.3	4.7	4.3	4.3	6.7	7.7	8.0	7.7	6.3
ASP0116EXT	6.7	6.3	6.0	4.3	7.0	5.7	4.7	5.3	7.7	7.7	6.3	7.7	6.3
BAR LP 6117	7.3	7.0	6.7	6.3	6.3	4.0	3.7	4.7	8.0	7.7	6.7	7.0	6.3
LPB-SD-102	7.3	7.0	7.0	6.3	6.7	4.7	4.0	4.3	6.7	7.0	7.0	7.3	6.3
PPG-PR 367	6.7	6.7	6.7	5.7	6.3	4.7	4.3	4.3	7.0	7.3	7.7	8.0	6.3

TABLE 10.  
(CONT'D)

TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
FOR EACH MONTH GROWN AT FRESNO, CA 1/  
2017 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF: MONTHS 2/

NAME	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN
OVERDRIVE 5G	7.0	7.0	6.7	7.0	6.3	4.0	3.7	4.3	7.0	7.7	7.0	7.3	6.3
PR-5-16	6.3	7.3	7.3	7.0	6.3	4.3	4.0	4.7	7.0	7.0	6.7	7.0	6.3
RAD-PR 112	7.3	7.3	6.3	6.3	7.3	4.0	3.7	4.3	7.7	7.3	6.7	6.7	6.3
JR-123	6.7	6.7	7.0	6.7	6.7	4.7	3.7	4.7	7.0	7.0	7.7	6.3	6.2
PPG-PR 420	7.0	7.0	7.0	4.7	5.3	4.3	4.3	4.7	7.7	7.3	7.0	8.3	6.2
UF3	6.3	6.0	6.3	5.7	6.7	4.7	4.3	5.0	7.0	7.7	7.3	7.7	6.2
MENSA	6.3	6.0	6.3	5.0	6.0	5.3	5.3	5.3	7.3	7.7	7.0	6.7	6.2
DLFPS-236/3545	6.0	6.0	6.0	6.0	7.0	4.7	4.0	4.3	7.0	8.0	8.0	7.3	6.2
ASP0118GL (A-4G)	7.0	6.3	6.7	5.3	5.3	4.0	4.0	5.0	8.3	8.0	7.0	7.0	6.2
DLFPS-236/3548	6.7	6.3	6.7	6.0	6.3	4.7	4.3	4.7	7.3	7.0	7.0	7.0	6.2
PPG-PR 424	7.3	7.3	6.7	6.0	6.3	4.0	4.0	4.7	7.0	6.7	6.7	7.3	6.2
UMPQUA	7.7	7.7	7.7	6.3	5.7	4.0	4.0	4.0	6.3	6.7	7.0	7.0	6.2
DLFPS-236/3544	6.3	6.3	6.7	7.0	6.3	4.0	3.3	4.3	6.7	7.7	7.3	7.7	6.1
PPG-PR 241	6.3	5.3	6.0	5.3	6.7	5.0	4.7	5.0	7.3	7.7	7.3	7.0	6.1
SILVER SPORT (PST-2CRP)	5.3	6.3	6.7	4.7	7.3	5.3	5.0	5.7	6.3	6.7	7.3	7.0	6.1
INTENSE	7.3	6.7	7.3	6.0	5.3	4.0	4.0	4.3	6.7	7.3	7.3	7.0	6.1
PST-2EGAD	7.0	6.3	6.3	5.3	5.7	4.3	4.3	4.3	7.7	7.7	7.0	7.3	6.1
O23	4.7	6.3	5.7	5.7	6.3	5.3	5.0	5.3	7.7	7.3	6.3	7.7	6.1
BAR LP 6165	7.0	6.3	6.7	6.3	6.7	4.0	3.7	4.0	7.3	7.7	7.3	6.3	6.1
DLFPS-236/3553	6.7	6.3	6.0	5.7	6.3	4.0	3.7	4.0	7.0	7.7	7.7	8.3	6.1
ALLSTAR III	7.0	6.7	6.7	6.3	6.3	4.0	3.3	4.0	7.0	7.7	7.0	7.0	6.1
BAR LP 6158	7.7	7.0	6.7	5.7	5.3	4.3	3.7	4.7	8.3	7.0	6.0	6.7	6.1
FP2	6.0	5.3	6.0	6.3	6.7	4.3	4.0	4.7	7.3	7.7	7.3	7.3	6.1
JR-888	7.3	7.0	7.7	6.3	6.0	4.7	4.0	4.3	6.3	6.3	6.0	7.0	6.1
PR-6-15	6.7	6.7	6.7	6.3	6.0	3.7	2.7	4.0	7.7	7.7	7.3	7.7	6.1
CS-6	7.0	6.0	6.3	5.0	5.7	4.0	3.7	4.7	8.0	7.3	7.3	7.3	6.0
GO-141	7.0	8.0	7.3	6.0	6.0	4.0	4.0	4.0	6.7	7.0	6.0	6.3	6.0
DLFPS-236/3547	6.7	6.3	6.0	4.0	5.7	3.7	3.3	4.7	8.0	8.7	7.7	7.3	6.0
PL2	6.3	5.7	6.0	5.7	6.0	4.3	4.0	4.7	6.7	7.3	7.7	7.7	6.0
BAR LP 6162	7.0	6.3	6.3	5.7	6.0	4.3	4.3	4.7	7.7	7.3	6.0	6.0	6.0
XCELERATOR	6.7	6.3	6.7	5.7	6.7	5.0	4.3	4.7	7.0	6.7	5.7	6.3	6.0
JR-197	6.7	6.7	6.3	6.0	6.3	4.0	3.7	3.7	6.3	7.0	7.3	7.3	5.9
DLFPS-236/3543	6.7	5.7	6.3	6.3	5.3	4.3	4.3	4.3	7.7	7.0	6.3	7.0	5.9
PST-2FOXY	5.7	6.0	5.3	4.7	6.0	4.3	4.0	4.3	7.7	7.7	8.0	7.7	5.9
BAR LP 6233	6.7	6.7	7.0	6.3	6.0	4.0	4.0	4.3	6.0	6.7	7.0	6.3	5.9
NP-2	6.0	5.7	5.7	4.3	6.0	4.3	4.3	4.7	6.7	7.3	8.0	8.0	5.9
NP-3	6.3	6.0	6.7	5.7	5.7	4.0	3.7	4.7	7.0	7.3	6.7	7.3	5.9
PPG-PR 329	7.0	6.3	6.3	5.3	5.0	3.7	3.3	4.3	6.7	8.0	8.0	7.0	5.9
RRT	7.0	6.3	6.0	5.0	6.3	4.7	4.0	4.7	6.7	7.0	6.3	6.7	5.9
ASP0218 (A-6D)	7.3	6.7	6.7	6.7	5.3	3.7	3.7	4.3	6.7	6.3	6.0	7.0	5.9
APR2612	5.7	6.0	6.0	4.7	5.3	4.0	3.7	4.3	7.7	7.7	7.7	7.7	5.9
SNX	7.3	6.7	6.7	6.7	6.0	4.0	3.7	4.0	6.0	6.7	6.3	6.3	5.9
SHIELD (O2BS4)	6.3	6.3	6.0	5.0	6.0	4.0	3.3	4.0	7.3	7.3	7.0	7.3	5.8
MRSL-PR15	5.3	6.0	5.7	5.0	6.0	4.3	4.3	5.0	7.7	7.0	6.0	7.0	5.8
PPG-PR 385	6.0	6.3	6.3	4.7	6.0	4.3	4.0	4.0	7.0	7.0	6.7	7.0	5.8
PEPPER 11 (RAD-PR 103)	6.0	5.3	5.0	4.0	6.0	4.3	3.7	4.0	7.7	8.0	7.7	7.7	5.8

TABLE 10.  
(CONT'D)

TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
FOR EACH MONTH GROWN AT FRESNO, CA 1/  
2017 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF: MONTHS 2/

NAME	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN
BSP-25	6.7	5.7	5.7	5.7	5.7	4.0	3.7	4.3	7.7	7.7	6.3	6.3	5.8
KARMA	6.3	5.7	6.3	6.0	7.0	3.7	3.3	3.7	6.7	7.0	6.0	7.3	5.8
APR2616	6.7	6.3	7.0	5.0	5.3	4.3	4.0	4.3	6.0	6.7	6.7	6.3	5.7
AMP-R1	7.0	6.3	6.0	5.7	5.0	3.3	3.3	4.0	7.0	7.3	6.3	6.7	5.7
DLFPS-236/3556	6.3	5.7	6.3	5.7	6.0	4.0	3.3	3.7	6.0	6.7	7.0	7.3	5.7
DLFPS-236/3546	6.0	5.3	5.0	4.3	5.7	4.0	3.7	4.3	7.0	7.0	7.3	7.7	5.6
EVOLVE	6.3	6.0	6.3	5.7	6.3	3.3	2.7	3.7	6.7	7.0	6.7	6.3	5.6
DERBY XTREME	6.3	5.7	5.3	6.3	6.3	4.0	3.0	4.0	6.0	7.0	6.7	6.0	5.6
DLFPS-236/3538	6.7	6.3	5.7	6.0	6.3	4.3	3.3	3.7	5.7	6.0	5.7	7.0	5.6
BRIGHTSTAR SLT	6.7	6.3	6.0	5.3	5.7	4.0	3.7	4.3	6.0	6.3	5.3	6.7	5.5
SR 4650	6.3	6.0	6.0	4.7	5.3	4.0	3.0	3.7	6.3	7.3	6.7	7.0	5.5
LINN	8.0	7.3	6.7	6.3	5.7	3.0	2.7	4.3	5.3	6.3	5.7	4.7	5.5
LPB-SD-103	6.3	5.7	5.7	5.0	6.0	3.7	3.3	3.7	7.0	6.7	6.3	6.7	5.5
PPG-PR 360	5.7	5.3	5.0	4.7	5.7	4.3	3.7	4.0	7.7	7.7	5.7	6.7	5.5
BSP-17	6.7	6.0	5.7	5.0	5.7	3.3	3.0	4.0	6.7	6.7	6.7	6.0	5.4
LPB-SD-104	5.3	5.3	5.0	6.3	5.7	4.3	4.3	4.3	5.7	6.0	6.0	6.7	5.4
LPB-SD-105	6.0	6.0	5.7	5.3	5.7	4.7	4.3	4.7	5.7	6.0	5.3	5.7	5.4
PST-2BDT	6.0	6.0	6.7	6.0	5.7	3.0	2.7	3.3	5.3	6.3	7.0	7.0	5.4
SAGUARO	5.3	6.0	5.7	4.7	6.0	4.7	4.0	4.3	5.7	6.7	6.0	6.0	5.4
BWH	5.0	5.3	5.3	4.7	6.0	3.7	3.7	4.0	6.3	6.7	6.3	7.0	5.3
JR-747	6.3	6.3	6.0	6.0	4.7	3.7	3.7	4.0	5.7	5.3	4.7	6.0	5.2
PPG-PR 423	5.3	5.0	5.0	5.3	5.0	3.7	3.0	3.7	5.3	6.7	6.7	6.3	5.1
DLFPS-238/3014	5.3	6.0	6.3	5.3	5.0	3.3	3.0	3.3	4.7	6.0	6.3	5.3	5.0
LSD VALUE	1.6	1.7	1.9	2.3	1.6	1.5	1.7	1.4	2.0	1.8	2.0	1.7	1.1
C.V. (%)	15.0	16.5	18.4	24.0	16.2	21.4	26.9	19.3	17.6	14.7	17.5	14.7	10.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 11.

TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
FOR EACH MONTH GROWN AT CORVALLIS, OR 1/  
2017 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF: MONTHS 2/

NAME	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN
DLFPS-236/3542	7.3	8.0	8.0	7.0	8.0	8.0	7.3	7.3	6.7	7.5
PPG-PR 339	7.0	8.0	8.0	7.3	8.0	8.0	7.3	7.0	6.0	7.4
PPG-PR 241	7.0	8.0	8.0	7.7	7.7	7.7	7.0	7.0	6.3	7.4
DLFPS-236/3541	7.0	8.0	8.0	7.3	7.7	8.0	7.3	7.0	6.0	7.4
DLFPS-236/3544	7.0	8.0	8.0	7.0	8.0	8.0	7.0	7.0	6.3	7.4
DLFPS-236/3545	7.0	7.7	7.7	7.3	8.0	7.7	7.3	7.3	6.3	7.4
DLFPS-236/3548	7.0	8.0	8.0	7.3	8.0	8.0	7.0	7.0	6.0	7.4
LPB-SD-102	7.0	8.0	8.0	7.0	8.0	8.0	7.0	7.0	6.3	7.4
MAN O WAR	7.0	8.0	8.0	7.0	8.0	8.0	7.0	7.0	6.3	7.4
PPG-PR 372	7.0	8.0	8.0	7.7	7.7	8.0	7.0	7.0	6.0	7.4
PPG-PR 422	7.0	8.0	8.0	7.7	8.0	7.7	7.0	7.0	6.0	7.4
PPG-PR 424	7.0	8.0	8.0	7.7	7.7	7.7	7.3	7.0	6.0	7.4
021	7.0	8.0	8.0	7.3	7.7	7.7	7.0	7.0	6.3	7.3
DLFPS-236/3543	7.0	8.0	8.0	7.0	7.7	7.3	7.3	7.3	6.3	7.3
DLFPS-236/3547	7.0	8.0	8.0	7.0	8.0	8.0	7.0	7.0	6.0	7.3
DLFPS-236/3552	7.3	8.0	8.0	7.7	7.3	7.7	7.0	7.0	6.0	7.3
NP-2	7.0	8.0	8.0	7.3	8.0	7.7	7.0	7.0	6.0	7.3
OVERDRIVE 5G	7.0	7.7	7.7	7.3	8.0	8.0	7.0	7.0	6.3	7.3
PHARAOH	7.0	8.0	8.0	7.3	7.7	8.0	7.0	7.0	6.0	7.3
PPG-PR 343	7.0	7.7	8.0	7.7	7.3	7.7	7.3	7.0	6.3	7.3
PPG-PR 367	6.7	8.0	8.0	7.7	7.7	7.7	7.0	7.0	6.3	7.3
PST-2A2	7.0	8.0	8.0	7.3	7.7	7.7	7.0	7.0	6.3	7.3
RAD-PR 112	7.0	8.0	8.0	8.0	8.0	7.7	6.7	6.7	6.0	7.3
RRT	7.0	8.0	8.0	7.7	8.0	8.0	7.0	6.7	5.7	7.3
FURLONG (LTP-FCB)	8.0	8.0	8.0	7.0	7.3	7.7	6.7	6.7	6.3	7.3
PPG-PR 420	7.0	8.0	8.0	7.7	7.7	7.7	6.7	6.7	6.3	7.3
PR-6-15	7.0	8.0	8.0	7.0	8.0	7.7	7.0	7.0	6.0	7.3
SEABISCUIT	6.7	8.0	8.0	7.0	7.7	8.0	7.3	7.0	6.0	7.3
CPN	7.0	7.7	7.7	7.3	8.0	7.7	7.0	6.7	6.3	7.3
DLFPS-236/3550	7.0	8.0	8.0	7.0	7.7	7.7	7.0	7.0	6.0	7.3
FP2	7.0	8.0	8.0	7.3	7.7	8.0	6.7	6.7	6.0	7.3
GRAY HAWK (PST-2FIND)	7.0	8.0	8.0	7.0	7.7	7.7	7.0	7.0	6.0	7.3
INTENSE	6.7	8.0	8.0	7.3	7.7	7.7	7.0	7.0	6.0	7.3
JR-197	7.0	8.0	8.0	7.7	8.0	7.7	6.7	6.7	5.7	7.3
PST-2FOXY	6.7	8.0	8.0	7.3	7.7	7.7	7.0	7.0	6.0	7.3
02BS2	6.7	8.0	8.0	7.0	7.7	7.7	7.0	7.0	6.3	7.3
APR2616	6.7	8.0	8.0	7.0	7.7	8.0	7.0	7.0	6.0	7.3
DLFPS-236/3553	7.0	8.0	8.0	7.0	7.7	7.7	7.0	7.0	6.0	7.3
NP-3	6.7	8.0	8.0	7.3	8.0	8.0	6.7	6.7	6.0	7.3
SHIELD (02BS4)	6.7	8.0	8.0	7.0	7.7	7.3	7.0	7.0	6.3	7.2
PPG-PR 423	6.7	8.0	8.0	7.7	8.0	7.7	6.7	6.7	5.7	7.2
PST-2MAY	7.0	8.0	8.0	7.0	7.7	7.7	7.0	6.7	6.0	7.2
023	7.0	8.0	8.0	7.0	7.3	7.7	7.0	7.0	6.0	7.2
DLFPS-236/3556	7.0	8.0	8.0	7.7	7.7	7.7	6.7	6.7	5.7	7.2
JR-123	7.0	8.0	8.0	7.3	7.7	7.7	7.0	6.7	5.7	7.2
LPB-SD-104	7.3	8.0	8.0	7.0	7.7	7.7	7.0	6.7	5.7	7.2

TABLE 11.  
(CONT'D)

TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
FOR EACH MONTH GROWN AT CORVALLIS, OR 1/  
2017 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF: MONTHS 2/

NAME	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN
PPG-PR 360	7.0	8.0	8.0	7.3	7.7	7.7	7.0	6.7	5.7	7.2
PST-2GTD	7.0	8.0	8.0	7.0	7.7	7.3	7.0	7.0	6.0	7.2
UF3	7.0	7.7	7.7	7.0	8.0	7.7	7.0	7.0	6.0	7.2
XCELERATOR	7.0	7.7	7.7	7.0	8.0	7.7	7.0	7.0	6.0	7.2
O2BS1	6.3	7.7	7.7	7.7	7.7	7.7	7.0	7.0	6.0	7.2
DLFPS-236/3540	6.3	8.0	8.0	7.0	8.0	7.7	7.0	6.7	6.0	7.2
MENSA	7.0	7.7	7.7	7.0	8.3	7.7	6.7	6.7	6.0	7.2
PPG-PR 421	6.7	7.7	7.7	7.3	7.7	7.7	7.0	7.0	6.0	7.2
DERBY XTREME	7.0	7.7	8.0	7.3	7.7	7.7	7.0	6.7	5.7	7.2
PPG-PR 331	7.0	8.0	8.0	7.0	7.3	7.3	7.0	7.0	6.0	7.2
PPG-PR 371	7.0	8.0	8.0	7.0	7.7	7.7	7.0	6.7	5.7	7.2
UMPQUA	6.7	7.3	7.7	7.3	7.7	7.7	7.0	7.0	6.3	7.2
GRAND SLAM GLD	6.3	8.0	8.0	7.0	7.3	7.7	7.0	7.0	6.0	7.1
JR-747	6.7	8.0	8.0	7.0	8.0	7.7	6.7	6.7	5.7	7.1
LPB-SD-101	6.3	8.0	8.0	7.0	7.7	7.7	7.0	6.7	6.0	7.1
LPB-SD-105	6.7	8.0	8.0	7.0	8.0	8.0	7.0	6.3	5.3	7.1
PL2	7.0	8.0	8.0	7.3	7.3	7.7	6.7	6.7	5.7	7.1
PPG-PR 419	6.7	8.0	8.0	7.0	7.7	7.0	7.0	7.0	6.0	7.1
BAR LP 6117	7.0	8.0	8.0	7.7	7.3	7.7	6.3	6.3	5.7	7.1
DLFPS-236/3538	7.0	8.0	8.0	7.0	7.3	7.3	7.0	6.7	5.7	7.1
DLFPS-236/3554	6.7	8.0	8.0	7.0	7.7	7.3	6.7	6.7	6.0	7.1
PST-2BDT	7.0	7.3	7.3	7.0	7.7	7.7	7.0	7.0	6.0	7.1
LPB-SD-103	6.3	8.0	8.0	7.0	8.0	7.7	7.0	6.3	5.3	7.1
PPG-PR 370	7.0	7.7	7.7	7.0	7.7	7.3	6.7	6.7	6.0	7.1
PEPPER 11 (RAD-PR 103)	7.0	8.0	8.0	7.0	7.3	7.0	6.7	6.7	6.0	7.1
SAVANT	6.7	7.7	7.7	7.3	7.7	7.7	6.7	6.7	5.7	7.1
SR 4650	6.7	7.7	7.7	7.0	7.3	7.3	7.0	7.0	6.0	7.1
GRAY WOLF (PST-2GAL)	7.0	7.7	7.7	7.0	7.7	7.3	6.7	6.7	5.7	7.0
PPG-PR 329	6.7	7.0	7.0	7.0	7.7	8.0	7.0	7.0	6.0	7.0
PR-5-16	7.0	7.7	7.7	7.0	7.3	7.3	7.0	6.7	5.7	7.0
PST-2EGAD	6.0	7.3	7.7	7.7	7.3	7.3	7.0	7.0	6.0	7.0
ASP0118GL (A-4G)	7.0	7.7	7.7	7.7	7.3	7.0	6.3	6.3	6.0	7.0
ASP0116EXT	7.0	7.7	7.7	7.0	7.7	7.0	6.7	6.3	6.0	7.0
BSP-25	7.0	8.0	8.0	7.7	7.3	7.0	6.0	6.0	6.0	7.0
DLFPS-236/3546	7.0	8.0	8.0	7.0	7.3	7.3	6.3	6.3	5.7	7.0
SIGNET	7.0	7.3	7.3	7.0	7.7	7.3	7.0	6.7	5.7	7.0
BSP-17	6.7	7.7	7.7	7.7	8.0	7.3	6.0	6.0	5.7	7.0
BWH	7.0	7.7	7.7	7.0	8.0	7.0	6.3	6.3	5.7	7.0
SNX	7.0	7.3	7.3	7.0	8.0	7.3	6.3	6.3	6.0	7.0
ASP0117 (A-PR15)	7.0	7.3	7.3	7.3	7.7	7.0	6.3	6.3	6.0	6.9
SAGUARO	6.7	7.3	7.7	7.3	7.3	7.7	6.7	6.3	5.3	6.9
GO-143	7.0	7.3	7.3	7.3	7.3	7.3	6.3	6.3	5.7	6.9
SILVER SPORT (PST-2CRP)	7.0	7.3	7.7	7.7	7.0	7.0	6.3	6.3	5.7	6.9
ASPO218 (A-6D)	7.0	7.3	7.3	7.3	7.0	7.0	6.3	6.3	6.0	6.9
KARMA	6.7	7.7	7.7	7.0	7.3	7.3	6.3	6.3	5.3	6.9
PPG-PR 385	6.7	7.3	7.3	7.0	7.7	7.3	6.7	6.3	5.3	6.9

TABLE 11.  
(CONT'D)

TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
FOR EACH MONTH GROWN AT CORVALLIS, OR 1/  
2017 DATA

NAME	TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF: MONTHS 2/									
	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN
PST-2PDA	6.0	7.0	7.0	7.0	7.3	7.3	7.0	7.0	6.0	6.9
BAR LP 6164	6.3	7.7	7.7	7.3	7.0	7.0	6.3	6.3	5.7	6.8
CS-6	6.7	7.0	7.3	7.3	7.3	7.0	6.3	6.3	6.0	6.8
MRSL-PR15	6.7	7.3	7.3	7.0	7.3	7.3	6.3	6.3	5.7	6.8
ALLSTAR III	6.7	7.3	7.3	7.0	7.7	7.0	6.3	6.3	5.3	6.8
GO-142	6.3	7.3	7.3	7.0	7.7	7.0	6.3	6.3	5.7	6.8
EVOLVE	6.3	6.7	7.3	7.3	7.0	7.3	6.7	6.7	5.7	6.8
GO-141	7.0	7.3	7.3	7.0	7.0	7.0	6.3	6.3	5.3	6.7
APR2612	6.3	7.3	7.3	7.0	7.0	7.0	6.3	6.3	5.7	6.7
DLFPS-238/3014	6.0	7.3	7.3	7.0	7.3	7.0	6.3	6.3	5.7	6.7
JR-888	6.0	7.3	7.3	7.0	7.7	7.3	6.7	6.0	5.0	6.7
MRSL-PR16	7.0	7.0	7.0	7.0	7.3	7.0	6.0	6.0	6.0	6.7
APR3060	6.7	7.3	7.3	7.0	7.0	7.0	6.0	6.0	5.3	6.6
AMP-R1	7.0	7.3	7.3	7.0	7.0	7.0	5.7	5.7	5.3	6.6
BAR LP 6165	5.7	7.0	7.0	7.0	7.0	7.0	6.7	6.3	5.3	6.6
BAR LP 6158	6.3	7.0	7.0	7.0	7.0	7.0	6.3	6.0	5.0	6.5
BAR LP 6233	6.0	7.0	7.0	7.0	7.3	7.0	6.3	6.0	5.0	6.5
BAR LP 6159	6.0	7.0	7.0	7.0	7.0	7.0	6.0	6.0	5.0	6.4
BAR LP 6131	6.0	7.0	7.0	7.0	7.0	6.7	6.3	6.0	5.0	6.4
BAR LP 6162	6.3	7.0	7.0	7.0	7.0	6.0	6.0	6.0	5.3	6.4
BRIGHTSTAR SLT	6.3	7.0	7.0	6.7	7.0	6.3	6.0	6.0	5.0	6.4
LINN	5.0	6.3	6.3	6.0	6.0	6.0	6.0	6.0	5.0	5.9
LSD VALUE	0.6	0.6	0.6	0.6	0.8	0.7	0.7	0.7	0.8	0.3
C.V. (%)	5.5	4.6	4.5	5.2	6.2	6.1	6.4	6.6	8.5	3.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 12. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
 GROWN UNDER TRAFFIC STRESS AT AMHERST, MA 1/  
 2017 DATA  
 TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	WEAR TOLERANCE	MOW QUALITY	PERCENT ESTABLISHMENT	QUALITY RATINGS				MEAN
				JUL	AUG	SEP	OCT	
PPG-PR 424	4.3	6.7	53.3	7.0	7.0	6.7	6.3	6.8
DLFPS-236/3547	5.3	5.0	53.3	6.0	7.0	6.7	6.7	6.6
PPG-PR 331	5.3	5.7	63.3	7.0	6.7	6.7	6.0	6.6
O2BS2	5.7	7.0	50.0	6.0	6.7	6.7	6.7	6.5
DLFPS-236/3544	5.0	6.3	56.7	6.3	7.0	6.3	6.3	6.5
INTENSE	5.7	5.0	43.3	6.0	6.7	7.0	6.3	6.5
PHARAOH	5.7	7.0	53.3	6.3	7.0	6.3	6.3	6.5
PPG-PR 421	5.0	5.7	60.0	6.0	6.7	6.7	6.7	6.5
DLFPS-236/3546	6.0	6.0	50.0	6.0	6.0	7.0	6.7	6.4
CPN	5.7	5.0	56.7	6.3	6.0	6.7	6.0	6.3
DLFPS-236/3556	5.0	7.7	33.3	5.7	6.7	6.7	6.0	6.3
FP2	6.3	8.0	40.0	6.0	7.0	6.7	5.7	6.3
JR-123	6.0	7.3	53.3	5.3	6.3	6.7	6.7	6.3
JR-197	6.0	4.7	46.7	6.0	6.0	6.3	6.7	6.3
NP-2	5.0	7.7	46.7	6.7	6.7	6.0	5.7	6.3
PR-6-15	5.3	7.0	46.7	5.7	6.7	6.7	6.0	6.3
BSP-25	5.7	6.7	50.0	6.0	7.0	6.3	5.3	6.2
DLFPS-236/3545	6.0	7.3	46.7	5.3	6.3	6.7	6.3	6.2
PL2	5.0	7.0	46.7	5.3	6.0	7.0	6.3	6.2
PPG-PR 343	5.0	5.0	53.3	5.7	6.3	6.3	6.3	6.2
PPG-PR 422	5.3	7.3	43.3	6.0	6.7	6.0	6.0	6.2
PST-2A2	6.0	6.7	56.7	5.7	6.3	6.3	6.3	6.2
SNX	5.7	6.7	46.7	6.0	6.7	6.0	6.0	6.2
O23	5.3	7.7	58.3	5.7	6.3	6.0	6.3	6.1
DERBY XTREME	5.7	5.3	50.0	5.7	6.0	6.3	6.3	6.1
NP-3	5.7	5.7	46.7	5.3	6.3	6.3	6.3	6.1
PPG-PR 329	6.0	7.3	43.3	5.3	6.3	6.3	6.3	6.1
PPG-PR 339	6.0	6.0	56.7	6.0	6.0	6.0	6.3	6.1
PPG-PR 385	4.7	4.3	53.3	6.3	6.0	6.0	6.0	6.1
PST-2BDT	5.7	6.3	43.3	5.7	6.7	6.0	6.0	6.1
PST-2MAY	5.3	7.0	33.3	5.7	6.0	6.7	6.0	6.1
XCELERATOR	5.3	6.7	60.0	5.7	5.7	6.7	6.3	6.1
ASP0118GL (A-4G)	7.0	5.7	45.0	5.7	6.0	6.3	6.0	6.0
ASP0218 (A-6D)	5.7	6.7	50.0	5.7	6.3	6.0	6.0	6.0
DLFPS-236/3540	7.3	7.3	46.7	5.7	6.7	6.0	5.7	6.0
DLFPS-236/3550	5.7	6.7	56.7	5.7	6.0	6.3	6.0	6.0
DLFPS-236/3552	7.0	6.0	43.3	6.0	5.3	6.3	6.3	6.0
GRAND SLAM GLD	6.3	6.3	56.7	5.7	5.7	6.7	6.0	6.0
MAN O WAR	6.0	7.0	56.7	5.0	5.7	7.0	6.3	6.0
PPG-PR 367	5.3	7.7	36.7	6.0	6.0	6.0	6.0	6.0
PPG-PR 372	6.0	5.7	53.3	6.0	6.0	6.0	6.0	6.0
PST-2CRP	5.3	7.0	43.3	5.7	6.0	6.3	6.0	6.0
PST-2FOXY	5.7	6.7	46.7	5.0	6.3	6.3	6.3	6.0
PST-2PDA	5.7	6.3	43.3	5.7	6.3	6.0	6.0	6.0
RAD-PR 112	6.0	7.0	36.7	4.7	6.7	6.7	6.0	6.0
O21	5.3	6.7	60.0	5.3	6.0	6.0	6.3	5.9

TABLE 12. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
(CONT'D) GROWN UNDER TRAFFIC STRESS AT AMHERST, MA 1/  
2017 DATA  
TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS				MEAN			
	WEAR TOLERANCE	MOW QUALITY	PERCENT ESTABLISHMENT	JUL				
ASP0117 (A-PR15)	5.0	7.0	50.0	5.7	6.0	6.0	6.0	5.9
AMP-R1	6.3	6.7	56.7	5.7	6.3	6.0	5.7	5.9
DLFPS-236/3543	5.7	5.7	56.7	5.0	5.7	6.3	6.7	5.9
DLFPS-236/3554	5.7	6.3	45.0	5.3	6.3	6.0	6.0	5.9
PPG-PR 360	5.0	7.0	53.3	5.3	6.0	6.3	6.0	5.9
PPG-PR 423	5.3	7.0	43.3	5.7	6.0	6.3	5.7	5.9
02BS1	6.0	6.7	43.3	5.0	6.0	6.0	6.0	5.8
SHIELD (02BS4)	5.0	4.7	43.3	5.7	5.7	6.3	5.7	5.8
BSP-17	6.3	7.0	46.7	5.0	5.7	6.3	6.0	5.8
BWH	5.0	7.3	46.7	6.0	5.7	5.7	5.7	5.8
DLFPS-236/3538	5.0	5.7	43.3	6.0	5.3	6.3	5.7	5.8
DLFPS-236/3541	5.3	6.7	40.0	5.0	6.3	6.3	5.7	5.8
DLFPS-236/3548	5.3	5.7	53.3	5.7	6.7	5.7	5.3	5.8
DLFPS-236/3553	5.0	5.7	56.7	5.3	6.0	6.3	5.7	5.8
MRS�-PR15	5.7	5.0	53.3	5.7	5.7	6.0	5.7	5.8
PPG-PR 241	5.0	5.3	63.3	5.7	6.0	5.7	5.7	5.8
PPG-PR 371	5.3	5.7	50.0	5.3	5.7	6.3	6.0	5.8
PPG-PR 420	5.7	5.7	56.7	6.0	5.7	6.0	5.7	5.8
PST-2GTD	5.0	5.7	50.0	5.7	6.3	6.0	5.3	5.8
RRT	6.0	6.7	43.3	5.3	5.7	5.7	6.3	5.8
SEABISCUIT	4.7	4.3	63.3	5.3	6.3	6.0	5.7	5.8
SR 4650	6.0	6.7	56.7	6.0	6.0	5.7	5.7	5.8
CS-6	5.0	6.3	40.0	5.0	6.0	6.0	5.7	5.7
GO-143	5.7	5.0	36.7	5.7	6.0	5.7	5.3	5.7
MRS�-PR16	5.3	6.7	50.0	5.3	5.7	6.0	5.7	5.7
OVERDRIVE 5G	5.7	6.0	46.7	5.3	5.7	6.0	5.7	5.7
PPG-PR 419	5.3	6.0	46.7	4.7	6.0	6.0	6.0	5.7
PR-5-16	5.3	4.7	50.0	5.3	5.7	5.7	6.0	5.7
SIGNET	5.0	6.3	56.7	5.7	5.7	5.7	5.7	5.7
UF3	5.0	7.3	36.7	5.0	5.7	5.7	6.3	5.7
UMPQUA	5.3	5.0	46.7	5.3	5.7	6.0	5.7	5.7
DLFPS-236/3542	6.0	4.7	43.3	5.0	5.7	6.3	5.3	5.6
EVOLVE	5.7	5.3	66.7	5.3	5.3	6.0	5.7	5.6
LPB-SD-102	5.0	5.3	56.7	5.0	5.3	6.7	5.3	5.6
LPB-SD-103	5.3	6.3	46.7	5.0	6.0	6.0	5.3	5.6
LPB-SD-104	5.3	6.3	33.3	5.7	5.7	5.7	5.3	5.6
LPB-SD-105	4.7	4.0	30.0	5.0	6.0	6.0	5.3	5.6
FURLONG (LTP-FCB)	5.0	5.0	46.7	5.3	5.3	6.0	5.7	5.6
MENSA	4.3	4.7	53.3	5.3	5.7	5.7	5.7	5.6
PPG-PR 370	5.3	6.3	40.0	5.3	5.3	6.0	5.7	5.6
PST-2EGAD	4.3	7.3	36.7	5.3	6.0	5.7	5.3	5.6
PST-2GAL	5.3	5.7	46.7	5.3	5.7	5.7	5.7	5.6
APR2616	5.7	7.3	46.7	5.0	5.3	6.3	5.3	5.5
BAR LP 6164	5.0	6.0	40.0	5.3	6.0	5.3	5.3	5.5
GO-142	5.3	5.0	40.0	5.3	5.7	5.7	5.3	5.5
KARMA	5.0	6.3	20.0	5.0	5.7	5.7	5.7	5.5



TABLE 12. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
(CONT'D) GROWN UNDER TRAFFIC STRESS AT AMHERST, MA 1/

2017 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	WEAR TOLERANCE	MOW QUALITY	PERCENT ESTABLISHMENT	JUL	QUALITY RATINGS			MEAN
					AUG	SEP	OCT	
APR2612	5.0	6.7	35.0	5.3	5.3	5.7	5.3	5.4
APR3060	5.0	4.7	53.3	5.3	5.7	5.7	5.0	5.4
ASP0116EXT	4.3	5.7	53.3	5.7	5.7	5.3	5.0	5.4
BRIGHTSTAR SLT	5.0	4.3	63.3	5.0	5.3	5.7	5.7	5.4
PST-2FIND	4.7	5.3	66.7	5.3	5.0	5.7	5.7	5.4
SAGUARO	5.3	4.7	46.7	5.3	5.0	5.7	5.7	5.4
ALLSTAR III	6.0	6.7	40.0	5.3	5.7	5.0	5.3	5.3
BAR LP 6131	4.7	4.3	50.0	5.0	5.3	5.7	5.0	5.3
BAR LP 6158	4.7	4.7	40.0	5.0	5.3	5.7	5.3	5.3
GO-141	4.7	4.7	56.7	5.0	5.7	5.3	5.3	5.3
JR-747	4.0	4.3	56.7	5.0	5.0	5.7	5.3	5.3
LPB-SD-101	4.0	4.3	46.7	5.3	5.0	5.3	5.3	5.3
PEPPER 11(RAD-PR 103)	5.0	7.0	38.3	5.0	5.7	5.3	5.3	5.3
BAR LP 6233	5.0	4.3	46.7	5.0	5.3	5.3	5.0	5.2
JR-888	5.0	5.7	53.3	5.0	5.0	5.3	5.3	5.2
BAR LP 6117	5.0	6.7	46.7	5.0	5.7	5.3	4.3	5.1
BAR LP 6159	5.7	5.3	50.0	4.7	5.7	5.3	4.7	5.1
SAVANT	5.0	6.7	40.0	5.0	5.0	5.3	5.0	5.1
BAR LP 6165	4.7	4.7	33.3	4.7	4.7	5.3	5.3	5.0
DLFPS-238/3014	4.3	6.0	30.0	4.3	5.3	5.0	5.3	5.0
BAR LP 6162	4.0	5.3	26.7	4.3	5.0	5.0	5.3	4.9
LINN	3.3	3.7	13.3	4.0	3.0	3.3	3.0	3.3
LSD VALUE	1.1	1.1	16.7	1.0	0.8	0.7	0.8	0.5
C.V. (%)	12.0	12.1	19.9	10.1	8.6	7.2	8.6	5.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 13.

MEAN TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
GROWN UNDER TRAFFIC STRESS AT CORVALLIS, OR 1/  
2017 DATA  
TURFGRASS QUALITY RATINGS 1-9; 9=BEST 2/

NAME	OCT	NOV	DEC	MEAN	NAME	OCT	NOV	DEC	MEAN
DLFPS-236/3541	6.7	6.7	6.0	6.4	PST-2PDA	6.0	6.0	5.3	5.8
DLFPS-236/3552	6.3	6.3	6.0	6.2	RRT	6.0	6.0	5.3	5.8
LPB-SD-102	6.3	6.3	6.0	6.2	BAR LP 6117	6.0	6.0	5.0	5.7
PPG-PR 343	6.3	6.3	6.0	6.2	CPN	6.0	6.0	5.0	5.7
DLFPS-236/3542	6.3	6.3	5.7	6.1	DLFPS-236/3538	6.0	6.0	5.0	5.7
DLFPS-236/3550	6.3	6.3	5.7	6.1	DLFPS-236/3554	5.7	5.7	5.7	5.7
FP2	6.3	6.3	5.7	6.1	GRAND SLAM GLD	6.0	6.0	5.0	5.7
MAN O WAR	6.3	6.3	5.7	6.1	LPB-SD-105	6.0	6.0	5.0	5.7
PPG-PR 422	6.3	6.3	5.7	6.1	PPG-PR 360	6.0	6.0	5.0	5.7
PPG-PR 424	6.3	6.3	5.7	6.1	PPG-PR 367	5.7	5.7	5.7	5.7
PST-2EGAD	6.0	6.3	6.0	6.1	PPG-PR 420	5.7	5.7	5.7	5.7
DLFPS-236/3540	6.3	6.3	5.3	6.0	PST-2FIND	6.0	6.0	5.0	5.7
DLFPS-236/3544	6.3	6.3	5.3	6.0	SAGUARO	6.0	6.0	5.0	5.7
PST-2A2	6.0	6.0	6.0	6.0	SAVANT	6.0	6.0	5.0	5.7
SEABISCUIT	6.0	6.0	6.0	6.0	UF3	6.0	6.0	5.0	5.7
O2BS1	6.0	6.0	5.7	5.9	BAR LP 6164	5.7	5.7	5.3	5.6
SHIELD (O2BS4)	6.0	6.0	5.7	5.9	DLFPS-236/3545	5.7	5.7	5.3	5.6
DERBY XTREME	6.0	6.0	5.7	5.9	DLFPS-236/3547	5.7	5.7	5.3	5.6
DLFPS-236/3553	6.0	6.0	5.7	5.9	DLFPS-236/3556	5.7	5.7	5.3	5.6
LPB-SD-101	5.7	6.0	6.0	5.9	EVOLVE	5.7	5.7	5.3	5.6
FURLONG (LTP-FCB)	6.0	6.0	5.7	5.9	JR-123	5.7	5.7	5.3	5.6
NP-2	6.0	6.0	5.7	5.9	PPG-PR 339	5.3	5.7	5.7	5.6
OVERDRIVE 5G	6.0	6.0	5.7	5.9	PPG-PR 371	5.7	5.7	5.3	5.6
PPG-PR 331	6.0	6.0	5.7	5.9	PST-2GAL	5.7	5.7	5.3	5.6
PPG-PR 372	6.0	6.0	5.7	5.9	ASP0117 (A-PR15)	5.3	5.7	5.3	5.4
PR-5-16	6.0	6.0	5.7	5.9	BAR LP 6131	5.3	5.7	5.3	5.4
PST-2BDT	6.0	6.0	5.7	5.9	GO-141	5.7	5.7	5.0	5.4
PST-2FOXY	6.0	6.0	5.7	5.9	JR-747	5.7	5.7	5.0	5.4
UMPQUA	6.0	6.0	5.7	5.9	LPB-SD-103	6.0	5.7	4.7	5.4
O21	6.0	6.0	5.3	5.8	MRS L-PR15	5.3	5.7	5.3	5.4
O2BS2	5.7	6.0	5.7	5.8	PPG-PR 370	5.7	5.7	5.0	5.4
BAR LP 6158	6.0	6.0	5.3	5.8	PPG-PR 419	5.7	5.7	5.0	5.4
BAR LP 6165	6.0	6.0	5.3	5.8	RAD-PR 112	5.3	5.7	5.3	5.4
DLFPS-236/3543	6.0	6.0	5.3	5.8	ASP0116EXT	5.3	5.3	5.3	5.3
DLFPS-236/3548	6.0	6.0	5.3	5.8	GO-142	5.7	5.7	4.7	5.3
INTENSE	6.0	6.0	5.3	5.8	KARMA	5.3	5.3	5.3	5.3
LPB-SD-104	6.0	6.0	5.3	5.8	XCELERATOR	5.7	5.7	4.7	5.3
MENSA	6.0	6.0	5.3	5.8	O23	5.3	5.3	5.0	5.2
NP-3	6.0	6.0	5.3	5.8	ASP0118GL (A-4G)	5.3	5.3	5.0	5.2
PHARAOH	5.7	6.0	5.7	5.8	ASP0218 (A-6D)	5.3	5.3	5.0	5.2
PL2	6.0	6.0	5.3	5.8	ALLSTAR III	5.3	5.3	5.0	5.2
PPG-PR 241	6.0	6.0	5.3	5.8	APR2616	5.3	5.3	5.0	5.2
PPG-PR 329	6.0	6.0	5.3	5.8	BAR LP 6159	5.3	5.3	5.0	5.2
PPG-PR 421	5.7	6.0	5.7	5.8	BSP-25	5.0	5.3	5.3	5.2
PR-6-15	6.0	6.0	5.3	5.8	CS-6	5.3	5.3	5.0	5.2
PST-2GTD	6.0	6.0	5.3	5.8	DLFPS-236/3546	5.3	5.3	5.0	5.2
PST-2MAY	6.0	6.0	5.3	5.8	GO-143	5.3	5.3	5.0	5.2

TABLE 13. MEAN TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
(CONT'D) GROWN UNDER TRAFFIC STRESS AT CORVALLIS, OR 1/  
2017 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=BEST 2/

NAME	OCT	NOV	DEC	MEAN
JR-197	5.0	5.3	5.3	5.2
PST-2CRP	5.3	5.3	5.0	5.2
SIGNET	5.3	5.3	5.0	5.2
PPG-PR 385	5.3	5.3	4.7	5.1
PPG-PR 423	5.3	5.3	4.7	5.1
PEPPER 11(RAD-PR 103)	5.3	5.3	4.7	5.1
BWH	5.0	5.0	5.0	5.0
DLFPS-238/3014	5.0	5.0	5.0	5.0
JR-888	5.0	5.0	5.0	5.0
MRSL-PR16	5.0	5.0	5.0	5.0
SNX	5.0	5.0	5.0	5.0
SR 4650	5.0	5.0	5.0	5.0
APR2612	5.0	5.0	4.7	4.9
APR3060	5.0	5.0	4.7	4.9
BAR LP 6162	5.0	5.0	4.7	4.9
BAR LP 6233	5.0	5.0	4.7	4.9
BRIGHTSTAR SLT	5.0	5.0	4.7	4.9
BSP-17	4.7	5.0	5.0	4.9
AMP-R1	4.7	4.7	4.7	4.7
LINN	4.7	4.7	4.3	4.6
LSD VALUE	1.0	0.9	1.5	0.9
C.V. (%)	8.8	8.5	10.4	8.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 14.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
GROWN UNDER TRAFFIC STRESS AT BLACKSBURG, VA 1/  
2017 DATA  
TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS						QUALITY RATINGS				BEFORE TRAFFIC		MIDDLE OF TRAFFIC		LAST TRAFFIC	
	APR	MAY	JUN	JUL	AUG	SEP	BEFORE TRAFFIC	MIDDLE TRAFFIC	LAST TRAFFIC	2-WEEKS AFTER TRAFFIC	% GREEN COVER	% BARE COVER	% GREEN COVER	% BARE COVER	% GREEN COVER	% BARE COVER
PEPPER 11 (RAD-PR 103)	6.0	5.7	7.0	5.7	8.0	7.3	2.7	3.3	3.0	3.0	26.7	72.3	60.0	40.0	63.3	35.7
EVOLVE	5.3	5.7	7.0	5.7	8.3	7.3	3.3	3.7	3.7	3.7	28.3	70.7	60.0	40.0	61.7	37.3
BAR LP 6233	5.3	5.3	7.7	6.0	6.7	6.0	3.0	3.3	3.3	3.3	23.3	75.7	55.0	45.0	60.0	39.0
DLFPS-236/3542	5.7	6.0	7.7	5.7	8.0	6.7	3.0	3.3	3.3	3.3	28.3	70.7	58.3	41.7	60.0	39.0
BAR LP 6158	6.3	5.7	6.3	5.0	6.7	6.3	3.3	3.3	3.3	3.3	28.3	70.7	56.7	43.3	58.3	40.7
PST-2FOXY	5.3	5.3	7.3	5.0	7.7	7.0	3.3	3.0	3.0	3.0	25.0	74.0	55.0	45.0	58.3	40.7
PST-2GAL	7.0	6.0	7.3	6.0	8.0	7.0	2.7	3.3	3.3	3.3	21.7	77.3	56.7	43.3	58.3	40.7
BAR LP 6165	6.0	5.7	7.7	5.7	8.3	7.7	3.3	3.7	3.7	3.7	25.0	74.0	56.7	43.3	56.7	42.3
PPG-PR 419	6.3	6.0	7.3	6.0	8.7	7.0	3.3	3.3	3.3	3.3	31.7	67.3	55.0	45.0	56.7	42.3
O2BS1	5.7	5.3	6.0	6.0	7.7	7.0	3.0	3.3	3.0	3.0	26.7	72.3	55.0	45.0	55.0	44.0
SHIELD (O2BS4)	5.7	5.7	6.7	6.0	8.3	7.0	2.7	3.3	3.3	3.3	20.0	79.0	50.0	50.0	55.0	50.7
APR3060	5.3	5.7	7.3	6.0	7.3	6.3	3.0	3.3	3.3	3.3	21.7	77.3	53.3	46.7	55.0	44.0
PST-2EGAD	5.7	5.0	6.3	5.0	8.0	7.7	3.3	3.3	3.3	3.3	21.7	77.3	51.7	48.3	55.0	44.0
SEABISCUIT	6.3	6.0	7.7	6.0	7.0	6.3	3.0	3.3	3.3	3.3	25.0	74.0	53.3	46.7	55.0	44.0
ASPO117 (A-PR15)	4.7	4.3	6.3	5.3	7.3	7.0	3.0	3.0	3.0	3.0	26.7	72.3	53.3	46.7	53.3	45.7
DLFPS-238/3014	6.3	5.7	7.3	6.0	6.7	6.3	3.0	3.3	2.7	2.7	25.0	74.0	51.7	48.3	53.3	45.7
ASPO218 (A-6D)	6.0	5.7	6.0	5.0	8.3	6.3	2.7	3.3	3.3	3.3	28.3	70.7	48.3	51.7	51.7	47.3
CPN	6.3	5.7	7.3	6.0	8.0	6.7	2.7	3.0	3.0	3.0	28.3	70.7	50.0	50.0	51.7	47.3
DLFPS-236/3544	6.0	6.0	7.0	6.0	9.0	7.3	3.0	3.3	3.3	3.3	23.3	75.7	51.7	48.3	51.7	47.3
BAR LP 6159	6.0	5.7	7.0	4.7	6.7	6.0	3.0	3.0	3.0	3.0	21.7	77.3	46.7	53.3	50.0	49.0
GO-141	5.7	6.0	6.7	5.0	7.0	6.7	3.0	3.0	3.0	3.0	26.7	72.3	50.0	50.0	50.0	49.0
XCELERATOR	5.7	6.0	7.3	6.0	7.3	6.0	2.7	3.0	3.0	3.0	26.7	72.3	50.0	50.0	50.0	49.0
DLFPS-236/3545	5.3	5.7	7.0	6.7	9.0	7.7	3.3	3.0	3.0	3.0	28.3	70.7	48.3	51.7	48.3	50.7
JR-123	5.7	6.0	7.3	4.3	7.0	6.3	3.0	2.7	2.7	2.7	25.0	74.0	48.3	51.7	48.3	50.7
BSP-17	4.0	4.7	5.7	3.7	5.0	4.7	2.3	2.3	2.3	2.3	21.7	77.3	45.0	55.0	46.7	52.3
PR-5-16	7.0	6.0	7.7	6.3	8.0	7.0	3.3	3.3	3.3	3.3	23.3	75.7	45.0	55.0	46.7	52.3
SNX	6.0	5.3	6.7	4.7	6.7	6.3	3.3	3.0	3.0	3.0	20.0	79.0	38.3	61.7	46.7	52.3
DLFPS-236/3543	6.0	5.7	7.3	6.0	7.0	6.3	3.0	2.7	2.7	2.7	18.3	80.7	43.3	56.7	45.0	54.0
PPG-PR 370	6.0	5.3	7.7	6.0	8.0	7.0	3.0	3.0	3.0	3.0	26.7	72.3	43.3	56.7	45.0	54.0
PPG-PR 420	6.7	6.3	7.3	5.3	8.3	7.3	2.7	2.7	2.7	2.7	28.3	70.7	45.0	55.0	45.0	54.0
PPG-PR 421	6.3	6.3	8.0	6.3	8.0	6.3	2.7	2.7	2.7	2.7	30.0	69.0	41.7	58.3	45.0	54.0
MRSL-PR16	6.0	5.7	6.7	4.3	7.3	7.3	3.3	2.7	2.7	2.7	25.0	74.0	43.3	56.7	43.3	55.7
PPG-PR 371	5.7	5.7	7.3	6.7	8.3	7.0	3.0	3.0	3.0	3.0	25.0	74.0	43.3	56.7	43.3	55.7
PST-2FIND	5.3	5.0	7.3	5.0	6.0	5.7	2.7	2.7	2.7	2.7	18.3	80.7	38.3	61.7	43.3	55.7
SIGNET	6.0	5.7	6.0	5.0	7.7	7.0	3.0	2.7	2.7	2.7	28.3	70.7	43.3	56.7	43.3	55.7
DLFPS-236/3547	6.0	5.3	7.7	6.3	7.3	6.7	2.7	2.7	2.7	2.7	18.3	80.7	40.0	60.0	41.7	57.3
PHARAOH	6.0	5.0	7.0	7.0	7.7	6.0	2.3	2.3	2.3	2.3	18.3	80.7	40.0	60.0	41.7	57.3
PPG-PR 360	6.7	6.7	8.0	6.3	6.7	5.3	2.7	2.7	2.7	2.7	21.7	77.3	41.7	58.3	41.7	57.3
PPG-PR 422	6.7	5.7	7.3	6.3	6.3	5.7	2.0	2.7	2.7	2.7	18.3	80.7	38.3	61.7	41.7	57.3
BSP-25	5.7	5.7	6.3	6.3	6.7	6.3	2.7	2.3	2.3	2.3	23.3	75.7	40.0	60.0	40.0	59.0
BWH	5.3	5.3	5.7	4.3	6.0	5.3	2.3	2.3	2.3	2.3	16.7	82.3	40.0	60.0	40.0	59.0
CS-6	5.3	5.7	6.7	5.0	6.0	6.0	2.7	2.3	2.3	2.3	21.7	77.3	38.3	61.7	40.0	59.0
DLFPS-236/3550	6.3	6.3	6.3	4.7	8.0	6.7	3.0	2.7	2.7	2.7	25.0	74.0	40.0	60.0	40.0	59.0
FP2	6.0	6.0	7.3	6.3	8.3	7.0	3.0	2.7	2.7	2.7	20.0	79.0	40.0	60.0	40.0	59.0
GO-142	6.3	5.7	6.3	4.7	7.0	6.0	2.3	2.7	2.7	2.7	23.3	75.7	36.7	63.3	40.0	59.0
PPG-PR 343	7.3	6.7	7.7	7.0	7.3	6.3	2.7	2.3	2.3	2.3	20.0	79.0	40.0	60.0	40.0	59.0

TABLE 14.  
(CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
GROWN UNDER TRAFFIC STRESS AT BLACKSBURG, VA 1/  
2017 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS						QUALITY RATINGS				2-WEEKS		BEFORE TRAFFIC		MIDDLE OF TRAFFIC		LAST TRAFFIC	
	APR	MAY	JUN	JUL	AUG	SEP	BEFORE TRAFFIC	MIDDLE TRAFFIC	LAST TRAFFIC	AFTER TRAFFIC	% GREEN COVER	% BARE COVER	% GREEN COVER	% BARE COVER	% GREEN COVER	% BARE COVER		
PPG-PR 367	6.0	5.3	7.0	6.7	7.7	6.7	2.3	2.7	2.7	2.7	20.0	79.0	40.0	60.0	40.0	59.0		
PR-6-15	5.7	5.7	6.7	5.0	6.7	6.3	2.7	2.7	2.7	2.7	18.3	80.7	38.3	61.7	40.0	59.0		
UF3	4.3	5.3	6.0	5.7	6.3	5.7	3.0	2.7	2.7	2.7	23.3	75.7	40.0	60.0	40.0	59.0		
UMPQUA	5.7	5.3	7.7	6.3	8.0	7.3	3.0	3.0	3.0	3.0	20.0	79.0	38.3	61.7	40.0	59.0		
ASPO118GL (A-4G)	5.3	5.3	6.3	5.3	6.7	6.0	2.3	2.7	2.7	2.7	20.0	79.0	36.7	63.3	38.3	60.7		
APR2616	6.3	5.3	7.7	6.3	7.0	6.7	3.0	3.0	3.0	3.0	20.0	79.0	36.7	63.3	38.3	60.7		
ASPO116EXT	5.0	5.0	6.0	5.0	8.0	7.7	3.0	3.0	3.0	3.0	30.0	69.0	36.7	63.3	38.3	60.7		
BAR LP 6164	6.3	5.7	7.3	6.0	8.0	6.7	2.7	2.7	2.7	2.7	18.3	80.7	33.3	66.7	38.3	60.7		
PPG-PR 424	6.0	5.7	7.3	6.7	7.3	6.7	3.0	3.0	3.0	3.0	25.0	74.0	38.3	61.7	38.3	60.7		
PST-2CRP	6.3	6.3	8.0	6.7	7.7	7.0	2.7	3.3	3.0	3.0	18.3	80.7	48.3	51.7	37.7	61.3		
DLFPS-236/3538	7.0	6.0	8.3	6.0	7.7	6.7	2.0	2.3	2.3	2.3	16.7	82.3	36.7	63.3	36.7	62.3		
DLFPS-236/3552	6.7	6.7	7.3	6.0	8.3	7.0	2.3	2.7	2.7	2.7	21.7	77.3	36.7	63.3	36.7	62.3		
DLFPS-236/3553	7.0	6.3	7.0	5.7	7.0	6.3	2.7	2.7	2.7	2.7	15.0	84.0	35.0	65.0	36.7	62.3		
DLFPS-236/3554	6.7	6.0	7.3	6.7	8.7	7.3	2.7	2.7	2.7	2.7	16.7	82.3	35.0	65.0	36.7	62.3		
AMP-R1	5.3	5.3	6.3	4.7	6.7	6.3	2.3	2.7	2.7	2.7	20.0	79.0	33.3	66.7	35.0	64.0		
BAR LP 6162	6.7	6.0	7.0	7.0	7.3	7.0	3.3	2.7	2.7	2.7	25.0	74.0	33.3	66.7	35.0	64.0		
BRIGHTSTAR SLT	6.3	5.3	6.0	4.7	6.3	5.7	2.0	2.0	2.0	2.0	20.0	79.0	30.0	70.0	35.0	64.0		
DLFPS-236/3548	6.3	6.0	7.7	6.0	6.7	6.7	3.0	2.7	2.7	2.7	18.3	80.7	35.0	65.0	35.0	64.0		
GRAND SLAM GLD	6.3	6.0	7.3	6.3	7.0	6.0	2.7	2.3	2.3	2.3	20.0	79.0	35.0	65.0	35.0	64.0		
NP-3	5.3	6.0	6.7	6.3	7.7	6.7	2.7	2.3	2.3	2.3	18.3	80.7	33.3	66.7	35.0	64.0		
DLFPS-236/3556	5.3	5.3	7.3	5.3	7.3	6.7	2.7	2.3	2.3	2.3	21.7	77.3	30.0	70.0	33.3	65.7		
PL2	6.3	5.7	7.7	5.3	7.0	6.7	2.7	2.3	2.3	2.3	18.3	80.7	33.3	66.7	33.3	65.7		
RRT	6.3	6.7	6.3	5.7	7.7	6.3	2.0	2.0	2.0	2.0	21.7	77.3	33.3	66.7	33.3	65.7		
BAR LP 6131	5.7	6.0	7.3	5.3	7.0	6.7	2.7	2.7	2.7	2.7	16.7	82.3	31.7	68.3	31.7	67.3		
DLFPS-236/3540	6.3	6.3	7.7	5.0	6.7	6.0	3.0	2.7	2.7	2.7	23.3	75.7	31.7	68.3	31.7	67.3		
PST-2BDT	5.7	5.7	6.7	5.0	6.0	6.0	2.7	2.3	2.3	2.3	23.3	75.7	30.0	70.0	31.7	67.3		
PST-2GTD	6.7	5.7	6.7	6.3	7.3	6.7	2.3	2.3	2.3	2.3	18.3	80.7	30.0	70.0	31.7	67.3		
PPG-PR 385	6.7	5.7	7.7	5.7	7.3	6.7	2.7	2.7	2.7	2.7	20.0	79.0	36.7	63.3	31.0	68.0		
ALLSTAR III	5.7	5.3	6.0	5.0	6.3	5.7	2.3	2.7	2.7	2.7	16.7	82.3	30.0	70.0	30.0	69.0		
BAR LP 6117	6.3	6.0	7.7	6.0	8.3	7.3	3.0	2.7	2.7	2.7	20.0	79.0	28.3	71.7	30.0	69.0		
JR-197	6.0	5.7	6.7	5.3	7.0	6.0	2.3	2.7	2.7	2.7	15.0	84.0	28.3	71.7	30.0	69.0		
OVERDRIVE 5G	6.3	6.0	6.7	5.7	6.7	6.7	2.7	2.7	2.7	2.7	20.0	79.0	26.7	73.3	30.0	69.0		
PST-2MAY	5.3	5.0	7.3	5.7	6.0	5.7	2.7	2.3	2.3	2.3	18.3	80.7	28.3	71.7	30.0	69.0		
O21	6.0	5.7	6.3	5.7	6.7	6.3	2.7	2.0	2.0	2.0	20.0	79.0	27.7	72.3	29.3	69.7		
DLFPS-236/3541	6.7	6.0	7.3	5.3	7.0	6.3	2.3	2.0	2.0	2.0	11.7	87.3	29.0	71.0	29.0	70.0		
GO-143	5.3	5.7	6.3	4.7	7.7	6.7	2.3	1.7	1.7	1.7	21.7	77.3	28.3	71.7	28.3	70.7		
RAD-PR 112	6.3	6.0	6.0	5.3	5.7	6.0	2.0	2.3	2.3	2.3	15.0	84.0	26.7	73.3	28.3	70.7		
MRSL-PR15	5.7	5.3	6.7	5.0	7.3	6.0	2.0	2.3	2.3	2.3	10.0	89.0	25.0	75.0	26.7	72.3		
PPG-PR 241	5.7	5.3	6.3	6.0	7.7	6.3	2.0	2.0	2.0	2.0	18.3	80.7	23.3	76.7	26.7	72.3		
PPG-PR 331	6.3	6.3	7.0	6.3	7.0	5.7	2.0	2.0	2.0	2.0	20.0	79.0	26.7	73.3	26.7	72.3		
PPG-PR 372	6.3	6.0	7.3	6.7	7.7	6.7	2.3	2.0	2.0	2.0	16.7	82.3	26.7	73.3	26.7	72.3		
KARMA	7.0	6.7	8.0	6.0	6.7	5.7	1.7	2.0	2.0	2.0	13.3	85.7	25.0	75.0	25.0	74.0		
MAN O WAR	6.3	6.0	6.7	5.7	5.7	5.3	1.7	2.0	2.0	2.3	16.7	82.3	21.7	78.3	25.0	74.0		
PPG-PR 339	5.7	5.0	7.0	6.0	7.0	6.0	2.0	2.0	2.0	2.0	18.3	80.7	23.3	76.7	25.0	74.0		
SR 4650	6.0	5.7	7.3	6.3	8.0	7.0	2.0	1.7	1.7	1.7	18.3	80.7	25.0	75.0	25.0	74.0		

TABLE 14.  
(CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
GROWN UNDER TRAFFIC STRESS AT BLACKSBURG, VA 1/  
2017 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	APR	MAY	QUALITY RATINGS				QUALITY RATINGS				2-WEEKS AFTER TRAFFIC	BEFORE TRAFFIC		MIDDLE OF TRAFFIC		LAST TRAFFIC	
			JUN	JUL	AUG	SEP	BEFORE TRAFFIC	MIDDLE TRAFFIC	LAST TRAFFIC	% GREEN COVER		% BARE COVER	% GREEN COVER	% BARE COVER	% GREEN COVER	% BARE COVER	
JR-747	6.3	6.3	6.3	5.0	5.7	5.3	1.7	1.7	1.7	1.7	13.3	85.7	22.3	77.7	24.0	75.0	
JR-888	6.7	6.0	8.3	5.7	5.3	5.0	2.0	1.7	1.7	1.7	13.3	85.7	23.3	76.7	23.3	75.7	
PPG-PR 423	6.3	5.7	7.7	6.7	6.3	6.0	2.3	2.0	2.0	2.0	16.7	82.3	23.3	76.7	23.3	75.7	
PST-2PDA	6.7	5.7	7.3	5.3	7.3	6.7	2.7	2.3	2.3	2.3	15.0	84.0	23.3	76.7	23.3	75.7	
02BS2	5.0	5.3	6.3	5.3	7.0	5.7	2.7	2.0	2.0	2.0	25.0	74.0	21.7	78.3	21.7	77.3	
DLFPS-236/3546	5.7	5.7	7.3	6.0	6.3	6.3	2.3	2.3	2.3	2.3	21.7	77.3	21.7	78.3	21.7	77.3	
023	6.7	6.3	7.7	5.0	6.7	6.0	2.0	1.7	1.7	1.7	16.7	82.3	18.3	81.7	20.0	79.0	
APR2612	5.7	5.7	7.0	5.7	6.3	6.0	2.3	1.7	1.7	1.7	16.7	82.3	20.0	80.0	20.0	79.0	
FURLONG (LTP-FCB)	6.7	5.7	7.7	6.7	6.3	5.7	2.0	1.7	1.7	1.7	16.7	82.3	18.3	81.7	20.0	79.0	
NP-2	5.7	5.3	7.3	6.7	6.7	6.0	2.0	1.7	1.7	1.7	16.7	82.3	18.3	81.7	20.0	79.0	
PST-2A2	6.0	5.7	7.0	5.3	6.7	6.7	2.3	2.0	2.0	2.0	16.7	82.3	20.0	80.0	20.0	79.0	
DERBY XTREME	6.7	5.7	6.7	5.7	7.3	6.0	1.3	1.7	1.7	1.7	11.7	87.3	17.7	82.3	19.3	79.7	
SAGUARO	6.0	6.0	7.3	5.0	7.0	6.0	1.7	1.7	1.7	1.7	13.3	85.7	16.7	83.3	18.3	80.7	
LPB-SD-101	6.3	5.7	8.3	5.0	5.3	5.0	2.0	1.7	1.7	1.7	11.7	87.3	14.0	86.0	15.7	83.3	
LPB-SD-105	5.0	5.3	7.0	5.3	4.3	3.7	1.3	1.3	1.3	1.3	15.0	84.0	15.7	84.3	15.7	83.3	
INTENSE	6.0	6.7	7.7	7.0	5.7	5.7	2.3	1.7	1.7	1.7	16.7	82.3	13.3	86.7	15.0	84.0	
PPG-PR 329	6.0	5.7	7.7	5.7	7.0	6.3	2.3	1.7	1.7	1.7	23.3	75.7	15.0	85.0	15.0	84.0	
MENSA	6.3	6.0	7.7	5.0	5.0	4.0	1.3	1.3	1.3	1.3	10.0	89.0	11.3	88.7	13.0	86.0	
SAVANT	5.3	6.3	8.0	6.0	5.0	4.7	1.7	1.3	1.3	1.3	11.7	87.3	12.3	87.7	12.3	86.7	
LPB-SD-102	5.3	5.3	8.0	5.0	4.0	4.0	1.3	1.0	1.0	1.0	11.7	87.3	7.7	92.3	7.7	91.3	
LPB-SD-104	6.3	5.7	8.0	4.3	4.7	4.3	1.7	1.0	1.0	1.0	6.7	92.3	5.0	95.0	6.7	92.3	
LPB-SD-103	6.0	6.3	8.0	4.3	4.3	4.0	1.0	1.0	1.0	1.0	10.0	89.0	4.0	96.0	5.7	93.3	
LINN	5.0	5.0	6.7	3.0	3.7	3.7	1.0	1.0	1.0	1.0	5.0	94.0	4.0	96.0	4.0	95.0	
LSD VALUE	3.1	1.9	2.7	2.2	3.3	2.3	1.7	1.6	1.6	1.6	19.5	19.5	50.9	50.9	55.7	57.0	
C.V. (%)	15.3	11.3	13.1	17.6	20.3	17.1	29.1	31.1	30.8	30.9	37.2	9.5	54.9	29.5	55.2	31.8	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 15.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
GROWN UNDER DROUGHT STRESS AT LOGAN, UT 1/  
2017 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	SPRING GREENUP	PINK SNOW MOLD	PERCENT ESTABLISHMENT		APR	MAY	JUN	QUALITY RATINGS				MEAN
			SEPTEMBER	OCTOBER				JUL	AUG	SEP	OCT	
DLFPS-236/3554	8.0	6.3	40.0	86.7	5.0	6.7	7.0	4.3	5.7	6.0	4.0	5.5
DLFPS-236/3542	7.3	6.3	40.0	86.7	5.3	7.0	7.3	3.3	5.0	5.7	4.3	5.4
PST-2CRP	7.7	7.3	36.7	83.3	4.7	6.7	6.3	3.0	6.3	6.0	5.0	5.4
BAR LP 6164	8.0	6.0	43.3	90.0	6.0	6.7	6.3	3.3	4.7	5.7	4.7	5.3
DLFPS-236/3540	8.0	6.3	36.7	86.7	5.3	6.7	6.7	3.3	5.0	5.7	4.0	5.2
DLFPS-236/3544	7.7	6.0	36.7	80.0	5.0	5.7	6.3	4.0	5.3	5.3	5.0	5.2
SAVANT	7.7	5.7	50.0	89.7	5.7	6.0	6.7	4.3	4.7	5.3	4.0	5.2
DLFPS-236/3547	8.0	6.3	40.0	90.0	5.0	5.7	6.3	4.0	5.0	5.3	4.3	5.1
LPB-SD-104	7.7	5.7	43.3	86.7	4.3	6.3	6.7	4.7	5.0	5.7	3.0	5.1
MENSA	7.7	6.0	43.3	93.0	5.0	7.0	7.0	3.7	4.3	5.0	4.0	5.1
PPG-PR 241	7.7	5.3	40.0	83.0	4.7	5.7	6.3	5.0	5.0	5.0	4.3	5.1
PPG-PR 370	8.3	6.0	46.7	93.0	5.7	6.3	6.0	3.3	5.0	5.3	4.0	5.1
PPG-PR 421	8.0	6.7	46.7	92.7	4.7	6.7	6.7	3.3	4.3	5.7	4.3	5.1
PPG-PR 423	7.7	5.7	43.3	86.7	5.3	7.0	6.7	4.0	4.7	4.7	3.7	5.1
APR3060	7.0	6.7	36.7	79.7	4.7	7.0	5.7	3.7	5.0	4.7	4.3	5.0
BSP-25	8.0	6.3	43.3	93.0	5.0	6.3	7.3	4.0	4.0	4.7	3.3	5.0
DLFPS-236/3538	8.0	6.7	33.3	83.3	4.7	6.3	6.0	3.3	4.3	5.7	4.3	5.0
DLFPS-236/3556	7.7	6.3	40.0	86.3	5.3	5.3	6.0	3.7	5.0	5.3	4.3	5.0
INTENSE	7.7	6.0	40.0	86.7	5.7	5.0	7.0	3.7	4.7	5.0	4.0	5.0
JR-197	7.7	6.0	50.0	83.3	4.3	6.0	6.7	4.3	4.7	5.3	3.7	5.0
LPB-SD-102	7.3	5.0	43.3	86.7	4.7	6.3	7.3	4.3	4.3	4.7	3.3	5.0
NP-2	7.3	5.3	40.0	86.3	5.0	5.7	7.0	4.0	4.3	5.0	4.3	5.0
PPG-PR 420	7.7	5.3	46.7	93.0	5.3	6.3	7.0	3.3	4.0	4.7	4.0	5.0
PST-2GAL	8.0	5.7	36.7	86.3	5.0	6.0	5.0	4.3	5.0	5.7	4.3	5.0
PST-2MAY	8.0	6.3	36.7	89.7	4.7	5.7	7.3	3.0	4.7	5.7	4.3	5.0
SNX	7.3	7.0	36.7	76.7	4.3	6.0	6.0	3.3	4.3	6.3	4.3	5.0
ASP0117 (A-PR15)	7.7	6.7	46.7	89.7	5.0	5.3	6.3	4.0	5.0	4.7	4.0	4.9
BSP-17	7.7	6.3	40.0	90.0	5.0	6.3	6.3	3.0	4.3	5.0	4.0	4.9
CS-6	7.0	6.0	40.0	83.0	4.3	5.7	6.7	4.0	4.3	5.0	4.3	4.9
DLFPS-236/3543	7.7	7.0	33.3	86.7	5.0	5.0	6.7	3.7	4.7	5.0	4.3	4.9
JR-747	7.3	4.7	43.3	90.0	5.0	7.0	7.0	3.7	4.0	4.0	3.3	4.9
NP-3	8.0	5.7	43.3	92.7	5.0	5.3	6.0	3.3	4.7	5.0	4.7	4.9
PPG-PR 331	8.0	5.7	36.7	93.0	5.3	5.0	5.7	3.7	4.3	5.7	4.3	4.9
PPG-PR 360	8.0	6.0	43.3	90.0	5.3	6.0	7.0	3.3	3.7	4.7	4.0	4.9
PST-2FIND	7.7	6.7	36.7	79.7	4.3	5.3	6.3	3.7	4.7	5.0	4.7	4.9
RAD-PR 112	7.7	6.7	33.3	86.3	5.0	6.3	6.3	3.3	4.3	4.3	4.3	4.9
SAGUARO	7.7	6.0	36.7	86.7	5.0	7.0	6.0	3.3	3.7	4.7	4.3	4.9
LPB-SD-103	8.0	5.7	36.7	89.7	5.0	6.7	6.3	3.3	4.0	4.3	3.7	4.8
LPB-SD-105	7.7	7.0	30.0	66.7	4.3	5.7	6.0	3.3	4.7	5.3	4.3	4.8
PHARAOH	7.3	5.7	40.0	83.0	4.3	5.0	6.0	3.3	4.7	5.3	5.0	4.8
PPG-PR 339	7.7	5.3	43.3	86.3	5.0	6.0	5.7	3.7	4.3	5.0	4.0	4.8
PPG-PR 343	7.3	6.3	36.7	76.7	5.0	6.3	6.0	3.7	4.3	4.7	3.7	4.8
PST-2A2	7.7	7.0	36.7	73.3	4.3	6.3	5.3	3.7	4.0	5.0	5.0	4.8
SIGNET	7.3	6.3	40.0	83.0	4.7	6.3	6.3	3.0	4.0	4.3	4.7	4.8
O21	7.7	6.0	43.3	83.3	4.3	6.7	6.7	3.0	3.7	4.7	4.0	4.7
O2BS2	7.7	6.7	40.0	83.3	4.7	5.3	6.3	3.3	4.3	4.3	4.3	4.7
APR2612	7.3	6.3	40.0	76.7	4.3	6.3	6.0	3.7	4.0	4.7	3.7	4.7

TABLE 15.  
(CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
GROWN UNDER DROUGHT STRESS AT LOGAN, UT 1/  
2017 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	SPRING GREENUP	PINK SNOW MOLD	PERCENT ESTABLISHMENT		APR	MAY	JUN	QUALITY RATINGS				MEAN
			SEPTEMBER	OCTOBER				JUL	AUG	SEP	OCT	
APR2616	8.0	6.0	43.3	90.0	5.7	6.3	5.7	3.0	3.7	4.3	4.0	4.7
BAR LP 6117	7.7	5.7	36.7	86.7	5.3	6.0	6.3	3.3	4.0	4.3	3.7	4.7
DLFPS-236/3541	8.0	6.0	36.7	86.7	5.7	6.0	6.0	2.7	3.3	4.7	4.3	4.7
LPB-SD-101	7.0	5.7	36.7	86.3	4.7	5.7	6.0	3.0	4.3	5.0	4.0	4.7
MRSL-PR15	8.0	6.3	46.7	93.0	5.3	6.7	6.3	2.7	3.3	4.7	4.0	4.7
MRSL-PR16	8.0	5.3	40.0	86.7	5.3	6.0	6.7	3.0	3.3	4.3	4.0	4.7
PPG-PR 372	7.7	6.7	33.3	76.7	5.0	5.0	5.7	4.0	4.3	4.7	4.3	4.7
PPG-PR 385	7.3	5.7	40.0	86.7	5.3	5.7	5.7	3.0	4.0	5.0	4.3	4.7
PPG-PR 422	8.0	6.0	40.0	86.3	5.7	5.7	5.3	3.7	3.7	4.7	4.3	4.7
PR-5-16	7.3	6.0	43.3	86.7	5.0	6.3	6.3	2.7	3.3	4.7	4.3	4.7
PST-2PDA	7.7	5.7	40.0	90.0	5.3	5.3	5.0	3.0	4.7	5.0	4.3	4.7
UF3	7.7	6.7	43.3	83.3	4.7	6.0	6.0	4.0	4.3	4.7	3.3	4.7
BRIGHTSTAR SLT	8.0	5.3	40.0	90.0	5.7	5.3	5.0	2.7	4.3	5.0	4.0	4.6
DLFPS-236/3553	7.3	6.0	40.0	76.7	4.3	5.7	6.7	4.0	3.7	4.0	3.7	4.6
FP2	7.7	6.3	46.7	93.0	5.0	5.7	5.7	3.7	3.7	4.3	4.0	4.6
GRAND SLAM GLD	7.3	6.7	43.3	83.3	4.7	6.3	5.7	3.0	4.0	5.3	3.3	4.6
JR-888	7.3	5.7	33.3	76.7	4.3	6.0	5.3	3.0	4.3	4.7	4.7	4.6
OVERDRIVE 5G	7.7	6.3	43.3	90.0	5.3	6.0	5.3	2.7	3.7	5.0	4.3	4.6
RRT	8.0	6.3	40.0	86.7	5.7	6.3	5.7	3.3	3.3	4.0	3.7	4.6
ASPO218 (A-6D)	8.0	5.7	43.3	90.0	5.7	6.7	6.3	2.7	3.0	4.0	3.3	4.5
AMP-R1	7.7	6.0	43.3	89.7	5.0	6.0	6.0	3.0	3.7	4.3	3.7	4.5
DLFPS-236/3550	7.7	6.3	40.0	80.0	4.7	6.0	6.0	3.0	3.3	4.3	4.0	4.5
PPG-PR 367	8.0	6.7	40.0	86.7	5.0	5.7	5.3	3.7	3.7	4.0	4.0	4.5
PPG-PR 424	7.7	6.3	40.0	86.7	5.7	6.0	6.3	2.7	3.3	4.0	3.7	4.5
PST-2FOXY	7.3	5.0	33.3	86.7	4.7	6.3	6.0	2.7	3.7	4.0	4.0	4.5
SEABISCUIT	8.0	5.3	46.7	89.7	5.7	5.7	5.7	3.0	3.7	4.3	3.7	4.5
023	6.7	4.7	56.7	93.0	4.3	5.7	6.7	3.0	3.3	4.0	3.7	4.4
ALLSTAR III	7.7	5.7	40.0	80.0	5.0	5.3	6.0	2.7	3.7	4.0	4.0	4.4
BAR LP 6158	8.0	5.7	43.3	89.7	6.0	5.0	5.7	3.0	4.0	3.7	3.3	4.4
DLFPS-236/3545	7.7	6.3	36.7	83.3	5.3	6.0	5.7	2.3	3.3	4.3	3.7	4.4
JR-123	7.3	6.7	36.7	83.3	5.3	5.3	6.3	3.3	3.3	4.3	3.0	4.4
PPG-PR 329	8.0	6.3	40.0	86.7	5.7	5.7	5.7	3.0	3.7	3.7	3.7	4.4
PPG-PR 419	7.7	6.7	56.7	93.0	5.7	5.7	6.0	2.7	3.0	4.0	3.7	4.4
PST-2EGAD	7.3	6.0	36.7	83.3	5.0	5.0	5.3	3.3	3.7	4.3	4.0	4.4
ASPO118GL (A-4G)	8.0	5.7	46.7	85.0	5.0	6.3	6.0	2.7	3.3	3.7	3.3	4.3
ASPO116EXT	7.7	5.7	36.7	80.0	5.0	6.7	5.7	2.3	3.3	3.3	3.7	4.3
BAR LP 6131	7.3	5.3	40.0	83.3	5.3	4.7	5.0	3.7	4.0	3.7	3.7	4.3
BAR LP 6159	7.0	6.3	43.3	83.0	5.0	6.0	5.3	3.3	3.7	3.7	3.0	4.3
BAR LP 6162	7.7	6.3	26.7	76.3	5.0	5.3	5.7	3.7	3.3	4.0	3.3	4.3
BAR LP 6233	8.0	5.7	46.7	86.3	5.7	5.0	6.0	3.3	3.0	4.0	3.3	4.3
KARMA	7.3	6.3	36.7	83.3	5.0	6.3	5.7	2.7	3.0	4.0	3.3	4.3
MAN O WAR	8.0	5.0	46.7	86.7	5.0	5.7	5.3	3.3	3.0	4.3	3.7	4.3
PR-6-15	7.3	8.3	36.7	70.0	4.0	5.3	5.3	3.3	4.0	4.3	3.7	4.3
PST-2GTD	7.7	5.7	33.3	83.3	4.7	4.3	4.3	3.3	4.7	4.7	4.0	4.3
PEPPER 11 (RAD-PR 103)	7.3	7.0	23.3	73.3	4.7	4.7	6.0	3.7	3.3	4.0	3.7	4.3
SHIELD (02BS4)	7.3	5.0	43.3	93.0	5.0	5.7	5.3	3.3	2.7	3.7	3.7	4.2
BWH	8.0	6.7	36.7	73.3	4.7	5.0	4.3	3.0	3.7	4.3	4.3	4.2



TABLE 15.  
(CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
GROWN UNDER DROUGHT STRESS AT LOGAN, UT 1/  
2017 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	SPRING GREENUP	PINK SNOW MOLD	PERCENT ESTABLISHMENT		APR	MAY	JUN	QUALITY RATINGS			OCT	MEAN
			SEPTEMBER	OCTOBER				JUL	AUG	SEP		
CPN	7.7	5.7	46.7	86.3	5.3	4.7	5.3	3.3	3.7	4.0	3.3	4.2
GO-141	7.7	5.7	36.7	83.3	5.0	6.0	6.0	3.0	3.0	3.7	2.7	4.2
GO-142	7.3	6.0	43.3	96.0	5.0	6.0	5.0	2.7	3.3	4.0	3.3	4.2
FURLONG (LTP-FCB)	7.3	7.3	36.7	86.7	5.0	6.3	5.3	2.7	3.0	3.7	3.3	4.2
PST-2BDT	7.7	6.7	36.7	80.0	4.3	5.0	4.3	3.7	3.7	5.0	3.7	4.2
UMPQUA	7.7	5.3	43.3	92.7	5.7	4.7	5.3	3.0	3.3	4.0	3.7	4.2
DLFPS-238/3014	7.7	6.3	33.3	70.0	5.0	4.7	5.3	3.3	3.3	3.7	3.7	4.1
PL2	8.0	5.7	40.0	89.7	5.3	5.3	4.3	3.0	3.3	4.0	3.7	4.1
PPG-PR 371	8.0	6.7	40.0	89.7	5.0	5.7	5.7	3.0	2.7	3.7	3.3	4.1
EVOLVE	7.3	6.0	43.3	76.3	5.3	4.3	4.3	3.0	3.3	4.3	3.7	4.0
SR 4650	7.3	6.0	50.0	90.0	5.0	6.0	5.7	3.0	2.7	3.0	3.0	4.0
XCELERATOR	7.0	7.0	30.0	63.3	3.7	4.3	4.7	3.3	4.0	4.3	4.0	4.0
DLFPS-236/3546	7.3	6.3	36.7	73.3	4.3	4.3	5.0	2.3	3.0	4.3	4.0	3.9
Q2BS1	7.7	7.0	30.0	76.3	4.7	4.3	5.3	2.7	3.0	3.0	3.0	3.7
DLFPS-236/3548	7.3	6.3	33.3	69.7	3.7	4.3	5.3	3.5	4.5	4.0	4.5	3.7
BAR LP 6165	7.7	6.3	30.0	69.7	4.3	3.0	4.0	3.5	4.0	3.7	2.7	3.5
DERBY XTREME	7.7	6.7	33.3	83.3	5.3	5.3	5.0	2.3	2.0	2.7	2.0	3.5
DLFPS-236/3552	7.0	7.3	33.3	66.7	3.0	3.3	4.7	3.7	4.0	4.0	3.0	3.5
GO-143	7.3	7.0	30.0	66.7	3.7	4.0	3.7	3.0	5.0	4.0	3.5	3.3
LINN	8.3	5.0	33.3	90.0	6.0	2.7	3.3	2.7	2.3	2.0	2.3	3.0
LSD VALUE	2.2	1.9	26.8	42.4	2.9	2.3	2.0	2.2	2.8	2.7	1.9	1.3
C.V. (%)	6.9	13.5	21.2	13.3	16.7	18.8	16.5	23.1	26.5	22.7	19.6	12.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 16.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
FOR SALT TOLERANCE STUDY IN GREENHOUSE AT FORT COLLINS, CO 1/  
2017 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS OF THE SALT TREATMENT 3/					QUALITY RATINGS OF THEN CONTROL					PERCENT OF QUALITY (TREATMENT OVER CONTROL)				
	8_DS	12_DS	16_DS	20_DS	24_DS	8_DS	12_DS	16_DS	20_DS	24_DS	8_DS	12_DS	16_DS	20_DS	24_DS
SAVANT	8.2	7.1	7.3	7.0	4.7	8.7	8.7	8.8	8.7	8.9	94.3	82.0	82.3	80.5	52.6
DLFPS-236/3548	8.1	7.1	7.4	7.2	4.5	8.7	8.7	8.8	8.7	8.9	93.1	80.9	84.2	82.1	50.8
GO-141	8.0	6.9	7.2	6.9	4.0	8.7	8.7	8.8	8.7	8.9	92.0	78.9	81.1	79.4	45.1
GO-142	8.0	6.9	7.2	7.1	3.8	8.7	8.7	8.8	8.7	8.9	92.0	79.0	81.1	80.9	43.3
ALLSTAR III	7.9	6.9	7.3	6.6	3.7	8.6	8.7	8.8	8.7	8.9	91.9	79.3	83.0	75.6	41.4
DLFPS-236/3540	8.2	7.3	7.1	7.0	3.7	8.7	8.7	8.8	8.7	8.9	94.3	83.2	80.8	80.2	41.3
DLFPS-236/3550	7.9	7.0	7.3	7.2	3.7	8.7	8.8	8.8	8.7	8.9	91.2	79.2	83.0	82.5	41.4
LPB-SD-102	8.2	7.1	7.2	6.8	3.5	8.7	8.6	8.8	8.8	8.9	94.3	82.7	81.2	77.6	39.4
MAN O WAR	8.0	6.9	7.4	6.8	3.3	8.7	8.7	8.8	8.7	8.9	91.9	79.0	83.4	77.9	37.6
PR-6-15	8.1	7.0	7.3	7.2	3.3	8.7	8.7	8.8	8.7	8.9	92.4	80.2	83.0	82.5	37.6
DLFPS-236/3542	8.2	7.2	7.3	7.0	3.2	8.7	8.7	8.8	8.7	8.9	94.6	82.1	82.3	80.2	35.6
DLFPS-236/3547	8.0	7.0	7.2	7.2	3.2	8.7	8.7	8.8	8.7	8.9	92.3	80.8	81.9	82.1	35.8
MENSA	8.2	7.0	7.1	6.8	3.2	8.7	8.7	8.8	8.6	8.9	93.9	80.8	80.4	78.8	35.6
PPG-PR 371	8.2	7.0	7.3	7.0	3.2	8.7	8.7	8.8	8.7	8.9	93.5	79.8	83.0	80.1	35.7
PPG-PR 385	8.1	7.1	7.4	7.0	3.2	8.7	8.7	8.8	8.7	8.9	92.8	80.9	83.8	80.4	35.7
DLFPS-238/3014	7.7	6.8	7.2	6.8	3.0	8.6	8.6	8.8	8.7	8.9	89.6	78.8	81.1	77.5	33.8
GO-143	8.1	6.9	7.2	7.1	3.0	8.7	8.7	8.8	8.7	8.9	92.4	79.3	81.5	80.9	33.9
LPB-SD-103	8.2	7.3	7.2	6.8	3.0	8.7	8.7	8.8	8.7	8.9	94.7	83.2	81.5	77.5	33.9
PR-5-16	8.1	7.2	7.3	7.1	3.0	8.7	8.7	8.8	8.7	8.9	93.2	82.1	82.3	80.9	33.9
PEPPER 11 (RAD-PR 103)	8.0	6.9	7.1	6.8	3.0	8.7	8.7	8.8	8.7	8.9	92.3	78.9	80.0	77.5	33.8
XCELERATOR	8.1	7.1	7.1	7.0	3.0	8.7	8.6	8.8	8.7	8.9	92.8	82.6	80.8	80.2	33.8
023	8.0	7.1	7.3	7.0	2.8	8.7	8.7	8.8	8.7	8.9	92.0	80.9	82.6	80.5	32.0
CPN	8.0	6.9	7.2	6.7	2.8	8.6	8.7	8.8	8.7	8.9	92.3	79.3	81.1	77.1	31.9
DLFPS-236/3546	8.0	7.0	7.4	7.2	2.8	8.7	8.7	8.8	8.7	8.9	92.3	79.8	83.4	82.9	32.0
LPB-SD-101	8.2	7.1	7.2	6.7	2.8	8.7	8.6	8.8	8.8	8.9	94.3	81.9	81.2	76.8	31.9
LPB-SD-105	8.2	7.0	7.1	6.7	2.8	8.7	8.7	8.8	8.8	8.9	94.3	80.8	80.8	76.8	31.9
PPG-PR 331	7.9	7.0	7.1	6.7	2.8	8.7	8.7	8.8	8.7	8.9	90.8	79.8	80.0	76.7	32.0
02BS1	8.0	6.8	6.9	6.1	2.7	8.6	8.7	8.8	8.7	8.9	92.7	78.6	78.1	69.4	30.0
BRIGHTSTAR SLT	7.8	6.9	7.0	6.5	2.7	8.6	8.6	8.8	8.7	8.9	90.8	79.9	80.2	74.8	30.7
DERBY XTREME	7.9	6.9	7.1	6.9	2.7	8.7	8.7	8.8	8.7	8.9	91.1	79.7	80.0	79.0	30.1
DLFPS-236/3538	8.0	6.9	6.2	4.9	2.7	8.7	8.6	8.8	8.7	8.9	91.6	79.6	70.1	56.0	30.1
PPG-PR 339	8.2	7.2	7.4	7.0	2.7	8.7	8.7	8.8	8.7	8.9	93.9	82.5	83.4	80.4	30.1
PPG-PR 372	8.1	7.0	7.2	6.9	2.7	8.7	8.7	8.8	8.7	8.9	93.1	79.8	81.9	79.7	30.1
PPG-PR 423	8.1	7.0	7.4	6.1	2.7	8.7	8.7	8.8	8.7	8.9	93.1	80.2	84.1	70.2	30.0
SAGUARO	8.2	6.9	7.2	6.9	2.7	8.6	8.6	8.8	8.8	8.9	95.3	80.4	81.1	78.7	30.0
AMP-R1	8.0	7.0	7.4	7.2	2.5	8.7	8.7	8.8	8.7	8.9	91.6	80.9	83.4	82.1	28.2
APR2612	8.0	6.9	7.1	7.1	2.5	8.6	8.7	8.8	8.7	8.9	93.0	79.0	80.4	80.9	28.3
DLFPS-236/3544	8.3	7.2	7.2	7.0	2.5	8.7	8.7	8.8	8.7	8.9	94.7	83.1	81.5	79.8	28.1
DLFPS-236/3552	8.0	6.9	7.3	7.1	2.5	8.7	8.8	8.8	8.7	8.9	92.0	79.1	82.3	80.9	28.1
JR-197	8.0	6.9	7.3	6.6	2.5	8.7	8.6	8.8	8.7	8.9	92.3	79.6	82.7	75.6	28.1
PPG-PR 343	8.1	7.0	7.2	7.0	2.5	8.7	8.7	8.8	8.7	8.9	93.1	79.8	81.1	79.8	28.2
PPG-PR 360	8.1	7.0	6.7	5.6	2.5	8.7	8.7	8.8	8.7	8.9	93.1	79.8	75.8	63.7	28.2
PPG-PR 419	8.1	7.0	7.3	6.6	2.5	8.7	8.7	8.8	8.7	8.9	92.4	80.2	82.2	75.2	28.2
RAD-PR 112	8.0	6.9	7.3	7.0	2.5	8.7	8.7	8.8	8.7	8.9	91.9	79.3	83.0	80.2	28.2
RRT	7.9	7.1	7.3	7.1	2.5	8.7	8.8	8.8	8.7	8.9	90.8	80.6	83.0	81.3	28.3
PPG-PR 241	8.0	7.0	7.2	6.7	2.4	8.7	8.7	8.8	8.7	8.9	92.0	79.8	81.5	77.1	27.1
SEABISCUIT	7.9	7.1	7.3	6.6	2.4	8.6	8.6	8.8	8.7	8.9	92.3	82.6	82.2	75.9	27.0

TABLE 16.  
CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
FOR SALT TOLERANCE STUDY IN GREENHOUSE AT FORT COLLINS, CO 1/  
2017 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS OF THE SALT TREATMENT 3/					QUALITY RATINGS OF THEN CONTROL					PERCENT OF QUALITY (TREATMENT OVER CONTROL)				
	8_DS	12_DS	16_DS	20_DS	24_DS	8_DS	12_DS	16_DS	20_DS	24_DS	8_DS	12_DS	16_DS	20_DS	24_DS
APR3060	8.1	7.0	7.3	7.0	2.3	8.7	8.7	8.8	8.7	8.9	92.8	80.5	82.7	80.1	26.4
DLFPS-236/3543	8.2	7.1	7.3	6.8	2.3	8.7	8.8	8.8	8.6	8.9	93.9	80.6	82.6	79.2	26.4
DLFPS-236/3554	8.2	7.1	7.4	7.1	2.3	8.7	8.7	8.8	8.7	8.9	93.5	81.3	83.8	80.9	25.7
INTENSE	8.3	7.3	7.1	6.9	2.3	8.7	8.8	8.8	8.7	8.9	95.1	83.3	80.8	78.6	26.3
LPB-SD-104	8.2	7.0	7.0	6.7	2.3	8.6	8.7	8.8	8.8	8.9	95.0	80.5	79.6	76.4	26.2
PHARAOH	7.9	6.7	7.3	6.4	2.3	8.7	8.7	8.8	8.7	8.9	91.5	77.4	82.3	73.7	26.3
PPG-PR 370	8.1	7.1	7.3	7.0	2.3	8.7	8.7	8.8	8.7	8.9	93.1	80.9	83.0	80.8	26.3
PPG-PR 420	8.1	6.9	7.4	7.2	2.3	8.7	8.7	8.8	8.7	8.9	93.1	78.6	83.4	82.4	26.3
PST-2A2	8.2	7.2	7.3	6.9	2.3	8.7	8.7	8.8	8.7	8.9	94.3	82.1	82.3	79.4	26.4
PST-2GAL	8.2	7.2	7.4	7.1	2.3	8.7	8.7	8.8	8.7	8.9	94.3	82.8	84.2	81.3	26.4
PST-2PDA	8.1	7.1	7.2	6.9	2.3	8.7	8.7	8.8	8.7	8.9	93.2	81.3	81.5	79.4	26.4
PPG-PR 329	8.0	7.1	7.2	7.0	2.2	8.7	8.7	8.8	8.7	8.9	92.0	80.9	81.9	80.6	24.4
PST-2EGAD	8.1	7.1	7.4	7.0	2.2	8.7	8.7	8.8	8.7	8.9	93.1	81.7	83.8	80.6	24.5
DLFPS-236/3545	8.2	7.2	7.2	6.6	2.1	8.7	8.7	8.8	8.7	8.9	93.9	82.1	81.5	76.6	23.4
BAR LP 6159	8.1	7.0	7.3	6.6	2.0	8.7	8.7	8.8	8.7	8.9	93.1	80.8	82.7	76.0	22.6
BWH	8.2	7.3	7.2	6.9	2.0	8.6	8.7	8.8	8.6	8.9	95.4	83.9	82.2	79.9	22.5
JR-123	8.2	7.1	7.1	6.8	2.0	8.7	8.8	8.8	8.7	8.9	94.2	81.4	80.4	78.2	22.5
PST-2FIND	8.2	7.0	7.3	7.1	2.0	8.7	8.6	8.8	8.7	8.9	93.5	81.8	83.0	81.7	22.6
UF3	8.2	7.0	7.2	6.7	2.0	8.7	8.8	8.8	8.7	8.9	93.9	80.2	81.9	76.7	22.5
OVERDRIVE 5G	8.0	7.0	7.0	5.4	1.9	8.6	8.6	8.8	8.7	8.9	92.6	81.4	79.6	62.4	21.4
021	8.3	7.3	7.3	6.8	1.8	8.7	8.6	8.8	8.7	8.9	95.0	85.0	82.6	78.9	20.7
02BS2	8.0	7.0	7.2	7.0	1.8	8.7	8.7	8.8	8.7	8.9	91.6	80.5	81.9	80.5	20.7
FP2	8.0	7.0	7.3	7.0	1.8	8.7	8.7	8.8	8.7	8.9	92.0	80.6	82.6	80.6	20.7
PL2	8.2	7.1	7.3	6.8	1.8	8.7	8.7	8.8	8.7	8.9	93.9	80.9	82.6	77.9	20.7
PPG-PR 367	8.1	6.9	7.1	6.2	1.8	8.7	8.7	8.8	8.7	8.9	93.1	79.4	80.0	71.7	20.7
PPG-PR 424	8.1	6.9	7.4	6.8	1.8	8.7	8.7	8.8	8.7	8.9	92.7	79.4	84.2	77.9	20.7
PST-2GTD	8.1	7.2	7.3	7.2	1.8	8.7	8.8	8.8	8.7	8.9	93.5	81.7	82.7	82.1	20.7
PST-2MAY	8.2	7.0	7.4	6.7	1.8	8.7	8.7	8.8	8.7	8.9	93.5	80.5	83.4	76.8	20.7
SIGNET	8.2	7.0	7.4	7.0	1.8	8.7	8.7	8.8	8.7	8.9	93.9	80.5	83.4	79.8	20.7
GRAND SLAM GLD	8.1	7.0	7.3	5.1	1.7	8.7	8.7	8.8	8.7	8.9	92.8	80.8	82.3	58.3	19.6
PST-2FOXY	8.1	7.3	7.3	6.8	1.7	8.7	8.7	8.8	8.7	8.9	93.5	83.2	82.2	77.9	18.8
DLFPS-236/3553	8.2	7.1	7.3	6.7	1.6	8.7	8.7	8.8	8.7	8.9	93.5	81.3	83.0	76.4	17.7
NP-2	8.1	6.9	7.4	6.3	1.6	8.7	8.7	8.8	8.7	8.9	92.7	79.4	83.4	71.8	18.1
SR 4650	8.0	6.9	7.4	6.9	1.6	8.7	8.7	8.8	8.7	8.9	92.0	79.7	83.4	78.6	17.7
ASP0118GL (A-4G)	8.2	7.2	7.4	6.7	1.5	8.7	8.7	8.8	8.7	8.9	93.9	82.5	83.8	76.4	17.0
BAR LP 6164	7.9	6.9	7.3	6.3	1.5	8.6	8.7	8.8	8.7	8.9	91.5	78.7	82.6	72.5	17.0
BAR LP 6233	8.1	7.0	7.4	5.2	1.5	8.7	8.6	8.8	8.7	8.9	93.5	80.8	83.4	60.0	17.0
DLFPS-236/3556	8.2	7.1	7.3	6.0	1.5	8.7	8.7	8.8	8.7	8.9	94.3	81.7	82.2	69.1	17.0
KARMA	8.1	6.8	7.3	6.6	1.5	8.7	8.7	8.8	8.7	8.9	92.4	78.2	83.0	75.2	16.9
PPG-PR 422	8.1	7.0	7.4	6.7	1.5	8.7	8.8	8.8	8.7	8.9	92.4	79.4	83.4	76.7	16.9
PST-2CRP	8.1	7.1	7.3	6.3	1.5	8.7	8.7	8.8	8.7	8.9	93.1	81.3	83.0	72.6	16.9
BAR LP 6117	7.9	6.9	7.3	6.8	1.4	8.7	8.5	8.8	8.7	8.9	91.2	81.2	83.0	77.5	16.2
EVOLVE	8.2	7.0	7.1	6.4	1.4	8.7	8.7	8.8	8.7	8.9	93.9	80.9	80.4	72.9	15.8
BAR LP 6131	8.0	7.1	7.4	6.6	1.3	8.6	8.6	8.8	8.7	8.9	92.3	81.9	83.4	75.2	15.1
BAR LP 6165	7.8	6.5	6.9	5.0	1.3	8.4	8.4	8.8	8.6	8.9	92.8	77.9	78.5	57.2	15.1
CS-6	8.2	7.1	7.2	6.3	1.3	8.7	8.7	8.8	8.7	8.9	94.6	80.9	81.1	73.1	15.1
DLFPS-236/3541	8.2	7.0	7.3	6.0	1.3	8.7	8.8	8.8	8.7	8.9	94.3	79.5	82.7	69.1	15.0

TABLE 16.  
(CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF PERENNIAL RYEGRASS CULTIVARS  
FOR SALT TOLERANCE STUDY IN GREENHOUSE AT FORT COLLINS, CO 1/  
2017 DATA  
TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS OF THE SALT TREATMENT 3/					QUALITY RATINGS OF THEN CONTROL					PERCENT OF QUALITY (TREATMENT OVER CONTROL)				
	8_DS	12_DS	16_DS	20_DS	24_DS	8_DS	12_DS	16_DS	20_DS	24_DS	8_DS	12_DS	16_DS	20_DS	24_DS
JR-747	8.0	7.0	7.0	6.1	1.3	8.7	8.6	8.8	8.7	8.9	92.3	80.7	79.6	69.5	15.0
PST-2BDT	8.2	7.2	7.4	7.1	1.3	8.7	8.7	8.8	8.7	8.9	93.5	82.5	83.8	80.9	15.0
BSP-25	8.2	7.2	7.1	6.6	1.2	8.6	8.6	8.8	8.6	8.9	95.0	83.9	80.3	76.8	13.2
JR-888	8.0	6.8	7.0	4.8	1.2	8.7	8.6	8.8	8.7	8.9	92.3	79.1	79.2	55.4	13.1
FURLONG(LTP-FCB)	8.0	6.9	7.2	5.0	1.2	8.7	8.6	8.8	8.7	8.9	91.2	80.7	81.9	57.6	13.9
MRSL-PR15	8.1	7.1	7.3	5.9	1.2	8.7	8.7	8.8	8.6	8.9	93.1	81.3	82.7	68.6	13.9
PPG-PR 421	8.1	6.9	7.4	6.9	1.2	8.7	8.7	8.8	8.7	8.9	92.8	78.6	84.2	79.4	13.2
UMPQUA	7.8	6.8	7.2	6.4	1.2	8.6	8.6	8.8	8.7	8.9	90.7	78.4	81.1	72.9	13.1
ASP0117(A-PR15)	8.1	7.0	7.2	5.1	1.1	8.7	8.7	8.8	8.7	8.9	93.5	79.8	81.9	58.9	12.4
SNX	8.1	7.1	7.3	5.6	1.1	8.7	8.7	8.8	8.7	8.9	93.5	80.9	83.0	64.6	12.4
BAR LP 6162	7.9	6.9	7.3	6.9	1.0	8.6	8.7	8.8	8.7	8.9	91.8	79.4	82.6	79.0	11.3
BSP-17	8.2	7.4	7.2	5.5	1.0	8.6	8.7	8.8	8.7	8.9	95.0	85.1	81.4	63.2	11.3
LINN	7.6	6.4	6.1	4.0	1.0	8.2	8.1	8.6	8.6	8.8	92.3	78.6	70.5	46.1	11.3
MRSL-PR16	8.2	7.1	7.3	6.9	1.0	8.7	8.8	8.8	8.7	8.9	93.9	80.6	83.0	78.6	11.3
ASP0116EXT	8.2	7.1	7.3	6.7	0.9	8.7	8.7	8.8	8.7	8.9	93.9	81.3	82.7	76.8	10.2
ASP0218 (A-6D)	8.1	7.0	7.3	6.8	0.8	8.7	8.7	8.8	8.7	8.9	93.1	80.2	83.0	78.3	8.6
APR2616	8.2	7.1	7.3	6.8	0.8	8.7	8.7	8.8	8.7	8.9	94.2	81.2	82.7	77.5	9.4
BAR LP 6158	7.8	6.8	7.2	6.5	0.8	8.6	8.7	8.8	8.7	8.9	90.3	77.9	81.9	74.4	9.4
SHIELD (02BS4)	8.1	7.0	7.4	6.9	0.7	8.7	8.7	8.8	8.7	8.9	93.5	79.8	83.4	78.7	7.5
NP-3	8.2	6.9	7.1	6.5	0.7	8.7	8.7	8.8	8.7	8.9	93.9	79.0	80.7	74.1	7.5
LSD VALUE	0.2	0.4	0.8	2.4	3.8	0.1	0.2	0.0	0.2	0.0	3.2	8.3	9.4	28.6	43.2
C.V. (%)	1.5	2.6	3.9	13.3	58.5	0.6	1.0	0.2	0.6	0.1	1.6	3.0	3.8	13.4	58.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

3/ SALT LEVELS OF 8, 12, 16, 20 OR 24 DECISIEMENS/METER IMPOSED ON ENTRIES BY IMMERSING CONETAINERS FILLED WITH SAND INTO A NUTRIENT AND SALT SOLUTION FOR ONE HOUR DAILY, FOR 30 DAYS. AFTER ONE MONTH AT THE STARTING 8 DS/M LEVEL, THE NEXT SALT LEVEL IS IMPOSED FOR 30 DAYS UNTIL ENTRIES ARE EXPOSED TO ALL SALT LEVELS FOR 30 DAYS EACH. EACH SALT LEVEL AND ENTRY HAS A SEPARATE CONTROL (AS SEEN IN THE DATA ABOVE) THAT RECEIVES A NUTRIENT SOLUTION IMMERSION ONLY. PERCENT OF QUALITY CALCULATION IS: QUALITY RATING OF SALT LEVEL DIVIDED BY QUALITY RATING OF CORRESPONDING CONTROL. NOTE: COMPLETE SALT TREATMENT PROTOCOL IS AVAILABLE FROM NTEP UPON REQUEST.

TABLE 17.

GENETIC COLOR RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
2017 DATA

GENETIC COLOR RATINGS 1-9; 9=DARK GREEN 2/

NAME	CT1	IA1	IL1	MI1	MN1	MO1	NE1	NJ2	OR1	UT1	WI1	MEAN
BWH	8.3	5.7	8.3	8.0	6.0	5.7	7.0	9.0	8.0	7.7	9.0	7.5
BSP-17	8.7	5.3	8.3	7.7	5.0	7.0	7.0	9.0	8.0	7.3	8.7	7.5
ASP0116EXT	9.0	4.3	7.7	8.0	5.0	5.7	6.7	9.0	8.0	7.7	8.7	7.2
BSP-25	8.3	5.7	8.0	7.3	4.7	6.3	6.7	8.0	8.0	7.7	8.7	7.2
SNX	8.3	5.3	8.0	7.7	5.0	7.0	6.7	8.0	8.0	7.0	8.0	7.2
MRSL-PR16	7.3	5.7	8.0	7.7	5.3	6.3	7.0	7.0	8.0	7.3	8.0	7.1
LPB-SD-104	7.3	5.3	8.0	7.0	4.7	6.7	7.0	8.0	8.0	6.3	8.0	6.9
DLFPS-236/3542	7.7	5.0	7.3	7.0	6.7	6.3	6.3	8.0	7.7	7.0	7.0	6.9
PEPPER 11 (RAD-PR 103)	6.7	5.3	8.0	8.0	5.3	5.7	7.0	6.0	7.3	8.3	8.0	6.9
PPG-PR 360	6.7	5.7	8.3	7.0	4.7	6.0	6.3	8.0	7.3	7.7	7.7	6.8
PPG-PR 423	6.7	5.3	8.0	7.0	5.7	5.0	6.3	9.0	7.0	7.7	7.7	6.8
ASP0118GL (A-4G)	7.7	5.3	7.7	7.3	5.3	5.7	6.3	8.0	8.0	6.7	7.0	6.8
PPG-PR 343	6.3	5.7	7.7	7.0	4.7	6.0	5.7	9.0	8.0	7.3	7.7	6.8
RAD-PR 112	7.7	5.3	7.7	7.3	4.7	6.0	6.0	6.0	7.7	8.7	8.0	6.8
ASP0218 (A-6D)	7.3	5.0	7.0	7.7	5.0	5.7	6.7	8.0	8.0	6.3	7.7	6.8
PST-2BDT	7.0	4.3	8.0	7.0	6.0	5.7	6.3	8.0	7.3	7.0	7.7	6.8
CS-6	7.0	4.7	7.3	7.0	6.0	6.7	6.3	8.0	7.3	5.7	8.0	6.7
DLFPS-236/3544	5.7	6.0	8.0	7.0	5.7	6.3	5.7	8.7	7.3	6.7	7.0	6.7
LPB-SD-102	7.3	5.3	8.0	6.7	5.3	6.0	6.7	7.0	7.7	7.3	6.7	6.7
LPB-SD-103	6.7	5.0	8.3	6.7	5.3	6.0	6.3	8.0	7.0	7.3	7.3	6.7
PPG-PR 370	7.3	6.0	8.0	6.7	4.0	5.0	6.7	9.0	7.3	6.7	7.3	6.7
SILVER SPORT (PST-2CRP)	5.3	5.3	8.0	7.0	4.0	6.3	6.7	9.0	7.3	7.0	8.0	6.7
DLFPS-236/3554	5.7	5.7	7.7	7.0	5.0	5.3	6.7	8.0	7.3	7.7	7.7	6.7
LPB-SD-105	7.0	5.7	8.3	6.0	5.3	6.0	6.3	8.0	7.0	7.0	7.0	6.7
NP-2	6.3	5.7	7.7	7.3	6.0	6.3	6.0	7.0	7.0	7.3	7.0	6.7
AMP-R1	7.3	4.7	7.7	7.3	5.0	5.7	6.3	8.0	7.7	6.7	7.3	6.7
FURLONG (LTP-FCB)	6.0	6.0	7.3	7.0	5.3	5.7	5.3	9.0	7.7	7.0	7.0	6.7
SAGUARO	6.0	4.7	7.7	7.0	6.0	5.7	6.0	8.0	7.0	7.3	7.7	6.6
DLFPS-236/3541	6.7	5.0	8.0	7.0	4.7	6.0	6.3	7.0	7.3	7.7	7.0	6.6
DLFPS-236/3543	6.7	5.3	7.7	7.0	5.0	5.3	6.3	7.0	7.0	8.0	7.3	6.6
PPG-PR 339	6.7	5.7	8.0	7.0	5.0	4.7	6.0	8.0	7.3	7.3	7.0	6.6
PPG-PR 422	6.7	6.7	7.7	7.0	4.7	5.0	5.3	9.0	7.0	7.0	6.7	6.6
DLFPS-236/3552	6.0	5.0	8.0	7.0	5.3	6.0	6.3	8.0	7.7	6.3	7.0	6.6
FP2	5.3	5.0	7.3	7.0	5.7	6.0	6.0	9.0	7.0	7.0	7.3	6.6
PR-6-15	6.0	5.3	7.3	7.0	4.7	6.3	6.3	8.0	7.3	6.3	7.7	6.6
RRT	6.3	5.3	7.7	7.0	5.3	5.0	6.0	8.0	7.3	6.7	7.7	6.6
APR2612	6.0	6.0	8.0	7.3	5.3	5.7	6.3	7.0	7.0	6.0	7.7	6.6
GO-143	7.0	4.7	7.7	7.3	5.3	5.7	6.7	7.0	7.7	6.3	7.0	6.6
PPG-PR 241	6.3	5.3	7.3	7.0	6.0	5.7	6.0	8.0	7.3	6.3	7.0	6.6
PL2	7.3	5.3	7.7	7.0	5.3	5.3	5.3	7.7	7.3	7.0	6.7	6.5
CPN	6.0	6.0	8.0	7.0	4.7	6.0	5.7	9.0	7.0	6.3	6.3	6.5
DLFPS-236/3545	5.0	4.7	7.3	7.0	5.0	6.3	6.0	9.0	7.0	7.3	7.3	6.5
DLFPS-236/3548	6.7	5.3	7.3	7.0	4.7	6.3	5.3	8.0	7.7	6.3	7.3	6.5
GRAY WOLF (PST-2GAL)	6.3	6.0	8.3	7.0	4.0	5.3	6.3	8.0	7.0	7.3	6.3	6.5
NP-3	6.7	5.7	7.3	6.3	4.7	6.0	5.3	9.0	7.0	6.7	7.3	6.5

TABLE 17. (CONT'D)

GENETIC COLOR RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
2017 DATA

GENETIC COLOR RATINGS 1-9; 9=DARK GREEN 2/

NAME	CT1	IA1	IL1	MI1	MN1	MO1	NE1	NJ2	OR1	UT1	WI1	MEAN
PPG-PR 329	5.7	5.0	7.3	7.0	5.3	6.3	6.0	9.0	7.0	6.7	6.7	6.5
PPG-PR 424	5.3	6.0	8.0	7.0	5.3	6.0	5.3	8.0	7.3	6.3	7.3	6.5
XCELERATOR	6.0	5.7	8.0	7.0	5.7	6.0	5.7	7.0	7.0	7.0	7.0	6.5
APR3060	7.0	6.0	7.3	7.3	5.7	5.7	6.3	7.3	7.0	5.0	7.3	6.5
GO-141	6.0	4.3	7.7	7.3	5.0	7.0	6.7	7.0	7.0	6.7	7.3	6.5
O2BS1	5.3	5.7	7.7	7.0	6.0	5.3	6.3	7.0	7.0	6.7	7.7	6.5
DLFPS-236/3540	6.7	4.7	8.0	6.7	5.0	5.7	6.0	8.0	7.0	7.0	7.0	6.5
DLFPS-236/3550	6.3	4.7	7.7	7.0	5.7	5.3	6.0	8.0	7.3	7.0	6.7	6.5
MENSA	7.0	4.3	7.7	6.7	5.0	6.0	6.0	8.0	7.3	6.0	7.7	6.5
PPG-PR 371	6.0	6.0	7.7	7.0	5.3	6.0	6.0	8.0	7.0	6.0	6.7	6.5
PPG-PR 419	6.3	5.3	7.7	7.0	5.0	5.3	6.0	9.0	7.0	6.3	6.7	6.5
DERBY XTREME	6.3	4.0	8.0	7.0	5.0	6.3	6.0	7.0	7.7	7.3	7.0	6.5
DLFPS-236/3546	6.3	4.7	7.7	7.3	4.3	5.7	5.7	9.0	7.0	7.0	7.0	6.5
PST-2MAY	6.7	5.3	7.3	7.0	5.3	5.3	6.0	8.0	7.0	6.3	7.3	6.5
DLFPS-236/3547	5.7	5.3	7.3	7.3	5.0	6.3	5.3	9.0	7.3	6.0	6.7	6.5
PST-2FOXY	6.0	5.0	7.3	7.0	4.3	5.3	6.7	8.0	7.3	6.3	8.0	6.5
INTENSE	6.3	5.3	7.7	7.0	6.0	6.0	6.0	7.0	7.0	6.3	6.7	6.5
PPG-PR 331	6.0	6.0	7.7	7.0	5.0	5.7	5.7	7.0	7.0	6.7	7.7	6.5
PPG-PR 420	5.7	6.3	7.3	7.0	5.3	6.0	5.7	7.0	7.3	6.3	7.3	6.5
DLFPS-236/3538	6.0	5.7	8.3	7.0	6.0	5.0	6.0	7.0	7.0	6.3	6.7	6.5
DLFPS-236/3553	6.0	4.7	8.0	6.7	5.0	5.7	5.7	9.0	7.7	5.3	7.3	6.5
GRAY HAWK (PST-2FIND)	7.0	5.7	7.3	6.7	4.3	5.7	6.0	7.0	7.3	7.0	7.0	6.5
JR-197	6.3	5.0	8.0	6.7	5.3	5.3	6.0	8.0	7.0	6.3	7.0	6.5
PHARAOH	5.3	4.7	7.3	7.0	6.3	5.3	6.3	8.0	7.0	6.0	7.7	6.5
PPG-PR 372	6.3	5.7	7.0	7.0	5.3	6.0	6.0	8.0	7.0	5.7	7.0	6.5
PST-2EGAD	5.7	6.3	8.0	7.0	4.0	6.0	6.0	7.0	7.0	6.7	7.3	6.5
O2BS2	5.3	5.3	7.7	7.0	6.0	5.7	5.3	8.0	7.0	6.3	7.0	6.4
APR2616	5.7	5.7	8.0	7.3	4.7	6.0	6.0	7.0	7.0	6.0	7.3	6.4
SR 4650	6.0	4.7	8.0	7.0	5.3	6.3	5.7	8.0	7.0	6.0	6.7	6.4
PST-2A2	5.7	4.3	8.3	7.0	4.3	5.7	6.0	8.0	7.7	6.3	7.0	6.4
UMPQUA	4.7	5.7	8.0	6.7	6.0	5.7	5.7	9.0	7.0	5.7	6.3	6.4
O21	6.0	6.0	7.7	7.0	5.7	4.7	5.7	7.0	7.0	6.3	7.0	6.4
O23	6.0	5.7	7.7	6.3	4.0	5.7	5.0	9.0	7.0	6.7	7.0	6.4
SHIELD (O2BS4)	6.0	6.0	8.0	7.0	5.7	5.0	6.0	8.0	7.0	5.3	6.0	6.4
ASP0117 (A-PR15)	7.3	5.0	7.3	7.0	5.3	3.7	6.0	8.0	7.3	5.7	7.3	6.4
MRSL-PR15	7.7	5.3	6.7	7.0	4.3	6.0	6.3	7.0	7.7	4.3	7.7	6.4
PST-2GTD	6.7	5.7	6.7	7.0	4.7	5.0	5.3	8.0	7.0	7.0	7.0	6.4
UF3	5.7	6.0	7.3	7.0	4.7	5.3	6.0	9.0	7.0	5.3	6.3	6.3
OVERDRIVE 5G	6.3	5.3	7.7	7.0	5.7	6.0	5.7	6.0	7.7	5.3	7.0	6.3
PPG-PR 421	6.3	5.0	7.3	7.0	5.0	4.7	6.0	7.0	7.0	7.0	7.3	6.3
GRAND SLAM GLD	5.7	5.7	7.7	7.0	5.3	5.0	5.7	9.0	7.0	5.3	6.0	6.3
PPG-PR 367	5.3	4.3	7.0	7.0	5.3	5.0	6.0	9.0	7.0	6.3	6.7	6.3
DLFPS-236/3556	6.0	5.3	8.7	6.7	5.3	5.3	5.3	7.0	7.0	5.7	6.3	6.2
GO-142	6.3	4.3	7.3	7.3	5.0	5.7	5.7	7.0	7.3	6.3	6.3	6.2
BAR LP 6117	6.0	5.7	8.0	7.0	5.3	6.0	5.3	6.0	7.3	5.7	6.0	6.2
SIGNET	6.3	5.0	6.7	7.0	5.0	6.0	5.3	8.0	7.0	5.7	6.3	6.2

TABLE 17. (CONT'D)

GENETIC COLOR RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
2017 DATA

NAME	GENETIC COLOR RATINGS 1-9; 9=DARK GREEN 2/											MEAN
	CT1	IA1	IL1	MI1	MN1	MO1	NE1	NJ2	OR1	UT1	WI1	
ALLSTAR III	5.0	4.3	8.0	7.0	5.3	5.7	5.7	7.0	7.0	5.7	7.3	6.2
KARMA	5.3	4.0	8.0	6.7	5.0	5.3	6.0	8.0	7.0	5.3	7.0	6.2
PR-5-16	5.7	5.7	7.0	6.3	5.3	4.7	6.0	5.7	7.0	6.5	7.7	6.1
BAR LP 6159	6.3	5.7	7.3	6.7	5.0	6.0	5.7	6.0	7.0	5.0	6.7	6.1
JR-123	5.0	4.3	7.0	7.0	5.7	5.7	6.0	7.3	7.0	5.3	6.7	6.1
MAN O WAR	5.7	5.3	7.3	7.0	5.3	5.0	5.7	7.0	7.0	5.3	6.3	6.1
SEABISCUIT	5.0	5.3	7.7	7.0	5.0	4.7	6.0	7.0	7.0	5.3	6.7	6.1
BAR LP 6164	5.3	6.0	7.0	6.7	4.0	5.0	5.7	7.0	7.0	6.0	7.0	6.1
JR-747	6.3	4.0	7.3	7.0	3.3	6.0	6.7	6.0	7.0	6.0	7.0	6.1
BAR LP 6158	6.0	5.3	7.7	6.7	4.3	5.3	6.0	6.0	7.0	5.0	7.0	6.0
LPB-SD-101	6.7	4.7	7.3	6.7	4.0	5.0	5.3	7.0	7.0	6.0	6.7	6.0
BAR LP 6131	5.3	6.3	7.3	6.7	5.0	5.7	5.0	7.0	7.0	4.7	6.3	6.0
PPG-PR 385	5.3	6.7	7.0	7.0	4.3	5.0	5.0	7.0	7.0	5.3	6.7	6.0
BAR LP 6162	4.3	6.7	7.7	6.7	4.7	4.7	6.0	9.0	7.0	3.3	6.0	6.0
BRIGHTSTAR SLT	5.7	5.0	7.3	6.7	5.3	5.7	5.7	7.0	7.0	4.7	6.0	6.0
PST-2PDA	5.3	5.0	8.0	6.7	4.7	5.3	5.3	7.0	7.0	5.3	6.3	6.0
SAVANT	5.3	6.0	7.3	6.3	5.0	4.7	5.7	6.0	7.0	6.0	6.3	6.0
EVOLVE	7.0	4.7	7.7	6.0	4.7	6.0	5.3	4.7	7.0	4.7	6.0	5.8
JR-888	5.7	4.7	7.0	6.3	6.0	5.7	4.7	6.0	7.0	4.7	5.7	5.8
DLFPS-238/3014	6.0	6.3	6.0	6.3	4.7	5.3	5.0	7.0	7.0	3.7	5.7	5.7
BAR LP 6233	4.0	7.0	7.3	6.0	5.0	5.0	4.7	7.0	7.0	3.3	5.0	5.6
BAR LP 6165	4.0	7.7	6.3	6.0	5.0	4.7	3.3	2.3	7.0	3.0	4.0	4.8
LINN	2.7	6.7	4.3	4.0	4.7	4.3	3.0	1.0	6.0	1.0	3.0	3.7
LSD VALUE	1.5	1.5	1.3	0.6	1.9	1.8	0.8	0.2	0.5	1.5	1.2	0.4
C.V. (%)	14.7	17.1	10.6	5.1	23.2	19.6	8.7	1.9	4.6	15.0	10.2	12.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 18.

 SPRING GREENUP RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
 2017 DATA

SPRING GREENUP RATINGS 1-9; 9=COMPLETELY GREEN 2/

NAME	IL1	NE1	UT1	MEAN	NAME	IL1	NE1	UT1	MEAN
NP-2	8.7	4.3	8.0	7.0	INTENSE	8.7	3.7	7.3	6.6
JR-123	8.3	4.3	8.0	6.9	PPG-PR 343	8.7	4.0	7.0	6.6
LPB-SD-102	8.3	5.0	7.3	6.9	PPG-PR 371	8.0	4.3	7.3	6.6
PEPPER 11 (RAD-PR 103)	9.0	4.7	7.0	6.9	PPG-PR 422	8.7	4.0	7.0	6.6
RAD-PR 112	8.7	4.3	7.7	6.9	PST-2A2	8.7	4.0	7.0	6.6
XCELERATOR	8.7	4.3	7.7	6.9	BAR LP 6117	8.3	4.0	7.0	6.4
BWH	9.0	4.3	7.3	6.9	DLFPS-236/3546	8.3	4.0	7.0	6.4
LPB-SD-103	8.0	4.3	8.3	6.9	DLFPS-236/3548	8.3	4.0	7.0	6.4
PHARAOH	8.3	4.0	8.0	6.8	LPB-SD-104	8.0	4.7	6.7	6.4
PR-6-15	8.3	5.0	7.0	6.8	PPG-PR 421	8.3	4.0	7.0	6.4
SEABISCUIT	8.3	4.0	8.0	6.8	SAVANT	7.7	4.0	7.7	6.4
ASPO218 (A-6D)	8.3	4.7	7.3	6.8	SNX	7.7	4.0	7.7	6.4
BAR LP 6158	8.7	4.0	7.7	6.8	ASPO118GL (A-4G)	8.0	3.7	7.7	6.4
DLFPS-236/3542	8.3	4.7	7.3	6.8	DERBY XTREME	8.3	3.7	7.3	6.4
PPG-PR 423	9.0	4.0	7.3	6.8	DLFPS-236/3538	8.0	4.0	7.3	6.4
APR2616	8.7	4.3	7.0	6.7	DLFPS-236/3550	8.0	4.0	7.3	6.4
ASPO116EXT	8.0	4.7	7.3	6.7	DLFPS-236/3556	8.7	4.0	6.7	6.4
BSP-17	8.3	4.7	7.0	6.7	FP2	8.0	4.0	7.3	6.4
BSP-25	8.7	4.0	7.3	6.7	PPG-PR 241	7.7	4.3	7.3	6.4
CPN	8.3	4.3	7.3	6.7	PPG-PR 370	8.0	4.0	7.3	6.4
DLFPS-236/3541	8.0	4.7	7.3	6.7	PPG-PR 419	8.0	4.0	7.3	6.4
DLFPS-236/3547	8.7	4.3	7.0	6.7	PPG-PR 424	8.0	4.0	7.3	6.4
DLFPS-236/3553	8.3	4.0	7.7	6.7	SR 4650	8.7	3.7	7.0	6.4
GO-143	8.7	4.3	7.0	6.7	UF3	8.0	3.7	7.7	6.4
JR-197	8.3	4.3	7.3	6.7	O21	8.0	3.7	7.3	6.3
LPB-SD-105	8.3	4.7	7.0	6.7	O2BS1	8.3	4.0	6.7	6.3
OVERDRIVE 5G	8.0	4.3	7.7	6.7	O2BS2	7.7	3.7	7.7	6.3
PST-2FOXY	8.7	4.3	7.0	6.7	ASPO117 (A-PR15)	7.7	4.0	7.3	6.3
SILVER SPORT (PST-2CRP)	8.3	4.3	7.3	6.7	ALLSTAR III	8.0	4.0	7.0	6.3
DLFPS-236/3540	8.3	4.3	7.0	6.6	AMP-R1	8.0	4.0	7.0	6.3
DLFPS-236/3545	8.3	4.0	7.3	6.6	APR2612	8.7	3.7	6.7	6.3
DLFPS-236/3552	8.3	4.3	7.0	6.6	BAR LP 6159	7.3	4.0	7.7	6.3
DLFPS-236/3554	8.3	4.0	7.3	6.6	BAR LP 6164	8.0	4.0	7.0	6.3
GO-141	8.3	4.0	7.3	6.6	BRIGHTSTAR SLT	7.3	4.3	7.3	6.3
GRAY WOLF (PST-2GAL)	8.0	4.0	7.7	6.6	CS-6	7.7	4.0	7.3	6.3
MAN O WAR	8.3	4.0	7.3	6.6	DLFPS-236/3543	7.7	4.3	7.0	6.3
MRSL-PR16	8.3	4.3	7.0	6.6	KARMA	8.3	3.7	7.0	6.3
PL2	8.3	3.7	7.7	6.6	LPB-SD-101	7.7	4.0	7.3	6.3
PPG-PR 360	8.3	4.0	7.3	6.6	FURLONG (LTP-FCB)	8.0	4.0	7.0	6.3
PPG-PR 367	8.3	3.7	7.7	6.6	PPG-PR 329	8.0	3.7	7.3	6.3
RRT	8.0	4.0	7.7	6.6	PPG-PR 420	8.0	4.0	7.0	6.3
SAGUARO	8.3	4.3	7.0	6.6	PR-5-16	8.0	3.7	7.3	6.3
UMPQUA	7.7	4.0	8.0	6.6	PST-2EGAD	7.7	3.3	8.0	6.3
DLFPS-236/3544	8.7	4.0	7.0	6.6	PST-2MAY	8.3	3.3	7.3	6.3
GRAND SLAM GLD	8.0	4.3	7.3	6.6	SIGNET	7.7	3.7	7.7	6.3
					JR-747	7.3	4.7	6.7	6.2



TABLE 18.  
(CONT'D)

SPRING GREENUP RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
2017 DATA

SPRING GREENUP RATINGS 1-9; 9=COMPLETELY GREEN 2/

NAME	IL1	NE1	UT1	MEAN
JR-888	7.7	4.0	7.0	6.2
MENSA	7.7	4.0	7.0	6.2
NP-3	7.7	4.0	7.0	6.2
PPG-PR 331	8.0	4.0	6.7	6.2
PPG-PR 339	8.3	4.0	6.3	6.2
PPG-PR 385	7.7	3.3	7.7	6.2
PST-2GTD	8.0	4.0	6.7	6.2
APR3060	8.0	3.7	7.0	6.2
MRSL-PR15	8.0	3.7	7.0	6.2
PST-2BDT	7.7	4.0	6.7	6.1
SHIELD (02BS4)	7.3	3.7	7.3	6.1
BAR LP 6162	7.7	3.3	7.3	6.1
EVOLVE	7.3	3.7	7.3	6.1
GO-142	8.0	3.7	6.7	6.1
O23	7.7	4.0	6.3	6.0
BAR LP 6131	7.3	3.7	7.0	6.0
BAR LP 6165	7.0	3.7	7.3	6.0
BAR LP 6233	7.0	3.3	7.7	6.0
GRAY HAWK (PST-2FIND)	7.0	3.7	7.3	6.0
PPG-PR 372	7.3	4.3	6.3	6.0
PST-2PDA	7.0	3.7	7.3	6.0
DLFPS-238/3014	6.7	3.0	7.7	5.8
LINN	6.0	3.0	8.0	5.7
LSD VALUE	1.0	0.8	0.9	0.5
C.V. (%)	7.5	12.6	7.8	8.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 19. SEEDLING VIGOR RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
2017 DATA

SEEDLING VIGOR RATINGS 1-9; 9=MAXIMUM VIGOR 2/

NAME	CA7	IA1	KS1	KY1	MO1	MEAN
CPN	6.7	7.7	7.0	6.0	6.0	6.7
GRAY HAWK (PST-2FIND)	7.0	7.3	7.0	5.7	6.3	6.7
UMPQUA	7.3	5.3	8.0	6.3	6.3	6.7
SEABISCUIT	6.0	7.7	6.3	6.7	6.3	6.6
SIGNET	6.3	8.0	7.0	5.7	6.0	6.6
EVOLVE	6.7	7.0	6.7	6.3	6.0	6.5
PPG-PR 421	6.3	7.0	7.7	5.7	6.0	6.5
SAVANT	6.0	7.0	6.7	6.3	6.7	6.5
DLFPS-236/3556	6.7	7.3	6.7	5.3	6.0	6.4
JR-888	7.3	6.3	6.7	6.0	5.7	6.4
OVERDRIVE 5G	6.7	6.3	7.3	5.7	6.0	6.4
PL2	6.0	7.0	6.7	5.7	6.7	6.4
PPG-PR 419	7.0	7.3	6.7	5.3	5.7	6.4
PPG-PR 424	6.0	7.3	7.0	5.3	6.3	6.4
ASPO117 (A-PR15)	5.7	7.0	7.3	5.7	6.0	6.3
GRAND SLAM GLD	5.7	7.0	7.7	6.0	5.3	6.3
PPG-PR 331	6.7	5.7	7.7	6.0	5.7	6.3
SHIELD (02BS4)	6.3	7.3	6.7	6.0	5.3	6.3
BRIGHTSTAR SLT	5.7	7.7	6.7	5.7	5.7	6.3
PPG-PR 339	7.7	4.7	7.0	6.0	6.0	6.3
PPG-PR 422	7.3	5.7	6.7	5.7	6.0	6.3
ASPO116EXT	6.3	7.3	6.3	5.3	6.0	6.3
BAR LP 6117	7.7	5.3	6.7	6.3	5.3	6.3
PHARAOH	6.0	6.3	7.0	6.0	6.0	6.3
PST-2PDA	6.0	7.0	6.7	6.3	5.3	6.3
023	5.7	6.7	7.0	6.0	5.7	6.2
JR-197	6.7	6.7	6.3	5.7	5.7	6.2
SNX	6.3	7.0	6.7	5.7	5.3	6.2
JR-747	7.0	5.7	7.3	5.0	5.7	6.1
LPB-SD-101	7.0	5.0	7.7	5.7	5.3	6.1
MAN O WAR	7.3	5.0	6.3	6.0	6.0	6.1
NP-2	5.0	6.3	7.0	6.0	6.3	6.1
02BS2	6.0	5.7	7.0	6.0	5.7	6.1
BAR LP 6159	5.3	5.7	7.3	6.3	5.7	6.1
BAR LP 6233	7.0	6.3	6.3	5.7	5.0	6.1
PPG-PR 423	4.0	6.3	7.3	7.0	5.7	6.1
BSP-17	6.7	5.7	6.0	6.0	5.7	6.0
ASPO118GL (A-4G)	7.0	6.0	6.3	5.7	5.0	6.0
DLFPS-236/3554	7.3	4.7	6.3	6.0	5.7	6.0
MRSL-PR16	6.7	6.3	6.3	5.7	5.0	6.0
PPG-PR 370	6.0	4.3	7.7	6.0	6.0	6.0
PPG-PR 385	5.3	5.7	7.7	5.3	6.0	6.0
PST-2A2	8.0	6.3	5.0	5.3	5.3	6.0
XCELERATOR	6.7	6.3	6.3	5.3	5.3	6.0
ALLSTAR III	5.7	6.3	6.7	5.7	5.3	5.9

TABLE 19.  
(CONT'D)

SEEDLING VIGOR RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
2017 DATA

SEEDLING VIGOR RATINGS 1-9; 9=MAXIMUM VIGOR 2/

NAME	CA7	IA1	KS1	KY1	MO1	MEAN
BWH	4.7	6.7	7.0	5.3	6.0	5.9
GO-141	7.0	4.3	7.0	5.7	5.7	5.9
GO-142	7.0	4.7	7.0	5.7	5.3	5.9
FURLONG (LTP-FCB)	5.7	7.0	6.0	5.7	5.3	5.9
PPG-PR 372	6.0	5.3	7.0	5.7	5.7	5.9
SR 4650	4.7	7.7	6.3	5.0	6.0	5.9
INTENSE	6.3	6.0	6.3	5.7	5.3	5.9
LPB-SD-102	7.0	5.0	6.3	6.0	5.3	5.9
ASPO218 (A-6D)	7.0	5.7	5.7	6.0	5.0	5.9
NP-3	5.0	6.0	7.0	5.7	5.7	5.9
UF3	6.0	5.7	6.0	6.0	5.7	5.9
O21	6.3	6.0	6.0	5.0	6.0	5.9
PPG-PR 329	6.0	5.0	7.3	5.7	5.3	5.9
PPG-PR 371	6.3	4.3	7.0	5.7	6.0	5.9
APR2616	6.3	5.0	6.7	5.3	5.7	5.8
DLFPS-236/3547	6.3	5.0	7.0	5.7	5.0	5.8
FP2	6.0	5.3	6.7	5.7	5.3	5.8
BAR LP 6158	6.0	5.3	6.3	6.3	5.0	5.8
DERBY XTREME	4.3	6.3	6.3	6.0	5.7	5.7
DLFPS-236/3540	6.0	4.7	7.3	4.7	6.0	5.7
DLFPS-236/3545	6.3	4.7	7.0	5.7	5.0	5.7
GO-143	7.0	4.3	6.0	5.7	5.7	5.7
MRSL-PR15	5.3	6.3	5.7	5.7	5.7	5.7
BAR LP 6131	6.3	5.0	6.7	5.3	5.3	5.7
BAR LP 6164	6.7	4.3	6.3	5.3	6.0	5.7
DLFPS-236/3541	6.3	4.3	6.7	6.3	5.0	5.7
DLFPS-236/3553	5.7	5.3	6.3	5.3	6.0	5.7
DLFPS-236/3542	6.0	5.3	6.7	4.7	5.7	5.7
PPG-PR 360	5.0	4.0	7.7	5.7	6.0	5.7
AMP-R1	6.3	4.3	6.7	6.0	5.0	5.7
BSP-25	6.3	4.7	6.3	5.7	5.3	5.7
PPG-PR 343	5.7	4.7	7.3	5.3	5.3	5.7
PPG-PR 367	6.3	4.0	7.0	5.3	5.7	5.7
PR-5-16	5.7	4.3	6.3	6.0	6.0	5.7
RRT	6.0	5.3	7.0	5.3	4.7	5.7
CS-6	5.7	5.0	6.7	6.0	4.7	5.6
DLFPS-236/3544	5.7	5.3	6.7	5.3	5.0	5.6
GRAY WOLF (PST-2GAL)	6.0	5.3	5.7	5.3	5.7	5.6
JR-123	6.3	4.0	7.0	5.3	5.3	5.6
MENSA	5.3	5.0	6.7	6.0	5.0	5.6
PPG-PR 241	4.7	5.3	7.0	5.7	5.3	5.6
PST-2EGAD	5.7	5.3	6.3	5.3	5.3	5.6
LPB-SD-103	6.0	4.7	6.7	5.3	5.0	5.5
PPG-PR 420	6.7	5.3	6.0	5.3	4.3	5.5
PR-6-15	6.7	5.0	6.7	4.3	5.0	5.5
APR3060	6.0	4.7	7.0	5.0	4.7	5.5

TABLE 19. SEEDLING VIGOR RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
(CONT'D) 2017 DATA

SEEDLING VIGOR RATINGS 1-9; 9=MAXIMUM VIGOR 2/

NAME	CA7	IA1	KS1	KY1	MO1	MEAN
DLFPS-236/3543	5.7	4.0	6.7	5.7	5.3	5.5
PST-2MAY	7.0	4.3	.	5.3	5.0	5.4
DLFPS-236/3538	5.0	5.0	5.7	5.7	5.7	5.4
SAGUARO	5.0	4.7	6.0	6.0	5.3	5.4
O2BS1	6.3	6.0	5.0	5.3	4.3	5.4
DLFPS-236/3548	6.3	4.0	6.3	6.0	4.3	5.4
DLFPS-236/3550	6.3	3.3	6.7	6.3	4.3	5.4
DLFPS-236/3552	6.7	3.7	5.7	5.7	5.0	5.3
PST-2BDT	5.0	5.7	6.3	5.0	4.7	5.3
PST-2GTD	5.7	4.0	6.7	5.3	4.7	5.3
BAR LP 6165	6.7	3.7	6.0	5.0	4.3	5.1
APR2612	5.7	3.7	6.3	4.7	5.0	5.1
BAR LP 6162	6.7	3.0	5.7	5.7	4.3	5.1
LPB-SD-104	4.7	4.3	6.0	5.3	5.0	5.1
LPB-SD-105	4.7	5.3	6.3	5.0	4.0	5.1
RAD-PR 112	6.7	3.3	5.7	4.7	4.7	5.0
PST-2FOXY	5.3	3.3	6.0	5.3	5.0	5.0
SILVER SPORT (PST-2CRP)	5.3	3.7	6.7	5.0	4.0	4.9
DLFPS-238/3014	5.0	4.0	6.3	5.0	4.3	4.9
DLFPS-236/3546	4.3	3.3	7.0	5.0	4.7	4.9
KARMA	5.0	4.3	.	5.3	4.3	4.8
LINN	6.3	3.7	4.7	4.3	4.0	4.6
PEPPER 11 (RAD-PR 103)	4.0	3.0	5.7	5.0	5.0	4.5
LSD VALUE	2.1	1.8	1.2	1.4	1.4	0.7
C.V. (%)	21.1	20.5	11.2	15.5	16.2	17.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 20. PERCENT LIVING GROUND COVER (SPRING) RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
2017 DATA

PERCENT LIVING GROUND COVER IN SPRING: LOCATIONS 2/

NAME	MO1	VA1	MEAN	NAME	MO1	VA1	MEAN
DLFPS-236/3547	97.0	99.0	98.0	DLFPS-236/3541	93.3	99.0	96.2
DLFPS-236/3546	96.0	99.0	97.5	DLFPS-236/3544	93.3	99.0	96.2
DLFPS-236/3552	96.0	99.0	97.5	DLFPS-236/3545	93.3	99.0	96.2
GRAY WOLF (PST-2GAL)	96.0	99.0	97.5	DLFPS-236/3550	93.3	99.0	96.2
LPB-SD-101	96.0	99.0	97.5	DLFPS-236/3556	93.3	99.0	96.2
PPG-PR 241	96.0	99.0	97.5	INTENSE	93.3	99.0	96.2
PR-5-16	96.0	99.0	97.5	KARMA	93.3	99.0	96.2
O2BS2	95.0	99.0	97.0	LPB-SD-102	93.3	99.0	96.2
ASP0118GL (A-4G)	95.0	99.0	97.0	LPB-SD-103	93.3	99.0	96.2
ASP0117 (A-PR15)	95.0	99.0	97.0	FURLONG (LTP-FCB)	93.3	99.0	96.2
CPN	95.0	99.0	97.0	MAN O WAR	93.3	99.0	96.2
DLFPS-236/3542	95.0	99.0	97.0	MENSA	93.3	99.0	96.2
DLFPS-238/3014	95.0	99.0	97.0	MRSL-PR16	93.3	99.0	96.2
GO-142	95.0	99.0	97.0	PHARAOH	93.3	99.0	96.2
GRAY HAWK (PST-2FIND)	95.0	99.0	97.0	PPG-PR 331	93.3	99.0	96.2
LPB-SD-104	95.0	99.0	97.0	PPG-PR 367	93.3	99.0	96.2
NP-3	95.0	99.0	97.0	PPG-PR 370	93.3	99.0	96.2
OVERDRIVE 5G	95.0	99.0	97.0	PPG-PR 371	93.3	99.0	96.2
PL2	95.0	99.0	97.0	PPG-PR 423	93.3	99.0	96.2
PPG-PR 343	95.0	99.0	97.0	PST-2BDT	93.3	99.0	96.2
PPG-PR 385	95.0	99.0	97.0	PST-2PDA	93.3	99.0	96.2
PPG-PR 419	95.0	99.0	97.0	PEPPER 11 (RAD-PR 103)	93.3	99.0	96.2
PR-6-15	95.0	99.0	97.0	RRT	93.3	99.0	96.2
PST-2GTD	95.0	99.0	97.0	SAGUARO	93.3	99.0	96.2
SILVER SPORT (PST-2CRP)	95.0	99.0	97.0	SAVANT	93.3	99.0	96.2
SR 4650	95.0	99.0	97.0	UMPQUA	93.3	99.0	96.2
O23	94.3	99.0	96.7	DLFPS-236/3538	92.7	99.0	95.8
DLFPS-236/3548	94.3	99.0	96.7	DLFPS-236/3554	92.7	99.0	95.8
DLFPS-236/3553	94.3	99.0	96.7	PPG-PR 421	92.7	99.0	95.8
FP2	94.3	99.0	96.7	O21	91.7	99.0	95.3
GO-141	94.3	99.0	96.7	O2BS1	91.7	99.0	95.3
GO-143	94.3	99.0	96.7	ASP0218 (A-6D)	91.7	99.0	95.3
LPB-SD-105	94.3	99.0	96.7	ALLSTAR III	91.7	99.0	95.3
NP-2	94.3	99.0	96.7	APR2616	91.7	99.0	95.3
PPG-PR 339	94.3	99.0	96.7	APR3060	91.7	99.0	95.3
PPG-PR 372	94.3	99.0	96.7	ASP0116EXT	91.7	99.0	95.3
PPG-PR 422	94.3	99.0	96.7	BAR LP 6158	91.7	99.0	95.3
SHIELD (O2BS4)	93.3	99.0	96.2	BAR LP 6159	91.7	99.0	95.3
AMP-R1	93.3	99.0	96.2	BAR LP 6162	91.7	99.0	95.3
APR2612	93.3	99.0	96.2	BAR LP 6233	91.7	99.0	95.3
BAR LP 6131	93.3	99.0	96.2	BRIGHTSTAR SLT	91.7	99.0	95.3
BAR LP 6164	93.3	99.0	96.2	BSP-25	91.7	99.0	95.3
BAR LP 6165	93.3	99.0	96.2	DLFPS-236/3543	91.7	99.0	95.3
CS-6	93.3	99.0	96.2	EVOLVE	91.7	99.0	95.3
DERBY XTREME	93.3	99.0	96.2	GRAND SLAM GLD	91.7	99.0	95.3
DLFPS-236/3540	93.3	99.0	96.2	JR-747	91.7	99.0	95.3

TABLE 20. PERCENT LIVING GROUND COVER (SPRING) RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
(CONT'D) 2017 DATA

PERCENT LIVING GROUND COVER IN SPRING: LOCATIONS 2/

NAME	M01	VA1	MEAN
JR-888	91.7	99.0	95.3
MRSL-PR15	91.7	99.0	95.3
PPG-PR 329	91.7	99.0	95.3
PPG-PR 360	91.7	99.0	95.3
PPG-PR 420	91.7	99.0	95.3
PPG-PR 424	91.7	99.0	95.3
PST-2A2	91.7	99.0	95.3
PST-2EGAD	91.7	99.0	95.3
SEABISCUIT	91.7	99.0	95.3
SIGNET	91.7	99.0	95.3
SNX	91.7	99.0	95.3
XCELERATOR	91.7	99.0	95.3
BAR LP 6117	90.0	99.0	94.5
BWH	90.0	99.0	94.5
JR-123	90.0	99.0	94.5
JR-197	90.0	99.0	94.5
PST-2FOXY	90.0	99.0	94.5
PST-2MAY	90.0	99.0	94.5
RAD-PR 112	90.0	99.0	94.5
UF3	90.0	99.0	94.5
LINN	91.7	90.0	90.8
BSP-17	92.7	86.0	89.3
LSD VALUE	4.6	3.4	2.9
C.V. (%)	3.1	2.1	2.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 21. PERCENT LIVING GROUND COVER (FALL) RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
2017 DATA

PERCENT LIVING GROUND COVER IN FALL: LOCATIONS 2/

NAME	VA1	NAME	VA1
021	99.0	GO-141	99.0
023	99.0	GO-142	99.0
02BS1	99.0	GO-143	99.0
02BS2	99.0	GRAND SLAM GLD	99.0
SHIELD (02BS4)	99.0	GRAY HAWK (PST-2FIND)	99.0
ASP0118GL (A-4G)	99.0	GRAY WOLF (PST-2GAL)	99.0
ASP0218 (A-6D)	99.0	INTENSE	99.0
ASP0117 (A-PR15)	99.0	JR-123	99.0
ALLSTAR III	99.0	JR-197	99.0
AMP-R1	99.0	JR-747	99.0
APR2612	99.0	JR-888	99.0
APR2616	99.0	KARMA	99.0
APR3060	99.0	LPB-SD-101	99.0
ASP0116EXT	99.0	LPB-SD-102	99.0
BAR LP 6117	99.0	LPB-SD-103	99.0
BAR LP 6131	99.0	LPB-SD-104	99.0
BAR LP 6158	99.0	LPB-SD-105	99.0
BAR LP 6159	99.0	FURLONG (LTP-FCB)	99.0
BAR LP 6162	99.0	MAN O WAR	99.0
BAR LP 6164	99.0	MENSA	99.0
BAR LP 6165	99.0	MRSL-PR15	99.0
BAR LP 6233	99.0	MRSL-PR16	99.0
BRIGHTSTAR SLT	99.0	NP-2	99.0
BSP-25	99.0	NP-3	99.0
BWH	99.0	OVERDRIVE 5G	99.0
CPN	99.0	PHARAOH	99.0
CS-6	99.0	PL2	99.0
DERBY XTREME	99.0	PPG-PR 241	99.0
DLFPS-236/3538	99.0	PPG-PR 329	99.0
DLFPS-236/3540	99.0	PPG-PR 331	99.0
DLFPS-236/3541	99.0	PPG-PR 339	99.0
DLFPS-236/3542	99.0	PPG-PR 343	99.0
DLFPS-236/3543	99.0	PPG-PR 360	99.0
DLFPS-236/3544	99.0	PPG-PR 367	99.0
DLFPS-236/3545	99.0	PPG-PR 370	99.0
DLFPS-236/3546	99.0	PPG-PR 371	99.0
DLFPS-236/3547	99.0	PPG-PR 372	99.0
DLFPS-236/3548	99.0	PPG-PR 385	99.0
DLFPS-236/3550	99.0	PPG-PR 419	99.0
DLFPS-236/3552	99.0	PPG-PR 420	99.0
DLFPS-236/3553	99.0	PPG-PR 421	99.0
DLFPS-236/3554	99.0	PPG-PR 422	99.0
DLFPS-236/3556	99.0	PPG-PR 423	99.0
DLFPS-238/3014	99.0	PPG-PR 424	99.0
EVOLVE	99.0	PR-5-16	99.0
FP2	99.0	PR-6-15	99.0

TABLE 21. PERCENT LIVING GROUND COVER (FALL) RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
(CONT'D) 2017 DATA

PERCENT LIVING GROUND COVER IN FALL: LOCATIONS 2/

NAME	VA1
PST-2A2	99.0
PST-2BDT	99.0
PST-2EGAD	99.0
PST-2FOXY	99.0
PST-2GTD	99.0
PST-2MAY	99.0
PST-2PDA	99.0
PEPPER 11 (RAD-PR 103)	99.0
RAD-PR 112	99.0
RRT	99.0
SAGUARO	99.0
SAVANT	99.0
SEABISCUIT	99.0
SIGNET	99.0
SILVER SPORT (PST-2CRP)	99.0
SNX	99.0
SR 4650	99.0
UF3	99.0
UMPQUA	99.0
XCELERATOR	99.0
LINN	97.7
BSP-17	87.7
LSD VALUE	3.0
C.V. (%)	1.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.



TABLE 22. CROWN RUST RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
2017 DATA

CROWN RUST RATINGS 1-9; 9=NO DISEASE 2/

NAME	NJ2	NAME	NJ2
FURLONG (LTP-FCB)	8.3	KARMA	5.0
DLFPS-236/3547	8.0	MENSA	5.0
CPN	7.7	SIGNET	5.0
PPG-PR 419	7.7	APR2612	4.7
PPG-PR 424	7.7	INTENSE	4.7
SILVER SPORT (PST-2CRP)	7.7	PPG-PR 241	4.7
UMPQUA	7.7	PPG-PR 370	4.7
DLFPS-236/3545	7.3	PPG-PR 372	4.7
PPG-PR 329	7.3	PPG-PR 420	4.7
023	7.0	PPG-PR 421	4.7
SHIELD (02BS4)	7.0	PST-2FOXY	4.7
DLFPS-236/3546	7.0	DLFPS-236/3540	4.3
DLFPS-236/3553	7.0	DLFPS-236/3542	4.3
PL2	7.0	DLFPS-236/3548	4.3
PPG-PR 367	7.0	PPG-PR 331	4.3
UF3	7.0	PPG-PR 339	4.3
DLFPS-236/3544	6.7	PST-2MAY	4.3
MAN O WAR	6.7	RRT	4.3
NP-2	6.7	APR2616	4.0
XCELERATOR	6.7	APR3060	4.0
021	6.3	BAR LP 6162	4.0
BAR LP 6165	6.3	GRAND SLAM GLD	4.0
BAR LP 6233	6.3	JR-888	4.0
FP2	6.3	ASP0117 (A-PR15)	3.7
JR-197	6.3	BAR LP 6164	3.7
PPG-PR 343	6.3	DLFPS-236/3543	3.7
SR 4650	6.3	DLFPS-236/3550	3.7
02BS2	6.0	DLFPS-236/3554	3.7
NP-3	6.0	GRAY HAWK (PST-2FIND)	3.7
PPG-PR 371	6.0	LINN	3.7
PPG-PR 385	6.0	LPB-SD-104	3.7
PPG-PR 423	6.0	LPB-SD-105	3.7
DLFPS-236/3556	5.7	PR-5-16	3.7
OVERDRIVE 5G	5.7	PST-2BDT	3.7
PHARAOH	5.7	PST-2GTD	3.7
PPG-PR 422	5.7	SAVANT	3.7
PR-6-15	5.7	BAR LP 6131	3.3
PST-2A2	5.7	DLFPS-236/3538	3.3
SEABISCUIT	5.7	AMP-R1	3.0
02BS1	5.3	BAR LP 6158	3.0
GRAY WOLF (PST-2GAL)	5.3	BSP-17	3.0
PPG-PR 360	5.3	LPB-SD-102	3.0
DLFPS-236/3541	5.0	LPB-SD-103	3.0
DLFPS-238/3014	5.0	MRS�-PR16	3.0
JR-123	5.0	SAGUARO	3.0
		ASP0118GL (A-4G)	2.7

TABLE 22. CROWN RUST RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
(CONT'D) 2017 DATA

CROWN RUST RATINGS 1-9; 9=NO DISEASE 2/

NAME	NJ2
ASPO218 (A-6D)	2.7
BAR LP 6159	2.7
BRIGHTSTAR SLT	2.7
DLFPS-236/3552	2.7
LPB-SD-101	2.7
PST-2EGAD	2.7
PST-2PDA	2.7
RAD-PR 112	2.7
ALLSTAR III	2.3
BWH	2.3
CS-6	2.3
DERBY XTREME	2.3
EVOLVE	2.3
GO-142	2.3
MRSL-PR15	2.3
PEPPER 11 (RAD-PR 103)	2.3
ASPO116EXT	2.0
BSP-25	2.0
GO-143	2.0
JR-747	2.0
SNX	2.0
GO-141	1.7
BAR LP 6117	1.3
LSD VALUE	1.9
C.V. (%)	26.2

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 23. GRAY LEAF SPOT RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
2017 DATA

GRAY LEAF SPOT RATINGS 1-9; 9=NO DISEASE 2/

NAME	NJ2	NAME	NJ2
KARMA	9.0	PPG-PR 371	7.3
O2BS1	8.7	PR-5-16	7.3
DLFPS-236/3553	8.7	PST-2GTD	7.3
JR-197	8.7	RRT	7.3
NP-3	8.7	UF3	7.3
PPG-PR 343	8.7	APR2616	7.0
PPG-PR 423	8.7	DLFPS-236/3543	7.0
DLFPS-236/3542	8.3	INTENSE	7.0
DLFPS-236/3545	8.3	PPG-PR 241	7.0
FP2	8.3	PST-2EGAD	7.0
GRAY WOLF (PST-2GAL)	8.3	SR 4650	7.0
NP-2	8.3	DLFPS-236/3552	6.7
PPG-PR 367	8.3	MAN O WAR	6.7
PPG-PR 421	8.3	PPG-PR 419	6.7
PPG-PR 422	8.3	SEABISCUIT	6.7
PR-6-15	8.3	DLFPS-236/3550	6.3
SIGNET	8.3	PPG-PR 385	6.3
O21	8.0	PST-2FOXY	6.3
O2BS2	8.0	UMPQUA	6.3
DLFPS-236/3544	8.0	DERBY XTREME	6.0
DLFPS-236/3546	8.0	DLFPS-236/3548	6.0
DLFPS-236/3556	8.0	PST-2BDT	6.0
JR-123	8.0	PST-2MAY	6.0
PPG-PR 329	8.0	SHIELD (O2BS4)	5.7
PPG-PR 339	8.0	DLFPS-236/3540	5.7
SILVER SPORT (PST-2CRP)	8.0	DLFPS-236/3554	5.7
O23	7.7	RAD-PR 112	5.7
DLFPS-236/3538	7.7	GO-142	5.3
DLFPS-236/3547	7.7	GRAY HAWK (PST-2FIND)	5.3
FURLONG (LTP-FCB)	7.7	ASP0118GL (A-4G)	5.0
OVERDRIVE 5G	7.7	BAR LP 6158	5.0
PHARAOH	7.7	ASP0218 (A-6D)	4.7
PL2	7.7	ASP0117 (A-PR15)	4.7
PPG-PR 360	7.7	BAR LP 6164	4.7
PPG-PR 370	7.7	CS-6	4.7
PPG-PR 372	7.7	EVOLVE	4.7
PPG-PR 420	7.7	GRAND SLAM GLD	4.7
PPG-PR 424	7.7	MRSL-PR15	4.7
PST-2A2	7.7	PEPPER 11 (RAD-PR 103)	4.7
PST-2PDA	7.7	ALLSTAR III	4.3
XCELERATOR	7.7	SNX	4.3
APR2612	7.3	AMP-R1	4.0
CPN	7.3	APR3060	4.0
DLFPS-236/3541	7.3	BAR LP 6233	4.0
PPG-PR 331	7.3	MRSL-PR16	4.0
		BAR LP 6117	3.7

TABLE 23. GRAY LEAF SPOT RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
(CONT'D) 2017 DATA

GRAY LEAF SPOT RATINGS 1-9; 9=NO DISEASE 2/

NAME	NJ2
BAR LP 6159	3.7
GO-143	3.7
LPB-SD-103	3.7
BSP-25	3.3
GO-141	3.3
LPB-SD-104	3.3
ASP0116EXT	2.7
BSP-17	2.7
JR-747	2.7
LPB-SD-102	2.7
MENSA	2.7
BAR LP 6162	2.3
BAR LP 6165	2.3
DLFPS-238/3014	2.3
SAGUARO	2.3
JR-888	2.0
BAR LP 6131	1.7
BRIGHTSTAR SLT	1.7
BWH	1.7
LPB-SD-101	1.7
LPB-SD-105	1.3
SAVANT	1.3
LINN	1.0
LSD VALUE	1.5
C.V. (%)	16.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 24.

PINK SNOW MOLD RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
2017 DATA

## PINK SNOW MOLD RATINGS 1-9; 9=NO DISEASE 2/

NAME	UT1	NAME	UT1
BAR LP 6162	7.7	NP-3	5.7
PPG-PR 424	7.7	OVERDRIVE 5G	5.7
02BS1	7.3	PR-6-15	5.7
DLFPS-238/3014	7.3	PST-2A2	5.7
BSP-17	7.0	PST-2EGAD	5.7
DLFPS-236/3543	6.7	SNX	5.7
GO-142	6.7	UMPQUA	5.7
FURLONG (LTP-FCB)	6.7	APR2612	5.3
PPG-PR 367	6.7	CPN	5.3
PEPPER 11 (RAD-PR 103)	6.7	DLFPS-236/3547	5.3
02BS2	6.3	DLFPS-236/3548	5.3
ASP0118GL (A-4G)	6.3	GO-141	5.3
BAR LP 6165	6.3	GRAND SLAM GLD	5.3
BSP-25	6.3	INTENSE	5.3
DLFPS-236/3541	6.3	KARMA	5.3
BAR LP 6159	6.0	PPG-PR 329	5.3
DLFPS-236/3538	6.0	PPG-PR 339	5.3
DLFPS-236/3540	6.0	PPG-PR 343	5.3
DLFPS-236/3544	6.0	PPG-PR 371	5.3
DLFPS-236/3545	6.0	PST-2MAY	5.3
DLFPS-236/3550	6.0	XCELERATOR	5.3
DLFPS-236/3553	6.0	021	5.0
DLFPS-236/3554	6.0	ALLSTAR III	5.0
EVOLVE	6.0	BWH	5.0
MRS�-PR15	6.0	DLFPS-236/3542	5.0
PHARAOH	6.0	GRAY HAWK (PST-2FIND)	5.0
PPG-PR 331	6.0	MAN O WAR	5.0
PPG-PR 370	6.0	PL2	5.0
PPG-PR 372	6.0	PPG-PR 241	5.0
PPG-PR 385	6.0	PPG-PR 360	5.0
PPG-PR 419	6.0	PPG-PR 423	5.0
PPG-PR 421	6.0	SAGUARO	5.0
PST-2GTD	6.0	ASP0117 (A-PR15)	4.7
RAD-PR 112	6.0	APR2616	4.7
SILVER SPORT (PST-2CRP)	6.0	BAR LP 6131	4.7
SR 4650	6.0	BAR LP 6164	4.7
UF3	6.0	LPB-SD-102	4.7
SHIELD (02BS4)	5.7	PPG-PR 420	4.7
APR3060	5.7	PR-5-16	4.7
CS-6	5.7	PST-2FOXY	4.7
GO-143	5.7	AMP-R1	4.3
JR-123	5.7	BAR LP 6158	4.3
JR-197	5.7	BRIGHTSTAR SLT	4.3
LPB-SD-103	5.7	DLFPS-236/3546	4.3
NP-2	5.7	DLFPS-236/3556	4.3
		FP2	4.3

TABLE 24. PINK SNOW MOLD RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
(CONT'D) 2017 DATA

PINK SNOW MOLD RATINGS 1-9; 9=NO DISEASE 2/

NAME	UT1
GRAY WOLF (PST-2GAL)	4.3
LPB-SD-101	4.3
PPG-PR 422	4.3
PST-2BDT	4.3
SAVANT	4.3
SEABISCUIT	4.3
SIGNET	4.3
ASPO218 (A-6D)	4.0
ASPO116EXT	4.0
BAR LP 6117	4.0
MENSA	4.0
RRT	4.0
DERBY XTREME	3.7
DLFPS-236/3552	3.7
PST-2PDA	3.7
BAR LP 6233	3.3
JR-888	3.3
023	3.0
LINN	3.0
LPB-SD-104	3.0
MRSL-PR16	2.7
LPB-SD-105	2.3
JR-747	1.3
LSD VALUE	2.6
C.V. (%)	30.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 25. FALL COLOR (NOVEMBER) RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
2017 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	IL1	NAME	IL1
BWH	7.3	023	6.3
PR-6-15	7.3	ASP0118GL (A-4G)	6.3
PEPPER 11 (RAD-PR 103)	7.3	ASP0218 (A-6D)	6.3
021	7.0	APR2612	6.3
02BS1	7.0	ASP0116EXT	6.3
APR2616	7.0	BAR LP 6131	6.3
BAR LP 6162	7.0	BAR LP 6158	6.3
CPN	7.0	BAR LP 6233	6.3
GO-143	7.0	BRIGHTSTAR SLT	6.3
FURLONG (LTP-FCB)	7.0	BSP-17	6.3
NP-3	7.0	DERBY XTREME	6.3
PPG-PR 343	7.0	DLFPS-236/3538	6.3
PST-2A2	7.0	DLFPS-236/3540	6.3
PST-2FOXY	7.0	DLFPS-236/3541	6.3
PST-2MAY	7.0	DLFPS-236/3542	6.3
PST-2PDA	7.0	DLFPS-236/3548	6.3
ALLSTAR III	6.7	DLFPS-236/3550	6.3
BAR LP 6117	6.7	GO-141	6.3
BSP-25	6.7	GO-142	6.3
CS-6	6.7	GRAY HAWK (PST-2FIND)	6.3
DLFPS-236/3547	6.7	GRAY WOLF (PST-2GAL)	6.3
DLFPS-236/3554	6.7	INTENSE	6.3
DLFPS-238/3014	6.7	LPB-SD-101	6.3
FP2	6.7	LPB-SD-103	6.3
LPB-SD-102	6.7	LPB-SD-105	6.3
MAN O WAR	6.7	MENSA	6.3
MRSL-PR15	6.7	NP-2	6.3
OVERDRIVE 5G	6.7	PL2	6.3
PHARAOH	6.7	PPG-PR 370	6.3
PPG-PR 241	6.7	PPG-PR 372	6.3
PPG-PR 329	6.7	PPG-PR 422	6.3
PPG-PR 339	6.7	PPG-PR 424	6.3
PPG-PR 360	6.7	SAGUARO	6.3
PPG-PR 367	6.7	SEABISCUIT	6.3
PPG-PR 371	6.7	SIGNET	6.3
PPG-PR 385	6.7	SILVER SPORT (PST-2CRP)	6.3
PPG-PR 423	6.7	UMPQUA	6.3
PR-5-16	6.7	XCELERATOR	6.3
PST-2BDT	6.7	SHIELD (02BS4)	6.0
PST-2EGAD	6.7	ASP0117 (A-PR15)	6.0
PST-2GTD	6.7	AMP-R1	6.0
RRT	6.7	BAR LP 6165	6.0
SAVANT	6.7	DLFPS-236/3543	6.0
SNX	6.7	DLFPS-236/3544	6.0
UF3	6.7	DLFPS-236/3552	6.0
		DLFPS-236/3553	6.0

TABLE 25. FALL COLOR (NOVEMBER RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
(CONT'D) 2017 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	IL1
EVOLVE	6.0
JR-197	6.0
KARMA	6.0
LPB-SD-104	6.0
MRSL-PR16	6.0
PPG-PR 331	6.0
PPG-PR 419	6.0
PPG-PR 420	6.0
PPG-PR 421	6.0
RAD-PR 112	6.0
SR 4650	6.0
APR3060	5.7
BAR LP 6159	5.7
BAR LP 6164	5.7
DLFPS-236/3545	5.7
DLFPS-236/3546	5.7
DLFPS-236/3556	5.7
GRAND SLAM GLD	5.7
JR-123	5.7
JR-747	5.7
O2BS2	5.3
JR-888	5.3
LINN	3.0
LSD VALUE	1.1
C.V. (%)	11.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.



TABLE 26. PERCENT ESTABLISHMENT RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
2017 DATA 2/

NAME	CT1	MI1	MO1	NE1	WI1	MEAN
023	80.0	65.0	98.0	60.0	66.7	73.9
02BS2	75.0	76.7	94.0	56.7	63.3	73.1
SAVANT	71.7	70.0	91.7	63.3	68.3	73.0
GRAY HAWK (PST-2FIND)	73.3	71.7	95.7	60.0	63.3	72.8
LPB-SD-102	75.0	70.0	93.3	63.3	61.7	72.7
PR-6-15	68.3	76.7	97.3	63.3	56.7	72.5
PPG-PR 331	75.0	71.7	91.7	56.7	66.7	72.3
BAR LP 6233	75.0	71.7	94.0	63.3	56.7	72.1
DLFPS-236/3545	73.3	71.7	92.3	63.3	60.0	72.1
021	70.0	73.3	94.0	56.7	65.0	71.8
DLFPS-236/3556	70.0	71.7	96.7	60.0	60.0	71.7
RRT	76.7	71.7	91.7	56.7	61.7	71.7
NP-2	66.7	76.7	93.0	56.7	63.3	71.3
PPG-PR 371	66.7	68.3	92.7	60.0	68.3	71.2
DLFPS-236/3538	66.7	75.0	90.7	60.0	63.3	71.1
XCELERATOR	66.7	70.0	95.7	60.0	63.3	71.1
PPG-PR 424	66.7	71.7	97.0	60.0	60.0	71.1
JR-888	63.3	73.3	91.7	63.3	63.3	71.0
CPN	63.3	75.0	96.0	60.0	60.0	70.9
ASPO117 (A-PR15)	65.0	71.7	94.0	56.7	66.7	70.8
EVOLVE	80.0	71.7	95.0	56.7	50.0	70.7
DLFPS-236/3546	65.0	70.0	95.7	56.7	65.0	70.5
GRAND SLAM GLD	76.7	68.3	89.0	60.0	58.3	70.5
BAR LP 6159	65.0	75.0	91.7	56.7	63.3	70.3
CS-6	73.3	73.3	93.3	50.0	61.7	70.3
PHARAOH	70.0	66.7	91.7	56.7	66.7	70.3
ASPO116EXT	70.0	73.3	90.0	60.0	58.3	70.3
PPG-PR 423	65.0	70.0	94.7	60.0	61.7	70.3
PST-2A2	70.0	70.0	91.0	60.0	60.0	70.2
SR 4650	76.7	70.0	94.3	60.0	50.0	70.2
GO-141	66.7	63.3	97.3	56.7	66.7	70.1
PPG-PR 360	68.3	71.7	92.3	56.7	61.7	70.1
DLFPS-236/3552	68.3	73.3	96.3	56.7	55.0	69.9
PPG-PR 343	71.7	75.0	94.0	56.7	51.7	69.8
PPG-PR 241	71.7	68.3	92.3	56.7	60.0	69.8
PPG-PR 372	73.3	68.3	94.0	56.7	56.7	69.8
SEABISCUIT	68.3	73.3	95.7	56.7	55.0	69.8
INTENSE	80.0	65.0	93.7	56.7	53.3	69.7
MAN O WAR	70.0	68.3	93.3	60.0	56.7	69.7
PPG-PR 339	66.7	75.0	90.0	53.3	63.3	69.7
PST-2PDA	71.7	71.7	93.3	53.3	58.3	69.7
DLFPS-236/3550	65.0	66.7	96.0	60.0	60.0	69.5
JR-747	63.3	73.3	94.3	56.7	60.0	69.5
PL2	66.7	68.3	92.7	63.3	56.7	69.5
FURLONG (LTP-FCB)	61.7	73.3	94.0	56.7	61.7	69.5
PPG-PR 419	68.3	66.7	95.7	60.0	56.7	69.5
LPB-SD-101	58.3	73.3	93.3	60.0	61.7	69.3
PPG-PR 421	61.7	70.0	93.3	63.3	58.3	69.3

TABLE 26. PERCENT ESTABLISHMENT RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
(CONT'D) 2017 DATA 2/

NAME	CT1	MI1	M01	NE1	WI1	MEAN
BAR LP 6131	61.7	68.3	90.7	60.0	65.0	69.1
GO-142	65.0	65.0	95.7	56.7	63.3	69.1
PPG-PR 420	70.0	66.7	94.0	60.0	55.0	69.1
PR-5-16	63.3	71.7	94.0	60.0	56.7	69.1
SAGUARO	65.0	73.3	94.0	56.7	56.7	69.1
SIGNET	60.0	73.3	92.3	60.0	60.0	69.1
SNX	71.7	63.3	93.7	56.7	60.0	69.1
BWH	66.7	68.3	90.0	53.3	66.7	69.0
MENSA	66.7	73.3	91.7	50.0	63.3	69.0
PPG-PR 422	63.3	68.3	96.3	53.3	63.3	68.9
PPG-PR 370	68.3	68.3	91.0	60.0	56.7	68.9
SHIELD (02BS4)	66.7	70.0	94.0	56.7	56.7	68.8
BAR LP 6117	68.3	68.3	90.0	60.0	56.7	68.7
BAR LP 6164	63.3	68.3	95.0	56.7	60.0	68.7
DLFPS-236/3543	65.0	66.7	94.0	56.7	60.0	68.5
DLFPS-236/3547	63.3	68.3	95.7	63.3	51.7	68.5
LPB-SD-105	51.7	73.3	93.3	66.7	56.7	68.3
UF3	68.3	68.3	91.7	56.7	56.7	68.3
DLFPS-236/3540	61.7	66.7	95.7	60.0	56.7	68.1
FP2	66.7	61.7	94.0	63.3	55.0	68.1
LPB-SD-103	63.3	68.3	92.3	60.0	56.7	68.1
PPG-PR 329	63.3	70.0	90.7	60.0	56.7	68.1
NP-3	60.0	73.3	94.0	50.0	63.3	68.1
OVERDRIVE 5G	58.3	65.0	97.0	56.7	63.3	68.1
BSP-17	66.7	70.0	90.0	50.0	63.3	68.0
UMPQUA	68.3	68.3	90.0	56.7	56.7	68.0
PPG-PR 367	61.7	71.7	96.3	56.7	53.3	67.9
BRIGHTSTAR SLT	65.0	68.3	92.3	56.7	56.7	67.8
GRAY WOLF (PST-2GAL)	63.3	66.7	94.0	60.0	55.0	67.8
PPG-PR 385	63.3	65.0	95.7	53.3	61.7	67.8
ALLSTAR III	70.0	61.7	91.7	60.0	55.0	67.7
LPB-SD-104	60.0	70.0	94.7	50.0	63.3	67.6
DLFPS-236/3553	66.7	66.7	92.3	60.0	51.7	67.5
APR2616	66.7	70.0	90.0	53.3	56.7	67.3
DLFPS-236/3542	63.3	63.3	94.0	56.7	58.3	67.1
AMP-R1	58.3	68.3	91.7	50.0	66.7	67.0
DLFPS-236/3541	60.0	66.7	93.3	60.0	55.0	67.0
MRSL-PR16	58.3	71.7	90.0	56.7	58.3	67.0
MRSL-PR15	56.7	71.7	91.7	50.0	63.3	66.7
DERBY XTREME	65.0	68.3	92.7	56.7	50.0	66.5
JR-197	58.3	70.0	92.3	56.7	55.0	66.5
ASPO118GL (A-4G)	58.3	71.7	90.0	50.0	61.7	66.3
APR3060	66.7	70.0	91.7	50.0	53.3	66.3
GO-143	63.3	66.7	91.0	53.3	56.7	66.2
BSP-25	58.3	70.0	94.0	46.7	60.0	65.8
PST-2BDT	70.0	66.7	92.3	60.0	40.0	65.8
PST-2EGAD	65.0	60.0	89.0	60.0	55.0	65.8
DLFPS-236/3548	65.0	66.7	96.7	53.3	46.7	65.7

TABLE 26. PERCENT ESTABLISHMENT RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
(CONT'D) 2017 DATA 2/

NAME	CT1	MI1	MO1	NE1	WI1	MEAN
ASPO218 (A-6D)	60.0	68.3	91.3	50.0	56.7	65.3
PST-2GTD	61.7	66.7	95.7	50.0	51.7	65.1
JR-123	63.3	70.0	90.0	53.3	48.3	65.0
LINN	75.0	58.3	90.0	56.7	45.0	65.0
DLFPS-236/3544	60.0	65.0	92.3	56.7	50.0	64.8
BAR LP 6158	66.7	66.7	90.0	53.3	46.7	64.7
SILVER SPORT (PST-2CRP)	53.3	60.0	93.3	56.7	60.0	64.7
KARMA	66.7	65.0	95.0	53.3	43.3	64.7
PST-2MAY	61.7	61.7	90.0	53.3	56.7	64.7
APR2612	53.3	68.3	92.3	46.7	61.7	64.5
RAD-PR 112	63.3	55.0	93.3	56.7	51.7	64.0
PST-2FOXY	56.7	68.3	85.0	56.7	53.3	64.0
DLFPS-236/3554	58.3	60.0	90.7	53.3	56.7	63.8
PEPPER 11 (RAD-PR 103)	53.3	61.7	90.0	53.3	60.0	63.7
DLFPS-238/3014	63.3	58.3	95.7	46.7	50.0	62.8
02BS1	63.3	60.0	91.7	56.7	40.0	62.3
BAR LP 6162	60.0	55.0	90.7	53.3	48.3	61.5
BAR LP 6165	50.0	60.0	89.0	60.0	46.7	61.1
LSD VALUE	13.9	10.6	6.6	10.4	15.0	5.2
C.V. (%)	13.2	9.6	4.4	11.3	16.1	10.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 27.

PERCENT ESTABLISHMENT RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
AT FARGO, ND 2/  
2017 DATA

NAME	SUMMER	FALL	MEAN	NAME	SUMMER	FALL	MEAN
GO-143	73.3	85.0	79.2	JR-197	48.3	56.7	52.5
EVOLVE	71.7	85.0	78.3	PST-2EGAD	45.0	60.0	52.5
BAR LP 6165	73.3	81.7	77.5	APR2612	46.7	56.7	51.7
PST-2GTD	71.7	80.0	75.8	DLFPS-236/3544	36.7	65.0	50.8
RAD-PR 112	68.3	81.7	75.0	PST-2BDT	46.7	55.0	50.8
DLFPS-236/3541	66.7	76.7	71.7	021	43.3	56.7	50.0
SEABISCUIT	63.3	75.0	69.2	DLFPS-236/3552	43.3	55.0	49.2
LPB-SD-105	60.0	75.0	67.5	DLFPS-236/3547	40.0	56.7	48.3
APR3060	61.7	71.7	66.7	BRIGHTSTAR SLT	41.7	53.3	47.5
PST-2FOXY	58.3	75.0	66.7	GO-142	41.7	51.7	46.7
DLFPS-236/3538	58.3	73.3	65.8	DLFPS-236/3545	38.3	53.3	45.8
ALLSTAR III	56.7	73.3	65.0	GRAY HAWK (PST-2FIND)	41.7	50.0	45.8
AMP-R1	56.7	73.3	65.0	PPG-PR 421	38.3	53.3	45.8
XCELERATOR	51.7	78.3	65.0	DLFPS-236/3546	38.3	48.3	43.3
PPG-PR 331	55.0	73.3	64.2	BAR LP 6131	36.7	48.3	42.5
PPG-PR 367	50.0	78.3	64.2	BAR LP 6158	35.0	50.0	42.5
PPG-PR 423	55.0	73.3	64.2	PST-2MAY	36.7	46.7	41.7
SNX	53.3	75.0	64.2	LPB-SD-102	31.7	50.0	40.8
UF3	56.7	71.7	64.2	MRSL-PR15	35.0	46.7	40.8
CS-6	55.0	71.7	63.3	ASP0118GL (A-4G)	35.0	45.0	40.0
DLFPS-236/3553	55.0	71.7	63.3	CPN	33.3	45.0	39.2
PPG-PR 371	51.7	75.0	63.3	RRT	33.3	45.0	39.2
PPG-PR 372	51.7	75.0	63.3	JR-888	28.3	48.3	38.3
BAR LP 6164	58.3	66.7	62.5	PL2	31.7	45.0	38.3
FP2	56.7	68.3	62.5	PPG-PR 360	26.7	50.0	38.3
PHARAOH	53.3	71.7	62.5	PPG-PR 420	33.3	43.3	38.3
PST-2PDA	53.3	71.7	62.5	PPG-PR 339	33.3	41.7	37.5
NP-2	48.3	75.0	61.7	BAR LP 6162	33.3	40.0	36.7
PPG-PR 422	55.0	68.3	61.7	PPG-PR 343	30.0	43.3	36.7
SILVER SPORT (PST-2CRP)	56.7	66.7	61.7	PPG-PR 370	28.3	45.0	36.7
UMPQUA	56.7	66.7	61.7	DLFPS-236/3540	28.3	43.3	35.8
02BS2	50.0	71.7	60.8	DLFPS-236/3548	30.0	41.7	35.8
PPG-PR 241	51.7	68.3	60.0	DERBY XTREME	30.0	40.0	35.0
SHIELD (02BS4)	50.0	68.3	59.2	DLFPS-236/3543	28.3	41.7	35.0
PST-2A2	51.7	66.7	59.2	NP-3	26.7	43.3	35.0
DLFPS-236/3550	48.3	68.3	58.3	02BS1	31.7	36.7	34.2
BAR LP 6233	51.7	63.3	57.5	BSP-17	28.3	40.0	34.2
ASP0218 (A-6D)	48.3	65.0	56.7	PR-5-16	30.0	38.3	34.2
DLFPS-236/3554	51.7	60.0	55.8	PR-6-15	30.0	38.3	34.2
GO-141	48.3	63.3	55.8	DLFPS-238/3014	28.3	38.3	33.3
LPB-SD-103	48.3	63.3	55.8	PPG-PR 329	23.3	43.3	33.3
PPG-PR 419	46.7	65.0	55.8	OVERDRIVE 5G	26.7	38.3	32.5
JR-123	45.0	65.0	55.0	SR 4650	28.3	36.7	32.5
ASP0117 (A-PR15)	45.0	61.7	53.3	BWH	23.3	40.0	31.7
BSP-25	45.0	61.7	53.3	PEPPER II (RAD-PR 103)	26.7	36.7	31.7
DLFPS-236/3556	43.3	63.3	53.3	APR2616	25.0	36.7	30.8
GRAY WOLF (PST-2GAL)	48.3	56.7	52.5	PPG-PR 385	21.7	38.3	30.0

TABLE 27. PERCENT ESTABLISHMENT RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
 (CONT'D) AT FARGO, ND 2/  
 2017 DATA

NAME	SUMMER	FALL	MEAN
SIGNET	21.7	35.0	28.3
023	23.3	30.0	26.7
BAR LP 6159	20.0	28.3	24.2
MAN O WAR	21.7	26.7	24.2
MENSA	18.3	28.3	23.3
LINN	18.3	25.0	21.7
ASP0116EXT	16.7	25.0	20.8
GRAND SLAM GLD	16.7	21.7	19.2
LPB-SD-104	11.7	26.7	19.2
FURLONG (LTP-FCB)	13.3	18.3	15.8
DLFPS-236/3542	10.0	18.3	14.2
KARMA	11.7	16.7	14.2
PPG-PR 424	11.7	16.7	14.2
BAR LP 6117	11.7	15.0	13.3
JR-747	10.0	16.7	13.3
LPB-SD-101	6.7	15.0	10.8
SAGUARO	6.7	15.0	10.8
INTENSE	5.0	15.0	10.0
SAVANT	6.7	11.7	9.2
MRSL-PR16	5.0	11.7	8.3
LSD VALUE	9.4	9.2	8.8
C.V. (%)	16.7	12.3	13.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 28.

PERCENT ESTABLISHMENT RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
AT LOGAN, UT 2/  
2017 DATA

NAME	SEPTEMBER	OCTOBER	MEAN	NAME	SEPTEMBER	OCTOBER	MEAN
SIGNET	46.7	80.0	63.3	GRAY HAWK (PST-2FIND)	36.7	63.3	50.0
PHARAOH	50.0	73.3	61.7	INTENSE	36.7	63.3	50.0
NP-2	46.7	73.3	60.0	LPB-SD-102	36.7	63.3	50.0
SR 4650	53.3	66.7	60.0	PPG-PR 367	33.3	66.7	50.0
UF3	46.7	70.0	58.3	PR-6-15	43.3	56.7	50.0
O23	40.0	73.3	56.7	UMPQUA	36.7	63.3	50.0
BAR LP 6233	40.0	73.3	56.7	O21	33.3	63.3	48.3
CPN	46.7	66.7	56.7	O2BS2	33.3	63.3	48.3
JR-747	43.3	70.0	56.7	CS-6	36.7	60.0	48.3
OVERDRIVE 5G	36.7	76.7	56.7	DLFPS-236/3545	33.3	63.3	48.3
PPG-PR 371	43.3	70.0	56.7	JR-888	36.7	60.0	48.3
ASP0116EXT	43.3	66.7	55.0	PPG-PR 241	36.7	60.0	48.3
ASP0118GL (A-4G)	40.0	70.0	55.0	PPG-PR 329	36.7	60.0	48.3
BAR LP 6158	40.0	70.0	55.0	PST-2PDA	33.3	63.3	48.3
BAR LP 6159	40.0	70.0	55.0	ASP0218 (A-6D)	33.3	60.0	46.7
BSP-17	43.3	66.7	55.0	BAR LP 6131	33.3	60.0	46.7
BWH	43.3	66.7	55.0	BAR LP 6165	30.0	63.3	46.7
DLFPS-236/3550	36.7	73.3	55.0	BSP-25	36.7	56.7	46.7
EVOLVE	46.7	63.3	55.0	DERBY XTREME	33.3	60.0	46.7
PPG-PR 370	40.0	70.0	55.0	DLFPS-236/3538	33.3	60.0	46.7
SAVANT	36.7	73.3	55.0	DLFPS-236/3548	33.3	60.0	46.7
SNX	40.0	70.0	55.0	DLFPS-236/3553	33.3	60.0	46.7
APR2616	40.0	66.7	53.3	DLFPS-236/3554	33.3	60.0	46.7
BAR LP 6117	40.0	66.7	53.3	GRAY WOLF (PST-2GAL)	30.0	63.3	46.7
DLFPS-236/3541	36.7	70.0	53.3	LINN	26.7	66.7	46.7
DLFPS-236/3556	40.0	66.7	53.3	MRSL-PR16	30.0	63.3	46.7
FP2	40.0	66.7	53.3	PEPPER II (RAD-PR 103)	33.3	60.0	46.7
NP-3	40.0	66.7	53.3	PPG-PR 360	30.0	63.3	46.7
PPG-PR 419	43.3	63.3	53.3	PPG-PR 420	33.3	60.0	46.7
PPG-PR 423	36.7	70.0	53.3	PPG-PR 422	36.7	56.7	46.7
BRIGHTSTAR SLT	36.7	66.7	51.7	PST-2A2	33.3	60.0	46.7
DLFPS-236/3542	36.7	66.7	51.7	PST-2BDT	36.7	56.7	46.7
DLFPS-236/3543	40.0	63.3	51.7	RAD-PR 112	30.0	63.3	46.7
GRAND SLAM GLD	33.3	70.0	51.7	ASP0117 (A-PR15)	30.0	60.0	45.0
JR-123	33.3	70.0	51.7	BAR LP 6162	30.0	60.0	45.0
JR-197	43.3	60.0	51.7	BAR LP 6164	33.3	56.7	45.0
LPB-SD-101	36.7	66.7	51.7	DLFPS-236/3547	33.3	56.7	45.0
LPB-SD-103	33.3	70.0	51.7	GO-142	33.3	56.7	45.0
PPG-PR 339	36.7	66.7	51.7	MENSA	30.0	60.0	45.0
PPG-PR 385	36.7	66.7	51.7	PL2	26.7	63.3	45.0
PPG-PR 424	40.0	63.3	51.7	PPG-PR 331	33.3	56.7	45.0
PST-2EGAD	36.7	66.7	51.7	PR-5-16	30.0	60.0	45.0
PST-2MAY	36.7	66.7	51.7	PST-2GTD	36.7	53.3	45.0
SHIELD (O2BS4)	43.3	60.0	51.7	AMP-R1	26.7	60.0	43.3
XCELERATOR	36.7	66.7	51.7	APR2612	30.0	56.7	43.3
ALLSTAR III	33.3	66.7	50.0	DLFPS-236/3552	33.3	53.3	43.3
DLFPS-236/3540	40.0	60.0	50.0	FURLONG (LTP-FCB)	30.0	56.7	43.3
GO-143	43.3	56.7	50.0	LPB-SD-104	30.0	56.7	43.3

TABLE 28. PERCENT ESTABLISHMENT RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
 (CONT'D) AT LOGAN, UT 2/  
 2017 DATA

NAME	SEPTEMBER	OCTOBER	MEAN
MAN O WAR	30.0	56.7	43.3
MRSL-PR15	33.3	53.3	43.3
PPG-PR 372	30.0	56.7	43.3
PPG-PR 421	30.0	56.7	43.3
SAGUARO	30.0	56.7	43.3
SEABISCUIT	30.0	56.7	43.3
O2BS1	30.0	53.3	41.7
GO-141	23.3	56.7	40.0
LPB-SD-105	23.3	56.7	40.0
RRT	23.3	56.7	40.0
SILVER SPORT (PST-2CRP)	30.0	50.0	40.0
DLFPS-236/3544	26.7	50.0	38.3
DLFPS-238/3014	26.7	50.0	38.3
KARMA	26.7	50.0	38.3
APR3060	23.3	50.0	36.7
PPG-PR 343	20.0	53.3	36.7
DLFPS-236/3546	23.3	43.3	33.3
PST-2FOXY	20.0	43.3	31.7
LSD VALUE	23.5	21.2	18.0
C.V. (%)	25.6	14.6	16.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 29.

PERCENT DIVOT RECOVERY RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
2016 NATIONAL PERENNIAL RYEGRASS TEST AT LEXINGTON, KY 2/  
2017 DATA

NAME	MAY 3	MAY 24	JUNE 14	JUNE 29	JULY 19	AUGUST 2	AUGUST 15	AUGUST 31	SEPT. 20	OCTOBER 15	OCTOBER 31	MEAN
DLFPS-236/3546	85.0	92.0	94.0	94.7	95.3	96.3	96.0	95.3	95.7	93.3	93.0	93.7
GRAY WOLF (PST-2GAL)	84.7	91.3	94.7	96.3	96.0	97.7	96.7	95.0	94.7	92.3	90.0	93.6
DLFPS-236/3547	84.0	90.0	92.7	93.7	95.0	96.7	94.7	95.3	96.0	94.0	95.3	93.4
DLFPS-236/3545	86.7	91.7	94.7	96.3	96.0	97.3	94.0	94.3	94.3	91.0	90.0	93.3
XCELERATOR	83.3	90.0	93.0	94.0	96.0	97.7	96.3	95.7	95.0	92.7	92.3	93.3
PPG-PR 424	88.3	88.3	91.7	93.3	94.7	97.7	93.3	95.0	95.0	93.7	92.3	93.0
DLFPS-236/3553	83.7	90.0	92.3	93.0	95.3	98.0	96.7	95.3	94.3	92.7	89.3	92.8
PPG-PR 420	83.7	90.3	93.7	94.3	95.3	96.7	96.0	94.7	94.3	92.3	88.7	92.7
PPG-PR 419	83.0	90.0	92.7	93.3	96.3	97.0	96.0	94.7	94.0	91.3	90.7	92.6
DLFPS-236/3556	82.3	89.3	92.7	94.0	95.7	97.0	96.0	95.0	94.3	92.3	89.0	92.5
FP2	81.7	89.7	94.3	95.3	97.0	97.0	97.0	95.7	93.7	89.3	85.3	92.4
PPG-PR 372	83.0	91.7	95.3	96.0	96.3	97.7	95.3	94.0	90.3	88.7	87.7	92.4
PST-2A2	84.7	92.0	94.0	94.3	96.3	96.0	95.0	93.7	91.7	89.7	89.3	92.4
DLFPS-236/3543	86.0	90.3	93.3	95.3	95.7	96.7	95.0	93.7	92.7	90.3	86.3	92.3
PPG-PR 370	81.7	89.7	92.7	94.0	95.7	97.3	97.0	94.0	93.0	90.3	87.0	92.0
SR 4650	85.0	90.3	94.0	94.0	94.7	96.3	95.3	94.7	92.0	89.7	85.7	92.0
O2BS2	82.0	90.7	94.0	95.0	95.7	97.0	96.0	93.0	92.7	88.0	87.0	91.9
PPG-PR 367	80.3	88.0	93.0	94.0	95.7	97.0	96.0	95.7	94.0	89.7	87.0	91.8
PR-5-16	80.7	88.7	93.0	94.7	95.3	97.3	95.0	94.0	92.7	91.3	87.3	91.8
APR2612	83.0	88.0	93.3	94.7	95.3	95.7	94.7	94.7	94.0	90.0	85.7	91.7
FURLONG (LTP-FCB)	84.3	90.0	93.3	94.0	96.0	96.3	94.7	93.0	91.3	87.7	87.3	91.6
PPG-PR 331	84.7	89.0	92.0	92.7	95.3	97.0	94.0	93.7	92.7	90.0	87.0	91.6
PPG-PR 371	83.0	88.3	92.3	93.0	95.0	96.7	93.7	93.0	93.0	91.0	88.3	91.6
BAR LP 6233	84.0	88.7	94.0	94.7	95.7	96.0	92.3	92.0	90.0	89.0	90.0	91.5
DLFPS-236/3554	83.7	90.0	92.0	93.0	94.0	95.7	93.0	93.3	92.7	90.7	88.0	91.5
PPG-PR 329	81.7	89.0	92.3	94.0	95.0	95.0	92.0	93.0	93.7	90.7	90.0	91.5
SEABISCUIT	83.3	88.0	91.3	91.3	93.3	96.3	94.3	94.7	93.7	89.3	90.0	91.4
ASP0117 (A-PR15)	84.7	90.3	93.0	93.7	92.0	94.3	93.3	93.3	91.7	89.3	88.7	91.3
SHIELD (O2BS4)	83.7	91.3	93.0	95.3	96.0	96.7	92.3	90.7	88.7	87.0	89.0	91.2
PPG-PR 421	83.3	89.3	93.3	94.3	95.0	96.7	93.3	93.7	91.0	87.7	85.3	91.2
BAR LP 6165	87.0	90.7	95.3	93.7	91.7	93.7	95.0	93.7	93.0	86.3	80.7	91.0
JR-123	87.3	90.7	93.3	94.0	94.3	95.3	92.3	91.3	90.0	86.0	86.0	91.0
UMPQUA	82.0	88.3	92.3	94.0	95.7	97.7	94.7	94.0	90.3	88.3	83.7	91.0
O23	81.7	88.7	92.7	93.7	95.7	97.0	92.3	91.7	90.3	89.7	86.7	90.9
DLFPS-236/3552	82.0	89.3	92.7	93.7	95.3	96.0	93.3	92.3	90.7	86.7	87.7	90.9
PPG-PR 422	81.7	88.3	91.3	92.7	94.3	94.0	93.7	94.0	92.7	89.3	87.7	90.9
DLFPS-236/3541	83.0	89.0	92.3	93.7	95.0	96.3	92.7	92.7	90.3	87.7	86.7	90.8
PPG-PR 360	86.3	89.7	93.3	94.0	95.0	96.0	92.3	91.7	89.3	85.3	83.3	90.6
DLFPS-236/3540	81.7	86.0	89.3	90.3	93.7	95.7	94.7	94.0	93.0	89.0	87.7	90.5
DLFPS-236/3550	82.7	88.3	91.7	92.7	94.0	95.3	93.7	92.0	90.0	87.3	83.7	90.1
PL2	83.7	88.7	91.7	92.3	92.3	93.7	92.0	91.3	91.7	86.0	87.7	90.1
PPG-PR 241	81.0	87.3	91.3	93.0	95.3	96.0	92.3	91.7	90.0	88.0	84.7	90.1
PST-2BDT	80.0	88.3	91.0	93.0	95.3	96.3	95.0	94.0	90.3	84.7	82.3	90.0
DLFPS-236/3538	81.0	89.0	93.3	94.7	96.3	97.0	92.7	89.0	88.0	85.7	82.0	89.9
DLFPS-236/3548	84.3	88.3	91.3	91.0	92.3	95.3	94.0	92.3	90.0	87.7	82.0	89.9
CPN	83.7	89.7	93.3	94.3	95.3	95.0	92.3	90.0	87.3	85.7	80.0	89.7
PST-2FOXY	80.3	85.7	91.0	92.0	94.0	96.0	93.7	91.7	90.7	86.7	82.3	89.5
PR-6-15	83.0	87.3	90.0	90.7	90.7	94.3	94.0	91.7	91.7	86.3	84.0	89.4



TABLE 29. (CONT'D)

PERCENT DIVOT RECOVERY RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
2016 NATIONAL PERENNIAL RYEGRASS TEST AT LEXINGTON, KY 2/  
2017 DATA

NAME	MAY 3	MAY 24	JUNE 14	JUNE 29	JULY 19	AUGUST 2	AUGUST 15	AUGUST 31	SEPT. 20	OCTOBER 15	OCTOBER 31	MEAN
JR-197	82.7	89.0	92.0	94.0	94.7	94.0	90.0	88.7	87.7	84.0	84.7	89.2
PPG-PR 339	84.0	88.0	89.0	91.0	92.3	94.3	93.7	90.7	89.7	84.7	84.0	89.2
SIGNET	83.7	90.3	93.3	95.0	95.3	93.3	90.0	88.7	84.7	84.0	83.3	89.2
O2BS1	81.3	88.0	91.7	94.0	95.0	94.3	93.0	89.0	88.7	83.0	82.3	89.1
ASP0118GL (A-4G)	81.7	87.7	92.3	93.0	93.7	95.3	92.7	89.3	88.3	83.7	82.3	89.1
OVERDRIVE 5G	81.7	89.0	92.0	93.3	96.3	95.0	90.7	89.3	89.0	83.3	80.7	89.1
GRAND SLAM GLD	85.0	91.3	93.3	94.7	92.7	93.3	89.7	87.7	84.3	82.7	82.3	88.8
AMP-R1	81.7	87.7	92.7	93.3	94.3	93.7	91.3	90.7	89.0	81.3	79.7	88.7
MAN O WAR	84.7	86.7	88.7	89.0	91.3	93.7	92.7	90.3	90.7	86.0	81.7	88.7
NP-3	85.0	88.3	92.0	93.7	94.3	95.3	90.3	88.7	86.3	82.0	79.7	88.7
DLFPS-236/3542	83.0	87.7	89.7	91.0	92.3	95.3	93.3	92.0	86.7	84.0	79.7	88.6
DERBY XTREME	84.0	89.7	92.7	94.3	93.7	93.7	90.7	88.3	85.7	78.3	81.3	88.4
PHARAOH	82.3	89.0	91.3	92.7	93.0	95.7	93.7	90.3	85.3	81.3	78.0	88.4
APR3060	79.7	86.7	91.3	92.7	94.3	95.0	91.7	91.3	88.7	80.7	79.7	88.3
PPG-PR 343	83.7	85.7	87.3	89.0	91.7	92.7	92.7	90.0	89.3	86.7	82.3	88.3
CS-6	80.3	88.7	92.3	92.0	92.0	90.3	89.3	89.3	89.0	82.7	83.7	88.2
MENSA	83.3	89.3	93.0	93.7	96.0	96.3	94.3	89.7	80.7	80.0	74.3	88.2
ASP0116EXT	81.3	87.7	91.7	92.7	92.7	93.7	92.0	90.0	86.0	79.3	81.7	88.1
SILVER SPORT (PST-2CRP)	83.3	87.0	89.0	89.0	92.3	94.0	92.0	92.0	87.3	82.7	80.0	88.1
O21	83.0	85.0	86.3	89.3	92.7	94.7	93.7	91.3	87.3	83.3	81.7	88.0
DLFPS-236/3544	81.0	84.7	87.3	88.7	91.0	93.7	91.3	91.3	89.7	85.3	84.0	88.0
INTENSE	81.7	87.7	90.7	92.7	94.3	93.7	92.0	88.0	85.0	81.3	81.3	88.0
NP-2	85.3	91.0	93.3	94.0	94.3	93.3	88.0	87.3	82.7	81.0	78.0	88.0
RRT	79.3	89.3	92.0	92.7	93.7	93.7	89.7	88.3	86.3	81.0	81.7	88.0
KARMA	83.3	87.0	89.3	91.3	92.0	93.0	91.0	88.3	88.0	84.7	79.0	87.9
BAR LP 6117	82.3	89.7	92.3	93.7	94.0	92.3	90.3	89.0	86.7	80.3	75.7	87.8
APR2616	80.3	86.0	91.3	92.7	93.3	95.0	90.0	90.0	87.3	80.0	78.7	87.7
PST-2GTD	78.7	88.0	92.3	93.7	94.0	94.0	92.3	88.7	86.7	77.7	76.0	87.5
LPB-SD-102	86.7	90.3	94.0	94.7	95.3	96.3	92.7	90.3	76.3	74.7	70.0	87.4
PST-2MAY	83.7	90.7	93.0	93.0	93.7	93.0	88.7	87.0	82.7	75.0	79.0	87.2
GO-143	81.0	88.3	91.3	93.0	92.7	91.0	89.0	88.7	84.3	80.0	78.7	87.1
UF3	82.7	86.7	90.0	92.3	93.7	81.3	93.3	90.3	88.7	80.3	78.7	87.1
PST-2EGAD	78.7	83.7	88.3	90.7	92.3	93.7	92.3	89.7	87.0	82.3	78.7	87.0
PPG-PR 385	78.3	85.7	90.3	91.7	93.7	93.3	91.3	87.7	84.3	80.3	79.3	86.9
PST-2PDA	79.7	86.0	89.7	91.7	92.3	92.3	89.3	88.7	87.3	81.7	77.0	86.9
GRAY HAWK (PST-2FIND)	84.0	88.0	93.0	93.3	92.7	91.0	89.0	86.3	83.0	77.3	76.0	86.7
PEPPER 11 (RAD-PR 103)	82.7	88.3	90.3	92.3	94.0	91.0	88.7	86.0	83.0	77.3	78.3	86.5
BAR LP 6131	82.3	86.7	93.3	93.7	93.3	90.3	88.7	85.3	78.3	77.3	76.7	86.0
RAD-PR 112	81.0	87.3	89.7	91.3	91.7	91.7	87.3	85.3	84.0	77.7	77.7	85.9
PPG-PR 423	80.7	84.7	88.7	89.0	90.0	90.7	87.7	86.3	83.3	82.0	81.3	85.8
BAR LP 6164	80.3	84.3	89.7	90.7	92.0	94.0	89.3	85.7	81.3	76.7	75.7	85.4
MRS-L-PR16	82.3	85.3	86.3	87.7	88.7	90.0	88.0	87.0	85.7	78.7	80.0	85.4
ALLSTAR III	82.7	90.0	93.3	93.3	94.0	93.7	88.7	85.0	77.7	69.7	67.3	85.0
GO-142	76.3	85.0	88.3	89.3	91.0	90.3	88.3	85.0	83.3	79.7	78.7	85.0
LPB-SD-103	86.0	88.3	93.0	93.3	93.7	95.0	91.0	82.7	74.0	69.3	68.0	84.9
BAR LP 6158	78.3	82.7	88.3	90.0	91.7	92.7	87.7	86.0	81.3	76.0	77.7	84.8
SNX	80.0	86.0	89.0	90.3	92.0	90.7	87.3	83.3	82.7	74.0	73.3	84.4
ASP0218 (A-6D)	81.3	85.0	87.3	89.0	90.7	91.7	87.0	85.7	80.3	72.7	71.7	83.8

TABLE 29. (CONT'D)

PERCENT DIVOT RECOVERY RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
2016 NATIONAL PERENNIAL RYEGRASS TEST AT LEXINGTON, KY 2/  
2017 DATA

NAME	MAY 3	MAY 24	JUNE 14	JUNE 29	JULY 19	AUGUST 2	AUGUST 15	AUGUST 31	SEPT. 20	OCTOBER 15	OCTOBER 31	MEAN
SAVANT	88.7	93.7	94.7	96.7	96.7	93.7	87.7	77.0	68.7	61.3	63.0	83.8
BAR LP 6159	80.3	86.3	89.7	91.3	90.3	93.0	90.0	84.7	76.0	73.0	66.0	83.7
JR-747	82.3	89.3	93.3	93.0	91.7	89.0	85.3	81.3	75.7	70.7	66.7	83.5
LPB-SD-101	84.3	90.3	93.3	93.7	94.3	95.3	91.0	83.3	69.7	62.3	61.0	83.5
MRSL-PR15	74.7	83.3	87.3	89.0	91.7	92.3	86.7	83.0	80.3	76.0	74.3	83.5
GO-141	81.0	88.0	93.0	93.3	91.3	88.0	82.3	80.7	76.0	73.3	67.0	83.1
JR-888	82.7	90.3	92.7	94.0	94.3	91.0	86.3	79.7	71.0	66.3	63.7	82.9
EVOLVE	81.0	83.0	87.3	89.3	89.0	90.7	88.3	83.0	79.0	70.3	68.7	82.7
LPB-SD-104	86.0	89.0	91.3	92.7	94.7	92.0	85.7	81.7	69.7	65.3	61.0	82.6
SAGUARO	87.0	91.0	94.7	95.7	94.3	90.7	85.7	77.7	65.7	57.3	61.0	81.9
BSP-25	82.3	87.0	90.3	91.7	90.7	89.0	82.3	80.3	71.3	65.3	69.7	81.8
BSP-17	81.3	82.7	84.0	86.3	86.7	88.0	86.3	81.0	76.0	69.0	75.3	81.5
DLFPS-238/3014	77.7	82.0	89.0	90.3	88.7	86.3	80.3	79.7	72.7	67.0	65.0	79.9
BRIGHTSTAR SLT	79.0	85.7	90.3	90.3	88.7	89.0	83.3	67.3	59.7	51.7	59.0	76.7
BAR LP 6162	79.7	78.3	83.3	84.3	78.7	82.3	79.3	73.3	69.7	63.0	66.0	76.2
LPB-SD-105	87.0	92.0	94.7	96.0	93.0	86.3	73.3	61.7	49.0	42.0	44.7	74.5
BWH	77.3	81.0	81.3	84.3	85.3	84.0	77.3	72.3	62.0	52.3	57.0	74.0
LINN	73.0	78.7	89.0	91.3	78.7	61.0	53.0	36.3	42.0	31.3	42.0	61.5
LSD VALUE	5.7	8.2	10.5	11.6	5.6	7.1	8.7	10.3	12.7	14.2	15.1	6.6
C.V. (%)	3.6	4.1	4.0	3.8	3.3	4.5	5.7	7.2	9.2	10.8	11.2	4.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 30.

WINTER KILL RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
2017 DATA

WINTER KILL RATINGS 1-9; 9=LEAST KILL 2/

NAME	MN1	NAME	MN1
LPB-SD-102	7.7	PR-5-16	6.0
BAR LP 6164	7.3	PST-2PDA	6.0
DLFPS-236/3554	7.3	UMPQUA	6.0
OVERDRIVE 5G	7.3	ASP0116EXT	5.7
SHIELD (02BS4)	7.0	BAR LP 6158	5.7
BAR LP 6233	7.0	CS-6	5.7
CPN	7.0	DLFPS-236/3538	5.7
JR-888	7.0	DLFPS-236/3546	5.7
PPG-PR 331	7.0	DLFPS-236/3547	5.7
PPG-PR 339	7.0	GO-141	5.7
PPG-PR 419	7.0	JR-747	5.7
SR 4650	7.0	FURLONG (LTP-FCB)	5.7
UF3	7.0	PPG-PR 241	5.7
BSP-17	6.7	PPG-PR 329	5.7
DLFPS-236/3556	6.7	PPG-PR 360	5.7
GRAY HAWK (PST-2FIND)	6.7	PPG-PR 420	5.7
INTENSE	6.7	SIGNET	5.7
JR-123	6.7	XCELERATOR	5.7
LPB-SD-101	6.7	DERBY XTREME	5.3
PL2	6.7	JR-197	5.3
PPG-PR 372	6.7	LPB-SD-103	5.3
RAD-PR 112	6.7	MENSA	5.3
ASP0117 (A-PR15)	6.3	PPG-PR 343	5.3
BRIGHTSTAR SLT	6.3	PPG-PR 385	5.3
DLFPS-236/3540	6.3	PPG-PR 423	5.3
EVOLVE	6.3	PST-2EGAD	5.3
GRAND SLAM GLD	6.3	PST-2FOXY	5.3
NP-2	6.3	RRT	5.3
PPG-PR 424	6.3	SILVER SPORT (PST-2CRP)	5.3
PR-6-15	6.3	021	5.0
PST-2A2	6.3	02BS2	5.0
SAGUARO	6.3	ALLSTAR III	5.0
023	6.0	AMP-R1	5.0
BAR LP 6131	6.0	APR2616	5.0
BAR LP 6159	6.0	APR3060	5.0
DLFPS-236/3541	6.0	DLFPS-236/3544	5.0
DLFPS-236/3543	6.0	DLFPS-236/3545	5.0
DLFPS-236/3553	6.0	GO-142	5.0
FP2	6.0	MRSL-PR15	5.0
MAN O WAR	6.0	PPG-PR 370	5.0
MRSL-PR16	6.0	PST-2BDT	5.0
NP-3	6.0	SEABISCUIT	5.0
PPG-PR 367	6.0	02BS1	4.7
PPG-PR 421	6.0	ASP0218 (A-6D)	4.7
PPG-PR 422	6.0	BAR LP 6117	4.7
		DLFPS-236/3542	4.7

TABLE 30. WINTER KILL RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
(CONT'D) 2017 DATA

WINTER KILL RATINGS 1-9; 9=LEAST KILL 2/

NAME	MN1
DLFPS-236/3548	4.7
DLFPS-236/3550	4.7
DLFPS-236/3552	4.7
GRAY WOLF (PST-2GAL)	4.7
LPB-SD-104	4.7
LPB-SD-105	4.7
PHARAOH	4.7
PPG-PR 371	4.7
PST-2GTD	4.7
ASPO118GL (A-4G)	4.3
BAR LP 6165	4.3
GO-143	4.3
KARMA	4.3
PST-2MAY	4.3
SNX	4.3
BWH	4.0
SAVANT	4.0
BSP-25	3.7
DLFPS-238/3014	3.7
PEPPER 11 (RAD-PR 103)	3.7
APR2612	3.3
LINN	2.7
BAR LP 6162	2.3
LSD VALUE	2.7
C.V. (%)	30.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 31.

QUALITY (DECEMBER 2016) RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
2017 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL 2/

NAME	CA7	NAME	CA7
BSP-17	8.7	JR-747	7.3
BAR LP 6117	8.3	LPB-SD-102	7.3
GO-141	8.3	NP-3	7.3
GO-143	8.3	OVERDRIVE 5G	7.3
LPB-SD-101	8.3	PHARAOH	7.3
PPG-PR 331	8.3	PPG-PR 329	7.3
PPG-PR 339	8.3	PPG-PR 370	7.3
PR-6-15	8.3	PPG-PR 424	7.3
UMPQUA	8.3	PST-2BDT	7.3
ASP0218 (A-6D)	8.0	PST-2FOXY	7.3
APR3060	8.0	SNX	7.3
ASP0116EXT	8.0	023	7.0
BAR LP 6165	8.0	02BS1	7.0
CPN	8.0	02BS2	7.0
DLFPS-236/3554	8.0	ASP0117 (A-PR15)	7.0
GO-142	8.0	APR2616	7.0
JR-197	8.0	BAR LP 6131	7.0
LINN	8.0	BAR LP 6158	7.0
MAN O WAR	8.0	BAR LP 6159	7.0
MRSL-PR16	8.0	DLFPS-236/3541	7.0
PPG-PR 367	8.0	DLFPS-236/3542	7.0
PPG-PR 419	8.0	DLFPS-236/3543	7.0
PPG-PR 420	8.0	DLFPS-236/3552	7.0
PST-2MAY	8.0	GRAND SLAM GLD	7.0
SHIELD (02BS4)	7.7	GRAY WOLF (PST-2GAL)	7.0
ASP0118GL (A-4G)	7.7	INTENSE	7.0
ALLSTAR III	7.7	JR-123	7.0
AMP-R1	7.7	PPG-PR 421	7.0
BAR LP 6162	7.7	PST-2PDA	7.0
BAR LP 6233	7.7	SAVANT	7.0
CS-6	7.7	SR 4650	7.0
DLFPS-236/3550	7.7	BSP-25	6.7
EVOLVE	7.7	DLFPS-236/3547	6.7
GRAY HAWK (PST-2FIND)	7.7	DLFPS-236/3548	6.7
JR-888	7.7	KARMA	6.7
PPG-PR 343	7.7	FURLONG (LTP-FCB)	6.7
PPG-PR 371	7.7	PL2	6.7
PST-2A2	7.7	PPG-PR 385	6.7
SEABISCUIT	7.7	PST-2EGAD	6.7
SIGNET	7.7	RAD-PR 112	6.7
021	7.3	UF3	6.7
BAR LP 6164	7.3	XCELERATOR	6.7
DLFPS-236/3545	7.3	APR2612	6.3
DLFPS-236/3556	7.3	BRIGHTSTAR SLT	6.3
FP2	7.3	DLFPS-236/3540	6.3
		DLFPS-236/3544	6.3

TABLE 31. QUALITY (DECEMBER 2016) RATINGS OF PERENNIAL RYEGRASS CULTIVARS 1/  
(CONT'D) 2017 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL 2/

NAME	CA7
DLFPS-238/3014	6.3
LPB-SD-103	6.3
MENSA	6.3
MRSL-PR15	6.3
NP-2	6.3
PPG-PR 241	6.3
PPG-PR 372	6.3
PR-5-16	6.3
PST-2GTD	6.3
RRT	6.3
DLFPS-236/3538	6.0
DLFPS-236/3546	6.0
DLFPS-236/3553	6.0
LPB-SD-105	6.0
PPG-PR 360	6.0
SAGUARO	6.0
SILVER SPORT (PST-2CRP)	6.0
DERBY XTREME	5.7
LPB-SD-104	5.7
PPG-PR 422	5.7
BWH	5.3
PPG-PR 423	5.3
PEPPER 11 (RAD-PR 103)	5.3
LSD VALUE	1.9
C.V. (%)	16.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

APPENDIX TABLE. SUMMARY OF TURFGRASS QUALITY RATINGS FOR PERENNIAL RYEGRASS CULTIVARS \*/  
 2017 DATA  
 TURFGRASS QUALITY RATINGS 1 9; 9=IDEAL TURF \*\*/

NAME	QUALITY MEAN 1/	MAXIMUM IN TOP 25% 2/	NAME	QUALITY MEAN 1/	MAXIMUM IN TOP 25% 2/
021	5.8	28.6	EVOLVE	5.5	9.5
023	5.8	33.3	FP2	6.0	38.1
02BS1	5.7	19.0	GO-141	5.5	4.8
02BS2	5.9	23.8	GO-142	5.4	4.8
SHIELD (02BS4)	5.8	33.3	GO-143	5.3	0.0
ASP0118GL (A-4G)	5.5	9.5	GRAND SLAM GLD	5.7	9.5
ASP0218 (A-6D)	5.5	9.5	GRAY HAWK (PST-2FIND)	5.7	14.3
ASP0117 (A-PR15)	5.6	14.3	GRAY WOLF (PST-2GAL)	5.9	33.3
ALLSTAR III	5.4	4.8	INTENSE	5.8	14.3
AMP-R1	5.3	4.8	JR-123	5.7	19.0
APR2612	5.4	9.5	JR-197	5.9	23.8
APR2616	5.7	14.3	JR-747	5.3	4.8
APR3060	5.6	9.5	JR-888	5.6	23.8
ASP0116EXT	5.5	14.3	KARMA	5.5	5.0
BAR LP 6117	5.6	14.3	LINN	3.6	4.8
BAR LP 6131	5.5	9.5	LPB-SD-101	5.6	14.3
BAR LP 6158	5.4	4.8	LPB-SD-102	5.7	33.3
BAR LP 6159	5.5	4.8	LPB-SD-103	5.4	4.8
BAR LP 6162	5.1	14.3	LPB-SD-104	5.3	4.8
BAR LP 6164	5.7	19.0	LPB-SD-105	5.4	14.3
BAR LP 6165	5.3	19.0	FURLONG (LTP-FCB)	6.0	47.6
BAR LP 6233	5.4	4.8	MAN O WAR	5.8	19.0
BRIGHTSTAR SLT	5.2	0.0	MENSA	5.5	9.5
BSP-17	5.4	9.5	MRSL-PR15	5.5	4.8
BSP-25	5.4	14.3	MRSL-PR16	5.5	4.8
BWH	5.2	4.8	NP-2	6.0	47.6
CPN	5.9	28.6	NP-3	5.9	28.6
CS-6	5.5	4.8	OVERDRIVE 5G	5.9	28.6
DERBY XTREME	5.6	9.5	PHARAOH	5.9	23.8
DLFPS-236/3538	5.9	38.1	PL2	5.9	33.3
DLFPS-236/3540	6.0	42.9	PPG-PR 241	5.8	23.8
DLFPS-236/3541	5.8	28.6	PPG-PR 329	5.8	14.3
DLFPS-236/3542	5.9	42.9	PPG-PR 331	6.1	52.4
DLFPS-236/3543	5.9	47.6	PPG-PR 339	5.8	33.3
DLFPS-236/3544	5.9	47.6	PPG-PR 343	5.9	47.6
DLFPS-236/3545	5.8	28.6	PPG-PR 360	5.8	19.0
DLFPS-236/3546	5.8	33.3	PPG-PR 367	5.8	14.3
DLFPS-236/3547	5.9	33.3	PPG-PR 370	5.9	38.1
DLFPS-236/3548	5.7	33.3	PPG-PR 371	5.9	42.9
DLFPS-236/3550	5.8	14.3	PPG-PR 372	6.0	42.9
DLFPS-236/3552	5.8	42.9	PPG-PR 385	5.6	9.5
DLFPS-236/3553	5.8	23.8	PPG-PR 419	6.0	42.9
DLFPS-236/3554	6.1	61.9	PPG-PR 420	6.0	47.6
DLFPS-236/3556	5.8	38.1	PPG-PR 421	6.0	42.9
DLFPS-238/3014	5.2	14.3	PPG-PR 422	6.0	38.1

APPENDIX TABLE. SUMMARY OF TURFGRASS QUALITY RATINGS FOR PERENNIAL RYEGRASS CULTIVARS \*/  
 (CONT'D) 2017 DATA  
 TURFGRASS QUALITY RATINGS 1 9; 9=IDEAL TURF \*\*/

NAME	QUALITY	MAXIMUM
	MEAN 1/	IN TOP 25% 2/
PPG-PR 423	5.9	33.3
PPG-PR 424	6.1	57.1
PR-5-16	5.9	38.1
PR-6-15	5.8	19.0
PST-2A2	5.8	38.1
PST-2BDT	5.6	19.0
PST-2EGAD	5.7	19.0
PST-2FOXY	5.8	19.0
PST-2GTD	5.7	23.8
PST-2MAY	5.8	30.0
PST-2PDA	5.6	4.8
PEPPER 11 (RAD-PR 103)	5.7	23.8
RAD-PR 112	5.6	19.0
RRT	5.8	23.8
SAGUARO	5.5	4.8
SAVANT	5.5	28.6
SEABISCUIT	5.8	28.6
SIGNET	5.7	9.5
SILVER SPORT (PST-2CRP)	5.9	42.9
SNX	5.5	19.0
SR 4650	5.7	19.0
UF3	5.6	9.5
UMPQUA	5.8	23.8
XCELERATOR	5.8	38.1
C.V. (%)	9.6	
LSD VALUE	0.2	

\*/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

\*\*/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

1/ MEAN AN AVERAGE OF ALL THE TURFGRASS QUALITY RATINGS FROM ALL LOCATIONS.

2/ MAXIMUM IN TOP 25% THE PERCENTAGE OF LOCATIONS WHERE THAT ENTRY FINISHED IN THE TOP 25% OF ALL ENTRIES.