

PRELIMINARY DATA - NOT FOR PUBLICATION
 TURFGRASS QUALITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
 GROWN AT EIGHTEEN LOCATIONS (FULL SUN) IN THE U.S.
 2006 DATA

TABLE 1.

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF

NAME	IA1	IL1	IN1	KY1	MA1	MN1	NC1	NE1	NJ1	NJ2	OK1	PA1	TN1	UT1	VA1	WA1	WI1	WY1
1QG-38	6.3	5.4	6.3	6.9	5.3	5.3	6.9	4.2	6.1	4.8	5.5	6.3	6.8	3.9	5.9	4.8	6.4	5.8
A00-1254	6.2	4.6	5.9	6.0	5.4	3.9	5.7	4.8	5.4	4.8	5.0	4.9	6.5	5.2	5.5	5.0	4.8	5.8
A00-1400	7.5	5.4	7.1	7.1	6.3	6.0	7.0	4.1	6.7	6.2	5.0	7.2	6.2	5.4	5.0	5.1	5.7	6.2
A00-247	5.7	4.7	6.1	6.7	5.5	4.8	6.3	3.8	5.8	5.1	5.2	5.9	6.7	4.1	5.5	4.5	5.7	5.5
A01-299	7.2	5.1	6.0	7.2	6.0	5.0	7.0	5.0	5.2	4.9	5.3	6.8	6.9	4.1	6.1	4.7	5.7	6.4
A01-349	6.4	5.0	6.7	7.0	5.9	6.0	6.3	3.9	5.8	5.3	5.6	7.2	6.9	5.5	5.2	4.5	6.2	6.1
A95-410	6.4	5.0	6.2	6.7	5.9	5.3	6.3	3.1	6.3	4.7	5.4	6.2	6.6	5.6	5.7	5.6	5.2	6.2
A97-1287	6.6	5.1	7.2	6.9	5.9	5.3	7.0	5.2	5.4	5.4	5.3	7.1	7.1	5.1	6.9	4.9	6.6	6.4
A98-689	5.9	4.9	5.7	6.6	5.4	4.4	5.4	4.9	5.6	4.5	5.5	6.7	7.0	5.2	6.8	4.8	4.7	6.1
A98-948	6.3	5.5	6.0	6.7	5.8	5.2	6.0	4.4	5.5	4.6	5.2	6.4	6.6	5.5	5.6	5.1	5.9	5.8
A98-999	6.6	5.4	5.8	6.8	5.7	4.4	5.6	2.9	5.3	4.0	4.4	6.1	6.5	5.7	6.1	5.2	5.6	5.7
A99-2559	6.9	5.2	6.5	7.0	6.0	5.7	6.5	4.6	5.9	5.6	5.2	6.4	6.9	4.4	6.5	5.8	5.9	6.3
A99-3119	6.3	5.2	6.3	6.9	5.8	4.7	6.2	3.7	5.6	5.0	5.3	6.3	6.9	4.3	5.5	4.8	6.4	6.2
AKB449	7.2	5.0	7.0	7.2	5.8	5.0	7.1	3.1	6.1	5.4	5.5	6.4	6.8	5.7	6.2	5.8	5.7	6.3
AMERICA	6.6	5.0	6.0	6.7	5.9	5.0	6.1	4.0	5.4	5.0	5.3	5.7	6.9	4.5	6.0	4.8	6.1	6.1
ARGOS	6.7	4.9	6.3	7.0	6.0	4.8	6.6	4.1	6.1	5.7	5.0	6.1	6.6	4.6	5.3	4.8	6.2	6.1
ARROWHEAD (NA-3261)	6.9	4.5	6.6	7.1	5.4	4.8	6.4	3.6	4.9	3.5	5.2	6.4	6.3	5.1	6.0	4.6	5.2	6.2
AVID	6.3	5.5	6.9	7.0	5.7	5.6	6.8	4.4	5.8	5.9	5.4	7.3	6.7	4.1	5.7	5.4	6.1	5.9
AWARD	6.8	4.7	7.3	7.1	6.1	5.5	7.1	6.4	7.1	6.3	5.4	7.3	6.5	5.0	6.6	5.0	6.2	6.2
BANDERA (SPTR 2LM95)	5.9	4.3	6.5	5.6	5.3	4.2	6.4	4.1	4.8	4.5	4.9	6.4	6.5	4.3	5.8	5.1	4.8	6.3
BAR VK 0710	6.2	4.7	5.2	5.6	4.9	4.2	5.6	3.1	4.8	4.0	4.7	5.8	6.7	5.0	5.7	5.4	4.7	6.2
BAR VV 0665	6.4	4.8	5.5	6.3	5.4	4.4	5.2	3.6	5.4	4.1	5.0	5.6	6.7	5.6	5.1	5.3	5.4	5.8
BAR VV 0709	6.6	5.1	5.7	6.6	5.2	4.5	5.4	2.9	4.4	4.3	5.8	5.4	7.0	6.2	5.8	5.7	5.8	5.9
BAR VV 8536	6.4	4.9	5.7	5.8	5.2	3.9	5.6	4.1	4.3	4.8	4.8	5.3	6.7	5.4	5.8	5.4	4.5	6.2
BAR VV 9630	5.9	5.3	4.9	6.3	5.6	5.1	5.4	4.2	4.6	4.2	5.6	6.1	6.9	5.7	5.9	5.3	6.0	6.1
BAR VV 9634	6.4	5.2	4.8	6.3	5.6	4.3	5.4	3.9	4.8	4.5	5.6	6.0	6.8	5.5	5.2	5.5	5.4	6.3
BARIRIS	6.1	5.0	5.8	6.0	5.1	4.8	5.8	2.8	5.8	4.0	5.1	6.3	6.6	5.8	4.8	5.7	5.0	6.2
BARON	6.4	4.3	5.7	6.0	5.4	4.4	6.0	4.8	4.6	5.0	5.1	6.2	6.4	5.0	6.3	5.3	5.3	6.1
BARRISTER	6.6	4.9	7.0	6.8	5.9	5.2	6.9	5.8	6.1	5.8	5.7	7.2	7.0	5.1	6.3	5.5	5.9	6.3
BD 03-159	7.3	6.2	6.3	7.6	6.0	6.0	7.3	2.9	7.2	6.4	5.0	8.0	6.6	4.8	6.0	5.8	6.2	6.3
BD 03-84	6.8	6.3	7.2	7.4	5.9	6.8	7.0	4.0	6.2	6.0	5.2	7.4	6.6	5.8	6.4	5.3	7.1	6.2
BD 95-1930	6.4	5.3	6.0	6.4	5.3	5.0	5.7	4.3	5.8	4.7	5.5	7.5	6.9	5.8	7.0	5.3	7.1	6.1
BD 98-1358	6.6	5.5	5.9	6.7	6.1	5.0	5.7	4.2	5.8	4.3	5.0	6.1	6.7	4.8	6.0	4.5	6.2	6.1
BD 98-2108	6.3	5.0	6.7	7.0	5.7	5.6	6.6	4.1	6.3	5.4	4.8	6.7	6.6	4.4	5.3	5.8	6.4	6.1
BD 99-2103	7.1	5.6	7.0	7.0	6.1	5.4	7.4	4.1	6.2	5.7	5.4	7.1	6.7	4.8	5.9	4.9	6.8	6.1
BELISSIMO	6.1	4.8	6.5	6.8	5.8	5.2	6.0	3.6	6.4	4.6	5.5	6.7	6.6	4.1	6.5	5.1	6.6	6.0
BEWITCHED	7.3	5.7	7.8	8.0	6.0	5.9	7.0	3.9	6.7	6.1	5.6	7.2	6.6	4.6	7.0	5.2	6.0	6.0
BEYOND	6.8	5.6	7.2	6.9	5.5	4.3	7.3	5.9	7.3	5.9	5.2	7.2	6.9	4.6	6.5	4.9	6.6	6.7
BLUEBERRY	6.7	4.2	6.5	7.3	6.0	5.5	7.3	4.4	6.9	6.3	5.3	6.4	6.7	4.9	5.2	4.9	5.3	6.2
BLUESTONE	6.1	5.3	7.5	7.0	5.7	5.6	6.8	6.0	6.8	5.6	5.6	6.3	6.5	5.2	6.2	5.1	6.8	6.0
CORSAIR (NA-3249)	6.4	4.2	5.9	7.3	5.3	4.2	6.8	4.0	4.7	3.2	5.0	6.1	6.3	5.5	4.6	5.2	4.2	5.8
CP 76-9068	5.9	4.7	6.1	6.2	5.2	4.4	6.1	4.3	6.7	4.4	5.1	7.1	6.6	3.6	5.0	4.3	5.6	5.9
CPP 817	6.1	4.6	5.8	6.3	5.3	5.2	5.8	4.1	5.6	4.8	4.8	6.0	6.7	5.0	3.8	5.1	7.0	6.1
CPP 821	5.8	4.2	6.5	6.1	4.9	4.5	6.0	4.7	5.8	4.2	5.0	6.7	6.7	5.1	5.7	4.6	5.6	5.8
CPP 822	5.9	4.3	5.9	6.6	5.6	4.2	6.5	4.5	6.3	4.8	5.4	7.2	6.6	3.7	5.5	4.5	5.8	5.9

TABLE 1. (CONT'D)

PRELIMINARY DATA - NOT FOR PUBLICATION
TURFGRASS QUALITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
GROWN AT EIGHTEEN LOCATIONS (FULL SUN) IN THE U.S.
2006 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF

NAME	IA1	IL1	IN1	KY1	MA1	MN1	NC1	NE1	NJ1	NJ2	OK1	PA1	TN1	UT1	VA1	WA1	WI1	WY1
CRUSADER (NA-3271)	7.5	5.4	7.0	6.6	6.1	5.0	7.1	4.1	5.9	5.7	5.1	6.7	6.4	5.3	7.0	5.3	5.7	5.5
DIVA	5.6	4.5	6.7	7.1	6.0	5.2	6.6	4.6	6.2	5.6	5.0	6.1	6.7	4.1	6.1	4.9	6.9	5.7
DLF 76-9075	6.1	5.1	6.0	5.8	5.2	5.0	5.5	.	3.3	4.4	4.7	6.1	6.6	5.6	6.1	5.1	6.6	6.1
DP 76-9066	6.4	5.0	7.0	7.0	6.0	5.9	6.3	5.9	5.8	5.0	5.0	7.9	6.7	5.1	5.8	5.3	6.9	6.1
DP 76-9081	6.4	4.9	6.0	5.7	5.4	4.0	5.3	2.9	4.6	3.0	5.1	5.9	6.7	5.5	5.6	5.3	4.8	5.3
DYNAMO	6.8	4.4	6.0	6.3	5.5	4.9	6.5	4.3	4.6	5.4	4.2	6.8	6.7	5.4	4.6	5.0	5.1	6.1
EMBLEM (PST-Y2K-169)	6.6	5.8	7.3	7.7	5.3	5.3	7.2	5.7	5.5	7.1	5.3	7.0	6.4	4.7	6.1	5.1	4.4	6.6
EVEREST	6.8	5.3	7.4	7.5	5.8	5.6	6.8	6.4	7.6	6.5	5.6	7.5	6.7	4.9	6.8	5.3	6.6	5.8
EVERGLADE	6.7	5.7	7.3	7.5	6.0	5.1	7.0	6.9	7.1	5.9	5.6	7.3	6.8	5.2	6.3	5.0	6.6	6.3
EXCURSION	7.3	5.1	7.2	7.5	5.9	5.6	7.1	6.6	7.6	6.0	5.5	6.7	6.5	4.9	6.0	4.9	6.7	6.6
GLENMONT	6.3	4.5	5.8	6.7	5.7	4.8	6.0	3.3	5.6	5.0	4.8	6.3	5.7	5.3	5.0	4.3	5.7	6.2
H94-305	6.8	5.3	5.5	6.1	5.3	3.7	5.7	2.3	5.2	4.0	5.4	6.1	6.6	5.9	5.3	4.9	5.0	5.7
H98-701	6.2	4.9	6.0	6.4	5.7	4.8	6.2	3.6	5.1	4.6	5.3	5.9	6.6	4.9	5.5	4.8	6.1	5.7
HARMONIE	6.1	4.9	6.5	6.3	5.3	4.5	6.1	5.1	6.1	4.3	4.7	6.6	6.1	4.7	5.8	4.7	5.9	6.1
IMPACT	6.8	5.2	7.3	7.0	5.4	5.1	7.3	5.9	7.3	6.4	5.5	7.7	6.6	4.8	6.8	5.1	6.9	5.9
J-1326	7.2	5.4	7.6	7.9	5.0	5.4	6.8	6.2	7.3	5.8	5.9	7.7	6.9	5.0	5.9	4.8	6.2	6.7
J-1334	7.1	5.3	7.2	7.3	5.5	5.1	7.1	6.5	6.7	6.0	5.7	7.7	6.6	5.4	5.9	5.3	5.7	6.6
J-1466	7.2	5.5	7.3	7.6	5.6	5.8	7.0	6.5	7.1	6.0	5.7	7.4	6.6	5.1	6.6	5.0	7.0	6.3
J-2024	6.8	5.4	7.3	7.4	5.5	5.1	6.8	5.9	7.0	6.0	5.8	7.3	6.6	5.1	6.7	5.8	6.6	6.6
J-2399	7.1	5.4	7.4	7.4	5.7	5.6	7.1	6.5	7.2	6.3	5.7	7.3	6.7	5.4	6.8	5.7	6.7	6.5
J-2404	6.7	5.6	7.3	7.0	5.6	6.6	7.4	6.4	7.1	6.2	6.0	7.8	6.9	5.6	6.2	5.2	6.8	6.0
J-2502	7.0	5.1	7.3	7.5	5.7	5.8	7.3	5.5	6.5	6.2	5.7	7.7	6.9	4.9	6.4	4.6	5.9	6.6
J-2791	6.5	5.3	6.9	7.1	5.6	5.3	6.8	5.2	5.9	5.5	5.5	7.0	6.5	4.8	6.6	4.9	5.4	5.3
J-2870	7.3	5.6	6.8	7.4	5.7	6.3	7.1	5.8	7.5	5.5	5.7	7.7	6.5	4.9	6.8	5.0	6.3	6.4
J-3429	7.1	5.4	7.4	7.9	5.6	5.5	7.5	4.2	6.5	6.1	5.2	6.8	6.9	4.4	6.8	5.4	5.6	6.5
JULIA	6.7	5.1	5.4	6.0	5.4	5.3	6.0	2.9	6.2	4.5	4.8	5.9	6.6	5.4	5.0	5.8	5.6	6.1
KENBLUE	6.4	4.6	4.5	5.2	4.6	3.2	4.5	2.8	3.1	3.8	4.0	5.1	6.6	5.4	5.6	5.1	4.0	5.3
MIDNIGHT	6.9	6.0	7.4	7.7	5.6	5.2	7.1	6.0	7.6	5.8	5.8	7.1	7.0	5.5	7.3	5.3	6.9	6.4
MSP 3722	6.4	4.9	6.3	6.3	5.7	5.5	6.7	3.9	5.7	4.9	5.3	5.8	6.4	5.4	6.2	4.3	6.0	5.9
MSP 3723	6.4	5.0	6.5	7.1	5.6	5.2	6.4	3.9	6.7	5.4	5.4	6.8	6.5	4.7	5.0	4.3	6.2	5.7
MSP 3724	6.2	5.3	6.5	6.6	5.6	5.0	6.1	4.3	6.4	4.9	5.1	6.5	6.4	4.0	5.9	4.6	6.3	5.8
MYSTERE	7.2	5.2	6.7	6.9	6.1	5.0	6.6	4.2	5.2	5.6	5.4	6.9	7.0	5.6	7.0	6.1	5.7	6.1
NA-3248	6.1	4.6	6.7	7.1	5.6	4.2	6.1	5.8	7.0	4.8	4.8	5.9	6.7	5.5	5.0	4.6	5.6	5.7
NA-3257	6.2	4.6	6.5	7.1	5.4	5.0	5.9	4.4	6.4	5.1	4.8	6.1	6.7	5.2	5.0	4.8	5.4	5.9
NA-3259	6.7	4.5	6.0	6.7	5.4	4.8	5.8	3.8	4.5	3.9	4.8	5.4	7.0	5.0	5.0	5.3	5.4	5.9
NU DESTINY	7.4	5.8	7.6	7.3	5.5	4.4	7.3	6.3	7.4	5.9	5.5	6.6	7.0	4.6	6.3	5.0	6.8	6.5
NUGLADE	7.4	5.4	7.5	7.4	5.8	5.5	7.3	6.1	5.9	5.8	5.7	7.6	6.7	6.1	6.4	5.1	7.2	6.4
PINOT (LTP-149)	6.9	5.0	5.4	7.0	5.6	3.7	7.2	4.7	4.9	3.9	5.0	6.4	6.9	4.3	5.7	4.7	4.4	5.8
POPR 04594	6.6	5.3	5.9	6.0	5.3	4.7	5.2	3.8	6.3	5.0	5.5	6.6	7.0	5.7	6.7	5.8	6.8	6.1
PROSPERITY	6.3	4.9	6.5	7.0	5.7	5.6	7.5	4.8	6.6	6.5	4.9	7.2	6.4	4.0	5.4	4.4	5.5	6.3
PSG 366	6.8	5.6	6.5	6.8	5.7	4.9	6.6	4.4	4.7	5.0	5.3	6.9	6.4	5.9	5.4	4.8	5.7	5.9
PSG 711	6.2	4.8	6.0	6.7	5.7	5.2	6.2	3.7	5.3	4.7	5.4	6.2	7.0	4.5	5.4	4.3	5.9	6.2
PST-101-390	6.4	4.6	6.4	7.5	5.2	5.4	7.3	6.2	6.3	6.6	4.5	6.7	6.3	4.3	4.7	5.0	5.1	5.9

TABLE 1. (CONT'D)

PRELIMINARY DATA - NOT FOR PUBLICATION
TURFGRASS QUALITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
GROWN AT EIGHTEEN LOCATIONS (FULL SUN) IN THE U.S.
2006 DATA

NAME	TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF																	
	IA1	IL1	IN1	KY1	MA1	MN1	NC1	NE1	NJ1	NJ2	OK1	PA1	TN1	UT1	VA1	WA1	WI1	WY1
PST-101-73	6.1	4.5	6.0	6.3	5.5	4.4	6.5	3.6	5.3	5.3	5.3	6.2	6.7	4.7	5.8	4.4	6.2	5.8
PST-109-752	6.6	5.1	5.9	6.2	5.4	5.3	6.1	2.7	5.2	5.0	4.3	6.3	6.4	4.3	6.6	5.6	6.1	6.4
PST-1A1-899	6.8	4.9	6.9	6.6	5.7	6.0	6.7	6.3	6.0	5.6	5.5	6.3	6.1	4.7	5.5	5.5	6.2	6.3
RAD-0AN64	6.2	4.5	6.5	6.4	5.9	4.3	6.4	3.4	4.9	4.4	4.5	5.7	7.0	5.4	4.5	5.7	6.7	6.2
RAD-343	6.6	5.5	5.9	6.1	5.2	5.4	5.3	4.4	6.2	4.4	5.1	7.0	6.1	6.0	7.0	5.5	6.7	6.1
RAD-504	6.8	5.0	6.5	6.5	5.2	5.3	6.3	3.7	5.2	5.1	4.9	6.5	6.4	5.6	5.4	5.4	5.0	6.0
RAD-762	6.4	4.8	6.0	6.9	5.3	5.7	5.3	3.8	5.4	4.4	5.3	6.9	6.4	5.1	6.3	5.2	6.8	6.2
REVEILLE	5.9	3.5	5.0	4.9	3.5	1.9	5.1	1.7	3.2	3.0	4.5	2.9	6.3	4.2	4.4	3.8	2.2	5.2
RHYTHM	6.8	5.6	7.4	7.3	5.5	6.0	7.3	5.4	6.3	5.5	5.6	7.4	7.0	5.5	5.9	5.3	6.0	6.3
RUGBY II	6.9	5.5	6.0	6.8	5.7	5.1	5.8	5.5	5.3	5.1	5.2	6.3	6.4	6.4	6.4	5.4	6.2	6.1
SHAMROCK	6.7	5.5	6.0	6.7	5.9	5.0	6.2	4.5	5.4	4.6	4.5	6.3	6.7	5.6	5.2	5.2	6.3	5.7
SHIRAZ (LTP-73)	6.8	5.6	7.1	7.3	5.9	6.4	6.8	4.4	5.7	6.0	5.5	6.7	6.7	5.1	5.2	5.6	6.0	5.7
SKYE	6.8	5.4	6.9	7.3	5.7	5.0	6.7	4.4	5.8	5.6	5.3	5.8	6.7	6.2	7.0	5.5	5.9	5.8
SPTR 2959	6.2	4.7	6.2	6.6	5.4	4.2	6.0	4.2	6.1	3.5	5.0	6.1	6.7	5.3	5.9	5.3	5.4	5.7
STARBURST (STR 2703)	6.9	5.4	6.5	6.8	5.6	4.9	6.1	3.9	5.9	5.0	5.3	7.1	6.7	5.7	5.8	5.6	5.4	6.1
STR 2485	6.1	5.0	6.5	6.7	5.4	4.9	5.6	3.4	5.8	4.8	5.4	6.5	6.8	5.1	6.6	5.8	6.1	5.9
STR 2553	6.1	4.9	6.1	7.2	5.5	5.2	6.4	3.9	5.7	4.9	5.0	6.2	6.6	4.6	6.2	4.8	6.5	6.1
SW AG 514	5.9	5.0	7.0	6.6	5.0	5.3	6.3	5.9	6.1	5.5	5.3	6.8	6.5	5.8	4.8	5.0	5.8	6.2
TOUCHE (STR 23180)	6.6	4.6	6.2	6.6	5.6	5.1	5.6	4.4	5.6	4.8	5.5	6.8	6.6	4.8	7.2	5.3	6.9	6.1
WASHINGTON	6.5	5.4	6.4	6.7	5.5	5.6	5.3	4.3	5.8	5.0	5.5	6.9	6.3	6.2	6.5	6.2	6.8	6.1
WILD HORSE (A97-890)	6.4	5.0	6.0	6.4	5.7	4.8	5.6	4.3	5.7	4.1	4.5	6.1	6.6	5.4	6.2	5.0	5.4	5.9
ZINFANDEL (LTP 2949)	6.8	5.4	7.0	7.5	6.1	5.7	7.1	4.8	5.3	6.1	5.8	6.9	6.4	4.8	6.6	5.7	7.1	6.2
LSL VALUE	0.7	1.0	0.8	0.5	0.7	1.1	0.8	1.0	1.0	1.0	0.5	1.0	0.7	1.3	1.3	0.9	0.9	0.8
C.V. (%)	7.0	11.8	7.3	4.9	8.1	13.0	8.2	13.7	10.8	12.3	6.3	9.4	6.2	16.0	13.2	11.3	9.6	8.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

PRELIMINARY DATA - NOT FOR PUBLICATION
 TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS
 GROWN AT TWENTY-TWO LOCATIONS IN THE U.S. AND CANADA
 2006 DATA

TABLE 2.

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF

NAME	IA1	IL1	IL2	IN1	KY1	MA1	MI1	MN1	MO1	NE1	NJ1	OK1	OR1	PA1	QE1	RI1	SD1	UT1	VA1	WA1	WI1
\$ILVER DOLLAR	7.3	6.1	6.0	7.4	7.0	6.1	4.9	5.1	6.5	6.1	6.8	3.9	6.8	7.1	6.8	5.9	6.2	5.3	6.9	5.2	7.4
04-BEN	6.7	5.7	4.6	7.0	4.2	5.3	5.1	4.7	5.5	4.9	4.5	3.6	6.7	6.2	5.9	5.3	5.8	5.6	6.7	4.8	7.5
04-BRE	7.2	4.6	4.1	6.2	4.3	5.2	4.8	5.0	6.0	4.9	5.0	2.8	6.4	6.7	6.6	5.2	5.9	5.7	6.3	4.6	6.4
1G2 (APR 1664)	7.0	5.4	4.8	6.8	6.5	5.6	6.8	5.5	5.8	5.7	5.8	3.6	6.5	6.9	6.7	5.4	5.5	6.3	6.6	5.4	6.9
AC2	7.2	5.1	5.0	7.0	5.0	5.6	6.2	5.7	6.2	5.6	5.1	3.3	6.8	7.2	6.4	5.8	6.3	5.2	6.3	5.3	7.8
ACCENT II (JR-119)	7.0	5.0	4.8	6.8	4.6	5.6	5.6	5.2	5.8	5.4	4.7	4.1	6.4	6.5	6.2	6.2	5.9	6.6	6.3	5.0	7.2
AF	7.6	5.6	4.5	6.7	6.7	5.7	5.7	4.5	6.8	5.2	6.2	3.8	6.6	7.1	6.2	6.0	6.2	4.9	6.5	4.6	7.5
AFFINITY	6.7	4.8	4.5	4.3	4.2	5.6	4.4	3.3	4.6	3.9	3.7	3.8	6.1	5.5	5.5	4.8	5.4	5.0	6.3	3.9	5.2
ALL*STAR 3 (IS-PR 274)	7.9	5.0	4.3	7.0	7.3	6.3	6.5	6.1	6.3	5.3	7.2	3.2	7.0	7.6	6.2	6.5	6.5	5.4	6.7	4.9	7.7
AMAZING GS (IS-PR 276)	7.9	5.7	4.6	7.2	6.8	5.8	6.5	5.9	5.9	5.0	7.0	3.0	6.9	7.9	6.2	6.3	6.1	6.1	6.6	5.2	6.9
APPLE GL (AAZ-B104)	7.2	5.8	5.2	7.0	7.3	5.8	6.7	5.4	6.4	4.9	5.6	3.3	6.9	6.8	6.6	5.6	5.4	4.5	6.5	5.0	7.0
APR 1648	7.6	6.1	5.8	6.4	3.7	6.2	5.8	5.7	6.6	5.8	5.5	4.1	6.8	6.4	6.4	6.3	6.4	6.4	7.0	5.7	8.4
APR 1670	7.0	5.7	5.8	6.0	7.0	5.7	5.1	4.0	5.9	4.9	5.7	3.5	6.7	5.8	6.2	5.7	6.0	5.8	7.3	4.6	6.4
ASP6001 (RTS)	7.0	5.0	5.0	7.6	4.5	5.5	5.1	4.8	6.3	6.0	4.8	3.3	6.7	7.1	6.6	6.1	5.8	5.6	6.5	5.0	6.3
ASP6002 (BPR)	7.1	5.4	4.8	6.7	3.7	5.1	6.1	5.6	5.8	5.3	5.3	3.5	6.8	7.3	5.8	6.4	5.9	5.6	6.6	5.9	7.4
ASP6003 (TRS)	6.6	5.1	4.7	7.7	3.6	5.5	5.7	5.0	6.0	5.5	4.9	3.0	6.9	7.6	6.2	6.5	6.1	6.2	6.3	5.5	7.9
ASP6004 (EXS54)	7.2	5.7	4.5	8.1	5.4	5.5	5.9	5.2	5.8	5.7	5.8	3.1	6.8	7.3	6.6	6.2	6.8	5.7	6.8	5.4	6.6
ASP6005 (AJM)	6.5	5.6	4.6	7.7	4.3	5.6	6.1	4.7	5.8	6.0	5.2	3.8	6.8	7.2	6.2	6.0	6.2	4.8	6.2	5.6	7.6
ASP6006 (LPFG)	8.0	5.8	4.4	7.4	3.5	5.2	5.9	5.3	6.3	5.7	5.1	3.9	6.8	7.3	6.2	6.4	6.1	5.9	6.3	5.4	5.7
ATTRIBUTE (IS-PR 270)	6.9	5.3	4.5	7.6	6.0	5.2	5.9	4.9	6.1	5.4	6.5	3.4	6.9	7.2	6.3	6.3	6.4	5.8	7.0	5.0	7.1
BAR LP 4317	7.5	6.0	4.8	6.3	5.0	5.5	5.0	5.1	6.1	5.0	3.9	3.7	6.5	6.4	6.5	5.5	5.4	5.3	6.1	5.0	7.7
BAR LP 4420	6.2	5.6	4.5	7.0	3.8	5.5	5.8	5.5	5.9	5.4	3.8	3.0	6.7	6.2	5.9	5.1	5.9	5.6	5.7	5.3	7.2
BAR LP 4920	7.6	4.9	4.1	6.0	1.6	5.3	5.6	5.7	5.5	5.3	4.0	3.3	6.4	6.1	6.7	5.2	6.5	5.5	6.2	5.4	6.8
BARLENNIUM	6.7	5.5	4.6	6.1	2.8	5.5	5.0	4.6	6.5	4.6	4.0	3.4	6.5	6.1	6.0	5.3	6.0	6.2	7.0	5.0	6.7
BRIGHTSTAR SLT	7.2	5.0	5.4	6.7	3.2	5.2	5.5	5.1	6.3	4.3	4.2	4.0	6.4	6.6	6.1	5.3	5.3	5.5	6.8	4.5	7.2
BUENA VISTA	7.6	6.2	4.9	7.3	5.1	6.0	6.4	5.0	6.0	5.3	5.1	3.1	6.8	6.7	6.4	5.6	6.1	6.0	6.9	5.2	6.3
CABO II (IS-PR 233)	7.4	5.2	5.3	7.5	5.8	6.0	6.7	4.6	6.1	5.1	5.3	3.0	6.8	6.7	6.0	6.2	6.1	5.2	6.9	5.9	5.7
CADDIESHACK II (JR-163)	7.1	4.4	5.6	7.0	5.1	5.2	5.2	4.6	6.4	5.0	4.0	3.9	6.7	6.7	6.2	5.8	5.8	6.6	6.6	4.4	6.9
CHARISMATIC II GLSR (LTP-PG-GLSR)	6.6	6.1	5.4	7.0	6.3	5.9	5.8	5.0	6.4	5.4	5.9	3.8	6.8	6.2	6.1	5.6	5.7	4.4	6.9	5.2	7.2
CITATION FORE	7.2	6.0	4.8	7.0	5.2	5.9	5.3	5.2	6.2	5.3	5.0	4.0	6.4	6.7	6.2	5.6	6.0	5.7	7.0	4.8	7.1
DO4-11T	7.1	5.6	5.0	7.1	6.5	5.7	7.2	5.8	6.4	5.8	6.9	3.1	6.9	7.7	6.6	5.9	6.1	7.0	6.8	5.6	7.4
DO4-1667	7.3	6.6	5.4	6.7	7.0	6.3	5.3	4.9	6.4	5.5	6.2	3.6	6.8	7.2	6.2	6.1	6.2	6.0	6.5	5.5	7.2
DO4-LP05	7.0	5.3	5.2	7.0	3.4	5.7	5.6	4.7	5.9	4.8	4.2	4.0	6.8	6.6	6.6	5.2	5.8	5.0	6.9	5.3	7.4
DO4-UP	7.5	6.3	4.4	6.7	6.0	5.6	6.6	4.2	5.8	5.9	5.8	3.3	6.9	6.5	6.3	5.6	6.0	5.3	6.8	4.8	6.3
DART (APR 1663)	6.8	5.6	4.6	6.7	6.7	5.9	6.4	4.7	5.7	5.2	5.9	3.5	6.5	6.7	6.3	5.3	5.8	6.0	6.5	5.1	7.2
DCM	7.3	5.2	6.2	7.2	5.0	5.8	6.2	5.1	6.5	5.7	6.0	3.5	6.7	6.9	6.5	5.3	6.6	6.1	7.0	4.8	6.6
DELAWARE XL (PICK 01-2)	6.5	4.6	4.4	7.3	3.2	5.5	5.3	5.2	6.2	5.6	5.8	3.7	6.5	6.9	6.5	5.5	6.2	4.7	6.3	5.9	7.5
DERBY XTREME (IS-PR 268)	8.1	5.9	5.3	7.0	6.2	6.0	6.3	4.8	6.3	5.9	6.5	2.7	6.8	7.4	6.2	6.0	6.6	5.7	6.8	5.4	7.0
DP 17-9499	6.8	5.9	4.4	6.8	2.6	5.9	5.1	5.5	6.0	6.0	4.9	2.5	6.3	6.7	6.6	5.8	6.8	6.1	6.0	5.5	7.6
DP 17-9788	6.9	5.5	5.2	6.0	5.4	5.6	5.5	4.9	6.1	5.2	4.1	3.8	6.3	6.3	6.2	5.7	5.6	6.3	6.4	4.4	7.4
DP1	8.0	5.5	4.8	7.0	7.4	6.0	6.6	5.8	6.7	5.5	5.8	3.2	6.9	7.3	6.1	6.0	6.2	5.9	6.6	5.1	6.6
E-99	6.9	5.2	6.2	6.7	4.0	5.5	5.1	4.4	6.1	5.8	5.5	3.7	6.3	6.4	6.2	5.7	6.1	5.3	6.8	5.0	7.4
ES45	7.2	5.2	4.7	6.9	4.8	5.2	5.4	5.8	6.1	5.7	5.3	3.5	6.6	6.8	6.2	5.5	5.9	4.9	6.6	5.3	6.8
EXACTA II GLSR (LTP-611-GLSR)	7.0	6.0	4.2	6.9	7.2	5.7	6.0	5.9	6.3	5.9	6.0	3.0	6.7	7.2	6.3	5.9	6.1	6.5	7.0	5.5	6.7
FIESTA 4 (PICK F4)	6.8	4.8	4.9	7.6	6.6	5.8	6.5	5.1	5.8	5.8	6.8	3.0	6.9	7.3	6.7	5.9	6.8	6.0	6.9	5.6	8.0

TABLE 2. (CONT'D)

PRELIMINARY DATA - NOT FOR PUBLICATION
TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS
GROWN AT TWENTY-TWO LOCATIONS IN THE U.S. AND CANADA
2006 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF

NAME	IA1	IL1	IL2	IN1	KY1	MA1	MI1	MN1	MO1	NE1	NJ1	OK1	OR1	PA1	QE1	RI1	SD1	UT1	VA1	WA1	WI1
FIREBOLT (PRG HS-01-09)	6.8	4.7	4.6	7.7	4.5	5.6	5.4	5.0	6.3	5.3	3.7	3.3	6.9	7.2	6.2	5.2	6.3	6.2	5.9	5.3	6.7
FUSION	7.0	6.6	4.4	7.1	4.6	5.3	6.4	4.9	6.1	4.9	5.8	3.5	6.7	6.7	5.8	5.7	6.2	5.3	6.5	4.6	6.8
GALATTI (DP 17-9502)	6.4	4.5	4.6	7.1	3.5	5.2	5.8	5.5	5.7	4.7	4.9	3.5	6.5	6.7	6.6	5.7	6.4	5.4	5.4	5.4	7.3
GL-2	6.9	5.8	5.4	7.2	5.4	6.0	6.5	5.5	6.4	5.9	6.0	4.4	6.5	7.2	6.5	5.7	6.4	5.0	6.3	5.5	7.4
GOALKEEPER II (JR-114)	7.0	4.7	5.0	6.5	3.2	5.1	5.8	4.9	6.0	5.5	3.5	3.6	6.6	6.9	6.2	5.2	6.3	5.0	6.9	5.0	6.7
GPR	7.8	5.1	5.1	7.4	4.5	5.6	6.2	5.2	6.7	5.6	5.4	3.9	6.9	7.6	6.0	5.7	6.6	5.6	6.6	5.3	7.6
GRAY STAR (PST-2LGL)	7.1	5.5	5.0	7.3	5.5	5.6	5.8	5.1	5.8	4.8	5.3	3.3	6.6	6.9	6.3	5.7	6.3	5.8	6.3	5.7	7.4
HALO (KN42)	7.0	5.1	4.4	7.2	3.9	5.4	5.3	5.4	6.1	5.1	4.7	3.7	6.9	6.9	6.3	5.8	6.1	4.7	6.5	5.6	5.6
HARRIER (SRX 4UP3)	7.2	5.4	5.4	6.9	7.2	5.7	5.9	4.7	6.0	5.1	5.9	2.8	6.7	6.3	6.4	6.0	5.8	5.6	6.8	4.6	8.2
HEADSTART 2	6.4	5.0	3.9	7.3	3.1	5.1	5.9	5.0	5.8	4.8	4.1	3.0	6.6	6.3	6.3	5.4	5.9	5.1	5.9	5.2	5.6
HOMERUN (RG3P)	6.6	5.9	5.8	7.1	5.9	5.7	6.4	5.9	6.9	5.7	6.5	3.1	6.8	7.5	6.4	6.0	6.4	5.5	7.5	5.3	5.6
INSPIRE	7.1	5.9	6.1	6.8	3.1	5.5	5.4	4.6	5.5	4.9	4.6	3.2	6.6	7.1	6.2	5.3	5.6	6.2	6.6	4.9	6.9
KEYSTONE 2 (IS-PR 312)	7.1	6.2	5.1	7.0	5.9	5.9	6.7	5.7	6.7	5.3	6.2	3.4	6.9	7.2	6.3	6.3	6.8	5.8	6.7	5.0	7.4
KOKOMO II (IS-PR 235)	7.0	5.0	5.5	7.2	5.5	5.9	6.6	5.1	6.0	5.6	6.3	3.2	7.1	6.7	5.9	5.7	5.7	5.0	7.2	5.3	7.3
L44	6.5	4.8	5.0	6.8	3.5	5.5	5.5	4.8	6.3	4.9	4.8	2.9	6.6	6.9	5.9	5.9	5.9	5.5	5.9	5.0	5.9
LA QUINTA (JR-255)	7.1	5.3	5.1	7.2	3.7	5.0	5.2	4.7	6.4	4.9	4.0	3.3	6.8	6.6	6.3	5.3	5.8	5.5	6.7	4.7	7.1
LCK	7.2	5.8	5.4	7.4	6.0	6.2	6.2	5.9	6.5	5.5	6.6	2.9	6.9	7.7	6.5	6.2	6.3	5.6	6.4	5.0	8.7
LINE DRIVE GLS (APR 1797)	7.3	5.6	4.8	6.6	7.3	5.9	5.8	4.7	6.5	5.4	5.9	4.2	6.8	6.6	6.2	5.4	5.7	5.7	6.5	5.3	7.6
LINN	6.6	3.0	2.0	2.3	1.1	3.0	2.3	1.1	3.2	1.1	1.0	3.5	4.8	1.8	4.9	2.2	2.0	3.6	3.5	2.0	2.8
LPR 02203	7.2	4.0	4.1	5.2	1.0	4.3	3.8	4.0	5.6	4.1	2.7	4.3	6.1	5.4	5.8	4.6	4.4	4.8	5.7	4.0	5.8
MACH I	6.9	6.4	4.5	7.2	3.8	5.5	6.4	5.5	5.8	6.5	4.6	3.2	6.9	7.2	6.6	5.9	6.3	6.0	6.3	5.5	7.5
MANHATTAN 5 GLR (PST-2AM)	6.8	6.3	5.9	6.7	6.7	5.7	6.0	5.3	6.2	4.8	5.0	3.5	6.6	6.5	6.2	5.5	5.4	5.0	6.7	5.0	8.0
MMW	7.5	5.6	4.2	7.0	6.5	6.0	5.6	6.1	6.2	6.2	6.3	4.0	6.8	6.8	6.1	6.4	5.6	6.4	6.7	5.4	5.9
MONTEREY 3 (JR-408)	7.4	5.1	4.9	7.3	3.8	5.1	6.0	4.3	6.5	5.4	4.5	3.6	6.4	6.6	5.8	5.0	5.9	5.6	6.8	5.2	6.5
MS2	6.6	5.6	3.9	7.8	3.8	5.6	6.0	5.4	5.9	5.1	5.2	3.5	6.7	7.3	5.9	6.1	6.1	6.3	6.5	5.9	6.9
NEXUS XD (SP4)	7.0	5.3	5.3	7.6	4.4	5.6	6.2	5.4	5.9	5.0	4.8	3.4	6.6	7.1	6.7	6.0	5.8	5.3	6.5	5.2	5.1
NEXUS XR (SNR)	7.4	5.8	4.5	7.1	4.6	5.2	5.7	5.4	6.2	5.1	5.1	3.2	6.7	7.3	5.8	5.9	5.9	6.5	6.5	5.2	6.0
OVERDRIVE	6.9	6.1	5.0	6.6	5.5	5.6	6.0	5.8	6.3	5.7	5.5	3.1	6.8	7.1	6.4	5.5	5.9	4.9	6.7	5.2	7.8
PALACE (IS-PR 273)	7.5	6.3	5.9	7.7	5.2	5.7	5.8	5.1	6.0	4.7	6.2	3.6	6.7	7.9	6.1	6.1	6.3	6.5	7.2	5.6	7.8
PALMER III	6.2	4.7	4.3	6.2	3.1	5.6	5.1	4.3	5.7	5.3	3.9	3.7	6.3	6.6	5.9	5.0	5.9	5.0	6.8	4.6	6.4
PALMER IV	7.3	5.9	4.8	7.0	6.9	5.6	5.7	4.0	6.3	5.2	5.9	2.9	6.7	7.3	6.2	5.7	5.2	5.1	6.7	5.3	7.2
PANTHER	7.5	4.7	4.1	6.2	1.7	4.9	4.8	4.2	5.2	4.8	3.6	3.3	6.1	5.6	6.0	5.1	6.3	5.2	6.2	4.6	5.8
PANTHER GLS	6.5	6.2	6.2	6.8	6.8	5.6	5.5	5.5	6.3	5.7	6.6	3.5	6.7	6.8	5.8	5.6	6.0	5.1	6.3	4.9	7.8
PARAGON GLR	8.1	5.8	5.3	6.4	6.3	5.3	6.9	4.8	5.9	5.5	5.7	3.0	6.9	7.2	5.8	5.9	6.9	5.6	7.0	5.2	7.9
PENTIUM	7.0	5.7	4.5	6.1	4.6	5.5	4.8	4.5	6.7	4.5	5.5	3.1	6.5	6.8	6.2	5.4	6.1	5.0	6.8	5.0	7.0
PHENOM (APR 1660)	7.1	5.4	5.3	5.6	7.0	5.9	5.8	4.5	6.5	4.9	5.3	3.3	6.5	6.2	6.6	5.2	6.4	5.5	7.0	5.1	6.1
PIANIST (DP 17-9505)	6.5	4.7	4.6	6.5	2.8	5.6	5.5	5.0	5.7	5.2	4.3	3.3	6.4	6.1	6.2	5.5	6.1	5.1	6.2	5.0	5.3
PICK 02-R	6.5	4.2	3.8	8.0	2.5	4.4	6.1	4.7	5.0	5.6	3.5	2.8	6.9	7.0	6.0	5.5	5.7	6.2	5.2	5.0	7.0
PICK RB-1	7.2	5.0	4.9	7.1	6.6	5.9	6.8	5.4	6.1	6.0	6.6	3.1	6.7	6.7	6.2	5.7	6.2	6.4	6.4	4.9	7.2
PINNACLE	7.0	4.2	4.2	3.8	3.1	4.8	3.7	2.8	5.3	3.0	3.1	4.6	6.2	4.0	5.5	4.2	4.2	4.6	5.8	3.8	4.9
PINNACLE II	6.7	6.2	5.1	7.5	4.7	5.2	5.8	5.3	5.4	5.7	5.1	3.4	5.9	7.1	6.5	5.9	6.7	5.3	5.8	5.2	6.8
PIZZAZZ	6.8	5.3	3.5	6.7	1.7	5.4	6.7	5.5	6.0	5.4	5.2	3.8	6.6	6.9	5.9	5.9	6.7	6.2	6.2	5.4	7.1
PLEASURE SUPREME (PM 103)	6.9	5.3	5.4	7.2	5.0	5.2	6.1	5.2	5.2	6.3	5.4	3.2	6.6	7.2	6.6	5.6	6.3	5.8	6.2	5.7	7.6
PM 101	7.4	6.0	4.6	8.6	2.9	5.5	6.5	5.9	6.2	6.5	4.7	3.6	6.9	7.3	6.7	6.1	6.6	6.6	5.6	5.7	7.2
PM 102	6.9	5.3	4.8	7.1	3.8	5.2	5.6	4.6	6.0	5.2	4.2	3.5	6.8	6.4	6.3	5.7	5.6	5.4	5.8	5.7	7.1

TABLE 2. (CONT'D)

TURFGRASS QUALITY RATINGS OF PERENNIAL RYEGRASS CULTIVARS
GROWN AT TWENTY-TWO LOCATIONS IN THE U.S. AND CANADA
2006 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF

NAME	IA1	IL1	IL2	IN1	KY1	MA1	MI1	MN1	MO1	NE1	NJ1	OK1	OR1	PA1	QE1	RI1	SD1	UT1	VA1	WA1	WI1
PREMIER	7.4	4.4	4.9	4.6	3.3	5.4	3.9	2.7	4.8	3.4	3.8	4.0	6.2	4.9	5.7	4.3	4.1	4.2	6.6	4.0	5.4
PREMIER II	7.2	4.9	5.2	6.0	3.4	5.8	5.6	4.8	6.0	5.0	3.5	3.8	6.6	6.4	6.1	5.3	5.9	6.3	6.2	4.5	6.5
PRESIDIO (CNV)	6.8	5.6	4.8	7.9	4.8	5.6	5.9	5.1	6.0	6.2	5.0	3.1	6.8	7.1	6.3	6.0	6.2	4.8	6.4	5.5	7.3
PRIMARY (IS-PR 269)	6.9	6.1	5.3	6.9	6.1	5.3	6.5	5.1	6.2	5.8	6.4	3.0	6.8	6.6	6.4	5.6	6.8	6.2	7.1	5.1	7.8
PROTEGE GLR	7.3	5.3	4.4	7.0	5.8	5.8	6.7	5.7	6.4	5.5	6.0	3.0	7.0	6.7	6.1	5.6	6.2	4.5	6.5	4.9	7.5
PS-2	6.4	5.9	4.4	7.0	2.3	5.5	5.5	5.0	5.6	5.9	4.5	3.3	6.7	6.6	6.2	5.4	6.1	5.2	6.9	5.2	7.8
PST-217	6.9	6.0	6.2	6.1	5.4	5.6	6.0	5.6	6.3	5.2	5.0	3.5	6.7	6.6	6.1	5.7	5.9	5.0	7.0	4.4	6.6
PST-2AG4	7.8	5.9	5.3	7.3	5.3	5.6	5.0	5.1	6.1	5.3	6.5	4.3	6.5	7.3	5.8	5.1	5.6	4.9	6.5	4.8	6.8
PST-2BLK	6.4	5.3	5.5	7.1	4.9	4.8	4.9	5.0	6.7	4.9	5.4	4.3	6.6	6.3	6.4	5.2	5.4	4.4	6.8	4.9	6.9
PST-2GSM	7.0	5.7	5.1	6.9	6.4	5.5	5.5	4.8	5.8	4.6	6.5	3.7	6.4	7.1	6.4	5.4	6.1	5.5	7.0	5.0	7.8
PST-2LAN	7.3	6.2	6.2	6.9	5.8	4.9	5.9	5.0	5.9	5.0	5.0	3.8	6.7	6.7	6.2	5.9	6.1	5.5	7.0	4.7	7.7
PST-2MNG	7.1	5.1	5.4	7.2	6.1	5.5	5.5	4.5	6.4	5.4	6.1	3.4	6.7	7.1	6.5	5.6	5.8	5.1	6.8	5.0	7.6
QUICKSILVER	7.7	6.3	4.8	6.7	4.3	5.4	5.3	4.9	6.3	4.8	4.8	3.9	6.5	6.2	6.0	5.3	5.9	5.9	6.6	5.2	7.1
RAD-PR8	7.5	5.6	5.6	6.6	5.3	5.5	5.8	4.9	6.3	5.4	4.9	3.8	6.5	6.8	6.1	5.7	6.4	6.0	6.2	5.1	7.2
REGAL 5 (IS-PR 271)	7.0	6.3	4.7	7.3	4.9	5.8	6.3	5.5	6.2	5.0	6.6	3.3	6.9	7.9	6.1	6.7	5.6	5.7	6.3	5.2	7.2
REPELL GLS	7.7	6.2	5.3	6.3	5.6	5.7	5.7	4.3	6.0	5.0	5.1	3.7	6.8	6.7	6.1	5.3	5.9	5.8	7.2	4.8	7.2
REVENGE GLX (JR-348)	6.5	5.6	5.5	7.6	6.5	5.4	6.2	5.2	6.4	6.0	5.8	3.8	6.6	7.6	6.6	6.3	6.2	5.2	7.2	5.2	7.4
RNS	7.6	5.8	4.6	7.0	6.2	5.7	6.5	6.1	6.4	5.3	6.5	3.4	6.7	7.6	6.5	5.9	6.3	5.8	6.4	5.2	7.3
SECRETARIAT II GLSR (LTP-101-GLSR)	7.3	5.4	5.2	6.9	6.3	5.7	5.9	5.3	6.0	5.2	5.8	3.9	6.7	7.0	5.9	5.6	6.1	5.6	6.9	5.1	8.3
SR 4600 (SRX 4SP)	7.2	5.1	5.5	6.4	6.6	5.8	6.5	5.3	6.9	4.9	6.1	3.5	6.5	6.0	6.4	5.9	5.9	6.4	6.5	5.6	7.8
SRX 4682	7.1	5.0	5.1	6.0	6.2	5.7	4.3	4.4	6.2	4.6	4.8	3.9	5.9	4.5	5.9	5.2	5.1	4.9	6.8	4.6	6.4
SRX 4692	6.7	4.9	6.0	6.1	6.8	5.3	4.8	4.3	6.2	4.7	6.2	3.6	6.4	6.8	5.8	5.4	4.8	6.4	6.2	4.9	7.5
STELLAR GL (IS-PR 236)	6.9	5.8	5.0	7.2	6.3	5.8	6.7	5.7	6.1	5.0	5.6	2.8	6.8	7.1	5.9	5.6	6.2	5.0	6.9	5.1	7.0
SUNSHINE 2	6.0	4.5	4.9	7.9	2.5	5.0	5.9	4.6	5.5	5.4	3.3	3.0	6.8	7.1	6.4	5.8	7.3	5.0	6.5	5.6	7.4
TOP GUN II (JR-324)	7.0	5.9	5.6	7.4	3.5	5.5	6.2	5.5	5.8	5.7	4.7	3.6	6.4	6.7	5.7	6.3	6.6	5.9	6.7	5.0	7.6
TR47	7.4	5.3	4.9	7.5	4.9	5.7	5.5	5.3	5.9	6.3	5.0	3.8	6.6	6.9	6.2	6.2	5.3	5.8	6.2	5.5	7.2
VB77	7.3	4.7	5.2	7.6	4.5	5.4	5.2	4.9	6.1	5.7	4.9	3.5	6.8	7.3	6.2	5.7	5.8	5.2	6.5	5.2	7.6
VB99	7.2	4.7	4.9	7.5	4.3	5.7	5.8	5.0	6.3	5.4	4.6	3.4	7.1	7.3	6.3	6.1	6.4	6.3	6.0	5.3	6.5
WIND DANCE 2 (PWDR)	7.5	5.8	4.1	7.5	4.7	5.7	6.0	5.3	6.7	5.4	4.9	3.4	6.6	7.2	6.4	6.1	6.2	5.8	6.1	5.0	5.1
LSD VALUE	1.1	1.2	1.1	0.8	1.7	0.5	0.9	1.0	1.0	1.1	1.0	1.1	0.4	0.6	0.6	0.7	0.8	1.7	1.1	0.8	1.9
C.V. (%)	9.4	13.5	13.7	7.5	21.6	6.1	9.3	12.7	10.6	13.3	11.9	19.0	3.9	5.7	6.2	7.8	7.8	19.6	10.4	9.2	17.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

PRELIMINARY DATA - NOT FOR PUBLICATION
 MEAN TURFGRASS QUALITY RATINGS OF BENTGRASS CULTIVARS GROWN ON
 A FAIRWAY OR TEE AT SEVENTEEN LOCATIONS IN THE U.S. AND CANADA 1/
 2006 DATA

TABLE 3.

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	IA1	IL1	IL3	IN1	KS1	KY1	MA1	MI1	MN1	ND1	NE1	NJ1	OK1	PA1	QE1	VA1	WA1
13-M	6.4	6.5	6.7	7.3	5.7	7.2	4.9	6.5	6.4	4.0	5.8	6.3	7.1	6.8	5.3	7.1	6.5
ALPHA	6.3	6.7	5.0	7.0	6.0	7.0	4.4	6.1	5.7	4.1	3.6	5.4	6.9	6.3	5.5	6.7	6.8
AUTHORITY (235050)	6.7	6.8	5.8	7.0	5.0	7.1	4.5	6.5	7.0	3.6	4.5	6.7	5.8	6.9	5.3	7.1	6.8
BARDOT	6.2	4.0	.	4.5	4.6	5.3	5.4	3.3	5.3	4.6	3.9	4.5	6.2	3.2	6.4	6.4	5.2
BENGAL	6.8	6.4	5.6	6.5	5.1	6.8	4.7	6.2	5.1	4.3	4.6	5.0	6.3	5.6	5.4	6.2	6.4
DECLARATION	5.8	6.5	6.8	7.3	4.9	6.6	4.7	5.8	5.3	3.8	5.0	5.5	6.2	7.1	5.3	5.9	6.7
EWTR	6.5	4.4	.	4.7	4.7	5.8	5.6	3.6	6.0	4.2	4.0	4.9	5.6	3.5	6.4	6.7	5.4
INDEPENDENCE	6.4	6.2	6.2	6.8	5.5	6.8	4.1	6.6	5.1	4.3	3.0	4.9	6.4	6.5	5.4	6.3	6.5
IS-AP 14	5.9	6.4	6.0	7.0	5.7	6.5	4.6	5.8	6.1	4.6	3.2	5.7	6.3	6.4	5.2	6.1	6.6
IS-AT 7	6.4	4.8	.	4.5	4.6	6.5	5.2	4.1	6.1	4.2	4.9	5.0	4.9	4.1	6.0	7.3	5.2
KINGPIN (9200)	5.9	6.0	6.5	7.2	5.5	6.7	4.9	6.0	5.9	4.0	4.9	6.1	6.7	6.8	5.2	6.4	6.9
L-93	7.0	6.6	7.0	6.8	5.7	7.0	4.8	6.2	5.1	3.9	6.3	5.3	7.0	5.6	5.4	6.8	6.1
LS-44	6.8	6.8	6.7	7.4	5.5	7.3	4.7	6.1	6.4	4.3	5.4	6.1	6.4	6.7	5.6	6.3	6.5
MACKENZIE (SRX 1GPD)	6.3	6.3	6.8	6.9	5.1	6.1	4.8	6.3	5.8	3.8	4.1	6.4	6.4	6.5	5.2	5.7	6.3
PENNCROSS	7.4	5.9	4.6	6.3	5.5	5.0	4.1	4.5	4.8	4.4	5.6	3.3	6.3	4.1	5.6	5.9	5.2
PENNEAGLE II	6.7	6.9	6.3	7.2	5.9	7.3	4.6	6.0	5.8	4.1	5.5	6.0	7.2	6.4	5.4	6.6	6.5
PENNLINKS II	7.0	6.3	6.1	6.3	5.9	6.7	4.7	4.5	5.9	3.8	6.6	4.7	6.0	5.1	5.7	6.7	6.2
PRINCEVILLE	7.3	6.4	5.7	5.8	5.3	6.0	4.4	4.8	4.9	4.8	5.4	4.0	6.5	4.6	5.6	7.0	5.4
PST-9NBC	6.3	4.4	.	4.1	4.8	6.0	5.5	3.5	6.1	4.6	4.4	6.0	5.3	3.7	6.1	8.0	5.2
PST-9VN	5.9	3.6	.	4.2	4.6	5.7	4.9	3.4	5.8	4.3	5.1	4.8	5.1	3.0	6.2	6.9	4.9
PST-OEB	6.7	6.7	6.5	7.5	5.8	7.2	4.7	6.4	6.6	4.3	6.1	5.7	6.9	6.4	5.4	7.0	6.6
SEASIDE	5.9	3.8	3.8	3.1	4.2	4.4	4.0	3.1	1.8	4.5	4.1	1.2	5.3	2.5	4.3	6.6	2.9
SHARK (23R)	6.7	6.0	6.2	6.9	4.9	6.4	4.3	6.0	5.7	4.1	3.9	6.5	6.0	7.1	5.3	7.0	6.7
SR 1119	6.8	6.7	5.3	6.6	5.7	6.8	4.1	5.0	6.1	4.5	6.0	4.6	5.8	5.5	5.4	6.4	6.3
SR 1150 (SRX 1PDH)	6.2	6.2	6.1	6.7	5.6	6.5	4.4	5.8	6.1	4.4	4.3	5.5	6.2	7.0	5.1	6.6	6.3
SR 7150	7.1	4.0	.	4.0	4.7	6.0	5.1	3.5	5.7	3.9	4.8	4.1	6.4	3.4	6.0	6.8	5.0
T-1	6.2	7.0	5.8	7.6	5.7	7.3	4.6	6.8	6.3	3.9	4.1	5.2	5.7	6.7	5.4	6.3	7.5
TIGER II	5.8	4.6	.	4.2	4.9	6.0	5.3	3.8	5.6	4.0	4.5	4.5	5.8	4.2	6.0	7.0	5.6
LSD VALUE	0.9	0.7	1.2	0.7	0.7	0.7	0.5	0.8	0.9	0.8	1.0	0.7	1.0	0.9	0.4	1.6	0.4
C.V. (%)	8.8	7.5	12.7	6.9	8.8	6.5	6.7	9.8	9.5	12.2	12.8	8.8	9.8	10.3	4.4	15.3	4.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

PRELIMINARY DATA - NOT FOR PUBLICATION
MEAN TURFGRASS QUALITY RATINGS OF BENTGRASS CULTIVARS GROWN ON
A GREEN AT NINETEEN LOCATIONS IN THE U.S. AND CANADA 1/
2006 DATA

TABLE 4.

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	AZ1	IA1	IL1	IN1	KS1	KY1	MI1	MN1	NC1	NE1	NJ1	OK1	PA1	QE1	SD1	TX1	UT1	VA1	WI1
007 (DSB)	6.8	6.8	6.7	6.8	5.4	5.3	5.9	6.5	7.0	6.3	5.8	5.6	7.6	6.9	4.7	6.5	5.8	6.8	7.6
13-M	6.8	7.0	5.9	6.8	5.2	6.8	5.8	5.8	7.0	7.6	4.6	5.2	6.4	5.9	6.6	6.5	6.0	7.1	7.3
ALPHA	6.9	6.7	5.6	6.7	5.8	5.7	4.8	5.7	7.0	7.5	4.5	5.0	6.5	6.0	5.7	5.6	5.7	6.6	6.0
AUTHORITY (235050)	6.5	6.1	6.3	7.0	5.2	5.6	6.1	6.0	6.3	6.0	6.1	5.9	7.9	6.2	5.3	6.0	6.5	6.7	7.1
BENCHMARK DSR	6.0	6.7	5.8	7.3	4.8	7.1	5.8	6.4	7.1	7.1	5.0	5.2	6.2	6.3	5.0	6.2	5.8	6.5	5.8
BENGAL	7.2	6.4	6.0	6.7	5.5	5.0	5.7	5.2	7.2	6.9	5.3	5.3	6.5	6.3	6.1	6.1	6.0	6.2	6.1
CY-2	7.1	6.8	6.6	7.0	4.6	6.3	5.3	5.8	7.3	7.3	6.5	5.8	7.2	6.9	5.4	6.0	5.5	7.5	8.0
DECLARATION	6.8	6.2	7.1	7.1	6.0	6.7	6.5	6.4	6.5	6.3	5.6	5.7	7.4	6.4	4.7	6.5	6.0	7.3	8.1
GREENWICH	6.0	6.2	4.2	4.4	4.8	4.8	4.5	4.3	5.1	5.2	6.5	2.0	2.6	7.1	5.6	5.3	3.3	5.3	6.8
INDEPENDENCE	7.0	6.2	6.4	6.3	5.3	5.0	6.0	5.3	7.5	7.2	6.7	5.3	6.9	6.3	5.4	5.7	6.3	5.9	5.8
IS-AP 9	6.6	6.7	6.8	7.1	5.7	5.8	5.5	6.8	7.4	6.4	4.0	5.0	6.4	6.6	6.1	5.9	6.2	6.8	6.9
KINGPIN (9200)	6.3	6.7	6.4	7.3	5.3	6.4	6.0	6.4	7.0	6.9	4.1	5.3	6.6	5.7	6.3	6.1	6.4	6.8	6.6
LEGENDARY	6.2	6.4	4.4	4.3	4.6	4.6	4.2	4.1	4.9	5.5	7.5	2.0	3.1	7.2	5.7	5.5	3.6	5.4	7.7
LS-44	7.2	7.3	6.2	6.7	4.3	5.4	5.4	6.0	7.8	7.5	4.8	5.5	6.0	6.7	6.6	6.1	6.0	6.7	6.2
MACKENZIE (SRX 1GPD)	6.6	5.9	7.4	7.0	5.3	5.6	6.9	5.2	7.5	5.6	6.9	5.9	7.7	5.9	5.2	6.1	5.5	6.7	6.5
MEMORIAL (A03-EDI)	6.8	5.9	5.8	7.2	6.0	7.1	5.3	6.5	7.7	7.2	4.3	5.3	6.2	6.7	6.7	6.4	6.2	7.3	7.0
PENN A-1	6.4	7.2	5.1	7.0	4.8	5.3	5.0	6.3	7.6	6.8	6.0	5.7	7.3	6.3	5.7	6.1	5.9	7.0	6.7
PENNCROSS	6.6	6.8	3.2	5.8	4.8	4.5	4.1	4.3	5.2	7.8	2.3	4.3	4.3	6.1	7.2	5.1	5.6	5.5	4.6
PENNLINKS II	6.1	6.6	3.6	6.2	4.8	6.7	4.2	5.7	6.1	7.3	3.3	4.8	4.6	6.8	7.1	5.6	5.7	5.6	6.6
SHARK (23R)	5.9	6.1	6.7	6.4	5.6	5.1	6.1	5.4	7.4	5.8	6.9	5.9	8.0	6.3	5.2	6.2	6.0	6.7	7.4
SR 7200	6.0	6.7	3.1	4.7	4.0	5.2	4.5	3.7	5.5	6.3	5.5	1.9	1.4	7.1	5.2	5.6	3.5	5.4	4.9
T-1	7.3	6.3	6.5	6.9	5.2	5.5	5.9	6.2	7.1	6.8	4.9	4.4	6.4	6.2	4.7	6.0	5.5	6.4	5.5
TYEE (SRX 1GD)	6.5	6.2	7.4	6.6	5.8	4.6	6.4	5.0	7.5	6.5	7.3	5.9	7.9	6.1	5.6	6.3	6.4	6.7	7.3
VENUS (EFD)	5.8	5.8	4.4	4.3	4.5	4.7	4.0	4.2	5.0	6.3	6.3	2.0	2.9	6.8	5.8	5.3	3.1	5.2	7.2
VESPER	6.2	6.1	4.3	4.4	4.6	5.0	3.5	4.4	4.8	6.0	5.8	2.0	2.2	7.2	5.6	5.4	3.3	4.9	6.1
VILLA (IS-AC 1)	6.3	6.1	4.6	4.4	4.2	4.7	4.4	4.1	5.2	6.1	7.3	2.0	2.9	7.2	5.7	5.2	3.7	5.3	8.0
LSD VALUE	0.6	0.8	0.8	0.6	1.7	0.8	1.1	1.0	0.6	0.9	1.0	0.6	0.6	0.8	0.7	0.5	0.8	0.7	0.9
C.V. (%)	6.1	7.9	9.4	5.9	20.5	8.7	13.0	11.3	5.2	8.7	11.2	8.9	6.4	7.6	8.1	5.4	9.7	6.9	8.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

PRELIMINARY DATA - NOT FOR PUBLICATION
 MEAN TURFGRASS QUALITY RATINGS OF FINELEAF FESCUE CULTIVARS
 GROWN AT SEVENTEEN LOCATIONS IN THE U.S. AND CANADA
 2006 DATA

TABLE 5.

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF

NAME	CA8	IA1	IL1	IN1	MA1	MI1	MN1	ND1	NJ1	NJ2	PA1	QE1	RI1	SD1	VA1	WA1	WA3
7 SEAS	5.8	7.8	4.5	5.8	4.0	5.8	3.7	4.3	5.5	5.7	6.3	6.3	6.8	6.6	6.3	5.1	4.6
AMBASSADOR	6.0	7.6	4.3	6.5	4.4	5.5	4.0	4.6	4.2	5.8	6.1	6.6	6.1	5.9	6.9	5.3	5.0
AUDUBON	5.6	7.6	4.0	5.2	4.6	4.5	4.5	4.8	3.8	4.3	4.4	5.7	4.1	5.7	5.5	5.0	4.0
BERKSHIRE	6.1	8.5	5.4	5.8	4.2	5.9	5.7	4.2	3.7	6.1	4.1	7.0	6.9	6.7	6.1	5.5	4.6
BMXC-S02	6.9	7.7	3.3	6.1	4.7	5.0	4.6	4.8	4.4	4.6	4.8	6.2	4.7	6.1	5.8	5.0	4.4
BOREAL	6.1	7.2	3.3	4.7	4.0	4.0	4.0	4.2	2.1	3.3	3.3	5.5	2.4	4.9	4.3	4.0	4.1
C-SMX	6.9	7.9	4.0	6.8	5.1	6.0	5.4	4.7	4.4	5.3	5.7	6.2	5.2	6.3	6.4	5.0	4.6
C03-4676	6.5	7.3	3.4	5.2	4.2	4.8	4.6	4.3	3.3	4.0	4.4	5.8	4.5	5.8	4.2	4.8	4.1
CASCADE	6.0	7.8	4.6	5.3	4.2	4.5	4.5	4.0	2.1	4.0	4.9	6.2	5.3	5.6	4.7	4.8	5.1
CELESTIAL	6.9	7.7	3.7	5.8	4.5	5.2	4.7	4.6	4.1	4.4	5.3	6.1	4.4	5.8	5.8	4.5	4.3
COMPASS (ACF 188)	7.1	7.7	4.0	6.1	4.0	5.9	3.9	4.1	4.8	5.5	6.1	6.1	6.6	5.9	6.6	5.3	4.9
CULUMBRA II (ACF 174)	5.9	7.3	3.8	5.7	3.9	5.9	3.7	4.7	2.5	5.7	5.2	6.3	5.3	5.8	5.9	5.1	4.9
DAWSON E	6.8	7.3	3.6	4.9	3.7	4.3	5.1	4.3	1.6	4.1	3.1	5.4	2.8	5.6	3.8	4.4	4.8
DLF-RCM	6.8	7.8	4.3	7.5	4.9	6.3	4.8	4.7	5.9	4.9	6.2	6.2	5.6	6.3	6.3	4.5	4.4
DP 77-9360	6.6	7.6	4.1	6.8	4.6	6.2	4.8	4.6	5.7	5.3	5.4	6.3	5.2	5.9	6.4	5.0	4.5
DP 77-9578	6.1	7.5	4.2	6.8	5.2	5.8	5.0	4.7	5.2	4.8	5.6	6.1	5.1	6.2	5.8	4.9	4.4
DP 77-9579	5.9	7.8	4.1	6.0	5.2	5.9	5.0	4.5	5.6	4.6	5.3	5.9	5.0	6.1	6.0	4.4	4.3
DP 77-9885	7.1	7.7	5.0	6.1	4.2	5.8	4.4	4.6	4.7	4.8	6.6	6.2	6.0	6.0	6.1	4.8	4.2
DP 77-9886	6.1	7.6	4.8	5.9	4.1	5.0	5.0	4.1	3.9	4.9	6.1	6.3	6.0	6.1	5.1	4.6	5.1
EPIC (5001)	7.5	7.9	4.7	7.4	5.4	6.0	5.8	4.8	5.8	5.1	6.8	6.5	6.5	6.3	6.2	5.3	5.3
FIREFLY (SPM)	5.8	8.2	5.0	5.2	4.9	6.2	5.2	4.8	2.9	6.4	4.4	7.0	6.8	6.5	6.7	5.6	4.4
FORTITUDE (TL 53)	7.7	7.8	4.0	7.0	5.3	6.0	5.4	4.8	6.0	5.5	6.4	6.3	6.0	6.2	6.5	4.7	4.9
GOTHAM (IS-FL 28)	5.6	8.6	5.5	6.0	4.6	6.3	5.6	4.7	3.4	6.4	5.5	7.2	7.1	7.1	6.6	5.7	4.7
IS-FRC 17	6.5	7.8	4.3	6.0	3.7	5.8	4.8	4.6	4.3	5.9	6.8	6.2	6.0	6.1	6.4	5.0	4.9
IS-FRR 23	6.4	7.7	3.9	5.8	4.9	5.3	4.7	4.6	3.9	4.5	4.8	6.1	5.5	5.3	4.9	4.4	4.5
IS-FRR 29	6.3	7.6	4.7	7.0	5.3	5.8	4.9	4.6	5.2	4.9	6.0	6.0	5.0	5.7	6.4	4.6	4.5
IS-FRR 30	7.5	7.6	4.4	7.3	5.0	6.7	5.5	4.6	5.9	5.1	6.3	6.3	5.4	5.8	7.2	5.2	4.6
J-5 (JAMESTOWN 5)	6.5	7.8	4.3	5.5	4.3	4.7	4.6	4.8	3.6	4.6	5.8	6.2	5.4	6.1	5.9	4.9	4.4
JASPER II	6.2	7.8	3.7	5.8	4.8	4.9	5.0	4.9	3.7	4.4	5.2	6.1	5.1	6.1	5.2	5.1	4.7
LONGFELLOW II	6.4	7.8	4.5	6.0	3.9	6.3	4.9	4.6	4.1	5.5	6.3	6.3	6.0	6.6	6.2	5.3	4.6
MUSICA	6.6	7.4	4.7	5.5	4.3	5.3	4.6	4.8	1.3	5.5	4.8	6.4	6.1	6.5	4.0	4.6	5.3
ORACLE	6.6	7.3	3.5	5.0	3.7	4.4	4.3	4.3	2.4	3.8	3.8	5.3	3.0	5.4	5.1	4.0	4.6
OXFORD	6.1	8.3	5.2	4.6	4.4	5.3	5.2	5.2	4.1	5.9	4.1	6.7	6.7	6.6	6.9	5.5	4.8
PATHFINDER	6.1	7.8	3.9	6.4	4.8	5.4	4.7	4.2	5.1	4.4	5.3	5.9	5.3	5.7	6.3	4.6	4.8
PICK CRF 1-03	6.7	8.0	4.6	6.8	5.4	5.7	5.0	4.7	6.1	4.7	6.3	6.2	6.3	5.8	6.3	5.7	4.6
PREDATOR	6.2	8.6	5.1	5.1	4.5	5.3	5.6	4.6	4.2	6.6	5.4	6.7	6.7	7.0	5.7	5.4	4.2
PST-4TZ	5.9	7.7	5.0	6.3	5.1	6.4	5.2	4.4	2.6	5.1	6.2	6.0	6.3	6.9	6.6	5.0	5.8
PST-8000	6.3	7.8	4.7	7.0	4.9	6.5	6.1	4.4	4.4	4.8	6.3	6.2	5.5	5.9	6.2	5.2	4.9
QUATRO	5.8	7.6	3.9	3.4	3.9	3.9	3.7	4.8	2.6	4.5	4.2	6.6	5.6	5.6	6.5	4.6	4.4
RAZOR	6.3	7.6	3.9	5.6	4.4	5.4	4.9	4.9	4.3	4.5	5.1	6.0	4.8	5.6	5.1	5.1	4.8
RELIANT IV (A01630REL)	6.3	8.4	5.5	6.2	4.9	5.6	5.2	5.0	2.7	6.1	5.2	6.9	7.6	6.5	7.6	5.9	4.8
SCALDIS	5.8	8.2	4.9	4.4	3.6	4.0	4.1	4.3	2.5	4.8	2.7	6.7	5.0	6.3	6.6	5.1	4.0
SEABREEZE	6.4	7.7	3.7	4.6	4.3	4.8	5.0	4.6	3.5	4.3	4.2	5.9	3.7	6.0	4.0	4.8	4.6

PRELIMINARY DATA - NOT FOR PUBLICATION
 MEAN TURFGRASS QUALITY RATINGS OF FINELEAF FESCUE CULTIVARS
 GROWN AT SEVENTEEN LOCATIONS IN THE U.S. AND CANADA
 2006 DATA

TABLE 5. (CONT'D)

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF

NAME	CA8	IA1	IL1	IN1	MA1	MI1	MN1	ND1	NJ1	NJ2	PA1	QE1	RI1	SD1	VA1	WA1	WA3
SHADEMASTER	6.8	7.3	3.7	4.8	4.0	3.6	3.6	4.4	2.8	3.7	4.3	5.6	3.2	5.0	5.0	4.3	3.9
SHORELINE (SRX 55R)	6.3	7.8	4.3	5.1	4.3	5.5	5.8	4.3	1.3	4.6	5.1	5.7	3.9	5.9	4.8	4.8	4.5
SPARTAN II (PICK HF #2)	5.9	8.6	5.2	5.5	5.0	6.3	5.9	4.3	3.4	6.7	5.9	6.9	7.4	7.0	7.0	5.8	4.8
SPLENDOR (ASC 245)	6.3	7.6	3.5	6.4	4.6	5.2	4.0	4.6	3.3	4.8	5.1	5.8	4.9	5.3	5.5	4.7	4.1
SR 3000	5.9	8.1	4.3	4.7	4.2	4.7	4.3	4.9	2.9	5.2	4.1	6.8	5.5	6.0	5.3	5.0	4.4
SR 5130 (SRX 51G)	6.2	7.9	4.4	7.0	4.3	6.3	5.3	4.8	3.5	6.2	6.8	6.2	6.8	6.6	7.2	4.8	5.0
SRX 3K	5.7	8.2	4.4	3.9	4.1	4.6	3.8	4.7	3.3	4.9	4.9	6.9	5.2	5.9	6.8	4.8	3.8
TL1	6.1	7.7	3.3	5.8	5.0	5.7	4.5	4.3	4.3	4.9	5.3	6.1	5.5	5.3	6.4	5.0	4.4
WENDY JEAN (C03-RCE)	6.9	7.8	4.6	6.5	5.5	6.5	5.0	4.4	5.6	5.0	6.2	6.2	5.4	6.2	7.0	4.9	5.0
ZODIAC (BUR 4601)	6.6	8.1	5.4	7.2	5.0	6.0	5.7	5.1	5.8	5.6	6.8	6.3	6.2	6.4	7.3	4.9	5.3
LSD VALUE	1.2	0.5	0.8	1.0	0.8	0.8	1.0	0.7	1.6	0.6	1.0	0.4	1.0	0.7	1.3	0.8	0.6
C.V. (%)	11.9	4.0	12.1	10.4	10.4	8.7	13.0	9.7	25.5	7.0	11.4	4.2	11.5	6.7	13.4	10.7	8.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

PRELIMINARY DATA - NOT FOR PUBLICATION

TURFGRASS QUALITY RATINGS OF BERMUDAGRASS CULTIVARS

GROWN AT TWENTY LOCATIONS IN THE U.S. 1/

2006 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	AL1	AR1	AZ1	CA3	FL3	GA1	IL2	KS2	KY1	LA2	MO1	MS1	NC1	NM1	OK1	SC1	SC2	TX1	VA1	VA4
ARIZONA COMMON	5.4	5.1	4.8	3.7	3.4	5.6	1.4	3.1	5.0	6.6	.	4.9	6.2	4.7	5.2	5.1	5.4	4.6	5.4	6.0
ASHMORE	6.2	5.1	5.0	4.0	3.8	4.7	5.0	3.7	5.7	7.0	3.6	5.2	7.2	5.9	5.1	5.1	5.5	5.8	5.9	6.7
AUSSIE GREEN	5.3	6.5	7.0	4.5	4.7	7.4	4.8	4.4	6.9	6.8	5.8	5.7	8.1	5.7	5.4	5.3	7.3	5.6	5.9	7.0
B-14	4.5	4.5	4.2	3.6	3.0	5.8	2.0	3.4	5.0	6.5	.	5.3	6.1	4.6	5.1	4.9	5.4	4.3	3.6	6.0
CELEBRATION	4.9	5.5	7.1	4.3	4.1	6.9	4.8	4.4	6.6	6.9	.	6.2	8.0	5.5	5.1	5.1	7.5	5.4	5.4	5.7
CIS-CD5	4.9	5.1	5.0	3.3	3.9	6.1	3.2	3.7	4.8	6.5	3.9	4.9	6.5	5.2	5.7	5.7	6.0	4.3	5.4	6.0
CIS-CD6	5.4	5.1	4.5	4.0	3.9	6.6	3.6	4.5	6.5	7.1	4.1	5.0	6.4	5.1	5.6	5.5	6.1	4.6	6.9	6.3
CIS-CD7	3.8	5.1	5.4	3.8	3.8	6.3	3.4	3.9	5.1	7.0	4.5	5.1	6.4	4.9	5.8	5.1	5.8	4.6	6.5	6.7
CONTESSA (SWI-1045)	4.9	6.1	6.6	4.7	4.2	7.0	4.7	4.6	6.6	6.7	5.4	5.8	6.9	5.4	5.8	5.3	7.1	4.3	6.2	5.7
FMC-6	3.6	5.3	4.8	3.8	4.0	6.4	2.3	3.6	4.7	6.3	3.8	5.0	6.4	4.5	5.4	5.3	5.9	4.2	5.1	5.7
GN-1	5.5	5.7	6.4	4.7	5.0	7.1	4.1	3.4	6.0	7.4	4.6	5.8	7.4	5.4	5.3	5.2	6.6	5.3	6.0	6.3
LAPALOMA (SRX 9500)	5.0	5.1	5.0	3.9	4.1	6.2	2.7	3.9	4.8	7.1	3.2	5.0	6.5	4.7	5.3	5.3	6.0	3.8	5.3	5.7
MIDLAWN	5.2	6.8	5.6	4.8	4.4	7.1	5.2	5.5	6.4	7.3	4.3	5.0	7.3	5.9	6.4	5.4	6.4	5.8	7.2	6.7
MOHAWK	4.6	4.8	4.1	3.6	3.6	5.9	2.1	3.3	4.7	6.3	.	5.0	5.8	4.8	5.3	5.1	5.5	4.4	4.8	6.0
MS-CHOICE	5.8	5.3	6.3	4.3	4.8	7.1	4.3	4.0	5.6	7.0	.	6.8	7.1	5.2	6.3	5.4	7.0	4.6	5.2	5.0
NUMEX SAHARA	3.9	4.9	4.7	3.6	3.5	5.7	1.8	3.1	5.1	7.1	.	5.3	6.0	4.9	5.0	5.0	5.5	4.4	5.8	5.3
OKC 70-18	7.4	6.5	6.7	4.7	4.8	7.6	7.0	5.3	7.7	6.7	4.5	6.0	8.0	5.7	6.1	6.0	6.4	5.0	7.6	7.7
PANAMA	3.1	4.9	5.3	4.1	3.4	5.9	2.8	3.7	5.1	6.1	3.7	4.8	6.3	4.6	5.3	5.1	5.7	4.1	5.1	5.7
PATRIOT	6.4	6.7	5.0	4.6	4.5	7.3	6.0	5.7	7.9	7.1	5.9	5.2	7.9	6.2	5.4	5.3	6.0	4.8	6.8	7.7
PREMIER (OR 2002)	6.2	5.9	6.1	4.7	4.7	7.3	4.9	5.3	7.1	7.0	5.1	5.3	6.9	5.8	5.9	5.4	6.1	6.0	6.6	7.0
PRINCESS 77	5.2	5.2	6.6	4.3	5.0	6.8	3.3	3.7	6.0	7.3	3.7	5.7	7.2	5.8	5.7	5.2	6.6	4.5	5.3	5.3
RIVIERA	5.2	5.9	5.8	4.6	4.3	6.9	4.3	5.3	5.7	6.9	4.6	5.3	6.8	5.2	5.7	5.4	6.7	4.2	6.8	7.0
SOUTHERN STAR	5.7	5.1	4.6	3.8	3.7	6.2	2.7	3.2	5.2	6.7	3.4	5.3	6.4	4.9	5.0	5.2	5.8	4.3	4.7	6.3
SR 9554	5.7	5.0	4.6	3.6	4.0	6.0	2.7	3.6	5.0	7.1	3.7	5.2	6.3	4.8	5.4	5.1	5.7	4.3	5.6	5.7
SUNBIRD (PST-R68A)	4.7	5.1	5.6	4.1	4.3	6.0	3.8	3.9	5.4	6.5	.	5.3	6.6	4.8	5.3	5.4	6.1	4.4	5.1	6.0
SUNDEVIL II	3.8	4.8	4.7	3.7	3.5	5.8	2.2	3.5	4.7	7.2	3.1	5.2	6.3	4.9	4.8	5.0	5.5	4.5	5.3	6.0
SUNSTAR	5.9	4.9	4.3	3.8	3.3	6.0	2.6	3.5	4.7	6.3	4.0	5.0	6.4	4.9	5.3	5.1	5.6	4.0	3.8	5.3
SWI-1001	6.3	5.5	5.5	4.0	4.0	6.6	3.0	3.5	6.3	6.9	.	5.5	6.3	5.4	5.4	5.5	7.0	4.3	5.7	5.3
SWI-1003	5.4	5.7	7.2	4.6	4.5	7.0	2.8	3.3	5.9	7.3	.	5.5	7.1	5.4	5.3	5.3	6.9	4.9	6.2	5.7
SWI-1012	4.8	6.1	6.6	4.3	4.1	6.7	4.0	4.5	6.5	6.7	5.0	5.7	7.1	5.6	5.8	4.8	6.4	4.8	6.4	5.7
SWI-1014	4.7	5.1	5.1	4.0	3.8	6.4	4.0	4.5	6.3	7.1	4.7	5.4	6.7	5.3	5.6	5.2	6.0	4.2	6.3	5.0
SWI-1044	5.0	5.8	5.9	4.4	4.7	7.0	4.0	4.7	6.2	7.3	5.0	5.6	7.1	5.6	5.5	5.3	6.6	4.3	5.9	6.0
SWI-1046	5.8	5.9	7.0	4.4	4.5	6.7	4.8	4.6	6.2	6.5	5.5	5.7	7.0	5.6	5.3	5.2	7.1	4.9	6.1	5.7
TIFSPORT	7.5	6.7	7.1	4.5	6.0	7.8	5.9	4.8	6.8	7.9	5.4	6.7	8.3	6.5	6.7	5.5	7.1	5.7	6.6	6.7
TIFT NO. 1	5.4	5.7	6.5	4.3	4.4	7.1	4.8	3.0	5.0	6.9	3.7	5.9	7.2	5.1	4.6	5.3	6.9	5.1	3.6	5.7
TIFT NO. 2	4.9	5.1	6.7	4.3	4.1	6.6	3.8	2.7	5.4	7.3	.	5.7	7.3	5.2	5.2	5.0	7.0	4.9	5.1	5.7
TIFT NO. 3	5.8	5.7	7.0	4.8	5.5	7.1	4.7	3.9	6.4	7.4	.	5.8	7.3	5.4	5.6	5.6	6.9	5.1	5.3	6.3
TIFT NO. 4	6.8	6.1	7.9	4.3	5.5	7.8	5.8	4.8	6.0	6.9	5.7	6.4	7.4	5.6	5.6	5.4	7.3	6.0	5.9	5.3
TIFWAY	7.6	6.5	7.0	4.5	5.7	8.1	6.0	4.9	7.4	7.4	.	6.7	8.1	6.3	6.2	5.5	7.5	5.8	6.8	6.7
TRANSCONTINENTAL	3.2	4.9	5.2	3.9	4.2	6.0	3.5	3.5	6.0	6.8	4.4	5.1	6.4	4.9	5.6	5.6	6.5	4.4	4.3	6.0
VERACRUZ (SWI-1041)	5.2	5.6	7.0	4.6	4.4	6.4	4.5	3.4	5.7	7.1	4.6	5.7	7.2	5.5	5.8	5.3	6.8	5.0	6.0	5.7
YUKON	5.8	6.1	5.4	4.3	4.6	6.9	4.5	5.3	7.2	7.0	4.9	5.6	7.1	5.7	5.8	5.1	6.4	4.8	7.9	6.7
LSD VALUE	1.7	0.6	1.0	0.4	0.7	0.6	0.8	0.5	1.1	0.9	1.2	0.6	0.7	0.4	0.7	0.5	0.6	0.7	1.7	1.0
C.V. (%)	20.5	6.8	11.2	5.9	10.7	5.4	13.0	8.2	11.5	8.2	12.2	6.4	5.9	4.6	7.5	6.2	5.7	9.0	18.0	10.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.

STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

PRELIMINARY DATA - NOT FOR PUBLICATION

TABLE 7. MEAN TURFGRASS QUALITY RATINGS OF BUFFALOGRASS CULTIVARS
GROWN AT EIGHT LOCATIONS IN THE U.S. 1/
2006 DATA

NAME	TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/							
	AZ1	CA3	KS1	NE1	NM1	OK1	TX1	UT1
378	5.0	3.4	5.3	6.6	4.8	3.4	3.9	5.0
609	7.1	3.1	6.0	4.1	4.7	2.4	4.9	3.8
BISON	5.1	2.8	5.4	5.2	4.8	2.9	4.0	5.0
BOWIE	6.7	3.1	5.7	5.1	5.0	4.1	4.3	4.6
DENSITY	6.8	3.4	5.9	5.1	4.6	4.0	5.9	4.1
LEGACY	5.7	3.2	6.2	6.2	4.9	2.2	3.8	5.3
NE 95-55	5.4	3.3	5.2	6.5	4.8	2.6	4.0	4.4
SWI-2000	6.2	2.8	5.9	5.0	4.6	2.3	4.3	5.2
TECH TURF 1 (FRONTIER TURFALLO)	5.7	2.9	5.3	2.7	4.7	4.5	4.2	4.0
TEXOKA	5.9	2.8	5.9	4.8	5.0	4.0	3.9	3.0
LSD VALUE	1.1	0.9	0.7	0.9	0.3	1.6	1.0	1.5
C.V. (%)	11.3	18.7	7.9	10.4	4.4	30.1	13.8	20.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

PRELIMINARY DATA - NOT FOR PUBLICATION

TABLE 8.

MEAN TURFGRASS QUALITY RATINGS OF ZOYSIAGRASS CULTIVARS
GROWN AT FOURTEEN LOCATIONS IN THE U.S. 1/
2006 DATA

NAME	TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/													
	AR1	CA3	FL3	GA1	IL2	IN1	KY1	MO1	MS1	NC1	NM1	OK1	SC1	TX1
6186	5.2	4.6	4.6	7.1	1.3	.	3.5	3.8	5.1	6.9	5.9	6.3	6.2	5.1
BMZ 230	5.4	4.3	4.9	6.7	5.7	5.7	7.1	4.7	5.5	6.7	6.0	5.2	6.7	4.7
CHINESE COMMON	3.7	3.8	4.5	5.6	5.0	3.3	6.3	4.9	4.8	6.9	5.5	3.4	5.5	3.4
COMPADRE (COMPANION)	4.5	3.6	4.1	6.2	2.3	3.9	6.1	3.5	5.1	6.8	5.5	4.2	5.4	2.8
DALZ 0101	5.8	4.4	4.8	7.3	7.0	6.3	6.1	6.0	7.1	7.2	6.5	7.0	6.1	5.9
DALZ 0102	5.7	4.6	5.0	7.2	5.9	6.6	6.4	5.0	6.2	7.0	5.8	5.5	6.1	5.1
DALZ 0104	6.5	4.3	4.6	7.3	5.2	.	3.5	.	6.2	7.2	5.7	6.2	6.5	5.7
DALZ 0105	5.1	4.4	4.6	7.0	3.8	.	3.7	.	5.7	7.2	5.5	5.9	5.8	6.2
DALZ 9604	5.8	4.3	5.0	7.3	2.2	.	4.5	.	5.0	7.4	5.4	6.1	6.2	5.1
EMERALD	6.3	4.7	5.0	7.7	7.3	6.1	6.7	5.7	7.3	7.7	6.4	6.2	6.9	5.3
GN-Z	5.0	4.9	4.7	6.0	7.0	.	7.5	5.4	6.0	7.1	6.3	5.8	6.4	5.4
HIMENO	5.9	3.5	5.0	7.8	5.6	4.5	8.0	5.5	5.6	6.5	5.6	5.3	7.0	3.8
J-37	4.7	3.5	3.8	5.2	4.4	4.4	6.7	4.8	4.0	6.1	5.3	3.4	5.6	3.4
MEYER	5.1	3.2	4.3	5.9	2.9	5.4	8.1	2.8	6.2	6.9	5.3	5.1	6.1	2.9
PST-R7MA	4.9	3.4	4.3	6.3	3.4	4.7	7.0	4.5	5.5	7.2	5.6	4.9	6.0	3.1
PST-R7ZM	5.6	3.2	4.2	6.2	3.7	6.1	7.5	4.0	5.3	6.9	4.9	5.2	6.5	3.0
PZA 32	3.2	4.1	4.3	5.9	4.6	5.0	6.7	4.3	4.9	6.9	5.4	4.1	5.8	2.9
PZB 33	4.3	4.1	4.4	5.8	4.1	4.1	6.9	5.0	5.2	6.8	5.5	4.2	6.5	3.1
ZENITH	4.6	4.3	4.1	5.8	4.3	4.8	7.0	4.8	5.5	6.9	5.4	4.4	6.1	2.9
ZORRO	6.6	4.6	4.7	7.5	7.2	6.8	7.7	5.6	7.0	7.6	6.5	6.6	7.2	6.0
LSD VALUE	1.1	0.7	0.5	0.7	0.9	1.3	2.3	0.8	0.6	1.1	0.5	0.8	1.1	0.7
C.V. (%)	13.4	9.1	6.9	6.7	12.4	16.1	22.8	9.9	6.2	9.6	5.2	9.9	11.0	10.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

PRELIMINARY DATA - NOT FOR PUBLICATION

TABLE 9. MEAN TURFGRASS QUALITY RATINGS OF ST. AUGUSTINEGRASS CULTIVARS
GROWN AT SIX LOCATIONS IN THE U.S. 1/
2006 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	FL3	GA1	LA2	MS1	OK2	SC1
DELMAR	3.3	6.7	6.7	6.0	5.1	3.3
FLORATAM	4.0	6.1	6.7	4.4	5.9	3.3
MERCEDES	3.6	7.3	6.5	7.1	5.9	4.6
MSA 2-3-98	3.7	6.8	6.6	7.6	4.0	4.5
MSA 31	3.0	6.3	6.5	6.6	4.1	4.0
RALEIGH	3.3	6.3	6.7	6.5	5.2	4.0
LSD VALUE	0.7	0.8	0.6	0.7	2.0	1.2
C.V. (%)	13.2	7.7	5.2	6.7	24.7	18.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

2005 NATIONAL KENTUCKY BLUEGRASS TEST

LOCATIONS SUBMITTING DATA FOR 2006

<u>State</u>	<u>Location</u>	<u>Code</u>
Illinois	Urbana	IL1
Indiana	West Lafayette	IN1
Iowa	Ames	IA1
Kentucky	Lexington	KY1
Massachusetts	Amherst	MA1
Minnesota	St. Paul	MN1
Nebraska	Lincoln	NE1
New Jersey	North Brunswick	NJ1
New Jersey	Adelphia	NJ2
North Carolina	Raleigh	NC1
Oklahoma	Stillwater	OK1
Pennsylvania	University Park	PA1
Tennessee	Knoxville	TN1
Utah	Logan	UT1
Virginia	Blacksburg	VA1
Washington	Pullman	WA1
Wisconsin	Madison	WI1
Wyoming	Sheridan	WY1

2004 NATIONAL PERENNIAL RYEGRASS TEST

LOCATIONS SUBMITTING DATA FOR 2005

<u>State</u>	<u>Location</u>	<u>Code</u>
Illinois	Urbana	IL1
Illinois	Carbondale	IL2
Indiana	West Lafayette	IN1
Iowa	Ames	IA1
Kentucky	Lexington	KY1
Massachusetts	Amherst	MA1
Michigan	East Lansing	MI1
Minnesota	St. Paul	MN1
Missouri	Columbia	MO1
North Dakota	Fargo	ND1
Nebraska	Mead	NE1
New Jersey	North Brunswick	NJ1
New Jersey	Adelphia	NJ2
Oklahoma	Stillwater	OK1
Oregon	Corvallis	OR1
Pennsylvania	University Park	PA1
Quebec	Quebec	QE1
Rhode Island	Kingston	RI1
South Dakota	Brookings	SD1
Utah	Logan	UT1
Virginia	Blacksburg	VA1
Washington	Pullman	WA1
Wisconsin	Madison	WI1

2003 NATIONAL BENTGRASS TEST
(Fairway/Tee)

LOCATIONS SUBMITTING DATA FOR 2006

<u>State</u>	<u>Location</u>	<u>Code</u>
Illinois	Urbana	IL1
Illinois	Lemont	IL3
Indiana	West Lafayette	IN1
Iowa	Ames	IA1
Kansas	Manhattan	KS1
Kentucky	Lexington	KY1
Massachusetts	Amherst	MA1
Michigan	East Lansing	MI1
Minnesota	St. Paul	MN1
Nebraska	Mead	NE1
New Jersey	North Brunswick	NJ1
North Dakota	Fargo	ND1
Oklahoma	Stillwater	OK1
Pennsylvania	University Park	PA1
Quebec	Quebec City	QE1
Virginia	Blacksburg	VA1
Washington	Pullman	WA1

2003 NATIONAL BENTGRASS TEST
(Greens)

LOCATIONS SUBMITTING DATA FOR 2006

<u>State</u>	<u>Location</u>	<u>Code</u>
Arizona	Tucson	AZ1
Illinois	Urbana	IL1
Indiana	West Lafayette	IN1
Iowa	Ames	IA1
Kansas	Manhattan	KS1
Kentucky	Lexington	KY1
Michigan	East Lansing	MI1
Minnesota	St. Paul	MN1
Nebraska	Mead	NE1
New Jersey	North Brunswick	NJ1
North Carolina	Raleigh	NC1
Oklahoma	Stillwater	OK1
Pennsylvania	University Park	PA1
Quebec	Quebec City	QE1
South Dakota	Brookings	SD1
Texas	Dallas	TX1
Utah	Logan	UT1
Virginia	Blacksburg	VA1
Wisconsin	Madison	WI1

2003 NATIONAL FINELEAF FESCUE TEST

LOCATIONS SUBMITTING DATA FOR 2006

<u>State</u>	<u>Location</u>	<u>Code</u>
California	Palo Alto	CA8
Illinois	Urbana	IL1
Indiana	West Lafayette	IN1
Iowa	Ames	IA1
Massachusetts	Amherst	MA1
Michigan	East Lansing	MI1
Minnesota	St. Paul	MN1
New Jersey	North Brunswick	NJ1
New Jersey	Adelphia	NJ2
North Dakota	Fargo	ND1
Pennsylvania	University Park	PA1
Quebec	Quebec City	QE1
Rhode Island	Kingston	RI1
South Dakota	Brookings	SD1
Virginia	Blacksburg	VA1
Washington	Pullman	WA1
Washington	Puyallup	WA3

2002 NATIONAL BERMUDAGRASS TEST

LOCATIONS SUBMITTING DATA FOR 2006

<u>State</u>	<u>Location</u>	<u>Code</u>
Alabama	Auburn	A11
Arkansas	Fayetteville	AR1
Arizona	Tucson	AZ1
California	Riverside	CA3
Florida	Jay	FL3
Georgia	Griffin	GA1
Illinois	Carbondale	IL2
Kansas	Wichita	KS2
Kentucky	Lexington	KY1
Louisiana	Calhoun	LA2
Mississippi	Miss. St.	MS1
Missouri	Columbia	MO1
New Mexico	Las Cruces	NM1
North Carolina	Raleigh	NC1
Oklahoma	Stillwater	OK1
South Carolina	Florence	SC1
South Carolina	Clemson	SC2
Texas	Dallas	TX1
Virginia	Blacksburg	VA1
Virginia	Virginia Beach	VA4

2002 NATIONAL BUFFALOGRASS TEST

LOCATIONS SUBMITTING DATA FOR 2006

<u>State</u>	<u>Location</u>	<u>Code</u>
Arizona	Tucson	AZ1
California	Riverside	CA3
Kansas	Manhattan	KS1
Nebraska	Mead	NE1
New Mexico	Las Cruces	NM1
Oklahoma	Stillwater	OK1
Texas	Dallas	TX1
Utah	Logan	UT1

2002 NATIONAL ZOYSIAGRASS TEST

LOCATIONS SUBMITTING DATA FOR 2006

<u>State</u>	<u>Location</u>	<u>Code</u>
Arkansas	Fayetteville	AR1
California	Riverside	CA3
Florida	Jay	FL3
Georgia	Griffin	GA1
Illinois	Carbondale	IL2
Indiana	West Lafayette	IN1
Kansas	Manhattan	KS1
Kentucky	Lexington	KY1
Mississippi	Miss. St.	MS1
Missouri	Columbia	MO1
New Mexico	Las Cruces	NM1
North Carolina	Raleigh	NC1
Oklahoma	Stillwater	OK1
South Carolina	Florence	SC1
Texas	Dallas	TX1

2002 NATIONAL ST. AUGUSTINEGRASS TEST

LOCATIONS SUBMITTING DATA FOR 2006

<u>State</u>	<u>Location</u>	<u>Code</u>
Florida	Jay	FL3
Georgia	Griffin	GA1
Louisiana	Calhoun	LA2
Mississippi	Miss. St.	MS1
Oklahoma	Lane	OK2
South Carolina	Florence	SC1