

TABLE 1. PERCENT ESTABLISHMENT AND WINTER COLOR RATINGS OF ZOYSIAGRASS CULTIVARS
 IN THE 2002 NATIONAL ZOYSIAGRASS TEST AT WEST LAFAYETTE, IN 1/
 2002 DATA

WINTER COLOR RATINGS 1-9; 9=BEST 2/

NAME	WINTER COLOR	PERCENT ESTABLISHMENT RATINGS		
		JULY	AUGUST	SEPTEMBER
CHINESE COMMON	3.7	26.7	60.0	99.0
J-37	3.0	53.3	76.7	99.0
ZENITH	3.0	50.0	75.0	99.0
PST-R7MA	3.0	20.0	46.7	96.3
PZA 32	2.0	45.0	73.3	96.3
COMPANION	2.7	40.0	66.7	96.0
PST-R7ZM	2.7	15.0	43.3	93.3
PZB 33	1.7	40.0	66.7	88.3
6186	5.0	11.7	21.7	85.0
BMZ 230	8.0	13.3	20.0	76.7
DALZ 0102	6.7	8.3	20.0	75.0
DALZ 9604	3.0	11.7	25.0	71.7
DALZ 0104	5.3	11.7	16.7	70.0
ZORRO	6.3	8.3	20.0	68.3
EMERALD	5.7	10.0	16.7	60.0
HIMENO	4.7	10.0	16.7	58.3
MEYER	5.3	8.3	13.3	55.0
DALZ 0101	7.0	8.3	18.3	46.7
DALZ 0105	6.0	6.7	13.3	46.7
GN-Z	5.7	6.7	11.7	23.3
LSD VALUE	1.5	7.0	8.6	13.3
C.V. (%)	21.9	23.4	16.1	11.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 2. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF ZOYSIAGRASS CULTIVARS
IN THE 2002 NATIONAL ZOYSIAGRASS TEST AT LEXINGTON, KY 1/
2002 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	PERCENT					MEAN
	ESTABLISHMENT		QUALITY RATINGS			
	FALL	AUG	SEP	OCT		
ZENITH	96.7	8.0	8.3	7.3	7.9	
PZB 33	96.0	7.3	8.0	7.7	7.7	
PST-R7ZM	79.3	7.0	8.3	7.3	7.6	
PZA 32	90.3	6.3	8.3	7.3	7.3	
J-37	96.7	7.0	7.7	7.0	7.2	
PST-R7MA	86.7	6.0	7.7	8.0	7.2	
COMPANION	98.7	7.0	7.3	6.7	7.0	
CHINESE COMMON	95.3	6.7	7.7	6.3	6.9	
6186	51.3	5.0	1.0	6.0	4.0	
DALZ 0102	56.7	5.0	1.0	6.0	4.0	
BMZ 230	53.3	5.0	1.0	5.3	3.8	
DALZ 9604	42.3	4.7	1.0	5.7	3.8	
EMERALD	45.7	5.0	1.0	5.3	3.8	
HIMENO	46.7	5.0	1.0	5.3	3.8	
DALZ 0104	43.3	4.7	1.0	5.3	3.7	
DALZ 0105	53.3	4.7	1.0	5.3	3.7	
ZORRO	30.0	4.0	1.0	5.0	3.3	
DALZ 0101	38.3	4.0	1.0	4.7	3.2	
GN-Z	31.7	4.3	1.0	4.3	3.2	
MEYER	40.0	4.0	1.0	4.7	3.2	
LSD VALUE	9.9	0.7	0.5	1.0	0.5	
C.V. (%)	10.5	8.6	9.7	10.4	6.0	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 3. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF ZOYSIAGRASS CULTIVARS
IN THE 2002 NATIONAL ZOYSIAGRASS TEST AT MISSISSIPPI STATE, MS 1/
2002 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	PERCENT ESTABLISHMENT RATINGS				QUALITY RATINGS			
	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	AUG	SEP	OCT	MEAN
ZENITH	55.0	93.3	97.7	99.0	5.0	5.7	6.0	5.7
COMPANION	46.7	91.7	99.0	99.0	5.0	5.0	5.3	5.3
J-37	53.3	91.7	97.7	99.0	5.0	5.0	5.3	5.3
PZA 32	46.7	85.0	96.0	99.0	4.7	5.3	5.3	5.3
PZB 33	48.3	88.3	94.7	97.7	5.0	4.7	5.7	5.3
CHINESE COMMON	43.3	88.3	96.3	99.0	4.7	5.3	5.3	5.2
6186	23.3	78.3	96.0	99.0	4.0	4.7	5.7	5.1
BMZ 230	40.0	88.3	99.0	99.0	4.0	5.0	5.3	5.1
PST-R7MA	25.0	78.3	96.0	97.7	4.3	5.0	5.7	5.1
PST-R7ZM	15.0	70.0	88.3	96.3	4.0	4.3	5.3	4.7
DALZ 0105	18.3	56.7	91.7	97.7	3.3	4.3	5.0	4.5
DALZ 9604	20.0	63.3	84.7	89.7	3.7	4.0	5.0	4.4
DALZ 0102	20.0	55.0	86.7	91.7	3.7	4.3	4.3	4.3
DALZ 0104	20.0	53.3	88.3	95.0	3.0	4.0	4.7	4.2
ZORRO	16.7	51.7	88.3	94.7	3.0	4.3	4.3	4.1
DALZ 0101	15.0	36.7	71.7	81.7	3.0	3.7	3.7	3.7
HIMENO	20.0	45.0	80.0	91.7	3.0	3.7	4.0	3.7
MEYER	16.7	41.7	71.7	81.7	3.0	3.7	4.0	3.7
EMERALD	15.0	35.0	73.3	81.7	3.0	3.3	4.0	3.5
GN-Z	15.0	31.7	60.0	63.3	3.0	3.3	3.7	3.4
LSD VALUE	12.5	16.1	15.0	9.6	0.6	0.8	0.9	0.6
C.V. (%)	28.1	15.9	10.1	6.5	10.1	11.6	10.7	8.2

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.