

TABLE 1.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
 IN THE 2002 NATIONAL BERMUDAGRASS TEST AT AUBURN, AL 1/
 2004 DATA
 TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	FALL COLOR OCTOBER	APR	MAY	QUALITY RATINGS					MEAN
							JUN	JUL	AUG	SEP	OCT	
TIFSPORT	8.0	3.7	8.0	5.7	6.3	6.3	7.7	7.7	7.7	7.7	7.3	7.2
TIFWAY	8.0	4.3	8.0	6.3	6.3	7.0	7.7	7.0	7.3	8.3	6.3	7.1
TIFT NO. 4	8.3	2.7	7.3	5.7	7.3	6.3	7.7	6.3	6.3	7.7	6.3	6.9
TIFT NO. 1	7.3	5.0	7.7	3.7	6.7	6.0	7.0	7.3	7.0	6.3	5.7	6.6
GN-1	7.3	5.7	7.0	4.0	5.7	6.0	6.7	7.0	6.3	7.3	5.7	6.4
MIDLAWN	5.0	4.3	6.7	4.0	6.7	5.7	5.7	7.3	6.3	6.7	5.7	6.3
AUSSIE GREEN	6.3	4.0	7.0	2.3	6.0	8.0	7.7	7.0	5.7	5.0	4.3	6.2
PREMIER (OR 2002)	7.7	5.3	7.7	3.7	6.7	5.0	6.7	7.0	6.7	5.7	5.0	6.1
ASHMORE	6.7	5.0	7.0	4.0	3.7	5.3	6.3	6.7	7.0	7.0	6.0	6.0
PATRIOT	8.3	3.0	6.7	2.0	6.0	6.3	7.7	6.0	5.7	5.7	5.0	6.0
TIFT NO. 2	6.7	4.3	7.3	3.7	5.0	5.0	6.3	6.7	6.3	6.7	5.3	5.9
SWI-1012	7.3	5.0	6.7	4.7	6.0	5.3	5.3	6.0	6.3	6.3	5.3	5.8
SWI-1041	6.0	5.7	5.3	4.3	6.0	6.0	6.0	5.7	6.0	6.0	5.0	5.8
SWI-1044	6.0	5.7	6.0	3.0	5.7	5.7	6.0	6.0	6.0	5.7	5.3	5.8
OKC 70-18	5.3	5.3	7.3	5.3	3.0	5.7	6.0	7.0	6.3	6.0	5.3	5.6
SWI-1003	5.3	4.3	6.7	3.7	5.7	5.7	5.3	6.0	6.0	5.7	5.0	5.6
PRINCESS 77	7.0	4.7	6.3	3.3	5.3	5.7	6.0	5.3	5.7	5.7	4.7	5.5
TIFT NO. 3	8.3	7.3	7.0	6.0	4.7	6.0	6.3	7.0	5.7	4.7	4.3	5.5
SWI-1001	5.7	5.7	6.0	3.3	4.3	4.3	5.3	6.0	6.0	6.3	5.3	5.4
SWI-1046	6.7	4.7	6.3	4.0	6.0	5.0	6.3	5.0	5.3	5.3	4.7	5.4
MS-CHOICE	7.7	5.0	6.3	5.3	4.0	4.7	5.0	5.3	5.7	6.0	5.0	5.1
SWI-1045	7.0	4.7	4.7	4.0	5.3	4.0	4.3	5.3	5.7	6.0	5.3	5.1
CELEBRATION	9.0	4.3	6.0	3.0	6.0	4.7	5.0	5.0	4.7	5.0	4.7	5.0
SR 9554	6.0	5.7	5.0	3.7	3.7	4.3	5.0	6.0	5.7	5.7	5.0	5.0
SUNBIRD (PST-R68A)	6.0	5.7	5.7	2.7	3.7	4.7	4.3	5.3	5.3	5.3	5.0	4.8
YUKON	7.0	5.0	5.3	5.3	4.3	4.3	5.7	5.0	5.3	4.7	4.3	4.8
SOUTHERN STAR	6.3	6.0	5.3	3.7	4.0	4.0	5.3	4.7	5.0	5.3	4.3	4.7
CIS-CD6	5.3	7.0	4.0	3.7	4.7	3.3	4.7	5.0	5.3	4.7	4.3	4.6
TRANSCONTINENTAL	5.3	7.0	5.0	3.3	4.3	4.7	5.0	4.3	4.7	4.7	4.3	4.6
RIVIERA	6.3	5.7	5.0	4.3	5.7	6.0	3.7	4.3	4.3	4.3	3.3	4.5
CIS-CD7	5.0	6.0	4.3	3.3	3.7	3.7	4.7	5.3	5.0	4.0	3.7	4.3
LAPALOMA (SRX 9500)	6.0	5.3	5.3	2.7	3.7	3.7	4.7	4.7	4.7	4.7	3.7	4.2
CIS-CD5	5.0	6.3	5.0	4.3	4.0	3.3	4.7	3.7	4.7	4.7	4.0	4.1
SWI-1014	5.7	5.0	4.3	4.3	4.7	3.3	4.0	4.7	4.3	3.7	4.0	4.1
FMC-6	5.0	6.7	3.7	3.3	3.0	4.0	4.0	4.3	4.3	4.0	4.0	4.0
B-14	5.3	7.0	4.0	4.3	3.0	3.0	4.3	4.3	4.7	4.0	3.7	3.9
ARIZONA COMMON	6.0	6.7	4.7	4.3	2.0	4.3	3.0	4.3	4.3	5.0	3.7	3.8
PANAMA	4.7	7.0	4.3	3.7	3.3	3.0	3.3	4.0	4.3	4.7	3.7	3.8
SUNDEVIL II	4.7	6.0	5.0	3.3	3.7	4.0	3.7	4.0	3.7	4.0	3.0	3.7
NUMEX SAHARA	5.7	7.0	4.0	3.3	2.3	3.3	4.3	3.7	3.7	3.7	3.3	3.5
SUNSTAR	5.3	6.0	5.3	4.3	2.0	3.0	3.3	3.7	4.0	5.0	3.7	3.5
MOHAWK	4.3	6.0	4.7	3.3	2.7	3.0	3.3	3.3	3.7	3.7	3.3	3.3
LSD VALUE	1.7	1.1	1.7	1.2	1.5	1.8	1.5	1.7	1.6	2.6	1.8	1.1
C.V. (%)	16.3	13.1	17.3	18.9	20.1	22.6	17.6	18.5	17.0	24.6	21.2	13.2

- 1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
 2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 2.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT FAYETTEVILLE, AR 1/
2004 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY FALL	FROST TOLERANCE	SEEDHEAD RATINGS					QUALITY RATINGS				
						AUGUST	OCTOBER	NOVEMBER	MAY	JUN	JUL	AUG	SEP	OCT	MEAN
MS-CHOICE	7.3	2.7	6.0	6.3	5.0	1.0	1.0	1.0	6.3	7.7	7.7	7.0	7.0	7.0	7.1
TIFWAY	7.7	2.3	7.7	8.0	6.7	2.0	1.3	1.0	7.3	7.7	7.3	6.7	6.7	6.0	6.9
AUSSIE GREEN	7.7	2.0	6.7	7.3	4.3	1.3	3.0	4.3	7.7	7.0	6.7	6.3	6.7	6.3	6.8
CELEBRATION	7.0	1.7	6.0	7.0	4.7	1.7	2.0	1.3	6.7	7.3	7.7	6.3	6.7	6.3	6.8
GN-1	7.3	2.0	6.0	6.7	3.3	2.0	2.0	1.3	7.3	7.3	6.7	6.7	6.7	6.0	6.8
PREMIER (OR 2002)	6.3	4.7	7.0	7.7	5.3	1.0	2.0	2.3	7.0	7.7	7.0	5.7	6.3	6.3	6.7
TIFSPORT	7.0	2.0	7.0	7.7	6.7	1.0	1.0	1.0	8.0	6.7	6.7	6.0	6.3	6.3	6.7
TIFT NO. 3	6.3	3.0	5.3	5.7	6.3	1.7	1.3	1.3	7.0	6.7	6.7	6.3	6.7	6.3	6.6
MIDLAWN	6.3	5.7	7.3	7.0	7.0	1.0	1.0	1.0	6.0	6.0	6.3	6.3	6.7	6.3	6.3
OKC 70-18	5.7	6.7	6.7	7.3	3.3	1.0	1.0	1.0	7.0	6.0	6.3	6.3	6.3	6.0	6.3
PATRIOT	7.3	2.0	7.7	7.0	6.7	1.0	1.7	1.7	7.3	7.3	5.3	5.7	6.0	5.7	6.2
SWI-1045	6.0	2.7	5.7	4.7	5.0	2.3	1.7	2.7	5.7	6.3	7.0	6.0	6.0	6.0	6.2
TIFT NO. 4	7.0	1.7	7.0	7.3	6.0	4.0	2.0	1.0	7.3	6.7	5.7	5.3	6.0	6.0	6.2
SWI-1041	5.7	2.0	6.0	5.7	4.0	2.3	2.0	3.3	6.3	6.3	6.7	5.7	6.0	5.7	6.1
SWI-1044	6.7	2.7	5.3	5.7	4.3	2.7	1.7	1.7	6.0	6.7	6.7	6.0	6.0	5.3	6.1
RIVIERA	6.3	5.0	5.3	5.3	3.7	3.0	1.7	3.0	6.0	6.0	5.3	6.3	6.3	6.0	6.0
SWI-1012	7.7	2.0	5.3	5.7	4.3	2.3	2.0	2.3	5.7	7.3	5.7	5.7	6.0	5.7	6.0
YUKON	6.0	5.0	5.3	5.0	5.0	1.0	1.7	1.3	6.3	7.3	5.3	6.0	6.0	5.0	6.0
PRINCESS 77	5.7	1.7	5.3	5.7	5.7	4.0	2.3	3.0	6.3	6.7	6.3	5.3	5.3	5.0	5.8
SWI-1046	6.7	2.0	6.3	6.7	4.7	2.7	2.7	2.7	6.0	6.7	6.7	5.3	5.3	4.7	5.8
TIFT NO. 1	7.3	1.3	6.7	6.7	5.7	4.0	4.3	2.3	6.0	7.0	7.0	5.0	5.0	4.7	5.8
ASHMORE	3.0	3.3	7.3	7.0	5.3	1.0	1.0	1.0	5.7	4.7	6.0	5.3	6.0	5.7	5.6
CIS-CD7	5.0	4.0	4.7	4.7	4.0	3.3	4.3	5.7	5.0	5.7	5.3	6.0	6.0	5.3	5.6
TIFT NO. 2	6.0	1.0	5.3	6.0	5.3	3.3	1.7	2.0	5.3	7.0	6.3	4.7	4.7	4.3	5.4
SWI-1003	5.3	1.0	5.7	6.3	4.0	3.3	2.3	2.7	5.7	6.3	6.3	4.3	4.7	4.7	5.3
SWI-1001	5.3	2.7	4.7	6.0	4.0	3.3	3.0	3.3	4.7	6.0	5.3	5.0	5.3	5.0	5.2
CIS-CD5	5.3	3.3	4.0	4.7	3.3	4.7	4.3	5.7	4.3	6.3	5.0	5.7	5.0	4.0	5.1
CIS-CD6	4.7	3.7	4.7	4.7	3.7	4.0	5.0	5.0	4.3	6.0	4.7	5.7	5.3	4.3	5.1
FMC-6	5.3	2.7	4.7	5.0	3.0	3.0	3.3	4.7	4.7	5.3	5.3	5.0	5.3	5.0	5.1
LAPALOMA (SRX 9500)	4.7	4.0	4.7	4.7	3.3	3.7	4.7	6.3	4.7	5.7	4.7	5.3	5.3	4.7	5.1
PANAMA	5.0	3.3	4.7	5.0	3.3	3.3	3.3	7.3	4.0	5.3	5.0	5.3	5.3	4.7	4.9
SOUTHERN STAR	5.0	3.3	5.0	4.3	3.7	4.0	6.0	6.0	4.0	5.7	5.3	5.0	5.0	4.7	4.9
TRANSCONTINENTAL	5.7	3.7	4.3	4.7	3.7	4.0	3.3	5.0	4.3	5.3	5.3	5.0	5.0	4.7	4.9
SR 9554	5.7	4.0	4.7	4.3	3.7	3.7	3.7	6.0	4.0	5.7	4.7	5.0	5.0	4.7	4.8
SUNSTAR	5.0	4.3	4.3	5.0	3.3	3.7	4.7	6.0	4.3	5.0	4.0	5.3	5.3	4.7	4.8
SWI-1014	5.7	4.0	4.0	4.7	4.3	2.3	2.7	3.0	5.3	5.0	5.0	4.7	4.7	4.3	4.8
MOHAWK	4.0	3.3	4.0	5.0	3.3	3.3	3.0	6.3	3.7	5.0	4.3	5.3	5.3	4.7	4.7
SUNDEVIL II	5.0	2.7	5.0	4.7	3.3	4.3	6.7	6.7	3.7	5.3	4.7	5.0	5.0	4.7	4.7
SUNBIRD (PST-R68A)	5.7	3.3	5.3	5.0	3.0	3.3	6.0	7.0	4.3	5.0	4.7	5.0	4.7	4.0	4.6
NUMEX SAHARA	5.0	4.0	4.3	5.0	3.3	3.3	4.0	5.3	4.0	4.3	4.7	5.0	5.0	4.0	4.5
ARIZONA COMMON	5.3	4.0	4.0	4.3	3.7	3.7	5.7	6.7	3.0	4.7	4.3	5.0	5.0	4.3	4.4
B-14	5.0	3.7	3.7	4.0	3.3	4.0	6.3	7.3	4.0	4.0	4.3	4.7	4.7	4.0	4.3
LSD VALUE	1.5	1.1	1.0	1.2	1.1	0.9	1.2	1.5	0.9	1.1	1.0	1.2	0.9	1.0	0.5
C.V. (%)	15.0	23.4	11.8	13.8	16.1	21.3	27.6	27.8	10.4	11.2	11.2	11.7	9.8	11.9	6.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 3.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
 IN THE 2002 NATIONAL BERMUDAGRASS TEST AT TUCSON, AZ 1/
 2004 DATA
 TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	QUALITY RATINGS							MEAN
				APR	MAY	JUN	JUL	AUG	SEP	OCT	
TIFWAY	6.7	5.7	8.0	7.7	8.3	8.3	7.7	7.0	8.7	7.3	7.9
PREMIER (OR 2002)	8.0	7.7	8.0	8.0	7.7	8.7	7.7	7.0	8.3	7.0	7.8
SWI-1041	6.0	5.7	7.3	6.3	8.0	8.0	7.7	8.0	8.3	8.0	7.8
AUSSIE GREEN	8.0	7.0	7.0	6.3	7.3	8.7	7.3	8.3	8.3	7.7	7.7
OKC 70-18	6.3	6.7	8.0	7.3	7.3	7.0	8.0	8.3	7.7	8.0	7.7
TIFT NO. 3	7.3	6.3	6.7	7.3	7.7	8.3	7.7	7.3	8.0	7.3	7.7
CELEBRATION	7.3	7.3	7.3	6.7	7.0	7.0	7.3	8.3	9.0	8.0	7.6
SWI-1045	6.3	5.7	6.7	6.3	8.0	8.0	7.3	8.0	7.7	8.0	7.6
TIFT NO. 4	7.3	6.3	7.7	7.3	8.0	8.0	5.7	7.3	7.7	7.7	7.4
GN-1	7.0	4.3	6.7	6.3	7.0	7.7	7.3	7.3	8.3	7.3	7.3
SWI-1003	6.0	5.0	7.0	6.7	7.0	8.0	6.3	7.3	7.3	7.3	7.1
TIFT NO. 1	6.3	5.3	7.0	6.3	8.0	8.0	6.3	6.3	8.0	7.0	7.1
TIFT NO. 2	6.3	5.7	7.0	6.0	7.0	7.7	6.7	7.3	7.0	7.3	7.0
SWI-1012	6.7	6.7	6.7	5.3	7.3	8.0	6.7	7.0	7.0	7.0	6.9
SWI-1044	6.7	6.0	6.3	6.7	6.7	7.0	7.0	7.0	7.3	6.7	6.9
SWI-1046	6.0	6.0	7.0	6.7	6.3	7.0	6.7	7.0	7.7	7.0	6.9
TIFSPORT	7.0	5.7	7.3	7.3	8.0	7.7	6.3	5.7	7.0	6.7	6.9
RIVIERA	6.0	6.0	6.3	6.3	6.3	6.3	7.0	7.0	7.0	7.0	6.7
MIDLAWN	6.0	5.0	7.7	5.7	7.7	8.0	8.0	5.0	7.0	5.3	6.6
PATRIOT	6.7	5.3	7.0	6.7	7.7	6.7	7.3	5.7	5.7	6.3	6.6
ASHMORE	4.7	5.0	9.0	7.3	8.0	7.0	5.7	6.0	5.0	6.3	6.5
MS-CHOICE	7.0	6.3	6.3	5.7	6.7	5.0	6.3	7.3	7.0	7.0	6.5
SWI-1014	7.0	5.7	5.3	6.0	7.0	6.7	6.3	6.0	6.7	6.0	6.4
SWI-1001	6.3	4.7	6.3	5.3	6.3	6.0	6.3	6.3	6.3	6.7	6.2
PRINCESS 77	5.3	4.7	6.3	6.0	5.0	7.3	5.7	6.0	5.7	6.0	6.0
SOUTHERN STAR	5.7	5.0	5.3	5.3	5.3	6.0	6.0	6.3	6.7	6.3	6.0
SUNDEVIL II	5.7	4.7	5.7	5.7	6.3	6.0	6.0	6.0	6.3	6.0	6.0
TRANSCONTINENTAL	5.3	5.0	5.7	5.7	5.3	5.0	6.3	6.3	6.7	6.7	6.0
SUNBIRD (PST-R68A)	6.0	5.0	6.3	5.7	5.7	5.3	6.0	6.0	6.3	6.0	5.9
PANAMA	5.3	4.7	5.7	5.0	5.5	7.0	5.7	5.7	6.0	6.0	5.8
CIS-CD6	6.3	5.7	6.0	5.7	6.0	5.3	5.3	6.0	5.7	6.0	5.7
CIS-CD7	6.0	4.7	4.7	4.3	5.7	5.0	5.3	5.7	6.3	6.3	5.5
YUKON	6.5	5.0	6.0	5.0	5.5	5.5	5.5	5.0	6.0	5.5	5.4
SR 9554	5.7	4.5	6.0	5.0	5.3	5.5	4.5	5.5	6.5	6.0	5.3
SUNSTAR	5.7	4.0	5.0	5.3	5.3	6.0	5.0	5.0	5.0	5.7	5.3
B-14	5.3	3.3	5.0	4.3	5.0	5.7	5.3	5.3	5.0	5.7	5.2
CIS-CD5	5.3	4.7	5.7	5.3	4.3	5.3	5.3	5.0	5.7	5.3	5.2
LAPALOMA (SRX 9500)	5.3	4.7	5.3	4.7	5.0	6.0	5.0	5.0	5.3	5.3	5.2
ARIZONA COMMON	5.7	4.3	5.3	3.7	5.3	5.7	5.3	5.3	5.0	5.3	5.1
MOHAWK	4.3	3.7	5.0	5.0	5.7	5.7	4.7	5.3	4.0	5.3	5.1
FMC-6	5.7	4.0	4.7	4.7	4.7	4.3	5.3	5.3	5.3	5.3	5.0
NUMEX SAHARA	4.7	4.0	5.0	4.7	4.7	4.7	5.3	5.3	5.3	5.3	5.0
LSD VALUE	0.9	2.1	0.8	1.6	1.3	1.4	1.5	1.8	1.2	1.4	0.8
C.V. (%)	9.4	20.6	8.6	15.7	12.6	13.1	13.6	15.4	11.1	12.3	8.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 3. (CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
 IN THE 2002 NATIONAL BERMUDAGRASS TEST AT TUCSON, AZ 1/
 2004 DATA
 TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT COVER FALL	FALL COLOR SEPTEMBER	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	SEEDHEAD RATINGS
TIFWAY	8.0	8.7	8.7	58.3	92.7	88.3	6.3	7.0	6.3	2.3
PREMIER (OR 2002)	7.7	8.0	8.3	71.7	93.3	73.3	6.7	7.7	6.0	2.0
SWI-1041	6.7	7.7	8.3	46.7	90.0	78.3	5.7	6.3	5.3	3.3
AUSSIE GREEN	7.0	7.7	8.0	56.7	78.3	81.7	8.0	8.3	7.0	2.7
OKC 70-18	6.3	8.3	8.7	81.7	91.3	55.0	6.0	6.3	6.0	2.3
TIFT NO. 3	7.7	7.7	7.7	61.7	93.3	83.3	7.3	7.7	6.7	2.3
CELEBRATION	6.3	7.7	8.0	70.0	85.0	80.0	8.3	8.7	6.7	4.3
SWI-1045	7.7	7.0	7.3	43.3	85.0	80.0	6.7	6.7	6.0	2.3
TIFT NO. 4	7.3	7.7	8.0	63.3	91.7	81.7	7.0	8.7	6.7	4.3
GN-1	6.0	7.0	7.0	25.0	78.3	76.7	7.7	7.7	6.0	2.0
SWI-1003	7.0	8.0	8.3	45.0	85.0	78.3	6.7	6.0	5.0	3.7
TIFT NO. 1	7.0	7.3	7.7	56.7	88.3	71.7	6.0	7.3	6.3	3.3
TIFT NO. 2	6.0	7.3	7.7	41.7	86.7	70.0	7.0	7.0	6.0	3.3
SWI-1012	7.3	7.0	7.3	53.3	86.7	68.3	6.7	7.0	6.0	2.3
SWI-1044	6.7	7.3	7.7	56.7	90.0	75.0	7.0	6.7	6.0	2.3
SWI-1046	8.0	7.7	8.3	60.0	88.3	71.7	6.0	6.0	5.0	4.3
TIFSPORT	7.0	7.7	8.0	58.3	92.7	88.3	7.0	8.0	6.7	1.0
RIVIERA	5.7	6.7	7.3	63.3	86.7	63.3	6.3	6.3	5.0	2.3
MIDLAWN	7.7	7.7	8.0	26.7	75.0	50.0	5.0	6.0	5.3	2.7
PATRIOT	6.0	7.3	7.3	40.0	81.7	46.7	5.3	6.7	6.3	1.0
ASHMORE	9.0	9.0	8.7	35.0	94.3	55.0	4.7	4.7	4.7	4.0
MS-CHOICE	4.0	6.3	7.0	51.7	66.7	78.3	8.0	7.7	6.7	1.5
SWI-1014	5.7	6.0	6.0	43.3	78.3	68.3	6.3	6.0	5.3	2.7
SWI-1001	5.7	6.0	6.7	36.7	78.3	70.0	6.3	7.0	6.3	1.7
PRINCESS 77	5.3	6.7	7.0	36.7	83.3	65.0	6.0	6.3	5.7	2.0
SOUTHERN STAR	5.0	6.0	6.7	53.3	81.7	60.0	5.7	5.3	5.0	3.3
SUNDEVIL II	5.7	6.0	6.3	53.3	76.7	60.0	6.0	6.0	5.7	3.3
TRANSCONTINENTAL	4.0	5.7	6.3	51.7	85.0	66.7	6.0	5.0	4.7	4.0
SUNBIRD (PST-R68A)	4.0	6.0	6.3	43.3	75.0	70.0	7.0	6.3	6.0	2.7
PANAMA	5.3	6.0	6.3	28.3	75.0	65.0	5.7	5.0	4.3	2.7
CIS-CD6	6.7	5.7	6.0	63.3	81.7	66.7	6.0	6.3	6.0	2.7
CIS-CD7	4.0	5.0	5.7	36.7	65.0	65.0	6.3	6.7	6.7	3.0
YUKON	5.0	6.0	6.0	37.5	75.0	57.5	6.5	6.0	5.5	2.5
SR 9554	5.0	6.0	6.0	40.0	70.0	46.7	5.7	6.0	6.0	2.5
SUNSTAR	5.3	5.0	6.0	31.7	80.0	63.3	5.7	5.3	4.7	2.3
B-14	5.0	5.3	5.7	21.7	60.0	66.7	5.7	4.7	4.7	2.3
CIS-CD5	5.3	5.3	6.0	36.7	71.7	65.0	5.3	5.3	5.0	3.0
LAPALOMA (SRX 9500)	5.0	5.7	5.7	23.3	68.3	70.0	5.3	5.3	5.0	2.0
ARIZONA COMMON	5.7	5.3	5.3	28.3	73.3	65.0	5.7	5.3	5.0	2.3
MOHAWK	4.3	5.0	5.3	36.7	76.7	56.7	5.0	4.0	4.3	2.3
FMC-6	2.7	4.7	5.3	26.7	70.0	65.0	6.7	6.0	4.7	2.3
NUMEX SAHARA	5.7	5.0	5.0	30.0	71.7	60.0	5.3	5.3	5.3	2.3
LSD VALUE	2.4	0.9	1.1	26.1	13.7	15.7	1.8	1.4	2.3	1.2
C.V. (%)	21.9	9.3	9.7	31.6	9.8	13.4	14.9	13.2	17.3	26.0

- 1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
 2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 4. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
 IN THE 2002 NATIONAL BERMUDAGRASS TEST AT RIVERSIDE, CA 1/
 2004 DATA
 TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	FALL COLOR NOVEMBER										MEAN
		MAY	JUN	JUL	QUALITY RATINGS		OCT	NOV	DEC			
					AUG	SEP						
MIDLAWN	7.7	7.0	7.0	6.3	3.7	5.7	5.7	6.3	5.0	4	5.5	
PREMIER (OR 2002)	7.7	7.7	7.0	6.3	4.7	4.3	5.0	5.0	5.7	4	5.3	
OKC 70-18	7.7	6.7	6.3	6.7	4.0	5.3	5.3	5.0	4.7	4	5.2	
SWI-1041	7.3	7.3	5.7	5.7	4.0	6.0	5.3	5.0	5.7	4	5.2	
PATRIOT	8.0	8.0	6.0	6.3	4.0	5.7	5.3	4.3	4.3	4	5.0	
SWI-1003	6.7	7.0	5.3	5.7	4.7	4.7	5.0	5.7	5.3	4	5.0	
SWI-1012	7.0	7.3	5.3	5.0	5.0	5.3	5.0	5.0	5.3	4	5.0	
SWI-1044	7.3	7.0	5.3	5.3	4.3	5.3	5.3	5.0	5.0	4	5.0	
SWI-1045	7.3	7.3	5.0	5.7	4.7	5.3	5.3	5.0	5.3	4	5.0	
SWI-1046	7.0	7.0	5.3	5.3	4.0	5.7	5.3	5.0	5.7	4	5.0	
TIFSPORT	7.3	7.7	5.0	5.0	5.0	4.7	5.0	5.0	6.0	4	5.0	
AUSSIE GREEN	8.0	8.0	6.3	6.3	4.3	4.0	4.7	4.7	4.7	4	4.9	
GN-1	7.3	7.3	5.7	5.7	4.3	4.0	5.0	5.0	5.7	4	4.9	
MS-CHOICE	7.0	7.0	5.3	5.0	4.0	5.7	5.3	5.0	5.0	4	4.9	
TIFT NO. 3	7.7	7.7	5.7	5.7	4.0	4.3	5.0	5.0	5.7	4	4.9	
TIFWAY	7.7	7.7	6.7	6.0	3.7	3.7	4.7	5.0	5.7	4	4.9	
YUKON	7.3	7.0	5.5	5.0	4.3	5.7	5.3	5.3	4.0	4	4.9	
CELEBRATION	7.0	7.3	6.0	6.0	4.0	4.3	4.7	4.7	4.7	4	4.8	
PANAMA	6.0	6.7	4.5	4.5	4.0	5.5	5.5	5.0	5.0	4	4.8	
PRINCESS 77	6.7	7.0	5.0	5.0	4.7	4.7	5.0	5.0	5.3	4	4.8	
RIVIERA	7.3	6.7	5.0	5.3	4.3	4.7	5.0	5.0	4.7	4	4.8	
SUNBIRD (PST-R68A)	6.7	7.3	5.0	4.7	4.3	4.7	5.3	5.0	5.0	4	4.8	
TIFT NO. 1	7.3	8.0	5.3	5.3	4.0	4.3	5.0	5.0	5.3	4	4.8	
CIS-CD7	6.7	7.0	4.7	4.7	4.0	5.3	5.3	5.3	4.3	4	4.7	
FMC-6	6.3	6.7	4.7	5.0	4.0	5.0	5.0	5.0	5.0	4	4.7	
TIFT NO. 4	6.7	7.7	4.5	4.5	4.0	4.7	5.3	5.7	4.7	4	4.7	
TRANSCONTINENTAL	6.7	7.0	4.7	4.7	4.3	4.0	5.0	5.0	5.7	4	4.7	
LAPALOMA (SRX 9500)	6.0	7.0	4.3	4.3	4.7	4.7	4.7	4.7	5.3	4	4.6	
MOHAWK	6.3	6.7	4.3	5.0	4.0	4.7	5.0	5.0	4.7	4	4.6	
NUMEX SAHARA	7.5	7.0	4.7	4.7	4.0	5.3	5.0	5.0	4.3	4	4.6	
SOUTHERN STAR	5.7	7.0	4.7	4.7	4.0	4.3	5.0	5.0	5.0	4	4.6	
SWI-1001	6.7	7.0	5.0	4.7	4.0	4.7	5.0	4.7	4.7	4	4.6	
SWI-1014	6.0	7.0	5.0	4.5	4.3	4.7	5.0	5.0	4.7	4	4.6	
ARIZONA COMMON	6.7	7.0	4.0	4.3	4.0	4.7	5.0	5.0	4.7	4	4.5	
B-14	5.7	7.0	4.3	4.7	4.3	4.3	5.0	5.0	4.7	4	4.5	
CIS-CD5	6.7	7.0	4.0	5.0	4.0	4.3	5.0	5.0	4.3	4	4.5	
CIS-CD6	6.3	7.0	4.3	4.7	4.0	4.7	4.7	4.7	4.7	4	4.5	
SUNDEVIL II	6.3	7.0	4.3	4.3	4.0	4.3	5.0	5.3	4.7	4	4.5	
SR 9554	6.3	6.3	4.3	4.3	4.3	4.3	4.7	5.0	4.3	4	4.4	
SUNSTAR	6.7	7.0	4.0	4.0	4.0	4.7	5.0	5.0	4.7	4	4.4	
ASHMORE	7.0	6.3	7.0	4.7	3.0	3.3	4.0	4.3	4.0	4	4.3	
TIFT NO. 2	7.3	7.7	5.0	4.7	3.7	4.0	4.3	4.3	4.7	4	4.3	
LSD VALUE	1.2	0.8	0.9	0.9	1.5	1.6	0.9	0.9	1.1	0	0.3	
C.V. (%)	9.2	6.2	10.8	10.8	13.1	16.0	8.0	8.3	11.5	0	4.3	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
 2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
 IN THE 2002 NATIONAL BERMUDAGRASS TEST AT POMONA, CA 1/
 2004 DATA
 TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SPRING	FALL	FALL	FALL	SEEDHEAD RATINGS	APR	MAY	JUN	QUALITY RATINGS					MEAN	
					COLOR OCTOBER	COLOR NOVEMBER	COLOR DECEMBER					JUL	AUG	SEP	OCT	NOV		DEC
MIDLAWN	8.7	7.7	8.7	9.0	6.7	3.3	3.3	2.3	8.0	8.7	8.0	7.7	7.7	8.3	8.0	8.0	7.0	7.9
AUSSIE GREEN	7.7	7.7	9.0	9.0	5.3	2.3	2.3	5.0	7.7	8.0	8.0	8.0	8.0	8.3	7.7	7.3	6.7	7.7
TIFWAY	7.3	6.3	9.0	9.0	6.0	3.7	3.7	4.0	7.7	8.0	7.7	7.7	7.7	7.7	7.7	7.7	7.0	7.6
TIFT NO. 3	7.7	7.0	8.3	9.0	6.0	4.7	4.7	7.0	7.3	8.0	7.7	7.7	7.0	7.3	7.3	7.0	7.3	7.4
PREMIER (OR 2002)	7.0	7.0	9.0	9.0	6.0	4.3	4.3	4.0	7.0	7.3	6.7	6.7	8.0	8.0	7.7	7.3	7.3	7.3
SWI-1041	7.3	7.0	8.0	9.0	6.7	5.0	5.0	4.0	7.3	7.3	7.3	7.3	8.0	7.0	7.0	7.3	7.0	7.3
SWI-1045	7.3	7.3	8.0	9.0	5.7	5.0	5.3	6.0	7.3	7.3	7.7	8.0	7.7	7.3	7.3	6.7	6.0	7.3
SWI-1046	8.0	7.3	8.7	9.0	6.0	4.0	4.0	4.3	8.0	8.0	7.3	7.3	7.7	7.7	7.7	6.3	6.0	7.3
TIFSPORT	7.7	7.7	8.3	9.0	6.3	3.7	3.7	4.0	7.3	7.3	7.3	7.7	7.3	7.3	7.3	7.0	6.0	7.2
OKC 70-18	7.3	7.3	9.0	9.0	5.0	2.7	2.7	2.0	7.3	7.7	8.0	8.0	7.7	6.7	6.7	6.0	6.3	7.1
PRINCESS 77	7.3	7.0	7.3	9.0	5.3	4.0	4.0	2.7	7.3	7.7	7.7	7.7	7.0	7.0	7.0	6.3	6.3	7.1
SWI-1003	6.7	7.0	8.0	9.0	6.3	4.7	4.7	6.7	7.0	7.7	7.7	6.0	7.3	7.7	7.3	6.7	6.7	7.1
TIFT NO. 2	7.7	7.0	8.3	9.0	5.7	3.0	3.0	3.0	7.3	7.3	7.0	7.3	8.0	7.0	6.7	6.3	6.7	7.1
PATRIOT	7.3	7.0	9.0	9.0	4.7	2.3	2.3	2.0	6.0	7.3	7.0	7.3	8.3	7.3	7.0	6.3	6.3	7.0
RIVIERA	7.3	7.3	8.0	9.0	5.7	2.7	2.7	4.0	6.7	7.3	7.7	7.3	7.0	7.3	7.0	6.7	6.3	7.0
GN-1	7.0	7.3	8.7	8.7	6.3	4.0	4.0	2.0	6.7	6.7	6.7	6.7	7.3	7.3	6.7	6.7	6.3	6.8
MS-CHOICE	7.7	7.7	7.0	9.0	6.0	2.7	2.7	3.7	5.7	7.0	7.0	7.7	7.7	7.0	6.7	6.3	6.3	6.8
SWI-1044	6.7	7.5	8.0	9.0	6.7	4.7	4.7	3.0	7.3	7.0	7.0	6.7	7.3	6.0	6.3	6.7	6.7	6.8
ASHMORE	7.7	6.3	8.0	9.0	5.0	2.0	2.0	3.0	6.3	8.0	7.0	6.3	7.7	6.7	6.7	6.3	5.3	6.7
CELEBRATION	8.0	7.3	8.0	9.0	5.7	3.7	3.7	2.7	6.7	8.0	7.0	5.3	7.7	6.3	6.3	6.0	6.7	6.7
TIFT NO. 1	7.0	7.0	8.0	9.0	5.3	2.3	2.3	2.0	7.7	7.0	7.0	7.7	7.3	6.3	6.3	5.7	5.7	6.7
TIFT NO. 4	7.3	7.0	8.0	8.7	5.7	2.7	2.7	5.0	6.0	7.3	7.0	7.0	6.7	6.7	7.7	6.3	5.3	6.7
LAPALOMA (SRX 9500)	7.3	6.7	7.0	8.7	5.7	3.0	3.0	3.3	6.0	7.0	6.3	7.3	7.7	7.0	6.7	6.0	5.7	6.6
CIS-CD5	7.7	7.3	7.7	9.0	5.3	3.0	3.0	2.0	6.0	6.3	6.7	7.3	7.3	7.0	6.7	6.3	4.7	6.5
YUKON	7.7	6.3	8.0	9.0	4.7	1.7	1.7	2.0	6.7	7.3	7.0	6.7	7.0	7.3	7.0	6.0	3.7	6.5
SUNBIRD (PST-R68A)	7.0	6.7	7.3	8.7	5.0	3.0	3.0	2.0	6.0	6.3	6.7	6.7	7.3	7.0	6.3	5.7	6.0	6.4
SWI-1012	7.3	7.3	6.7	9.0	5.7	3.7	3.7	3.7	7.3	7.0	7.0	5.7	7.7	6.3	5.0	5.7	5.7	6.4
TRANSCONTINENTAL	7.0	7.0	7.7	9.0	4.7	3.0	3.0	2.0	6.7	6.3	6.3	6.7	7.0	7.0	7.0	5.3	5.0	6.4
CIS-CD6	6.7	7.3	7.7	9.0	5.0	2.3	2.3	3.0	6.0	6.7	6.7	6.3	7.0	7.0	6.0	5.0	5.3	6.2
SOUTHERN STAR	7.0	7.0	7.3	9.0	5.0	3.0	3.0	2.3	6.7	6.7	6.3	7.0	7.3	6.0	6.0	5.3	4.7	6.2
SUNDEVIL II	7.3	7.3	7.7	9.0	5.3	3.3	3.3	3.0	6.3	6.7	6.3	6.3	6.7	6.3	6.3	5.7	5.3	6.2
SWI-1014	8.0	7.0	7.0	9.0	5.3	3.0	3.0	5.0	6.0	6.7	7.0	6.3	7.3	6.3	6.3	5.3	4.7	6.2
SUNSTAR	7.0	7.0	7.0	9.0	5.0	2.7	2.7	5.3	5.3	6.3	6.0	6.7	8.0	6.7	6.3	5.0	4.3	6.1
FMC-6	7.0	6.7	6.7	9.0	5.0	3.3	3.3	3.0	6.3	6.7	6.3	6.0	7.3	5.7	6.3	5.3	4.3	6.0
MOHAWK	6.0	6.7	6.7	9.0	5.3	3.3	3.3	4.0	5.3	5.7	5.7	6.7	7.3	6.3	6.3	5.3	5.0	6.0
SR 9554	7.0	6.3	7.3	8.7	4.7	2.7	2.3	3.3	5.3	6.0	6.7	5.7	6.7	7.0	6.3	5.3	5.0	6.0
SWI-1001	7.0	7.7	7.0	9.0	4.7	3.0	3.0	5.0	5.7	6.3	6.0	6.7	7.3	6.0	6.3	5.0	5.0	6.0
ARIZONA COMMON	6.7	7.7	6.7	9.0	5.0	3.0	3.0	3.0	5.3	6.0	5.7	6.0	7.0	6.3	6.3	5.7	4.7	5.9
CIS-CD7	7.0	6.3	7.0	9.0	5.0	3.0	3.0	2.0	5.7	6.0	6.3	5.7	7.0	6.7	6.0	5.3	4.7	5.9
PANAMA	7.0	6.7	6.0	8.7	5.7	3.0	3.0	5.0	6.0	6.7	6.0	6.0	6.7	5.7	5.7	5.3	4.7	5.9
NUMEX SAHARA	6.3	6.3	6.7	9.0	4.3	3.0	3.0	4.0	5.0	5.7	5.7	5.7	6.7	6.3	6.3	5.3	4.3	5.7
B-14	7.0	6.3	6.7	9.0	4.7	2.3	2.3	2.0	5.3	6.0	5.7	6.3	7.0	5.7	5.7	4.7	4.3	5.6
LSD VALUE	1.6	2.8	0.7	0.8	1.6	1.5	1.4	0.7	1.2	1.0	1.0	2.1	1.9	1.6	1.3	1.2	1.0	0.6
C.V. (%)	9.2	11.0	6.2	2.5	13.8	25.6	25.2	13.8	11.2	8.6	8.5	13.8	8.9	11.3	10.5	11.8	11.0	5.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 6.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
 IN THE 2002 NATIONAL BERMUDAGRASS TEST AT JAY, FL 1/
 2004 DATA
 TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	FALL	FALL	FALL	MAY	JUN	QUALITY RATINGS					MEAN
						COLOR OCTOBER	COLOR NOVEMBER	COLOR DECEMBER			JUL	AUG	SEP	OCT	NOV	
PREMIER (OR 2002)	8.0	5.0	5.3	9.0	9.0	8.7	5.7	4.0	5.3	5.7	9.0	8.7	8.3	9.0	9.0	7.9
TIFSPORT	8.3	5.7	6.3	8.3	8.7	8.0	6.3	4.3	6.3	6.7	8.3	8.7	8.3	8.3	8.0	7.8
AUSSIE GREEN	8.3	6.0	5.3	8.7	9.0	7.7	4.0	4.0	5.0	6.3	8.3	9.0	8.7	8.0	8.3	7.7
PATRIOT	8.3	5.3	6.0	8.7	9.0	8.7	6.0	4.0	5.7	7.0	8.7	8.0	8.0	8.3	8.0	7.7
TIFT NO. 3	8.3	5.7	5.7	8.3	9.0	7.3	5.7	4.0	5.7	6.7	8.3	8.3	8.3	7.7	8.7	7.7
TIFT NO. 4	7.7	5.7	5.7	7.7	9.0	8.0	6.0	5.0	5.7	7.0	7.7	8.0	7.7	8.3	8.7	7.6
OKC 70-18	7.7	5.3	5.3	7.3	8.7	8.0	5.7	4.3	5.3	5.3	7.3	8.7	8.7	8.3	8.3	7.4
SWI-1003	7.7	4.7	5.7	7.7	9.0	8.0	5.7	5.0	5.0	6.0	7.7	8.0	8.0	8.3	8.7	7.4
SWI-1044	8.3	5.3	5.0	8.0	9.0	7.3	5.0	4.3	5.0	6.0	8.3	8.3	8.3	8.0	8.0	7.4
SWI-1046	8.0	5.3	5.7	8.0	8.7	7.7	5.0	4.0	5.3	6.0	8.0	8.0	8.0	8.0	8.0	7.3
TIFWAY	8.3	5.3	5.3	8.3	9.0	7.3	5.7	4.3	5.0	5.7	8.3	7.7	8.0	7.7	9.0	7.3
GN-1	7.7	5.3	5.3	8.3	9.0	7.0	5.3	4.0	5.0	6.3	8.3	7.7	8.0	7.0	8.0	7.2
TIFT NO. 1	8.0	5.7	5.3	7.7	9.0	7.3	5.3	4.7	5.0	6.0	7.7	8.0	8.0	7.0	9.0	7.2
ASHMORE	4.7	5.0	6.0	7.3	8.7	7.3	4.0	4.0	6.0	6.3	6.7	7.7	7.3	7.7	8.0	7.1
CELEBRATION	7.3	5.3	5.7	7.7	9.0	7.3	5.0	4.7	5.0	5.7	7.7	7.7	8.0	7.7	8.3	7.1
SWI-1041	8.0	5.7	5.0	8.3	8.7	7.3	5.7	4.3	5.0	6.0	8.3	7.3	7.7	7.7	8.0	7.1
MS-CHOICE	7.3	4.3	5.0	6.3	9.0	7.3	4.3	4.0	4.3	5.0	6.3	8.7	8.7	8.0	8.0	7.0
PRINCESS 77	7.0	5.0	4.7	8.3	9.0	7.0	4.3	4.0	4.7	5.7	7.3	8.0	8.0	7.7	8.0	7.0
RIVIERA	7.7	5.3	5.0	7.3	9.0	7.3	5.3	4.3	4.3	5.0	7.7	8.3	8.0	7.7	8.0	7.0
SWI-1045	7.3	4.7	5.7	7.3	9.0	7.3	5.0	4.0	5.0	5.3	7.7	7.7	8.0	7.7	7.3	7.0
TIFT NO. 2	7.3	5.0	5.3	7.7	9.0	7.7	5.3	4.7	5.0	6.0	7.7	7.3	8.0	7.0	7.7	7.0
YUKON	8.3	5.3	4.3	7.7	8.3	7.7	5.3	4.0	4.7	5.7	7.7	7.7	7.7	7.3	8.0	7.0
CIS-CD6	6.7	4.0	5.3	7.0	8.7	7.3	5.0	4.0	4.7	5.7	7.3	8.0	8.0	7.3	7.3	6.9
NUMEX SAHARA	6.7	4.7	5.3	6.3	9.0	7.3	5.3	4.0	4.3	6.0	6.7	8.0	8.0	8.0	7.3	6.9
SWI-1001	7.0	4.3	5.0	6.3	9.0	7.3	4.7	4.0	5.0	5.3	6.7	8.0	8.0	7.3	7.7	6.9
SUNBIRD (PST-R68A)	7.3	4.7	5.3	7.3	9.0	7.3	4.7	4.0	4.7	5.3	7.3	7.7	8.0	7.0	7.3	6.8
SUNSTAR	6.3	4.0	4.7	5.7	9.0	7.3	4.7	4.0	5.0	5.0	6.7	7.7	8.0	7.0	8.0	6.8
TRANSCONTINENTAL	7.3	5.3	5.0	7.0	8.7	7.0	5.0	4.0	5.0	5.3	7.0	8.0	8.0	6.3	7.7	6.8
MIDLAWN	7.3	4.3	5.0	6.7	8.7	7.3	3.7	4.0	4.7	6.0	6.7	7.0	8.0	7.3	7.3	6.7
CIS-CD5	7.0	5.0	4.7	6.3	8.3	6.7	5.0	4.0	5.0	5.3	6.7	7.7	7.3	7.0	7.3	6.6
CIS-CD7	7.7	4.0	4.0	7.0	9.0	7.3	4.3	4.0	4.7	4.7	7.0	8.0	7.7	7.0	7.3	6.6
FMC-6	7.0	4.0	4.7	7.3	9.0	7.0	4.7	4.0	4.0	5.3	7.3	7.7	8.0	7.7	6.3	6.6
MOHAWK	7.3	4.0	4.7	6.7	8.0	7.3	5.0	4.0	4.3	4.7	7.3	7.3	7.3	7.3	7.7	6.6
PANAMA	6.7	3.7	5.3	6.3	8.7	7.0	4.7	4.0	4.3	5.0	6.0	8.0	7.7	7.3	7.7	6.6
SUNDEVIL II	6.7	4.3	5.3	6.3	9.0	7.0	4.7	4.0	4.7	5.7	6.7	7.7	7.7	7.0	7.0	6.6
SWI-1012	7.0	4.7	4.7	5.7	9.0	7.3	4.7	4.0	4.3	5.3	6.0	7.7	8.0	7.7	7.0	6.6
SOUTHERN STAR	7.3	5.0	4.3	5.7	8.7	7.3	4.3	4.0	4.3	4.3	6.3	8.3	7.7	7.3	7.3	6.5
SR 9554	6.7	4.3	5.0	6.0	8.7	7.3	5.0	4.0	4.0	5.0	6.0	8.0	8.0	7.3	7.0	6.5
B-14	6.0	4.3	4.3	5.3	8.3	6.3	4.3	4.0	4.3	5.3	6.0	7.3	8.0	6.7	7.3	6.4
LAPALOMA (SRX 9500)	6.7	4.3	4.7	6.3	8.3	6.7	4.7	4.0	4.3	5.0	6.7	7.7	7.3	6.7	7.0	6.4
ARIZONA COMMON	6.7	4.0	4.3	5.0	9.0	7.3	4.7	4.0	4.0	5.3	5.7	7.7	7.3	7.0	7.3	6.3
SWI-1014	6.7	4.3	4.0	5.7	9.0	7.3	4.0	4.0	3.7	4.3	6.0	7.3	7.7	7.0	7.0	6.1
LSD VALUE	1.6	1.2	1.3	1.5	1.0	2.5	1.4	0.4	1.5	1.5	1.8	0.9	1.4	1.7	1.1	0.5
C.V. (%)	11.5	13.3	12.5	12.5	4.2	10.1	14.1	6.0	14.4	13.4	13.0	6.1	6.3	9.7	8.0	4.7

- 1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
 2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 7.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
 IN THE 2002 NATIONAL BERMUDAGRASS TEST AT GRIFFIN, GA 1/
 2004 DATA
 TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	FALL	SPRING COLOR	MAY	JUN	JUL	QUALITY RATINGS				MEAN
			COLOR NOVEMBER					AUG	SEP	OCT	NOV	
TIFWAY	8.7	6.3	9.0	8.0	8.7	9.0	9.0	8.3	5.7	7.3	8.3	8.0
TIFSPORT	9.0	6.3	8.3	8.0	7.7	8.7	8.7	8.7	5.7	7.0	8.3	7.8
TIFT NO. 4	9.0	6.3	9.0	8.3	7.7	8.0	9.0	8.3	6.0	7.3	8.0	7.8
AUSSIE GREEN	9.0	7.3	6.3	8.7	8.3	8.0	8.7	8.7	6.0	6.7	7.3	7.7
OKC 70-18	8.0	6.3	7.3	8.0	7.7	8.0	8.7	7.7	5.7	6.3	8.0	7.4
PREMIER (OR 2002)	8.3	6.7	8.3	8.3	8.0	9.0	8.3	8.0	4.7	6.3	7.7	7.4
CELEBRATION	8.7	6.3	5.3	7.3	6.3	7.3	8.0	7.7	6.7	7.7	6.7	7.2
GN-1	9.0	5.0	5.7	8.0	7.3	7.3	7.7	7.7	6.0	6.0	6.7	7.0
MS-CHOICE	8.7	5.3	5.7	7.3	6.3	7.7	8.0	7.3	6.3	6.3	7.0	7.0
RIVIERA	8.0	6.3	5.0	7.7	7.0	7.7	7.7	7.3	5.3	6.7	7.0	7.0
SWI-1045	8.0	4.7	6.0	7.3	6.7	7.7	7.7	8.0	6.0	6.7	6.3	7.0
TIFT NO. 3	8.3	6.0	8.0	7.3	7.0	7.7	8.0	7.7	4.7	6.0	7.7	7.0
SWI-1044	7.7	5.7	6.3	7.0	6.7	7.3	8.0	7.7	5.3	6.7	6.7	6.9
PATRIOT	8.0	6.3	7.7	8.7	7.7	8.0	8.0	7.0	3.3	5.3	7.3	6.7
SWI-1041	8.0	3.7	6.0	7.0	5.7	7.0	7.7	8.0	5.3	6.0	6.3	6.6
SWI-1046	8.0	4.7	6.0	7.0	6.3	7.0	7.7	7.7	5.3	5.7	6.3	6.6
PRINCESS 77	8.0	3.7	7.0	7.0	6.3	7.3	8.0	7.7	4.7	5.7	6.0	6.5
SWI-1012	8.0	5.0	6.3	6.3	6.0	6.3	7.3	7.0	6.0	6.3	6.3	6.5
CIS-CD5	8.0	5.7	6.3	7.0	5.7	6.3	7.0	7.0	6.3	6.3	6.0	6.4
MIDLAWN	7.7	6.7	6.7	7.3	7.3	6.3	8.0	7.3	4.0	6.0	6.0	6.4
SOUTHERN STAR	7.7	5.0	5.7	7.0	5.7	6.3	7.0	7.3	6.0	6.3	6.0	6.4
SWI-1003	7.7	4.3	6.3	6.7	6.7	6.7	7.3	7.0	5.3	5.7	6.3	6.4
TIFT NO. 1	8.0	4.7	7.0	7.0	6.7	6.7	7.7	7.3	4.7	5.0	7.0	6.4
CIS-CD6	7.0	6.0	5.3	6.7	5.7	6.0	7.3	7.3	5.7	6.0	6.0	6.3
CIS-CD7	8.0	5.0	5.3	6.7	5.7	6.3	7.0	7.0	6.0	6.7	5.3	6.3
LAPALOMA (SRX 9500)	7.7	5.0	5.7	6.3	6.0	6.0	7.0	7.0	6.3	6.3	5.7	6.3
SR 9554	7.7	5.0	5.3	6.7	5.7	6.0	7.0	7.3	5.3	6.7	6.0	6.3
SWI-1001	7.0	5.3	5.7	6.7	5.7	6.7	7.0	7.0	6.3	6.0	5.7	6.3
TIFT NO. 2	8.0	4.0	6.7	7.0	6.0	6.3	8.3	7.3	4.7	5.0	6.3	6.3
SUNDEVIL II	7.7	5.7	5.7	6.7	5.7	5.7	7.3	6.7	6.3	6.3	5.7	6.2
PANAMA	7.3	4.7	6.0	7.0	5.7	6.0	7.0	7.0	5.3	6.3	5.3	6.1
TRANSCONTINENTAL	8.0	5.3	5.3	6.3	5.3	6.0	7.3	6.7	5.7	6.7	5.3	6.1
YUKON	7.7	4.7	5.7	6.7	4.7	6.0	7.0	7.0	5.7	6.7	5.7	6.1
B-14	7.0	4.7	5.0	7.0	5.7	6.0	7.0	6.3	5.7	6.7	5.0	6.0
FMC-6	7.0	4.7	5.3	6.7	5.7	6.0	7.0	6.7	5.3	6.0	5.7	6.0
NUMEX SAHARA	7.7	4.3	5.3	6.7	5.0	6.0	7.0	6.7	5.7	6.3	5.3	6.0
SUNBIRD (PST-R68A)	7.7	5.7	5.0	6.3	5.3	6.0	7.0	7.0	5.7	6.0	5.3	6.0
SUNSTAR	7.0	4.7	5.3	6.7	5.3	6.0	7.0	7.0	5.3	6.0	5.3	6.0
SWI-1014	7.7	5.0	6.0	6.7	5.7	6.0	7.0	7.0	5.0	5.7	5.7	6.0
ARIZONA COMMON	7.3	4.7	5.0	6.3	5.0	5.7	7.0	6.7	5.7	6.0	5.0	5.9
MOHAWK	7.3	3.0	5.7	6.3	5.0	5.3	6.7	6.0	5.3	6.3	5.0	5.7
ASHMORE	5.0	7.3	7.0	5.0	4.7	4.0	5.3	5.0	4.7	5.0	5.7	4.9
LSD VALUE	0.6	1.1	1.0	1.0	1.1	0.8	0.7	0.7	1.1	1.0	1.0	0.4
C.V. (%)	5.4	13.0	10.4	8.5	11.4	7.5	5.7	6.2	11.8	8.9	9.8	3.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 8.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
 IN THE 2002 NATIONAL BERMUDAGRASS TEST AT CARBONDALE, IL 1/
 2004 DATA
 TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SUMMER	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT COVER FALL	FROST TOLERANCE	SEEDHEAD RATINGS			QUALITY RATINGS						
									SPRING	SUMMER	FALL	MAY	JUN	JUL	AUG	SEP	OCT	MEAN
OKC 70-18	4.7	6.0	9.0	7.7	56.7	93.7	90.7	9.0	8.7	5.0	1.3	4.3	5.0	7.0	8.3	8.0	5.7	6.4
RIVIERA	6.0	8.0	5.0	7.3	80.0	96.0	92.7	5.0	6.3	2.0	5.7	5.7	5.3	7.3	8.7	7.0	3.0	6.2
SWI-1012	6.0	7.0	7.0	8.0	71.3	99.0	93.7	4.7	7.7	2.0	5.3	4.7	5.7	6.7	7.0	7.0	4.3	5.9
SWI-1045	4.3	5.7	5.0	7.7	62.3	93.3	89.3	7.3	9.0	1.3	5.7	3.7	6.0	6.7	6.7	6.0	5.7	5.8
TIFSPORT	8.7	5.0	8.0	7.3	34.0	71.3	67.0	8.7	9.0	4.7	1.0	3.0	5.3	6.3	7.0	7.3	5.7	5.8
TIFWAY	8.0	6.3	7.7	7.7	52.3	88.3	80.0	8.0	9.0	6.7	1.3	4.0	5.3	6.3	7.0	7.0	5.3	5.8
MIDLAWN	2.0	8.7	7.0	6.7	82.0	97.7	96.0	6.7	9.0	4.3	1.0	5.7	4.3	6.0	7.0	6.7	4.7	5.7
PREMIER (OR 2002)	3.3	5.7	8.7	7.7	48.7	95.0	91.3	6.3	7.0	7.0	1.3	4.0	5.7	6.3	7.0	7.0	3.7	5.6
TIFT NO. 3	5.3	3.3	5.7	7.7	24.7	87.3	81.3	6.3	9.0	4.7	3.3	2.3	5.3	7.0	7.3	6.3	5.3	5.6
TIFT NO. 4	7.7	5.0	9.0	8.7	36.7	76.0	71.0	6.3	9.0	2.7	1.0	3.7	5.0	6.0	7.0	7.3	4.7	5.6
PATRIOT	9.0	5.3	6.7	7.0	46.0	99.0	92.0	5.3	9.0	9.0	1.3	4.3	5.0	6.3	6.7	7.3	2.3	5.3
CELEBRATION	7.7	3.0	7.0	8.0	19.3	71.0	70.0	4.7	9.0	3.0	6.3	1.7	5.0	6.0	6.7	4.0	4.7	4.7
AUSSIE GREEN	6.0	4.0	7.7	7.0	26.3	92.0	89.3	3.0	9.0	5.0	1.3	2.7	3.3	6.0	8.0	6.0	1.7	4.6
GN-1	7.0	3.0	6.7	6.0	15.0	87.3	79.0	5.7	8.7	5.0	1.0	2.0	4.0	5.3	6.7	7.0	2.7	4.6
TRANSCONTINENTAL	3.0	6.3	7.0	6.0	48.7	71.0	55.0	4.3	3.0	2.3	7.7	2.7	5.0	5.7	6.3	5.0	2.3	4.5
SWI-1014	4.3	6.7	4.0	6.0	66.3	88.7	84.0	5.0	7.3	1.3	6.0	3.3	4.7	5.0	5.0	5.0	3.0	4.3
MS-CHOICE	7.3	3.3	5.7	7.7	24.7	62.3	54.7	4.3	9.0	8.3	1.3	2.0	4.0	4.7	5.0	5.3	3.0	4.0
SUNBIRD (PST-R68A)	6.0	6.7	6.7	6.7	55.7	64.7	66.3	4.7	1.7	3.3	8.0	3.0	4.0	4.3	4.0	5.0	3.3	3.9
SWI-1044	4.3	6.0	4.7	4.7	22.3	66.7	70.7	6.7	6.0	3.0	3.3	2.0	3.3	4.7	4.3	5.3	4.0	3.9
YUKON	6.0	6.7	5.0	6.0	34.7	58.0	54.0	6.0	9.0	2.0	5.0	2.7	4.0	4.0	3.7	4.0	4.7	3.8
CIS-CD5	5.3	6.0	4.0	4.3	35.7	67.7	69.3	5.3	3.3	1.0	7.7	2.3	4.3	4.0	3.0	4.7	2.0	3.4
ASHMORE	1.0	6.7	9.0	2.3	59.0	75.0	67.0	7.3	8.3	8.7	1.0	4.0	2.3	2.7	2.7	3.0	4.0	3.1
FMC-6	5.0	4.0	5.0	4.7	33.3	46.7	55.7	6.7	2.3	1.3	8.7	2.0	2.3	3.0	4.0	3.7	3.0	3.0
SR 9554	4.3	5.3	4.0	2.3	37.3	54.0	51.7	4.7	2.3	1.0	6.0	1.3	2.7	3.3	3.7	4.0	2.3	2.9
SUNDEVIL II	6.0	3.3	5.7	3.3	20.3	53.7	57.0	4.7	3.0	1.3	8.0	1.7	2.7	3.0	3.3	3.3	3.7	2.9
CIS-CD7	6.0	5.0	5.0	5.0	33.3	49.3	57.3	5.7	4.7	2.7	8.3	1.3	3.0	3.0	3.0	4.0	2.3	2.8
PANAMA	2.0	5.3	4.7	1.7	20.0	62.3	64.7	5.3	2.0	1.3	8.0	1.3	3.3	3.3	3.0	4.3	1.3	2.8
LAPALOMA (SRX 9500)	4.7	3.7	2.0	2.0	8.0	23.7	24.7	5.0	2.0	1.3	6.0	1.0	2.7	3.7	3.7	4.0	1.0	2.7
SWI-1046	8.0	4.0	5.3	7.7	19.3	42.0	48.3	8.0	9.0	6.3	1.3	1.3	2.3	2.3	3.0	2.3	5.0	2.7
CIS-CD6	5.7	5.0	6.3	4.0	32.0	48.0	53.0	6.0	1.7	1.3	6.3	1.7	2.7	3.0	2.3	4.0	1.3	2.5
TIFT NO. 1	9.0	2.7	8.0	9.0	10.0	18.3	22.3	6.0	9.0	3.0	1.0	1.3	2.0	3.0	3.0	2.7	3.0	2.5
SWI-1001	5.0	5.0	3.7	4.3	22.7	41.3	41.7	5.0	2.0	2.3	5.7	1.3	2.7	2.3	2.0	3.0	2.0	2.2
MOHAWK	4.0	3.3	5.0	2.0	14.0	27.3	29.7	6.0	3.0	1.0	8.0	1.3	1.7	2.7	2.7	3.0	1.3	2.1
SOUTHERN STAR	5.3	3.0	4.7	3.0	15.3	40.7	43.0	4.7	5.0	2.3	6.0	1.3	2.0	2.3	3.0	2.3	1.7	2.1
SWI-1003	6.0	1.0	7.0	6.0	2.7	39.3	61.0	5.0	9.0	1.0	3.0	1.0	1.7	2.0	2.0	3.0	3.0	2.1
SWI-1041	6.0	1.3	5.0	2.0	4.7	11.3	23.7	8.0	8.3	5.0	2.3	1.0	1.7	1.7	1.0	2.0	4.7	2.0
SUNSTAR	4.3	4.3	4.7	3.7	18.7	21.3	30.3	5.3	4.7	3.0	7.0	1.3	2.0	2.0	1.3	3.0	1.7	1.9
ARIZONA COMMON	5.0	1.7	3.0	2.0	5.7	13.0	27.3	6.0	2.0	5.0	1.0	1.0	1.0	2.0	2.0	4.0	1.0	1.8
NUMEX SAHARA	5.0	4.0	5.0	3.0	10.0	15.7	26.0	6.7	1.7	1.0	9.0	1.0	1.0	1.0	1.0	1.7	2.7	1.4
PRINCESS 77	1.0	1.3	4.7	5.0	1.7	3.3	10.3	5.0	9.0	1.0	4.0	1.0	1.0	1.0	1.0	1.0	2.7	1.3
TIFT NO. 2	8.0	1.0	5.0	4.7	1.3	4.0	6.0	6.0	9.0	9.0	1.0	1.0	1.0	1.0	1.0	1.0	3.0	1.3
B-14	5.0	4.7	3.0	1.0	9.7	15.0	30.0	6.7	3.7	1.0	9.0	1.0	1.0	1.3	1.7	1.0	1.0	1.2
LSD VALUE	1.2	1.6	1.3	1.6	25.6	34.4	31.9	1.1	1.6	1.5	2.8	1.1	1.2	1.4	1.9	1.7	1.3	1.0
C.V. (%)	15.2	23.5	15.1	19.8	51.2	37.5	33.6	11.9	17.6	29.4	40.9	31.5	23.8	23.2	28.6	24.3	26.9	19.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.

STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 9.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
 IN THE 2002 NATIONAL BERMUDAGRASS TEST AT WEST LAFAYETTE, IN 1/
 2004 DATA
 TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	PERCENT COVER SUMMER	QUALITY RATINGS				MEAN
					JUN	JUL	AUG	SEP	
TIFSPORT	8.0	1.0	5.5	72.7	3.0	6.5	8.5	7.0	6.3
AUSSIE GREEN	7.7	1.0	7.3	73.0	2.3	7.3	7.7	7.0	6.1
PATRIOT	6.7	1.3	7.0	99.0	4.7	7.0	7.7	4.3	5.9
YUKON	5.7	4.0	5.7	76.0	5.0	6.3	5.7	6.7	5.9
OKC 70-18	5.5	1.0	7.5	66.0	4.0	7.0	5.5	6.5	5.8
MIDLAWN	4.0	1.7	6.7	76.0	5.3	5.0	5.0	5.3	5.2
ASHMORE	2.0	1.0	8.7	99.0	4.3	5.3	5.3	4.3	4.8
RIVIERA	6.0	1.0	5.0	99.0	3.0	4.3	4.3	5.0	4.2
SWI-1014	5.3	1.0	5.3	66.0	4.3	4.0	4.0	4.0	4.1
SWI-1045	5.3	1.0	3.7	96.0	3.3	4.7	3.7	4.3	4.0
TIFT NO. 3	6.3	1.0	5.3	76.0	2.3	4.0	5.3	4.0	3.9
CIS-CD6	4.7	1.3	6.0	99.0	3.0	4.3	4.0	3.7	3.8
ARIZONA COMMON	.	.	.	6.7
B-14	.	.	.	43.0
CELEBRATION	.	.	.	10.0
CIS-CD5	.	.	.	79.3
CIS-CD7	.	.	.	69.3
FMC-6	.	.	.	0.0
GN-1	.	.	.	13.3
LAPALOMA (SRX 9500)	.	.	.	3.3
MOHAWK	.	.	.	0.0
MS-CHOICE	.	.	.	33.0
NUMEX SAHARA	.	.	.	39.7
PREMIER (OR 2002)	.	.	.	53.0
PANAMA	.	.	.	0.0
PRINCESS 77	.	.	.	0.0
SOUTHERN STAR	.	.	.	33.0
SR 9554	.	.	.	43.0
SUNDEVIL II	.	.	.	73.0
SUNSTAR	.	.	.	49.7
SWI-1001	.	.	.	26.7
SWI-1003	.	.	.	26.7
SWI-1012	.	.	.	72.7
SWI-1041	.	.	.	13.3
SWI-1044	.	.	.	53.0
SWI-1046	.	.	.	20.0
TIFT NO. 1	.	.	.	33.0
TIFT NO. 2	.	.	.	0.0
TIFT NO. 4	.	.	.	39.7
TIFWAY	.	.	.	33.0
TRANSCONTINENTAL	.	.	.	3.3
LSD VALUE	1.3	0.5	1.3	69.9	3.2	1.8	2.7	1.8	1.4
C.V. (%)	14.5	20.4	12.6	80.0	36.3	17.9	25.0	19.5	15.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 10.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
 IN THE 2002 NATIONAL BERMUDAGRASS TEST AT WICHITA, KS 1/
 2004 DATA
 TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SUMMER	FALL	SEEDHEAD RATINGS			MAY	QUALITY RATINGS				MEAN
					COLOR NOVEMBER	SPRING	SUMMER	FALL		JUN	JUL	AUG	SEP	
OKC 70-18	5.7	4.0	7.3	7.7	6.3	8.7	8.0	6.0	5.3	5.3	5.3	4.7	5.7	5.3
MIDLAWN	6.7	3.3	8.3	5.7	5.7	9.0	8.3	7.7	6.3	5.7	4.7	4.0	4.7	5.1
RIVIERA	6.0	3.7	4.7	5.3	6.3	7.3	7.0	4.7	5.0	5.0	5.0	4.0	6.0	5.0
PATRIOT	7.7	3.7	6.0	6.3	5.0	8.7	8.3	7.0	4.7	5.7	4.7	4.0	5.3	4.9
SWI-1045	6.3	3.3	6.0	5.3	6.7	9.0	7.0	5.3	4.3	5.0	5.0	4.7	5.7	4.9
YUKON	6.0	3.0	5.7	5.7	4.3	9.0	8.0	7.0	5.7	6.0	4.0	4.0	4.7	4.9
SWI-1014	6.0	3.0	4.3	5.0	4.7	9.0	7.7	4.7	4.7	5.7	5.0	4.0	4.7	4.8
PREMIER (OR 2002)	7.0	4.0	8.0	6.7	5.3	8.0	8.0	4.7	4.7	5.3	4.7	4.3	4.3	4.7
SWI-1012	6.0	3.7	5.7	5.0	5.7	8.7	7.3	5.3	4.3	5.3	4.3	4.0	5.0	4.6
SWI-1044	6.7	4.0	5.3	5.7	6.3	7.3	7.7	5.7	4.3	5.3	4.7	4.0	4.7	4.6
SWI-1041	5.3	3.0	4.7	5.0	7.0	9.0	6.3	4.7	3.3	5.0	4.3	4.3	5.3	4.5
SWI-1046	6.7	2.7	5.3	5.0	7.3	9.0	7.0	4.0	3.3	4.7	5.0	4.7	5.0	4.5
SUNBIRD (PST-R68A)	5.7	4.0	4.0	4.3	5.3	5.7	6.7	4.7	3.7	5.3	4.0	4.0	5.0	4.4
AUSSIE GREEN	7.0	3.0	6.3	5.7	6.0	9.0	8.0	5.7	4.0	4.7	4.7	4.0	4.3	4.3
CIS-CD5	6.0	3.3	4.0	4.0	6.3	6.7	6.3	4.3	3.3	4.7	4.3	4.0	5.3	4.3
CIS-CD6	5.7	3.7	4.0	4.7	5.3	5.3	7.0	4.0	4.0	4.7	4.0	4.0	4.7	4.3
FMC-6	6.0	2.7	4.0	4.3	6.0	8.7	7.3	5.0	3.3	4.7	4.0	4.0	5.3	4.3
MS-CHOICE	7.0	3.0	5.0	5.0	6.3	9.0	8.7	7.7	3.0	4.3	4.0	4.7	5.3	4.3
PANAMA	5.0	3.0	4.0	4.3	4.7	6.7	7.3	4.3	3.3	4.7	4.0	4.0	5.3	4.3
TIFWAY	6.7	3.3	8.0	6.3	7.0	9.0	7.7	7.3	4.0	4.7	4.3	4.0	4.0	4.2
ASHMORE	4.0	3.0	8.7	5.3	5.7	7.0	7.3	7.0	5.0	4.0	3.3	4.0	4.3	4.1
CELEBRATION	7.3	3.3	5.7	5.0	5.7	9.0	7.3	4.0	4.0	4.3	4.3	3.7	4.3	4.1
LAPALOMA (SRX 9500)	5.7	2.3	4.0	4.7	5.3	6.3	7.0	4.3	3.3	4.0	4.0	4.0	5.0	4.1
PRINCESS 77	6.3	3.3	4.3	5.3	7.0	9.0	6.3	3.3	3.0	4.0	4.3	4.0	5.0	4.1
TIFSPORT	7.3	3.7	7.7	5.3	6.7	9.0	8.0	8.0	3.7	4.3	4.7	3.7	4.0	4.1
TRANSCONTINENTAL	6.3	3.3	4.3	4.0	5.3	7.3	6.7	4.7	3.3	4.3	4.0	4.0	4.7	4.1
CIS-CD7	6.0	3.3	3.7	4.0	5.7	6.3	6.7	4.7	3.3	4.3	3.7	4.0	4.7	4.0
SUNSTAR	5.3	3.0	3.7	3.7	5.7	7.0	7.3	5.0	3.7	4.0	3.7	4.0	4.7	4.0
NUMEX SAHARA	5.7	4.0	4.0	3.7	5.7	7.0	7.0	5.0	3.0	4.0	3.7	4.0	5.0	3.9
SOUTHERN STAR	6.0	3.7	3.7	4.0	5.7	7.0	6.7	3.0	3.3	4.0	3.7	4.0	4.7	3.9
SR 9554	6.3	4.0	4.0	4.3	5.7	7.3	7.0	4.0	3.7	4.0	3.7	4.0	4.3	3.9
SWI-1001	6.0	2.7	4.0	4.0	6.0	7.7	7.3	4.7	3.3	4.0	3.7	4.0	4.7	3.9
TIFT NO. 3	6.3	2.0	4.7	5.7	6.3	9.0	7.7	6.3	3.0	4.3	4.0	4.0	4.3	3.9
TIFT NO. 4	6.7	3.0	7.3	7.0	6.7	9.0	6.7	7.7	3.3	4.3	4.0	3.3	4.3	3.9
SUNDEVIL II	5.3	2.7	4.0	4.0	5.0	6.3	6.7	3.3	3.3	3.7	4.0	3.7	4.3	3.8
ARIZONA COMMON	5.7	2.7	3.7	3.7	5.7	7.0	7.0	3.7	3.0	3.7	3.3	3.7	4.7	3.7
B-14	5.3	3.0	3.7	3.3	5.7	6.3	7.0	4.0	3.0	3.7	3.3	4.0	4.7	3.7
MOHAWK	5.7	2.3	4.0	3.7	5.7	7.0	7.7	5.0	3.0	3.7	3.7	3.7	4.7	3.7
GN-1	7.0	3.7	4.0	5.3	6.0	9.0	7.7	5.0	3.0	4.0	3.7	3.0	4.0	3.5
SWI-1003	5.3	3.3	3.3	4.3	6.3	8.3	6.0	4.0	2.0	3.3	3.3	4.0	4.3	3.4
TIFT NO. 1	6.7	2.0	3.3	4.7	6.3	9.0	6.7	5.0	1.7	2.7	3.0	2.7	3.7	2.7
TIFT NO. 2	6.7	4.3	4.0	3.0	6.0	9.0	5.7	4.0	1.3	1.3	1.7	2.0	2.7	1.8
LSD VALUE	0.9	5.5	0.8	1.0	1.5	1.0	0.7	1.7	0.8	0.8	1.0	0.7	1.5	0.5
C.V. (%)	9.4	37.9	11.1	13.2	13.1	8.0	6.1	20.5	13.8	12.3	14.7	10.4	15.1	8.6

- 1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
 2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 11. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
 IN THE 2002 NATIONAL BERMUDAGRASS TEST AT OLATHE, KS 1/
 2004 DATA
 TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	SPRING GREENUP	LEAF TEXTURE	MAY	QUALITY RATINGS			MEAN
				JUL	AUG		
OKC 70-18	6.3	7.0	4.0	7.0	7.7	6.2	
YUKON	5.0	6.7	3.3	7.3	6.7	5.8	
PREMIER (OR 2002)	3.7	8.7	2.7	7.0	7.0	5.6	
RIVIERA	5.0	5.7	3.3	7.0	6.3	5.6	
AUSSIE GREEN	2.3	6.7	1.7	7.3	7.3	5.4	
TIFSPORT	2.0	7.3	1.3	7.0	8.0	5.4	
PATRIOT	2.3	7.3	1.7	7.3	7.0	5.3	
TIFWAY	1.7	7.3	1.7	6.3	8.0	5.3	
SWI-1012	2.3	5.7	1.7	7.3	6.7	5.2	
SWI-1044	3.3	6.0	2.3	6.3	6.7	5.1	
SWI-1045	3.0	6.3	2.0	6.7	6.7	5.1	
ASHMORE	3.0	8.3	3.0	5.7	6.3	5.0	
CELEBRATION	0.7	7.0	0.7	7.0	7.3	5.0	
MS-CHOICE	2.3	4.7	2.0	7.0	6.0	5.0	
TIFT NO. 3	1.7	6.3	1.0	7.0	7.0	5.0	
GN-1	1.3	6.7	1.7	6.7	6.3	4.9	
MIDLAWN	4.0	7.3	3.3	5.7	5.7	4.9	
SWI-1014	4.0	5.3	2.7	6.0	5.7	4.8	
CIS-CD6	4.0	5.0	3.0	5.7	5.3	4.7	
CIS-CD7	3.7	4.7	2.7	6.0	5.3	4.7	
SUNBIRD (PST-R68A)	2.3	5.0	2.3	6.0	5.7	4.7	
SUNDEVIL II	4.3	5.0	3.3	5.7	5.0	4.7	
TIFT NO. 4	2.3	6.7	1.7	5.3	7.0	4.7	
TRANSCONTINENTAL	3.3	5.0	2.0	6.0	6.0	4.7	
ARIZONA COMMON	3.7	5.0	3.0	5.0	5.7	4.6	
LAPALOMA (SRX 9500)	3.0	5.0	2.3	6.0	5.3	4.6	
SWI-1041	1.3	5.0	1.0	6.3	6.3	4.6	
CIS-CD5	3.7	6.0	3.0	5.0	5.0	4.3	
SWI-1001	2.7	5.3	2.3	5.3	5.3	4.3	
SWI-1046	1.3	6.7	1.3	6.0	5.7	4.3	
PANAMA	2.7	5.0	2.7	5.0	5.0	4.2	
SOUTHERN STAR	3.7	5.3	2.3	5.0	5.3	4.2	
SR 9554	3.7	4.7	2.7	5.0	5.0	4.2	
SUNSTAR	3.0	4.0	2.3	5.3	5.0	4.2	
TIFT NO. 2	2.7	5.0	2.3	4.7	5.7	4.2	
B-14	3.0	4.7	2.7	4.7	5.0	4.1	
FMC-6	2.7	5.3	2.0	5.0	5.3	4.1	
MOHAWK	3.3	5.0	2.7	4.7	4.7	4.0	
TIFT NO. 1	2.0	5.7	1.7	4.7	5.7	4.0	
NUMEX SAHARA	2.3	5.0	2.3	4.3	5.0	3.9	
PRINCESS 77	1.3	5.0	1.0	5.0	5.3	3.8	
SWI-1003	0.7	5.0	0.3	4.7	6.3	3.8	
LSD VALUE	1.4	0.9	1.1	1.0	0.8	0.6	
C.V. (%)	31.1	9.8	31.0	11.0	8.4	8.0	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 12. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
 IN THE 2002 NATIONAL BERMUDAGRASS TEST AT LEXINGTON, KY 1/
 2004 DATA
 TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	QUALITY RATINGS							MEAN
			APR	MAY	JUN	JUL	AUG	SEP	OCT	
PREMIER (OR 2002)	9.0	9.0	5.7	8.7	7.7	7.0	8.7	7.3	8.7	7.7
RIVIERA	7.5	9.0	6.5	7.5	9.0	8.0	8.0	7.0	8.0	7.7
OKC 70-18	8.0	9.0	6.7	8.7	6.0	7.7	8.0	7.7	7.7	7.5
GN-1	9.0	9.0	4.3	7.7	9.0	7.0	9.0	7.7	7.0	7.4
SWI-1044	7.3	9.0	5.0	7.0	8.3	8.3	8.7	7.3	7.3	7.4
CELEBRATION	8.3	8.7	3.7	7.3	9.0	7.7	9.0	7.0	7.3	7.3
SWI-1012	7.3	9.0	5.3	7.0	8.0	8.0	9.0	7.0	7.0	7.3
TRANSCONTINENTAL	7.0	8.7	5.0	6.7	7.3	8.3	7.3	7.3	9.0	7.3
MS-CHOICE	8.0	7.3	3.7	5.7	7.7	8.3	7.3	8.7	9.0	7.2
SUNBIRD (PST-R68A)	7.0	9.0	5.3	6.3	7.3	8.7	7.7	7.0	8.0	7.2
YUKON	7.0	8.3	7.0	5.7	8.0	7.7	8.7	8.3	5.3	7.2
SWI-1001	7.0	8.7	4.3	6.0	7.7	8.0	8.3	7.7	8.0	7.1
PATRIOT	9.0	9.0	5.7	9.0	5.0	6.7	6.7	8.3	7.3	7.0
SR 9554	7.0	8.3	5.0	6.0	7.3	7.7	8.0	8.0	7.3	7.0
TIFWAY	9.0	9.0	3.3	9.0	8.3	6.3	9.0	7.3	5.3	7.0
TIFT NO. 3	7.3	9.0	3.0	7.7	7.7	6.7	7.7	7.3	8.3	6.9
AUSSIE GREEN	8.7	8.7	3.3	8.0	7.0	8.0	7.7	7.0	6.7	6.8
MIDLAWN	6.3	9.0	6.3	6.7	5.7	7.7	5.7	8.3	7.3	6.8
SOUTHERN STAR	7.0	7.0	4.3	6.0	6.3	7.7	7.0	8.3	8.0	6.8
SWI-1014	7.7	8.7	6.0	7.3	7.0	6.7	7.0	7.0	6.7	6.8
SWI-1041	7.0	7.3	3.3	5.0	7.7	9.0	8.7	6.3	7.7	6.8
SWI-1045	6.7	8.3	4.7	6.3	7.3	7.3	7.7	7.7	6.7	6.8
TIFSPORT	8.7	9.0	2.7	8.3	8.7	5.7	9.0	7.3	5.7	6.8
CIS-CD7	7.3	9.0	5.0	7.0	7.0	7.0	6.7	7.3	7.0	6.7
LAPALOMA (SRX 9500)	7.3	7.7	5.0	6.0	7.3	7.3	7.3	7.3	6.7	6.7
CIS-CD5	7.0	8.0	4.7	5.7	7.0	7.3	7.3	7.0	7.3	6.6
CIS-CD6	7.3	8.3	5.7	6.3	6.3	6.7	7.3	7.0	6.3	6.5
SUNDEVIL II	7.3	8.0	4.7	6.0	7.0	7.0	7.0	7.3	6.3	6.5
SUNSTAR	7.0	8.3	4.3	5.7	5.7	8.3	7.0	7.3	7.0	6.5
FMC-6	7.3	8.0	4.3	4.7	7.3	8.0	7.0	7.0	6.3	6.4
PANAMA	7.0	7.3	4.3	5.3	6.7	7.0	7.0	7.7	6.7	6.4
SWI-1046	7.0	6.3	2.7	4.3	7.7	8.0	8.0	7.0	7.3	6.4
B-14	7.0	7.0	4.7	5.0	6.0	7.0	7.0	7.7	7.0	6.3
PRINCESS 77	6.0	6.7	2.3	5.3	8.0	8.0	8.0	6.0	6.3	6.3
MOHAWK	6.7	6.3	5.3	5.0	6.0	7.3	7.0	7.0	6.0	6.2
NUMEX SAHARA	7.0	8.0	5.0	5.5	6.0	7.0	7.0	7.0	6.0	6.2
SWI-1003	6.3	6.3	2.3	5.0	7.7	8.7	8.0	6.0	6.0	6.2
TIFT NO. 4	8.3	8.0	3.3	8.3	7.0	6.0	7.7	5.0	6.0	6.2
ARIZONA COMMON	6.5	7.0	5.0	5.5	6.5	6.5	7.0	7.0	5.5	6.1
TIFT NO. 1	7.3	3.7	2.0	4.3	7.0	7.0	8.0	6.3	7.0	6.0
TIFT NO. 2	8.0	5.0	2.0	4.3	7.7	7.0	8.7	6.0	6.3	6.0
ASHMORE	4.0	9.0	4.7	5.0	4.3	5.7	5.0	5.7	5.7	5.1
LSD VALUE	0.6	1.4	1.0	1.2	1.0	1.2	0.7	1.1	1.2	0.5
C.V. (%)	5.5	10.8	14.5	12.0	8.8	9.3	6.0	9.3	10.6	4.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 13. MEAN TURFGRASS QUALITY RATINGS OF BERMUDAGRASS CULTIVARS
 IN THE 2002 NATIONAL BERMUDAGRASS TEST AT CALHOUN, LA 1/
 2004 DATA
 TURFGRASS QUALITY RATINGS 1-9; 9=BEST 2/

NAME	MAY	JUN	JUL	AUG	SEP	MEAN
MIDLAWN	7.0	6.0	6.0	6.7	6.7	6.5
SWI-1003	7.3	6.7	6.0	6.3	6.3	6.5
TIFT NO. 3	6.7	6.7	6.7	6.0	6.0	6.4
ASHMORE	7.3	6.0	5.7	6.3	6.0	6.3
SWI-1012	7.3	6.3	6.3	5.7	6.0	6.3
TIFT NO. 4	6.3	6.0	6.3	6.3	6.3	6.3
OKC 70-18	6.5	6.0	5.7	6.7	6.7	6.2
PRINCESS 77	7.0	6.0	6.0	6.0	6.0	6.2
SWI-1001	6.3	6.0	6.0	6.3	6.3	6.2
SWI-1044	6.7	6.3	6.0	6.0	6.0	6.2
TIFT NO. 1	7.0	6.0	6.7	6.0	6.0	6.2
AUSSIE GREEN	6.3	6.0	6.3	6.0	5.7	6.1
SOUTHERN STAR	6.3	6.7	5.7	6.0	6.0	6.1
SR 9554	7.0	6.3	6.0	5.7	5.7	6.1
SWI-1041	6.3	5.7	6.0	6.3	6.3	6.1
CIS-CD7	6.3	5.3	6.3	6.0	6.0	6.0
SWI-1045	7.0	6.3	5.7	5.3	5.7	6.0
TIFT NO. 2	6.0	6.0	6.0	6.0	6.0	6.0
B-14	6.0	6.3	5.7	5.7	5.7	5.9
CELEBRATION	5.3	5.3	5.7	6.7	6.3	5.9
CIS-CD6	6.0	6.3	6.3	5.3	5.3	5.9
GN-1	5.7	5.0	5.7	6.7	6.7	5.9
PREMIER (OR 2002)	6.0	5.7	5.7	6.0	6.0	5.9
PATRIOT	6.3	5.0	5.7	6.3	6.3	5.9
SWI-1014	6.3	4.7	6.0	6.0	6.3	5.9
YUKON	6.0	5.7	6.0	6.0	6.0	5.9
LAPALOMA (SRX 9500)	7.0	5.7	5.0	6.0	6.0	5.8
SUNDEVIL II	6.3	6.0	6.0	5.3	5.3	5.8
TRANSCONTINENTAL	6.7	5.3	6.3	5.3	5.3	5.8
MOHAWK	5.7	5.0	4.7	6.7	6.7	5.7
MS-CHOICE	5.3	5.7	6.0	5.7	6.0	5.7
PANAMA	5.5	6.0	5.3	5.7	6.0	5.7
RIVIERA	6.0	5.7	5.0	5.7	5.7	5.6
TIFSPORT	6.0	5.0	5.3	6.0	5.7	5.6
TIFWAY	7.0	5.0	5.3	5.7	5.7	5.6
NUMEX SAHARA	5.3	5.7	5.7	5.3	5.7	5.5
ARIZONA COMMON	6.5	4.7	5.3	5.3	5.3	5.4
SUNSTAR	5.3	5.0	5.0	5.7	6.0	5.4
CIS-CD5	5.3	5.0	5.3	5.7	5.3	5.3
SUNBIRD (PST-R68A)	6.0	5.3	5.0	5.3	5.0	5.3
SWI-1046	5.0	4.3	4.7	6.3	6.0	5.3
FMC-6	5.0	5.0	5.3	5.0	5.3	5.1
LSD VALUE	4.2	3.0	3.1	4.5	3.5	2.7
C.V. (%)	17.3	16.9	15.2	16.5	14.0	11.3

- 1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
 2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 14.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
 IN THE 2002 NATIONAL BERMUDAGRASS TEST AT COLUMBIA, MO 1/
 2004 DATA
 TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT COVER FALL	FALL COLOR OCTOBER	APR	MAY	QUALITY RATINGS					MEAN
										JUN	JUL	AUG	SEP	OCT	
PATRIOT	6.7	2.3	6.0	76.0	81.0	87.7	3.3	2.0	5.7	6.0	8.0	8.7	6.3	3.7	5.8
MIDLAWN	7.0	4.7	7.0	99.0	99.0	99.0	4.3	3.7	5.0	6.7	6.7	7.3	5.7	4.0	5.6
YUKON	6.3	2.7	6.0	94.0	97.7	99.0	3.0	2.7	4.0	6.0	7.0	8.0	6.0	4.0	5.4
OKC 70-18	6.0	3.0	8.0	61.7	83.3	92.3	3.7	3.0	4.3	6.0	6.7	7.7	5.7	4.0	5.3
SWI-1014	6.3	3.3	4.3	87.7	92.7	96.3	4.0	3.0	4.3	5.0	6.7	7.3	5.3	4.0	5.1
RIVIERA	6.0	2.0	5.3	75.0	83.3	96.3	3.3	2.0	4.0	5.3	6.3	6.3	5.3	4.0	4.8
CIS-CD6	6.0	2.3	6.0	88.3	92.7	92.0	2.7	2.0	3.3	4.3	6.7	6.7	5.3	3.3	4.5
SWI-1044	5.7	1.3	6.0	43.3	75.0	91.7	4.3	1.3	3.3	4.0	6.0	6.3	6.7	4.0	4.5
AUSSIE GREEN	5.3	1.3	7.0	45.0	64.3	84.7	4.3	1.3	2.7	3.0	4.7	7.0	6.0	4.0	4.1
SWI-1012	6.0	1.3	5.7	58.3	66.7	78.7	4.0	1.3	2.0	3.3	6.3	6.7	5.7	3.7	4.1
ASHMORE	5.3	3.7	7.7	88.3	90.0	97.0	3.7	3.0	4.3	4.3	4.0	4.7	4.0	3.3	4.0
CIS-CD7	5.0	1.7	3.7	40.0	61.7	89.7	4.7	1.3	2.3	3.0	5.0	5.3	4.7	4.0	3.7
GN-1	5.7	1.0	5.7	31.7	40.0	50.0	4.3	1.0	2.3	2.0	4.7	6.3	5.7	3.7	3.7
SWI-1045	6.0	1.3	5.0	38.7	53.0	68.0	5.3	1.3	2.7	3.0	4.7	5.3	5.0	3.7	3.7
SWI-1046	5.3	1.0	5.3	11.7	31.7	63.3	5.7	1.0	1.3	2.0	5.7	5.7	5.3	4.3	3.6
CIS-CD5	6.0	1.0	6.0	6.7	33.3	55.0	3.7	1.0	1.0	1.7	5.3	6.0	5.0	3.3	3.3
FMC-6	5.3	1.0	5.0	6.7	21.7	51.7	4.3	1.0	1.3	2.3	4.0	4.7	4.3	3.7	3.0
LAPALOMA (SRX 9500)	5.7	1.0	5.0	8.3	27.3	31.7	4.7	1.0	2.0	2.0	3.7	3.0	3.3	3.7	2.7
SWI-1041	5.5	1.0	5.5	3.7	13.3	33.3	3.3	1.0	1.0	1.7	4.0	4.3	3.7	2.7	2.6
PREMIER (OR 2002)	7.0	1.3	8.0	30.0	31.7	33.0	2.0	1.3	2.0	2.3	3.0	3.3	2.7	2.0	2.4
SUNDEVIL II	5.5	1.0	5.0	8.3	16.7	42.0	3.7	1.0	1.7	2.0	3.3	3.7	3.0	2.3	2.4
TRANSCONTINENTAL	5.5	1.0	5.5	1.0	10.0	30.0	3.0	1.0	1.0	1.0	4.3	3.7	3.3	2.0	2.3
PANAMA	6.0	1.0	5.0	1.0	6.7	20.0	4.0	1.0	1.7	1.3	3.0	2.3	2.7	2.7	2.1
PRINCESS 77	7.0	1.0	5.0	5.0	10.0	20.0	1.7	1.0	2.0	1.7	2.7	2.7	2.3	1.7	2.0
SOUTHERN STAR	6.0	1.0	6.0	3.7	6.7	34.3	3.0	1.0	1.7	1.3	2.0	2.7	2.7	2.3	2.0
SUNSTAR	5.5	1.0	5.0	5.0	8.3	26.7	4.0	1.0	1.0	1.3	3.0	3.0	2.7	2.3	2.0
TIFSPORT	5.0	1.3	7.0	6.7	18.3	28.3	2.3	1.3	1.3	1.3	2.7	3.0	2.7	2.0	2.0
TIFT NO. 1	6.0	1.0	6.0	3.3	8.3	16.7	2.0	1.0	1.0	1.3	3.0	3.0	2.7	2.0	2.0
TIFT NO. 4	5.5	1.0	7.0	16.7	20.3	29.0	3.3	1.0	1.7	1.7	3.0	2.3	2.7	2.0	2.0
B-14	5.5	1.0	5.5	1.7	5.0	26.7	3.7	1.0	1.0	1.0	2.0	2.7	3.0	2.7	1.9
MS-CHOICE	6.0	1.0	5.0	1.7	8.3	25.0	3.0	1.0	1.0	1.3	2.3	3.0	2.3	2.3	1.9
SR 9554	6.5	1.0	5.5	1.0	5.3	19.0	3.7	1.0	1.0	1.0	3.0	2.7	2.3	2.0	1.9
NUMEX SAHARA	7.0	1.0	6.0	0.0	3.3	8.3	2.3	1.0	1.0	1.0	1.7	1.7	2.0	1.3	1.4
CELEBRATION	7.0	1.0	6.0	0.0	1.0	13.3	2.0	1.0	1.0	1.0	1.0	1.7	1.7	1.7	1.3
SUNBIRD (PST-R68A)	6.0	1.0	6.0	0.0	0.3	3.7	2.3	1.0	1.0	1.0	1.7	1.0	1.3	1.3	1.2
SWI-1001	.	1.0	.	0.0	0.0	10.0	3.7	1.0	1.0	1.0	1.0	1.0	1.7	1.7	1.2
ARIZONA COMMON	.	1.0	.	0.0	0.0	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
MOHAWK	.	1.0	.	0.0	0.0	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
SWI-1003	.	1.0	.	0.0	0.0	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
TIFT NO. 2	.	1.0	.	0.0	0.0	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
TIFT NO. 3	.	1.0	.	0.0	0.0	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
TIFWAY	.	1.0	.	0.0	0.0	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
LSD VALUE	4.2	0.8	1.5	31.7	32.8	39.7	2.6	0.7	1.4	1.7	2.8	3.0	2.6	1.7	1.6
C.V. (%)	15.4	36.0	12.7	82.3	65.4	57.2	43.1	31.7	44.9	45.0	46.3	46.7	44.0	37.2	36.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
 2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 15.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
 IN THE 2002 NATIONAL BERMUDAGRASS TEST AT MISS. ST., MS 1/
 2004 DATA
 TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SUMMER	FALL	SCALPING RATINGS	SEEDHEAD RATINGS			QUALITY RATINGS							MEAN	
					COLOR NOVEMBER		SPRING	SUMMER	FALL	APR	MAY	JUN	JUL	AUG	SEP	OCT		NOV
TIFSPORT	7.0	5.0	7.0	7.3	7.0	3.0	7.0	9.0	8.3	7.0	7.0	7.0	6.0	6.7	6.7	7.0	7.0	6.8
TIFT NO. 4	6.3	4.3	7.0	8.0	7.3	2.7	5.7	8.3	8.3	6.3	6.0	7.0	5.3	6.7	7.0	7.0	8.0	6.7
MS-CHOICE	7.7	5.0	6.0	7.7	7.0	7.0	9.0	9.0	9.0	6.0	6.0	6.7	6.3	7.0	6.7	6.3	6.7	6.5
TIFWAY	6.7	4.3	7.0	7.0	7.0	3.0	7.0	9.0	8.3	6.0	6.3	7.0	5.7	6.3	6.3	7.0	7.3	6.5
AUSSIE GREEN	7.0	4.3	7.0	7.3	6.3	4.0	6.7	8.3	7.0	6.0	6.0	6.3	6.0	6.7	6.3	7.0	6.3	6.3
CELEBRATION	6.3	4.3	6.3	8.0	6.3	6.3	5.3	7.7	8.0	5.0	5.7	6.0	6.0	6.7	6.7	6.7	6.3	6.1
GN-1	6.3	4.7	6.3	7.0	6.0	4.0	7.0	8.3	8.3	5.7	6.0	6.0	6.0	6.0	6.0	6.7	6.3	6.1
PREMIER (OR 2002)	6.3	5.3	7.3	6.7	6.0	2.7	7.0	8.3	6.7	6.3	6.0	6.7	6.0	6.3	5.3	6.0	6.0	6.1
SWI-1044	6.0	4.3	6.0	6.7	6.0	4.0	6.0	8.0	7.0	5.0	5.3	6.0	6.0	6.0	6.7	6.0	6.0	5.9
TIFT NO. 1	6.7	3.0	6.3	7.0	6.0	4.0	6.0	8.0	6.7	6.0	5.0	6.0	5.3	6.0	6.0	6.7	6.3	5.9
TIFT NO. 3	6.3	4.7	6.0	6.3	6.0	3.0	7.0	8.0	7.7	5.7	5.7	6.0	5.7	6.0	6.0	6.0	6.3	5.9
OKC 70-18	6.3	5.0	7.0	6.7	6.0	4.0	6.0	7.7	8.7	5.7	5.3	6.0	5.7	6.3	5.7	6.0	6.0	5.8
PATRIOT	6.0	5.0	6.7	6.0	6.0	3.3	6.7	8.7	8.0	5.3	5.7	5.7	5.7	6.7	5.3	6.0	5.7	5.8
SWI-1003	6.3	3.7	5.7	6.3	6.3	3.3	6.0	7.7	7.0	6.0	5.7	5.7	5.7	6.0	5.7	6.0	6.0	5.8
PRINCESS 77	6.0	4.3	6.0	6.7	6.0	3.3	6.3	7.7	6.7	5.3	5.7	5.7	5.0	6.0	5.3	6.3	6.0	5.7
TIFT NO. 2	6.0	4.0	5.3	6.3	6.0	3.0	5.7	7.7	7.0	5.0	5.3	5.7	5.3	5.7	5.7	6.0	6.0	5.6
RIVIERA	6.0	5.7	5.7	6.0	6.0	5.0	6.7	8.0	7.0	5.3	5.3	5.3	5.7	5.7	5.7	5.7	5.0	5.5
SWI-1041	6.3	4.3	5.7	6.3	6.0	4.0	6.0	7.7	7.7	5.3	5.3	5.3	5.3	5.7	5.3	6.0	6.0	5.5
SWI-1046	6.3	4.0	6.0	6.0	6.0	4.0	6.0	7.7	6.7	5.3	5.0	5.7	5.0	6.0	5.7	5.7	5.7	5.5
SWI-1012	6.3	5.3	5.7	5.7	6.0	4.7	6.0	8.0	7.0	5.3	5.3	5.0	5.7	5.7	5.3	5.7	5.3	5.4
SWI-1045	6.3	4.7	6.0	6.0	6.3	4.3	6.0	8.0	7.0	5.3	5.3	5.7	5.0	5.7	5.3	5.3	5.3	5.4
MIDLAWN	6.0	5.7	5.3	5.0	6.3	4.0	6.7	8.3	8.3	5.7	5.7	5.7	5.3	4.7	5.0	5.3	5.0	5.3
SUNBIRD (PST-R68A)	6.0	5.0	5.3	5.3	6.0	4.0	5.7	7.7	6.0	5.3	5.0	5.0	5.0	5.3	5.0	5.3	5.7	5.2
SWI-1001	6.0	5.0	5.7	5.3	6.0	4.0	5.7	7.7	6.3	5.0	5.0	5.0	5.0	5.3	5.3	5.3	5.3	5.2
LAPALOMA (SRX 9500)	5.7	5.0	5.3	5.0	6.0	4.7	5.7	8.3	6.3	5.0	5.0	5.0	5.3	5.3	5.0	5.0	5.0	5.1
SOUTHERN STAR	6.0	4.7	5.7	5.0	6.0	4.0	5.7	8.0	6.3	5.0	5.0	5.0	5.0	5.7	5.3	5.0	5.0	5.1
SR 9554	6.0	5.0	5.0	4.7	5.7	4.0	6.0	7.7	6.3	5.0	5.0	5.7	5.0	5.3	5.0	5.0	5.0	5.1
ASHMORE	5.7	7.3	8.0	5.0	5.0	4.0	8.0	8.7	9.0	6.0	5.0	4.7	4.0	4.7	5.0	5.3	5.0	5.0
CIS-CD6	6.0	5.0	4.7	5.0	5.7	4.3	6.0	8.3	7.0	5.0	5.0	4.7	5.0	5.0	5.0	5.3	5.0	5.0
FMC-6	5.7	4.7	5.3	5.0	6.0	4.0	5.3	8.3	6.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
NUMEX SAHARA	5.7	4.7	4.7	4.7	5.7	4.0	5.7	8.0	5.7	5.0	4.7	5.0	4.7	5.3	5.0	5.0	5.0	5.0
SUNDEVIL II	6.0	5.0	4.7	4.7	5.7	4.7	6.0	7.7	6.7	5.0	5.0	5.0	5.0	5.0	4.7	5.0	5.0	5.0
SWI-1014	6.0	4.7	5.0	5.3	6.0	4.0	6.0	8.0	6.3	5.0	5.0	5.0	5.0	5.3	5.0	5.0	5.0	5.0
YUKON	6.0	5.7	5.3	5.7	6.0	4.3	6.0	8.0	6.7	5.0	5.0	5.0	5.0	5.0	5.3	5.0	5.0	5.0
CIS-CD7	6.0	5.0	5.0	5.3	6.0	4.7	6.0	8.0	6.7	5.0	4.3	5.0	5.0	5.0	5.0	5.0	5.0	4.9
B-14	6.0	4.7	5.3	5.0	5.7	4.0	6.0	8.0	6.3	5.0	4.3	4.3	4.3	5.0	5.0	5.0	5.3	4.8
MOHAWK	5.7	5.0	4.7	4.3	5.7	3.7	5.0	7.7	6.0	5.0	4.7	4.7	4.3	4.7	4.7	5.0	5.0	4.8
SUNSTAR	6.0	5.0	5.0	4.3	6.0	3.7	6.0	8.0	6.3	5.0	4.7	4.3	4.7	4.7	4.7	5.0	5.0	4.8
TRANSCONTINENTAL	6.0	5.0	5.0	5.0	6.0	4.3	6.0	8.0	7.0	4.7	4.7	4.7	4.7	5.0	4.7	5.3	5.0	4.8
ARIZONA COMMON	6.0	4.3	4.7	4.7	5.7	4.0	5.3	7.7	5.7	5.0	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7
CIS-CD5	5.7	4.7	5.0	4.3	6.0	4.0	6.0	8.0	6.3	5.0	4.3	4.0	4.7	4.3	4.3	4.7	4.7	4.5
PANAMA	5.3	4.3	4.7	3.7	6.0	4.0	6.3	7.7	5.7	4.7	4.3	3.7	4.7	4.0	4.3	4.7	4.7	4.4
LSD VALUE	0.6	1.0	0.7	0.9	0.5	0.8	0.6	1.0	0.8	0.5	0.7	0.7	0.7	0.8	0.7	0.6	0.7	0.4
C.V. (%)	6.0	12.3	8.1	9.9	5.4	13.3	6.7	5.8	7.9	6.5	8.4	8.9	8.1	9.6	8.6	7.0	8.0	5.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
 2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 16. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT RALEIGH, NC 1/
2004 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN
PREMIER (OR 2002)	5.3	7.7	8.0	8.3	8.0	7.7	6.3	6.7	6.7	7.2
SWI-1044	4.3	7.3	7.7	8.3	7.7	7.3	7.0	7.7	7.7	7.2
PRINCESS 77	4.0	7.0	7.0	8.7	8.0	7.7	6.7	7.7	7.7	7.1
TIFT NO. 3	4.7	6.3	6.7	8.0	8.0	8.0	6.7	7.0	7.0	6.9
GN-1	4.7	6.3	7.3	8.0	7.3	7.3	6.7	6.7	6.7	6.8
CELEBRATION	4.3	6.7	7.0	7.7	7.3	7.3	7.0	6.7	6.7	6.7
TIFSPORT	4.3	6.7	6.3	7.7	7.7	7.3	6.7	6.7	6.7	6.7
AUSSIE GREEN	4.3	6.3	6.3	7.3	7.0	7.0	7.0	7.0	7.0	6.6
CIS-CD7	4.3	6.3	6.7	7.7	7.3	6.7	6.7	6.3	6.3	6.5
MS-CHOICE	4.0	5.7	5.7	8.0	7.7	7.7	7.0	6.3	6.3	6.5
B-14	4.0	6.3	7.0	8.0	7.0	7.0	6.3	6.0	6.0	6.4
SR 9554	4.0	5.7	5.7	7.7	7.3	6.7	6.7	7.0	7.0	6.4
PANAMA	4.0	5.3	5.7	6.3	7.3	7.7	6.7	6.7	6.7	6.3
PATRIOT	4.3	5.7	6.0	6.7	6.3	6.7	6.7	7.0	7.0	6.3
SWI-1046	3.7	5.0	6.0	7.0	7.3	7.3	6.7	6.7	6.7	6.3
TIFT NO. 2	4.0	5.7	6.3	7.3	7.0	6.7	6.3	6.7	6.7	6.3
TIFWAY	4.3	5.3	5.7	7.0	7.0	7.0	6.7	6.7	6.7	6.3
TRANSCONTINENTAL	4.0	5.7	4.7	7.3	7.3	7.3	6.3	7.0	7.0	6.3
OKC 70-18	4.0	5.7	6.3	7.0	7.3	7.0	6.7	6.0	6.0	6.2
FMC-6	4.3	5.7	6.0	7.0	6.7	6.0	6.3	6.7	6.7	6.1
LAPALOMA (SRX 9500)	3.7	5.3	6.0	7.0	7.0	7.0	6.7	6.3	6.3	6.1
RIVIERA	4.3	5.3	5.0	6.3	7.0	7.7	6.3	6.7	6.7	6.1
SWI-1045	3.7	4.7	5.7	7.0	7.0	6.7	6.7	6.7	6.7	6.1
TIFT NO. 1	4.0	5.3	6.0	6.7	7.0	7.0	6.0	6.3	6.3	6.1
ARIZONA COMMON	3.7	5.7	5.3	7.0	6.7	6.7	6.3	6.3	6.3	6.0
SWI-1001	4.0	5.0	6.7	7.0	6.7	5.7	5.7	6.7	6.7	6.0
SWI-1003	3.7	5.3	5.7	7.7	7.0	7.0	6.0	6.0	6.0	6.0
TIFT NO. 4	4.0	5.0	5.7	7.3	7.3	6.3	6.0	6.0	6.0	6.0
YUKON	4.3	5.3	5.7	6.7	6.7	6.3	6.7	6.0	6.0	6.0
SOUTHERN STAR	4.0	4.3	5.0	7.3	7.0	6.0	6.3	6.3	6.3	5.9
SUNDEVIL II	3.7	5.0	5.3	7.3	7.0	6.7	5.7	6.0	6.0	5.9
SWI-1041	3.7	4.7	5.7	8.0	6.7	6.7	6.0	6.0	6.0	5.9
CIS-CD5	4.3	5.3	5.7	7.0	6.3	6.3	6.3	5.3	5.3	5.8
CIS-CD6	4.0	5.3	5.0	7.0	6.3	6.0	6.0	6.3	6.3	5.8
SUNBIRD (PST-R68A)	4.3	4.7	5.3	6.3	6.0	6.3	6.0	6.7	6.7	5.8
MIDLAWN	4.3	5.3	6.0	6.3	6.3	5.7	5.7	6.0	6.0	5.7
SWI-1012	4.3	5.7	6.3	6.7	6.7	6.3	5.0	5.0	5.0	5.7
NUMEX SAHARA	4.0	4.7	5.7	7.0	6.3	5.7	6.0	5.7	5.7	5.6
SUNSTAR	3.3	4.0	4.7	6.3	7.0	7.3	5.3	6.3	6.3	5.6
SWI-1014	4.0	4.7	4.3	6.0	6.7	7.0	5.7	5.3	5.3	5.4
ASHMORE	4.0	4.0	5.0	5.0	5.7	5.3	5.3	5.7	5.7	5.1
MOHAWK	3.7	4.0	5.0	5.0	5.3	5.7	5.7	6.0	6.0	5.1
LSD VALUE	1.4	3.6	2.5	2.2	3.0	2.5	3.2	1.7	1.7	1.4
C.V. (%)	12.5	23.2	18.1	14.0	13.5	14.0	13.9	11.5	11.5	10.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 16. (CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
 IN THE 2002 NATIONAL BERMUDAGRASS TEST AT RALEIGH, NC 1/
 2004 DATA
 TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SUMMER	DOLLAR SPOT	FALL	FALL	FALL	FALL	SEEDHEAD RATINGS		
						COLOR SEPTEMBER	COLOR OCTOBER	COLOR NOVEMBER	COLOR DECEMBER	APRIL	JUNE	OCTOBER
PREMIER (OR 2002)	7.7	6.7	8.3	8.3	9.0	9	6.7	7.3	3.7	4.3	4.7	9.0
SWI-1044	7.3	5.7	7.7	8.7	9.0	9	7.0	7.7	2.3	4.0	4.0	9.0
PRINCESS 77	7.3	5.7	8.0	8.3	9.0	9	7.3	7.7	3.3	3.0	3.0	9.0
TIFT NO. 3	8.0	6.7	8.3	8.3	9.0	9	6.7	6.7	3.0	4.7	5.3	9.0
GN-1	7.7	6.0	7.7	8.0	9.0	9	6.7	7.0	3.3	3.7	4.3	9.0
CELEBRATION	7.3	6.0	7.3	7.7	9.0	9	8.0	7.3	2.3	3.7	4.3	9.0
TIFSPORT	7.7	6.0	7.3	8.0	8.7	9	7.3	7.0	2.7	4.3	4.3	9.0
AUSSIE GREEN	7.7	5.7	7.0	6.7	8.7	9	7.3	7.7	2.7	3.0	3.7	9.0
CIS-CD7	7.3	6.0	7.7	7.7	8.7	9	6.7	6.7	2.7	5.0	6.0	9.0
MS-CHOICE	7.3	5.7	7.7	8.0	9.0	9	7.7	7.3	3.0	5.3	6.0	8.0
B-14	7.7	5.3	7.7	7.7	8.7	9	6.3	6.7	3.0	4.7	5.7	9.0
SR 9554	6.3	5.7	7.0	7.3	8.7	9	6.7	7.0	3.0	4.3	5.3	9.0
PANAMA	7.0	5.7	7.3	6.3	9.0	9	7.0	7.0	3.0	4.7	5.3	9.0
PATRIOT	6.7	6.0	7.3	6.7	9.0	9	7.3	7.0	3.3	5.3	5.7	9.0
SWI-1046	7.7	4.7	8.0	7.0	8.7	9	6.7	6.7	3.0	4.3	4.7	9.0
TIFT NO. 2	7.0	5.0	8.0	7.7	9.0	9	7.0	7.0	2.7	3.3	3.7	9.0
TIFWAY	7.0	5.7	7.7	7.0	8.7	9	6.7	6.7	2.3	4.3	4.7	9.0
TRANSCONTINENTAL	7.3	5.0	7.3	7.3	8.0	9	6.3	7.0	3.0	5.0	5.0	9.0
OKC 70-18	7.7	5.7	8.0	7.3	7.3	9	6.7	6.3	3.3	4.7	4.7	9.0
FMC-6	6.3	6.7	7.3	6.7	8.7	9	7.7	7.3	3.0	5.0	6.0	9.0
LAPALOMA (SRX 9500)	6.7	5.3	7.3	7.0	9.0	9	6.7	6.7	2.7	4.7	5.3	9.0
RIVIERA	7.0	5.3	7.0	6.7	8.0	9	7.0	6.7	2.0	5.3	6.3	9.0
SWI-1045	6.7	5.3	6.7	7.0	9.0	9	6.3	6.7	3.0	5.3	6.0	9.0
TIFT NO. 1	6.7	5.7	7.7	6.7	9.0	9	6.7	6.7	2.3	4.3	5.0	9.0
ARIZONA COMMON	7.0	5.0	7.0	7.0	9.0	9	6.7	7.0	2.3	4.3	4.7	9.0
SWI-1001	6.0	5.3	8.0	7.0	9.0	9	7.3	7.3	2.7	4.7	5.3	9.0
SWI-1003	7.0	4.7	7.3	7.7	8.7	9	6.7	6.3	2.3	3.7	4.7	9.0
TIFT NO. 4	7.7	5.7	7.7	7.7	9.0	9	6.3	6.3	3.0	4.0	4.3	8.7
YUKON	7.0	6.0	7.0	6.7	9.0	9	6.7	6.0	3.3	4.7	5.7	9.0
SOUTHERN STAR	7.0	5.3	6.7	7.3	8.7	9	7.3	7.0	2.3	5.7	6.7	9.0
SUNDEVIL II	7.3	4.3	7.3	7.0	8.7	9	7.0	6.7	2.0	4.3	5.0	9.0
SWI-1041	6.7	4.3	7.3	7.7	8.3	9	5.7	5.7	2.7	4.0	4.3	9.0
CIS-CD5	7.0	6.3	7.0	7.7	8.7	9	6.3	5.7	3.0	5.7	6.0	9.0
CIS-CD6	6.3	5.7	7.0	7.3	8.7	9	6.3	6.7	3.3	5.7	6.7	9.0
SUNBIRD (PST-R68A)	6.0	5.7	7.0	5.7	9.0	9	7.0	6.7	2.7	4.3	5.3	9.0
MIDLAWN	6.0	6.3	7.3	6.7	9.0	9	6.3	6.7	2.0	5.0	5.7	9.0
SWI-1012	6.3	6.0	6.3	6.3	8.7	9	6.0	6.0	3.3	5.7	6.7	8.7
NUMEX SAHARA	6.7	5.3	6.7	6.7	9.0	9	6.3	6.0	2.7	5.3	6.0	9.0
SUNSTAR	6.3	4.0	6.7	6.3	8.3	9	6.0	6.0	2.7	5.3	6.3	9.0
SWI-1014	7.0	5.3	7.0	6.0	8.0	9	5.7	5.7	2.7	5.7	6.3	9.0
ASHMORE	6.0	5.0	6.0	5.3	9.0	9	6.7	6.0	4.0	6.0	7.0	8.7
MOHAWK	5.3	5.3	7.3	6.3	9.0	9	6.0	5.7	3.0	6.0	7.0	9.0
LSD VALUE	2.5	2.6	2.5	2.7	2.1	0	4.0	3.8	1.3	2.5	2.4	1.1
C.V. (%)	13.0	16.4	11.0	14.8	7.0	0	14.9	15.1	20.3	22.2	21.8	3.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 17.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
 IN THE 2002 NATIONAL BERMUDAGRASS TEST AT LAS CRUCES, NM 1/
 2004 DATA
 TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SUMMER	FALL	FALL	FALL	SEEDHEAD FALL	QUALITY RATINGS							MEAN	
					COLOR SEPTEMBER	COLOR OCTOBER	COLOR NOVEMBER		APR	MAY	JUN	JUL	AUG	SEP	OCT		NOV
SWI-1045	8.7	5.7	7.7	7.7	8.0	8.0	3.7	1.7	6.3	7.7	8.0	8.0	8.7	7.7	8.0	7.7	7.8
PRINCESS 77	8.0	6.3	7.3	8.0	7.3	7.0	2.3	7.3	6.7	8.0	8.0	7.7	7.7	7.7	7.0	7.3	7.5
PATRIOT	8.7	7.0	7.7	6.3	7.0	8.0	3.3	2.3	6.7	7.0	8.3	8.3	7.7	6.3	6.3	8.0	7.3
MIDLAWN	7.7	6.7	8.0	6.0	7.0	6.3	4.7	2.0	7.3	7.3	7.3	7.3	8.0	5.7	6.7	7.7	7.2
TIFT NO. 4	8.3	5.3	8.0	6.3	8.0	7.0	5.0	3.7	6.0	7.3	7.3	7.7	7.0	6.3	6.7	8.3	7.1
YUKON	8.3	6.0	7.3	7.0	7.7	6.7	4.7	4.0	6.3	7.3	7.7	7.7	7.3	7.0	6.7	6.7	7.1
CELEBRATION	8.3	6.3	8.0	7.0	8.0	8.0	4.7	2.0	6.0	7.0	7.3	7.7	6.7	6.3	6.7	8.0	7.0
SWI-1012	8.0	6.3	7.7	7.0	7.7	7.0	3.0	4.0	6.7	7.0	7.0	7.0	7.7	7.0	6.7	7.3	7.0
SWI-1041	7.7	6.3	7.7	6.3	7.0	7.0	5.0	2.7	6.7	6.7	7.3	7.3	7.3	6.3	7.3	7.3	7.0
TIFSPORT	7.0	6.0	8.0	7.0	7.0	6.3	4.7	1.7	6.3	7.7	7.7	7.3	7.0	6.0	5.7	8.0	7.0
TIFT NO. 3	8.3	6.3	8.0	6.0	7.0	8.0	5.0	2.3	6.3	7.7	7.3	7.3	7.3	5.0	7.0	8.0	7.0
TIFWAY	8.0	5.0	8.3	6.0	7.3	6.3	4.0	2.7	6.3	8.0	7.7	7.3	6.7	5.7	6.3	8.0	7.0
SWI-1003	7.3	5.7	7.7	6.7	7.0	6.3	3.3	4.7	6.0	7.3	7.3	7.3	6.3	6.3	6.7	8.0	6.9
TIFT NO. 1	8.0	5.7	7.7	7.0	8.0	6.3	3.0	3.3	5.7	7.3	7.7	7.7	6.7	6.0	6.3	7.7	6.9
PREMIER (OR 2002)	7.7	6.7	8.0	6.3	7.0	5.3	2.3	7.0	6.0	6.7	7.7	7.7	7.0	6.3	5.3	7.7	6.8
PANAMA	7.3	6.7	6.7	7.0	7.0	7.0	2.7	6.0	7.0	7.3	6.7	6.3	7.3	7.0	6.3	6.0	6.8
SUNSTAR	8.7	5.7	7.0	7.0	7.0	8.0	4.3	4.7	6.7	7.0	6.7	6.7	7.3	6.7	7.0	6.0	6.8
SWI-1014	8.3	7.0	7.3	6.7	7.3	7.0	3.7	3.3	6.3	8.0	6.7	6.7	7.7	6.0	6.3	7.0	6.8
TIFT NO. 2	7.3	5.7	7.0	6.7	7.3	6.7	3.3	2.7	6.0	7.3	7.3	7.3	6.7	6.0	6.0	7.3	6.8
AUSSIE GREEN	8.3	6.3	8.0	6.3	7.7	7.7	3.0	5.0	6.0	7.0	7.3	7.3	6.3	6.0	6.0	7.7	6.7
CIS-CD5	7.3	6.7	7.3	7.7	7.0	5.7	3.0	6.0	6.7	7.3	7.0	6.7	6.3	7.0	6.3	6.3	6.7
CIS-CD7	8.0	6.0	7.3	7.0	7.7	7.0	3.0	6.3	6.3	7.0	6.7	6.7	7.3	7.0	6.0	6.3	6.7
ARIZONA COMMON	7.7	6.7	7.0	7.0	7.0	7.0	3.7	4.7	7.3	7.3	6.3	6.3	7.0	6.7	5.7	6.0	6.6
ASHMORE	5.3	6.7	8.7	6.0	6.0	5.3	4.0	3.3	8.0	7.3	6.7	6.3	5.7	5.3	5.3	8.3	6.6
B-14	7.3	6.7	6.7	7.0	6.7	7.0	2.7	7.0	7.0	7.7	6.3	6.3	6.7	7.0	6.0	6.0	6.6
GN-1	8.0	7.0	8.0	6.0	7.7	7.3	3.3	5.3	7.3	8.0	6.0	6.0	6.7	5.7	6.3	7.0	6.6
LAPALOMA (SRX 9500)	8.3	7.0	6.7	7.0	7.0	7.0	2.3	6.7	7.0	6.7	6.7	6.7	7.0	6.7	6.0	6.0	6.6
OKC 70-18	7.0	7.3	8.0	6.3	7.0	5.7	2.0	4.7	6.0	7.3	7.0	7.0	6.3	6.3	5.7	7.3	6.6
SWI-1044	7.0	5.7	7.3	7.0	7.3	7.0	4.7	4.3	5.3	6.3	7.3	7.3	6.7	6.0	6.7	7.3	6.6
SOUTHERN STAR	8.0	7.0	7.0	7.0	6.7	6.7	3.0	7.3	7.0	7.0	6.3	6.3	6.3	6.3	6.0	6.3	6.5
SUNBIRD (PST-R68A)	7.7	6.7	7.7	7.0	7.0	7.0	3.0	6.0	6.3	7.3	6.3	6.3	6.3	7.0	6.0	6.3	6.5
SWI-1001	7.3	6.3	7.0	6.7	7.0	6.3	3.7	5.3	6.3	7.0	6.7	6.3	6.7	6.7	6.0	6.0	6.5
SWI-1046	7.7	6.0	7.7	7.0	7.3	7.0	3.7	5.0	5.7	7.0	6.7	6.7	6.3	6.7	6.3	6.7	6.5
TRANSCONTINENTAL	7.7	7.0	7.0	6.7	6.7	6.7	2.7	5.3	6.3	6.3	6.7	6.7	6.7	6.7	6.0	7.0	6.5
FMC-6	8.0	6.3	6.3	6.7	7.3	7.3	3.0	5.7	6.0	6.0	6.7	6.3	6.7	6.7	6.7	6.0	6.4
NUMEX SAHARA	7.7	7.7	6.7	7.0	6.7	6.3	2.7	5.7	7.7	6.3	6.0	6.0	6.0	6.7	6.3	6.3	6.4
RIVIERA	7.3	6.3	7.3	6.7	7.0	6.0	2.3	6.3	6.3	7.0	6.3	6.0	6.3	6.3	6.0	7.0	6.4
MOHAWK	7.3	6.3	7.3	7.0	6.7	6.0	3.3	5.7	6.3	7.3	6.0	6.0	6.3	6.7	6.0	6.0	6.3
CIS-CD6	8.0	6.7	6.7	6.3	7.3	7.0	2.3	6.7	6.0	6.0	6.0	6.0	6.3	6.0	6.3	6.0	6.1
MS-CHOICE	8.0	6.3	6.7	7.0	7.0	7.0	3.3	5.0	5.7	5.0	6.3	6.0	6.0	6.0	5.7	6.3	5.9
SR 9554	7.7	5.3	7.3	7.0	7.0	7.0	4.3	6.0	4.7	5.0	6.0	6.0	6.3	6.3	5.7	6.7	5.8
SUNDEVIL II	6.7	7.0	6.0	7.0	6.0	5.7	2.0	7.7	6.3	6.0	5.7	5.0	5.3	6.7	5.0	6.0	5.8
LSD VALUE	1.0	1.8	1.1	0.9	0.7	2.9	2.1	2.6	1.3	2.0	1.1	1.2	1.8	1.1	1.5	0.8	0.6
C.V. (%)	7.4	12.0	8.2	7.0	5.6	15.4	30.3	32.3	10.8	12.9	9.1	9.9	12.0	9.3	11.0	7.1	5.0

- 1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
 2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 18.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT STILLWATER, OK 1/
2004 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/
SPRING DEAD SPOT MEASURED IN SQUARE CENTIMETERS

NAME	GENETIC COLOR	LEAF TEXTURE	DENSITY FALL	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT WINTER KILL	FALL COLOR NOVEMBER	FALL COLOR DECEMBER	SEEDHEAD RATINGS	SPRING DEAD SPOT	QUALITY RATINGS							MEAN
											APR	MAY	JUN	JUL	AUG	SEP	OCT	
OKC 70-18	5.7	8.0	8.0	99.0	99.0	1.0	7.7	2.3	7.0	0.0	6.3	8.7	7.0	8.3	9.0	7.3	9.0	8.0
TIFSPORT	2.3	8.0	8.7	98.7	99.0	4.3	8.7	2.7	9.0	5.7	5.0	8.7	8.0	8.3	9.0	7.3	9.0	7.9
PREMIER (OR 2002)	3.7	7.7	7.0	98.7	99.0	3.0	8.7	1.7	6.0	91.7	5.0	8.7	7.3	8.7	9.0	7.0	9.0	7.8
AUSSIE GREEN	2.3	8.0	8.7	98.7	98.7	2.3	9.0	1.0	5.7	187.7	4.0	8.7	7.3	8.7	8.7	7.3	9.0	7.7
TIFWAY	1.7	8.0	9.0	98.7	99.0	4.3	9.0	2.3	9.0	232.3	4.7	8.7	7.0	8.0	8.3	7.3	9.0	7.6
PATRIOT	3.7	8.0	8.3	98.7	98.0	1.7	8.7	1.7	6.7	218.0	5.0	8.7	7.3	8.0	9.0	6.3	8.3	7.5
RIVIERA	3.7	7.0	7.3	98.3	99.0	4.0	7.3	1.0	6.0	182.0	4.3	8.0	8.0	8.3	8.7	7.7	7.7	7.5
TIFT NO. 4	1.7	8.0	9.0	97.3	99.0	5.0	8.7	2.0	8.7	155.7	4.7	7.7	7.0	8.0	8.3	7.7	9.0	7.5
MS-CHOICE	1.7	7.3	7.3	94.0	99.0	27.7	9.0	1.3	9.0	358.0	2.3	6.7	8.7	8.7	9.0	8.0	8.7	7.4
SWI-1045	2.0	7.3	7.0	97.3	99.0	9.7	8.0	1.0	6.0	425.3	3.3	8.0	7.3	8.7	9.0	7.3	8.0	7.4
MIDLAWN	4.0	8.0	6.3	99.0	98.7	3.3	8.7	1.0	9.0	172.0	5.0	8.3	6.0	7.7	8.7	7.3	8.3	7.3
TIFT NO. 3	2.0	7.7	7.7	97.0	99.0	9.0	8.7	1.3	8.0	431.0	3.0	8.0	7.7	8.3	8.7	7.3	8.0	7.3
CELEBRATION	2.0	8.0	8.0	97.0	99.0	5.3	9.0	2.3	8.3	714.0	4.3	7.7	7.0	8.7	8.7	6.7	7.7	7.2
GN-1	1.3	8.0	8.3	98.0	99.0	8.7	8.7	1.0	8.0	476.3	3.3	8.3	7.0	8.0	8.7	7.3	8.0	7.2
YUKON	3.0	7.0	7.3	97.7	99.0	3.7	7.3	1.0	6.3	382.0	3.7	7.7	7.0	8.3	9.0	7.3	7.7	7.2
SWI-1012	2.3	7.0	6.7	97.3	99.0	12.3	8.7	1.0	6.0	420.0	3.0	8.0	6.7	8.3	9.0	7.3	7.3	7.1
SWI-1041	1.0	7.0	8.0	93.0	99.0	18.0	8.7	1.3	6.0	239.3	2.0	7.0	7.0	8.3	9.0	7.3	8.0	7.0
SWI-1046	1.0	7.0	7.3	96.3	99.0	12.0	8.7	1.0	5.7	317.3	2.7	7.7	6.7	8.7	8.3	7.0	8.0	7.0
CIS-CD7	2.7	7.0	6.0	97.0	99.0	11.3	8.0	1.0	5.3	327.0	3.3	7.0	7.0	7.7	8.7	7.0	7.3	6.9
SWI-1014	3.3	7.0	6.7	97.7	99.0	7.3	7.7	1.0	6.3	196.0	4.0	7.7	6.7	7.3	8.7	6.7	7.0	6.9
SWI-1044	1.7	7.0	7.3	97.3	99.0	11.0	7.7	1.0	5.7	337.7	3.0	7.7	7.3	8.0	8.7	6.3	7.0	6.9
SWI-1001	2.0	7.0	6.7	96.7	99.0	9.0	7.7	1.3	6.0	372.0	3.0	7.0	7.0	7.7	8.7	7.0	7.3	6.8
SWI-1003	1.3	7.3	7.7	96.3	99.0	16.0	8.3	1.3	5.7	545.3	2.7	7.3	6.0	8.0	8.7	7.3	7.7	6.8
TIFT NO. 1	1.0	7.7	8.3	95.0	99.0	27.0	8.7	1.3	5.7	566.3	2.3	7.3	7.0	8.0	8.3	6.7	7.7	6.8
CIS-CD6	3.0	7.0	7.0	97.3	99.0	9.3	6.3	1.3	5.7	292.3	3.3	6.7	6.7	8.0	8.7	7.0	6.7	6.7
PRINCESS 77	1.0	7.0	7.0	95.7	99.0	12.7	9.0	1.0	5.7	611.3	2.0	7.7	6.7	8.0	8.3	7.0	7.0	6.7
SUNBIRD (PST-R68A)	2.3	7.0	6.7	96.0	99.0	12.3	7.7	1.0	5.3	272.3	3.0	6.3	7.0	7.7	9.0	6.7	7.0	6.7
TIFT NO. 2	1.0	7.7	8.0	88.3	99.0	24.7	8.7	1.3	6.0	563.7	2.0	6.3	7.0	7.0	8.0	7.7	8.7	6.7
ASHMORE	7.0	8.0	9.0	99.0	97.3	0.0	8.0	2.7	9.0	13.0	8.0	6.7	3.0	6.0	7.3	6.3	8.7	6.6
PANAMA	2.7	7.0	6.0	97.0	99.0	11.0	7.3	1.0	5.3	521.7	3.0	6.3	6.3	7.3	8.7	7.0	7.3	6.6
SOUTHERN STAR	2.0	7.0	6.3	96.0	99.0	13.3	7.3	1.3	5.3	534.7	3.3	7.0	6.7	8.0	8.0	6.7	6.7	6.6
FMC-6	1.7	7.0	6.0	95.3	99.0	20.0	7.0	1.3	5.3	431.0	2.0	6.3	6.7	8.0	9.0	6.7	6.7	6.5
CIS-CD5	2.0	7.0	6.7	96.0	99.0	14.3	8.0	1.3	5.7	353.3	2.7	6.3	6.7	7.3	8.7	6.7	6.7	6.4
SUNSTAR	2.3	7.0	6.0	97.3	99.0	10.3	7.7	1.0	5.3	439.7	3.0	7.0	6.0	7.3	8.7	6.7	6.3	6.4
TRANSCONTINENTAL	2.7	7.0	6.3	97.7	99.0	8.7	7.7	1.0	5.0	462.7	3.3	6.3	6.7	7.7	8.7	6.0	6.0	6.4
SR 9554	2.3	7.0	6.0	96.7	99.0	14.3	8.0	1.0	5.3	345.0	2.7	6.3	6.7	7.3	8.3	6.3	6.7	6.3
SUNDEVIL II	2.0	7.0	6.7	97.0	98.7	9.0	7.0	1.0	5.3	471.7	3.3	6.7	6.7	7.3	8.3	6.0	5.7	6.3
LAPALOMA (SRX 9500)	2.3	7.0	6.0	97.3	99.0	17.3	8.3	1.3	5.3	615.7	3.0	5.7	7.0	7.0	8.3	6.3	6.3	6.2
MOHAWK	2.3	7.0	6.0	96.7	99.0	18.7	6.7	1.0	5.0	558.0	3.0	5.7	6.3	7.0	8.7	6.7	6.0	6.2
ARIZONA COMMON	2.3	7.0	6.0	96.3	98.3	18.3	7.7	1.0	5.0	369.7	3.3	5.7	5.7	7.0	8.3	6.3	6.3	6.1
NUMEX SAHARA	2.3	7.0	6.0	97.3	99.0	17.0	7.3	1.0	5.0	555.7	3.0	5.7	6.0	7.0	8.7	6.3	6.3	6.1
B-14	2.3	7.0	6.0	96.7	99.0	13.3	8.0	1.0	5.0	526.0	2.7	5.7	5.3	7.3	8.0	6.0	6.3	5.9
LSO VALUE	0.7	0.4	0.7	2.1	0.5	7.2	1.0	0.5	0.6	294.1	0.8	1.0	0.9	1.0	1.1	0.9	0.8	0.3
C.V. (%)	19.1	3.2	6.2	1.4	0.3	41.8	7.6	25.2	6.3	46.4	15.3	8.6	8.3	7.4	5.4	7.3	7.1	3.1

- 1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 19.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
 IN THE 2002 NATIONAL BERMUDAGRASS TEST AT FLORENCE, SC 1/
 2004 DATA
 TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SUMMER	DOLLAR SPOT	FALL	SEEDHEAD RATINGS	APR	MAY	QUALITY RATINGS				MEAN	
						COLOR NOVEMBER				JUN	AUG	SEP	OCT		NOV
PREMIER (OR 2002)	8.0	6.3	7.0	8.3	4.3	7.3	8.3	6.3	7.0	7.3	8.0	6.3	8.0	8.0	7.3
RIVIERA	7.0	6.3	6.3	8.0	7.7	6.3	5.7	6.0	7.0	7.3	8.0	7.0	7.0	8.0	7.2
AUSSIE GREEN	7.7	5.7	7.0	8.3	7.7	7.0	8.0	6.0	7.0	7.0	8.0	6.7	7.3	8.0	7.1
OKC 70-18	7.7	6.7	7.3	8.0	8.0	6.7	6.7	7.0	7.7	7.7	6.7	5.7	7.3	7.7	7.1
SUNBIRD (PST-R68A)	7.3	6.7	6.3	7.7	8.0	6.0	5.0	6.7	6.3	7.7	7.7	6.7	6.7	8.0	7.1
TIFWAY	7.0	5.7	6.0	7.0	8.0	7.0	6.3	5.7	6.7	7.3	7.7	6.0	7.7	8.0	7.0
TIFSPORT	7.3	6.3	6.7	7.7	6.7	7.0	5.3	6.0	6.7	7.7	7.3	6.3	7.0	7.3	6.9
CELEBRATION	8.0	4.0	5.3	8.3	6.7	7.7	5.3	5.0	6.3	7.3	8.0	6.7	7.0	7.3	6.8
MS-CHOICE	6.7	3.3	5.3	7.7	7.7	5.0	8.0	4.7	5.7	7.3	8.0	7.3	7.3	7.3	6.8
SOUTHERN STAR	6.7	4.7	5.3	7.3	7.7	6.0	4.3	5.0	6.0	7.7	8.0	6.3	7.0	7.3	6.8
SR 9554	6.7	5.7	6.0	6.7	8.3	6.0	5.7	6.0	5.7	7.3	7.3	6.7	7.0	7.3	6.8
SWI-1045	7.3	4.7	5.3	7.3	7.7	7.0	3.7	5.0	6.3	7.7	8.0	6.3	6.7	7.3	6.8
TIFT NO. 3	7.3	6.0	6.7	8.0	7.7	7.7	7.7	5.3	6.7	7.7	7.7	6.3	6.7	7.3	6.8
CIS-CD6	6.7	6.0	6.0	7.0	8.0	6.3	5.7	5.7	6.0	7.3	7.3	6.3	6.7	7.3	6.7
SWI-1001	6.7	5.3	6.3	7.0	8.0	7.0	4.7	5.3	6.0	8.0	7.3	6.3	6.7	7.0	6.7
SWI-1046	6.7	4.7	6.3	7.7	6.3	6.7	4.3	5.7	6.3	7.7	7.3	6.3	7.0	6.7	6.7
PATRIOT	8.0	4.3	6.7	7.7	8.0	6.3	9.0	5.0	7.7	8.0	6.3	5.3	6.7	7.0	6.6
SUNSTAR	6.7	5.7	5.7	7.0	8.0	6.0	6.0	5.7	5.7	7.3	7.3	6.0	6.7	7.3	6.6
SWI-1041	7.0	5.0	6.7	8.0	7.7	7.3	6.3	5.0	7.0	7.7	7.0	6.3	6.3	7.0	6.6
SWI-1044	7.3	4.3	6.3	7.7	7.7	7.0	4.7	5.0	6.3	7.3	7.3	6.7	6.3	7.3	6.6
TIFT NO. 1	7.3	5.7	5.7	7.3	7.0	6.3	5.0	6.0	6.7	7.7	7.0	6.7	6.0	6.0	6.6
TRANSCONTINENTAL	6.7	5.3	6.3	7.3	8.0	6.0	4.3	5.3	6.3	7.7	6.7	6.3	7.0	7.0	6.6
CIS-CD5	7.0	5.3	5.3	6.7	8.0	6.0	4.3	5.7	6.0	7.3	7.3	6.0	6.3	7.0	6.5
FMC-6	6.7	5.0	5.3	6.7	8.0	6.3	7.3	5.7	6.0	7.7	6.7	6.7	6.3	6.7	6.5
GN-1	7.3	4.3	6.0	8.0	7.0	6.0	7.0	5.0	6.3	7.7	7.7	6.3	6.3	6.3	6.5
LAPALOMA (SRX 9500)	6.7	5.3	5.7	7.0	8.3	5.7	4.7	5.3	6.0	7.0	7.7	6.3	6.3	7.0	6.5
SUNDEVIL II	6.7	5.7	6.3	6.7	8.3	5.7	5.0	5.7	5.7	7.3	7.3	6.3	6.3	7.0	6.5
SWI-1003	7.3	5.0	6.3	7.3	7.0	7.0	3.3	5.3	6.3	7.3	7.0	6.7	6.0	6.7	6.5
CIS-CD7	6.7	5.0	5.3	7.0	8.3	5.3	3.7	5.3	5.7	7.3	7.7	5.7	6.3	7.0	6.4
MOHAWK	7.0	6.0	5.7	6.3	7.7	6.3	5.7	6.0	6.0	7.0	6.7	6.3	6.0	7.0	6.4
PANAMA	6.7	5.3	5.3	6.3	8.0	6.0	4.7	5.3	6.0	7.3	7.0	6.0	6.3	7.0	6.4
PRINCESS 77	7.0	4.3	6.0	7.0	8.0	7.0	3.0	5.0	6.3	7.7	7.0	6.0	6.3	6.7	6.4
SWI-1012	6.7	4.3	5.3	7.3	7.0	6.0	4.0	5.0	5.7	7.3	7.7	6.3	6.3	6.3	6.4
TIFT NO. 4	7.0	4.7	6.7	8.0	7.3	7.0	4.7	5.0	6.7	7.7	7.0	6.7	5.7	6.0	6.4
TIFT NO. 2	7.3	5.3	6.3	6.3	8.0	6.3	3.7	5.3	6.3	7.7	6.7	6.7	5.7	5.7	6.3
ARIZONA COMMON	7.0	5.3	6.0	6.3	8.3	5.7	4.7	5.0	6.0	7.0	7.0	6.0	6.0	6.7	6.2
B-14	7.0	4.7	6.3	6.7	8.0	6.0	6.0	5.0	5.7	7.3	7.0	6.0	6.0	6.7	6.2
MIDLAWN	7.3	5.7	6.7	6.0	8.0	6.0	7.0	5.7	6.7	7.0	6.0	5.3	6.0	6.0	6.1
NUMEX SAHARA	5.7	5.0	5.7	6.3	8.0	5.3	5.0	5.0	5.0	7.0	6.7	6.3	6.0	6.3	6.0
SWI-1014	7.0	4.3	5.3	6.7	8.0	4.3	5.3	5.3	5.0	7.0	7.3	6.0	5.7	5.3	6.0
YUKON	7.0	4.3	6.0	6.7	8.0	5.0	7.0	5.0	5.0	7.0	7.3	6.0	6.0	6.0	6.0
ASHMORE	7.0	6.3	8.0	5.0	7.7	4.7	9.0	6.0	6.3	5.0	5.0	5.3	5.0	5.0	5.4
LSD VALUE	0.8	1.3	0.9	0.8	2.2	1.4	1.6	1.2	0.9	0.9	0.9	1.2	0.9	1.0	0.4
C.V. (%)	6.4	14.3	8.9	7.3	12.3	12.2	18.5	11.0	8.2	6.5	7.5	8.6	8.4	8.7	3.8

- 1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
 2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 20. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
 IN THE 2002 NATIONAL BERMUDAGRASS TEST AT CLEMSON, SC 1/
 2004 DATA
 TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS										MEAN
	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
AUSSIE GREEN	2.3	6.0	7.7	7.0	7.0	7.0	8.7	8.0	5.3	1.3	6.0
TIFWAY	2.0	5.7	7.7	7.7	6.0	7.0	7.3	8.0	5.7	2.7	6.0
CELEBRATION	2.0	5.7	7.0	7.0	7.0	7.0	8.0	7.7	5.3	2.0	5.9
OKC 70-18	3.3	6.3	7.3	8.0	6.7	6.7	8.0	6.7	4.7	1.7	5.9
PREMIER (OR 2002)	3.7	6.0	7.0	8.0	6.3	6.0	8.3	6.3	5.3	1.0	5.8
SWI-1045	3.0	6.0	6.3	7.3	7.3	7.3	7.0	6.7	5.3	1.7	5.8
TIFSPORT	2.0	5.3	7.7	7.7	6.0	7.0	7.0	7.0	5.7	2.3	5.8
MS-CHOICE	3.7	5.7	7.0	7.0	7.3	7.3	7.7	6.3	4.3	1.0	5.7
RIVIERA	3.3	6.0	5.7	6.7	7.3	7.3	7.7	7.0	4.7	1.3	5.7
SWI-1044	2.7	6.0	6.3	7.0	7.0	7.7	7.3	7.0	4.7	1.7	5.7
TIFT NO. 4	2.0	4.7	7.0	7.3	6.0	6.7	6.3	7.3	6.0	3.3	5.7
YUKON	3.7	6.3	6.7	6.7	7.0	7.0	7.0	6.3	5.3	1.0	5.7
PATRIOT	2.7	6.7	7.7	7.0	6.0	6.7	7.7	6.3	3.7	1.0	5.5
SUNBIRD (PST-R68A)	3.0	6.0	6.0	6.7	7.0	7.0	8.0	6.0	4.3	1.0	5.5
SWI-1003	2.0	5.7	6.7	7.3	6.7	7.3	6.7	6.0	5.0	1.3	5.5
SWI-1046	2.0	6.3	6.7	7.0	7.0	7.3	6.7	6.7	3.7	2.0	5.5
TIFT NO. 3	2.7	6.0	7.3	7.3	6.0	6.7	6.7	6.3	4.7	1.3	5.5
TRANSCONTINENTAL	3.3	6.3	5.7	6.7	6.7	7.0	7.7	6.3	4.0	1.0	5.5
CIS-CD5	3.7	5.7	5.7	7.3	7.0	7.0	7.3	5.7	3.7	1.0	5.4
CIS-CD7	3.7	6.3	5.7	6.3	7.0	6.7	6.7	6.3	4.0	1.0	5.4
PRINCESS 77	2.3	5.0	6.0	6.7	7.0	7.0	6.3	7.0	4.3	2.0	5.4
SWI-1012	3.0	5.7	5.7	7.0	7.0	6.7	7.0	6.3	4.3	1.0	5.4
SWI-1014	3.7	6.0	5.7	6.7	6.7	7.0	6.7	6.0	4.7	1.0	5.4
TIFT NO. 1	2.0	5.7	6.3	7.3	6.7	6.7	7.0	6.0	5.0	1.7	5.4
CIS-CD6	3.3	6.0	5.3	6.0	6.7	7.0	7.3	6.0	4.0	1.0	5.3
GN-1	2.3	5.7	6.3	6.7	6.3	7.3	7.0	7.0	3.7	1.0	5.3
LAPALOMA (SRX 9500)	3.7	5.7	5.7	6.3	6.3	7.7	7.0	6.7	2.7	1.0	5.3
SOUTHERN STAR	4.0	6.0	5.0	6.0	6.7	6.7	7.0	6.7	4.3	1.0	5.3
SR 9554	4.0	5.7	5.7	6.0	6.7	6.7	7.7	6.0	3.7	1.0	5.3
MIDLAWN	4.0	5.7	7.0	6.7	5.3	6.0	6.3	6.0	4.0	1.3	5.2
SUNDEVIL II	3.0	6.0	5.7	6.3	7.0	7.0	7.0	6.0	3.3	1.0	5.2
SUNSTAR	4.3	6.0	5.0	6.7	6.7	6.7	6.3	6.0	3.0	1.0	5.2
SWI-1041	2.0	5.0	5.7	7.0	7.0	6.7	7.0	6.3	4.0	1.3	5.2
TIFT NO. 2	2.0	5.3	6.0	7.0	6.0	6.0	6.3	6.3	5.0	1.7	5.2
B-14	3.7	5.7	5.0	6.0	6.7	6.7	6.7	6.0	3.7	1.0	5.1
SWI-1001	3.0	6.0	5.0	6.7	6.7	7.0	6.7	6.0	3.3	1.0	5.1
ASHMORE	3.0	5.7	5.7	6.0	6.3	6.7	6.7	5.7	3.7	1.0	5.0
FMC-6	2.7	5.7	5.7	6.3	7.0	6.7	6.7	5.7	2.7	1.0	5.0
PANAMA	4.0	5.7	5.3	6.3	6.7	6.3	6.3	5.7	2.7	1.0	5.0
ARIZONA COMMON	4.0	5.0	5.0	6.0	6.0	7.0	6.3	5.7	3.0	1.0	4.9
MOHAWK	3.0	5.0	5.7	5.3	6.3	6.3	6.3	6.3	3.3	1.0	4.9
NUMEX SAHARA	4.3	5.7	5.3	6.0	6.0	6.3	6.0	6.0	2.7	1.0	4.9
LSD VALUE	0.9	2.4	1.2	1.0	1.0	1.2	1.0	1.1	1.3	0.8	0.4
C.V. (%)	18.7	12.2	11.5	8.6	7.7	7.6	8.1	9.3	18.1	37.2	4.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 20. (CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT CLEMSON, SC 1/
2004 DATA
TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	LEAF TEXTURE	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT COVER FALL	FALL COLOR SEPTEMBER	FALL COLOR OCTOBER	FALL COLOR NOVEMBER
AUSSIE GREEN	6.3	7.0	7.0	7.7	7.3	78.3	99.0	88.3	7.0	8.0	7.0
TIFWAY	5.7	6.7	7.0	7.3	7.3	71.7	99.0	97.7	7.3	8.0	7.0
CELEBRATION	6.3	7.3	7.0	7.0	7.0	86.7	99.0	97.7	8.0	7.7	7.7
OKC 70-18	6.7	6.3	7.0	7.0	7.0	90.0	99.0	93.0	7.7	6.7	6.0
PREMIER (OR 2002)	6.0	6.0	7.0	7.0	7.0	76.7	99.0	88.3	6.7	6.3	5.7
SWI-1045	5.3	7.3	7.0	7.0	7.0	66.7	99.0	94.7	7.0	6.7	7.3
TIFSPORT	5.0	6.7	7.0	7.3	7.0	56.7	99.0	96.3	7.3	7.0	7.0
MS-CHOICE	5.7	8.0	6.7	7.7	7.7	76.7	99.0	99.0	7.7	6.3	6.3
RIVIERA	5.7	7.3	7.0	7.0	7.0	78.3	99.0	88.3	7.3	7.0	6.3
SWI-1044	6.0	7.7	7.0	7.3	7.3	80.0	99.0	95.0	7.3	7.0	6.7
TIFT NO. 4	5.3	7.0	7.0	7.0	7.0	65.0	99.0	97.7	7.0	7.3	8.0
YUKON	5.7	7.0	6.7	7.0	7.0	76.7	99.0	93.0	6.7	6.3	6.3
PATRIOT	6.7	6.0	6.7	7.0	7.0	93.0	99.0	91.3	6.7	6.3	6.3
SUNBIRD (PST-R68A)	6.0	7.0	7.0	7.0	7.0	83.3	99.0	93.0	7.0	6.0	5.7
SWI-1003	5.3	7.3	7.0	7.0	7.0	68.3	99.0	96.0	6.7	6.0	7.0
SWI-1046	6.0	7.0	7.0	7.0	7.0	68.3	99.0	95.0	6.7	6.7	6.7
TIFT NO. 3	5.7	7.0	7.0	7.0	7.0	70.0	99.0	94.7	6.7	6.3	6.7
TRANSCONTINENTAL	6.3	7.0	7.0	7.0	7.0	78.3	99.0	93.3	6.7	6.3	6.0
CIS-CD5	5.7	7.0	7.0	7.0	7.0	66.7	99.0	93.0	7.0	5.7	5.3
CIS-CD7	6.0	7.0	7.0	7.0	7.0	75.0	99.0	91.7	6.0	6.3	6.3
PRINCESS 77	5.3	7.0	7.0	7.0	7.0	68.3	99.0	94.7	7.0	7.0	6.0
SWI-1012	5.3	7.0	7.0	7.0	7.0	63.3	99.0	96.0	7.0	6.3	6.0
SWI-1014	5.3	7.0	7.0	7.0	7.0	70.0	99.0	93.3	6.7	6.0	6.3
TIFT NO. 1	5.7	7.0	7.0	7.0	7.0	75.0	99.0	91.7	6.7	6.0	6.7
CIS-CD6	6.3	7.0	7.0	7.3	7.0	85.0	99.0	93.0	6.3	6.0	6.0
GN-1	6.0	7.0	7.0	7.3	7.0	80.0	99.0	93.0	7.3	7.0	6.7
LAPALOMA (SRX 9500)	5.7	7.0	7.0	7.3	7.3	75.0	99.0	89.7	7.0	6.7	6.3
SOUTHERN STAR	5.7	7.0	7.0	7.0	7.0	73.3	99.0	94.7	6.7	6.7	6.0
SR 9554	5.7	6.7	6.7	7.3	7.0	73.3	99.0	94.7	6.3	6.0	5.7
MIDLAWN	5.7	6.3	6.7	7.0	7.0	71.7	99.0	91.7	6.3	6.0	6.3
SUNDEVIL II	5.7	6.7	7.0	7.0	7.0	63.3	99.0	93.0	7.0	6.0	5.7
SUNSTAR	5.7	6.7	7.0	7.0	7.0	71.7	96.3	86.7	6.7	6.0	6.0
SWI-1041	5.0	7.3	7.0	7.3	7.0	61.7	99.0	93.0	7.0	6.3	6.7
TIFT NO. 2	6.0	6.3	7.0	7.0	7.0	73.3	99.0	91.7	6.3	6.3	6.7
B-14	5.7	6.7	6.7	7.0	7.0	73.3	99.0	86.7	6.7	6.0	5.0
SWI-1001	5.7	7.0	7.0	7.0	7.0	71.7	94.3	94.7	7.0	6.0	6.0
ASHMORE	5.3	6.3	6.7	6.7	6.7	70.0	99.0	91.7	6.3	5.7	6.3
FMC-6	5.3	7.3	7.0	7.0	7.0	66.7	99.0	93.3	6.3	5.7	5.7
PANAMA	5.7	7.3	7.0	7.3	7.3	76.7	99.0	86.7	7.0	5.7	6.0
ARIZONA COMMON	4.7	7.0	7.0	7.0	7.0	61.7	99.0	91.3	6.3	5.7	5.3
MOHAWK	4.7	6.7	7.0	7.0	7.0	60.0	99.0	86.7	6.3	6.3	5.3
NUMEX SAHARA	5.3	6.3	7.0	7.0	7.0	75.0	99.0	90.0	6.0	6.0	6.0
LSD VALUE	2.4	1.0	0.9	1.0	0.7	28.3	4.0	10.6	1.7	1.1	1.5
C.V. (%)	13.1	7.0	3.4	4.4	3.4	15.2	1.3	4.7	9.4	9.3	11.8

- 1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 21.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
 IN THE 2002 NATIONAL BERMUDAGRASS TEST AT DALLAS, TX 1/
 2004 DATA
 TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS												MEAN
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
TIFT NO. 4	5.0	4.0	5.7	6.3	7.0	7.3	7.0	7.7	7.0	7.0	7.0	4.0	6.3
PREMIER (OR 2002)	4.3	4.0	6.3	7.0	7.7	8.0	7.7	8.0	4.0	5.7	5.3	2.7	5.9
TIFSPORT	4.7	4.0	5.0	6.0	7.0	8.0	7.7	8.0	4.7	6.0	5.3	2.7	5.8
TIFWAY	4.0	4.0	5.0	6.0	6.3	8.0	7.3	7.3	4.7	6.3	6.7	3.3	5.8
TIFT NO. 3	4.0	3.3	4.3	5.7	5.7	7.0	6.7	8.0	6.3	7.0	6.7	4.0	5.7
AUSSIE GREEN	4.0	3.7	5.3	6.3	7.0	7.7	6.7	7.0	3.7	6.3	6.0	3.3	5.6
TIFT NO. 1	4.0	3.7	4.3	6.0	6.0	6.7	5.3	7.0	5.7	6.7	5.7	4.0	5.4
GN-1	3.7	3.3	4.7	5.7	6.3	6.7	6.3	7.0	5.3	5.7	5.0	3.0	5.2
MIDLAWN	3.3	3.3	5.0	6.0	6.3	7.0	6.3	7.0	4.3	5.3	5.7	3.0	5.2
CELEBRATION	4.0	3.3	4.7	5.7	5.0	5.0	5.3	5.7	5.3	6.7	6.0	4.0	5.1
SWI-1046	3.7	3.3	4.0	6.3	5.7	6.3	5.7	6.3	4.3	6.3	4.7	3.0	5.0
OKC 70-18	3.7	3.3	6.0	6.0	6.3	6.3	6.3	6.3	3.3	4.7	4.0	2.3	4.9
SWI-1041	4.0	3.7	4.7	5.7	5.0	5.7	5.3	5.7	4.7	6.0	5.0	3.0	4.9
PRINCESS 77	3.7	3.7	4.0	5.3	5.0	6.0	5.3	5.7	4.7	5.3	4.7	3.0	4.7
SWI-1003	3.7	3.0	4.3	5.3	5.3	5.7	5.3	6.0	4.0	5.3	4.7	3.3	4.7
TIFT NO. 2	3.7	3.3	4.3	5.0	5.3	5.3	5.3	6.0	4.3	5.7	4.7	3.0	4.7
PATRIOT	3.7	3.0	5.0	6.0	6.7	7.3	6.0	5.7	2.3	3.3	3.0	2.0	4.5
SWI-1045	3.3	3.0	4.0	5.0	5.0	5.0	5.0	5.7	4.3	5.3	5.0	3.0	4.5
ASHMORE	4.0	4.0	5.3	6.0	5.7	5.0	5.3	4.7	2.7	4.0	4.0	2.3	4.4
MS-CHOICE	3.3	2.7	4.0	5.0	5.7	5.0	5.3	5.7	4.0	4.3	3.3	3.0	4.3
SWI-1012	3.7	3.0	4.3	5.0	4.7	5.3	5.0	5.7	4.0	4.3	4.0	2.3	4.3
SWI-1044	3.0	3.0	4.3	5.3	5.3	5.3	4.3	5.3	4.0	4.3	4.3	3.0	4.3
YUKON	3.0	2.7	4.0	4.7	5.0	5.3	5.0	6.0	4.0	5.3	4.3	2.7	4.3
RIVIERA	3.3	2.7	4.3	4.7	5.0	4.7	5.0	5.3	3.7	4.7	4.0	2.7	4.2
SWI-1014	3.0	3.0	4.3	4.7	4.0	4.7	4.3	5.3	4.0	4.7	4.3	3.0	4.1
TRANSCONTINENTAL	3.0	3.0	4.0	4.7	4.7	4.3	5.0	4.7	3.3	4.7	4.0	2.3	4.0
CIS-CD7	3.0	3.0	4.0	5.3	4.7	3.7	4.7	4.7	4.0	4.0	3.7	2.3	3.9
SR 9554	3.0	2.7	4.0	4.7	4.3	4.0	4.3	5.0	3.3	4.3	3.7	2.3	3.8
SUNBIRD (PST-R68A)	3.0	2.7	4.0	4.7	4.7	3.7	5.0	5.0	3.3	4.0	3.3	2.7	3.8
FMC-6	3.0	2.7	4.0	4.7	4.3	3.7	4.3	5.0	3.0	4.0	3.3	2.0	3.7
SOUTHERN STAR	3.3	2.7	4.7	5.0	4.7	4.3	4.7	4.3	2.7	3.7	2.3	2.3	3.7
SUNDEVIL II	3.0	2.3	4.0	5.0	4.3	3.3	4.7	4.7	3.0	4.0	3.7	2.7	3.7
CIS-CD6	3.0	3.0	4.3	5.0	5.0	4.3	4.7	4.0	2.3	3.0	2.3	2.0	3.6
LAPALOMA (SRX 9500)	3.0	2.3	4.3	4.7	4.3	3.3	4.0	5.0	3.0	4.0	3.0	2.0	3.6
SUNSTAR	3.0	2.3	4.0	4.0	4.3	3.3	4.0	4.0	3.0	4.3	3.7	2.7	3.6
SWI-1001	3.0	2.7	4.3	4.7	4.3	3.7	4.3	4.3	3.3	3.3	3.0	2.0	3.6
ARIZONA COMMON	3.0	2.3	4.0	4.3	4.3	3.3	4.7	4.3	2.7	3.7	3.3	2.0	3.5
CIS-CD5	3.0	2.7	4.3	4.7	4.3	3.7	4.3	4.3	2.3	4.0	2.3	2.3	3.5
PANAMA	3.0	2.0	3.7	4.3	4.3	3.3	4.3	4.3	2.7	3.3	2.7	2.3	3.4
B-14	3.0	2.0	4.0	4.0	4.0	3.3	4.3	4.0	2.7	4.0	2.7	2.0	3.3
MOHAWK	3.0	2.0	4.0	4.0	4.0	3.0	4.0	4.3	2.7	3.7	2.3	2.0	3.3
NUMEX SAHARA	3.0	2.7	4.0	4.0	4.0	3.7	4.0	4.0	2.0	3.0	2.0	2.0	3.2
LSD VALUE	0.5	0.7	0.6	0.8	0.8	0.9	0.8	1.2	1.1	1.1	1.2	0.6	0.4
C.V. (%)	9.7	14.1	8.9	9.4	10.2	11.6	10.1	13.7	18.6	14.7	18.5	14.0	6.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 21. (CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
 IN THE 2002 NATIONAL BERMUDAGRASS TEST AT DALLAS, TX 1/
 2004 DATA
 TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	FALL COLOR SEPTEMBER	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	FALL COLOR DECEMBER
TIFT NO. 4	8.0	5.3	7.3	7.0	8.0	8.0	7.7	8.0	7.0	2.0
PREMIER (OR 2002)	7.3	7.7	7.3	7.0	8.0	5.7	5.0	7.0	5.3	1.3
TIFSPORT	8.0	6.0	7.3	6.7	8.0	7.0	5.0	7.0	5.3	1.3
TIFWAY	7.7	7.0	7.0	6.7	7.3	7.0	6.0	7.3	6.3	1.7
TIFT NO. 3	7.0	7.0	6.0	6.3	7.0	8.0	7.0	7.0	6.3	1.7
AUSSIE GREEN	7.0	7.3	6.7	7.0	7.3	7.0	4.7	7.7	6.3	1.3
TIFT NO. 1	7.3	6.0	5.7	6.7	7.3	7.7	7.0	8.0	5.3	1.3
GN-1	8.0	6.3	6.0	6.0	6.7	6.7	7.3	7.3	5.7	1.0
MIDLAWN	7.0	6.7	6.7	6.7	6.7	5.7	5.7	7.7	7.3	1.7
CELEBRATION	6.7	7.0	4.7	6.0	6.7	7.7	7.0	7.7	5.3	1.7
SWI-1046	6.3	6.0	6.0	6.7	7.0	6.7	6.7	7.3	5.0	1.0
OKC 70-18	7.0	7.3	6.3	7.0	6.7	4.7	4.7	6.7	5.0	1.3
SWI-1041	6.3	6.0	6.0	6.0	6.3	6.3	6.3	7.3	6.3	1.3
PRINCESS 77	6.7	6.0	5.7	6.0	6.3	6.3	6.3	7.3	5.3	2.0
SWI-1003	6.3	6.0	5.7	6.7	7.0	6.0	6.3	6.3	5.0	1.7
TIFT NO. 2	6.7	6.3	6.0	5.7	6.7	6.3	6.3	7.3	5.7	2.0
PATRIOT	8.0	6.3	6.0	6.3	6.3	3.3	3.3	7.7	3.3	1.0
SWI-1045	6.0	6.0	4.7	6.0	6.3	6.3	6.7	6.3	5.0	1.3
ASHMORE	5.7	6.7	7.7	6.0	5.7	3.7	3.7	6.7	4.0	1.3
MS-CHOICE	6.7	5.7	5.0	6.0	6.7	5.3	5.7	5.7	3.0	1.0
SWI-1012	7.0	6.0	5.0	6.3	6.7	5.3	6.3	6.7	4.3	1.7
SWI-1044	6.0	6.0	5.0	6.0	6.0	4.3	6.0	5.7	4.0	1.3
YUKON	7.0	6.7	4.7	5.7	6.7	6.3	6.7	6.7	4.7	1.0
RIVIERA	6.3	6.7	4.3	5.7	6.7	5.0	5.7	6.7	4.0	1.0
SWI-1014	6.0	6.7	4.3	6.0	6.7	5.7	6.7	6.7	5.0	1.0
TRANSCONTINENTAL	5.0	6.3	5.0	5.3	6.3	5.0	5.7	6.7	4.0	1.3
CIS-CD7	5.3	6.3	4.3	5.7	6.0	5.0	5.3	6.3	4.0	1.3
SR 9554	5.3	6.3	4.3	5.7	6.0	5.3	4.3	6.7	3.7	1.0
SUNBIRD (PST-R68A)	5.0	6.3	4.7	6.0	6.3	4.3	5.3	6.0	3.3	1.0
FMC-6	4.0	6.0	4.7	5.3	5.3	4.7	4.3	6.3	3.3	1.0
SOUTHERN STAR	4.7	6.3	5.0	5.7	6.3	3.3	3.7	7.0	2.3	1.0
SUNDEVIL II	4.7	6.3	5.0	6.0	5.3	4.0	4.7	6.7	3.7	1.3
CIS-CD6	5.7	6.3	4.7	6.0	6.0	2.7	2.0	7.0	2.3	1.3
LAPALOMA (SRX 9500)	5.0	6.0	4.3	5.3	5.0	4.0	6.0	6.0	3.3	1.0
SUNSTAR	4.7	6.7	4.3	5.3	4.3	4.3	5.3	7.3	5.3	1.3
SWI-1001	4.3	6.0	4.7	5.7	5.3	3.7	5.3	5.7	3.7	1.0
ARIZONA COMMON	5.3	6.3	4.7	5.7	5.7	3.7	3.7	6.0	3.7	1.0
CIS-CD5	5.0	6.7	5.0	5.7	6.3	4.3	3.7	6.7	2.3	1.3
PANAMA	4.7	6.3	4.3	5.7	5.3	3.3	4.0	6.3	3.3	1.0
B-14	5.7	6.3	4.3	4.7	5.0	4.0	4.3	6.7	3.0	1.3
MOHAWK	3.7	6.3	4.3	4.3	5.7	3.7	4.7	6.7	2.7	1.0
NUMEX SAHARA	5.3	7.0	4.3	5.3	4.7	2.7	2.3	6.7	2.3	1.0
LSD VALUE	1.1	0.9	0.9	1.1	1.2	1.7	2.2	1.1	2.1	1.0
C.V. (%)	11.8	7.8	11.4	10.1	11.3	20.9	23.9	9.2	27.3	31.8

- 1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
 2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 22.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2002 NATIONAL BERMUDAGRASS TEST AT COLLEGE STATION (LOW MOWING HEIGHT), TX 1/
2004 DATA
TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	SPRING GREENUP	DENSITY FALL	WINTER COLOR	FALL	SEEDHEAD RATINGS	APR	MAY	QUALITY RATINGS		SEP	MEAN
				COLOR DECEMBER				JUL	AUG		
TIFT NO. 4	4.7	7.7	3.7	1.3	8.7	7.3	7.3	5.7	7.0	7.7	7.0
TIFT NO. 3	5.3	6.3	4.0	1.7	9.0	7.0	7.3	7.0	7.0	6.3	6.9
AUSSIE GREEN	4.3	6.7	2.7	1.0	6.3	6.3	7.0	6.7	6.0	7.3	6.7
MIDLAWN	5.7	7.3	4.0	2.0	8.7	5.7	6.3	6.7	6.7	7.7	6.6
TIFSPORT	4.7	7.3	4.3	2.0	9.0	6.3	6.7	6.3	7.0	6.7	6.6
PATRIOT	3.3	6.7	2.0	1.0	8.7	6.0	6.3	8.0	6.3	6.0	6.5
SWI-1044	5.7	6.0	5.0	1.7	4.7	6.0	7.0	6.0	6.7	6.3	6.4
PREMIER (OR 2002)	6.3	6.0	5.3	2.3	6.3	6.7	6.7	6.3	6.3	5.7	6.3
SWI-1046	6.0	6.7	4.3	1.7	7.3	6.3	6.3	6.3	6.7	5.7	6.3
TIFT NO. 1	4.7	7.3	4.0	2.0	6.7	6.0	7.3	6.3	6.0	6.0	6.3
TIFWAY	5.3	7.0	4.0	2.3	9.0	6.0	7.0	6.0	6.0	6.3	6.3
SWI-1045	5.3	6.3	4.3	1.7	7.0	5.3	6.7	6.3	6.3	6.3	6.2
PRINCESS 77	4.7	6.3	4.0	2.3	7.3	5.7	7.0	6.0	6.0	6.0	6.1
SWI-1003	4.7	6.7	4.3	2.0	6.0	6.0	6.7	5.7	5.7	6.3	6.1
SWI-1041	5.7	6.0	5.0	2.0	6.7	5.7	6.7	6.0	6.3	6.0	6.1
OKC 70-18	5.3	5.7	2.7	2.7	7.7	5.7	6.3	6.7	6.0	5.3	6.0
RIVIERA	6.7	5.3	4.0	2.0	5.7	6.0	6.0	6.0	6.0	6.0	6.0
TIFT NO. 2	4.0	7.3	3.7	1.3	7.3	5.3	6.7	5.7	6.0	6.3	6.0
CELEBRATION	5.7	7.0	3.3	3.0	5.0	4.7	5.7	6.0	6.7	6.7	5.9
MS-CHOICE	4.0	6.3	3.7	2.0	6.0	5.3	6.0	6.3	6.0	4.7	5.7
SWI-1001	6.3	5.7	5.7	2.0	5.7	4.7	5.7	6.7	5.7	5.7	5.7
CIS-CD7	7.0	5.0	6.0	2.7	6.0	5.0	6.0	5.7	5.7	5.7	5.6
GN-1	4.0	5.7	4.3	2.0	8.0	5.0	6.0	5.3	6.0	5.7	5.6
SWI-1012	5.0	6.3	4.7	2.0	6.7	5.0	6.0	5.3	6.0	5.7	5.6
FMC-6	6.0	5.0	5.7	1.7	5.0	5.7	6.0	5.3	5.7	4.7	5.5
CIS-CD5	6.7	5.3	5.3	2.7	5.7	5.0	5.3	6.0	5.7	5.0	5.4
SUNDEVIL II	7.0	5.0	6.0	2.3	5.0	5.0	6.0	6.0	5.3	4.7	5.4
SWI-1014	4.7	5.0	3.7	2.0	7.0	5.0	5.7	5.0	5.7	5.7	5.4
CIS-CD6	6.0	4.7	5.0	2.0	5.3	4.7	5.7	6.0	5.3	4.7	5.3
PANAMA	6.7	5.0	5.7	2.3	5.0	4.3	5.7	5.3	5.3	5.3	5.2
SOUTHERN STAR	5.7	5.0	4.7	2.3	5.7	4.7	5.3	5.0	5.0	5.7	5.1
SUNBIRD (PST-R68A)	5.0	5.3	4.0	2.3	5.0	4.7	5.0	4.7	5.7	5.3	5.1
TRANSCONTINENTAL	6.3	5.7	5.3	2.0	5.3	5.3	4.7	5.0	5.3	5.3	5.1
LAPALOMA (SRX 9500)	5.7	5.0	4.7	2.3	5.3	4.3	5.3	5.3	5.3	4.7	5.0
SR 9554	6.0	5.0	5.0	2.7	6.0	5.0	4.7	5.3	5.0	5.0	5.0
YUKON	4.7	5.7	3.0	2.3	6.7	4.3	4.7	4.7	5.3	5.7	4.9
B-14	7.0	5.0	5.3	2.7	5.3	4.3	4.7	5.3	5.3	4.3	4.8
SUNSTAR	6.3	4.0	4.7	2.0	5.0	4.7	5.3	4.7	4.7	4.7	4.8
ARIZONA COMMON	6.3	4.3	5.7	3.3	7.0	4.3	4.0	5.0	4.7	4.7	4.5
ASHMORE	3.7	4.0	3.0	1.7	8.7	5.3	4.3	4.7	4.0	4.0	4.5
MOHAWK	5.3	4.7	6.0	2.7	4.7	4.0	4.3	5.0	5.0	4.3	4.5
NUMEX SAHARA	6.3	4.3	5.7	2.3	7.0	4.0	4.3	4.7	4.7	4.0	4.3
LSD VALUE	1.8	1.3	1.3	1.7	1.1	1.5	1.4	1.4	1.2	1.2	0.7
C.V. (%)	18.1	13.5	17.8	32.0	11.4	15.4	13.9	13.3	11.4	13.1	8.4

- 1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 23.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
 IN THE 2002 NATIONAL BERMUDAGRASS TEST AT COLLEGE STATION (HIGH MOWING HEIGHT), TX 1/
 2004 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	SPRING GREENUP	WINTER COLOR	FALL	SEEDHEAD RATINGS	APR	MAY	QUALITY RATINGS			MEAN
			COLOR DECEMBER				JUL	AUG	SEP	
MIDLAWN	3.7	2.7	1.7	9.0	5.3	6.7	5.3	7.0	6.3	6.1
TIFT NO. 3	4.3	3.3	1.7	9.0	6.0	6.0	6.0	6.3	6.0	6.1
PATRIOT	2.0	2.0	1.3	8.0	5.3	6.0	6.7	5.7	6.3	6.0
RIVIERA	5.3	3.3	1.7	5.3	5.7	6.0	5.7	6.7	6.0	6.0
SWI-1041	4.3	4.3	1.7	7.0	5.0	6.3	5.7	6.7	5.7	5.9
SWI-1045	3.7	3.0	2.0	6.7	5.0	6.0	6.0	6.3	6.3	5.9
TIFWAY	4.7	3.0	2.0	9.0	5.3	6.7	5.7	6.3	5.3	5.9
AUSSIE GREEN	3.3	2.3	1.0	8.0	5.7	5.7	5.7	6.0	5.3	5.7
SWI-1012	4.0	3.7	1.7	6.7	5.0	5.7	5.7	6.3	5.7	5.7
OKC 70-18	2.0	2.0	1.7	8.0	4.7	5.3	7.0	6.0	5.0	5.6
PREMIER (OR 2002)	4.3	4.3	1.7	5.7	5.0	5.7	5.3	7.0	5.0	5.6
SWI-1044	4.3	3.7	1.7	5.0	5.0	6.0	5.3	6.3	5.3	5.6
SWI-1046	4.0	2.7	1.7	7.0	5.3	6.0	4.7	5.7	5.7	5.5
TIFT NO. 1	2.7	2.3	2.0	6.7	4.7	6.7	5.0	6.3	5.0	5.5
TIFT NO. 4	3.3	2.7	1.7	8.7	6.0	6.0	4.3	6.3	5.0	5.5
CELEBRATION	3.3	2.3	1.0	7.0	4.3	5.0	6.0	6.0	5.7	5.4
SWI-1003	3.0	3.0	2.0	6.0	5.0	5.7	5.3	6.0	5.0	5.4
TIFT NO. 2	2.7	2.7	2.0	7.3	4.0	6.3	5.0	6.3	5.3	5.4
GN-1	3.7	3.3	1.7	8.0	4.7	6.0	4.7	6.0	5.3	5.3
PRINCESS 77	3.7	2.7	1.7	7.3	4.7	6.0	4.3	6.0	5.3	5.3
TIFSPORT	3.7	3.3	1.7	8.7	4.7	6.0	5.7	5.3	5.0	5.3
CIS-CD5	4.3	5.0	2.0	5.3	4.0	5.0	5.3	6.3	5.3	5.2
MS-CHOICE	3.3	2.7	1.7	6.3	4.7	5.0	5.3	6.3	4.0	5.1
SUNBIRD (PST-R68A)	4.3	3.7	1.7	5.0	4.7	5.0	4.7	5.3	5.3	5.0
CIS-CD7	4.3	4.0	1.7	5.3	4.0	5.3	4.3	5.7	5.3	4.9
LAPALOMA (SRX 9500)	4.7	4.0	2.0	5.3	4.0	5.3	5.0	5.0	5.0	4.9
SUNDEVIL II	4.7	4.7	1.7	5.3	4.0	5.3	5.0	5.0	5.0	4.9
SWI-1014	3.7	2.7	1.7	7.0	4.0	4.7	5.0	5.7	5.0	4.9
TRANSCONTINENTAL	4.7	4.0	1.7	5.7	4.3	4.7	5.3	5.7	4.7	4.9
YUKON	3.7	2.7	2.0	7.0	4.0	5.0	5.3	5.7	4.7	4.9
SWI-1001	4.7	4.0	2.0	5.0	4.3	4.7	4.7	5.3	5.0	4.8
ARIZONA COMMON	5.0	4.3	1.7	7.0	4.0	4.7	4.3	5.7	4.7	4.7
CIS-CD6	4.3	3.3	1.7	5.7	4.0	4.7	4.7	5.3	4.7	4.7
PANAMA	4.3	4.0	2.0	5.3	4.0	5.0	4.7	5.3	4.3	4.7
SOUTHERN STAR	4.0	3.0	2.0	5.3	4.3	5.0	4.3	5.0	4.3	4.6
B-14	4.7	4.3	1.3	5.0	4.0	4.3	4.7	4.0	5.3	4.5
FMC-6	4.3	4.0	1.7	5.3	4.0	4.7	4.7	4.7	4.3	4.5
SR 9554	5.0	4.0	2.0	5.7	4.3	4.7	4.7	4.7	3.7	4.4
NUMEX SAHARA	4.7	4.3	1.7	6.3	4.0	4.0	4.0	4.7	4.7	4.3
SUNSTAR	4.7	4.0	2.0	5.7	4.0	4.7	4.3	4.7	4.0	4.3
ASHMORE	2.7	2.3	1.3	8.3	5.0	4.7	3.7	4.7	3.0	4.2
MOHAWK	4.0	5.0	1.7	5.3	3.7	4.3	3.7	4.7	4.0	4.1
LSD VALUE	1.4	1.7	1.1	1.1	0.9	1.1	1.6	1.5	2.0	0.8
C.V. (%)	19.4	26.3	22.3	11.5	11.9	11.7	16.1	13.7	17.8	9.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 24.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
 IN THE 2002 NATIONAL BERMUDAGRASS TEST AT LUBBOCK, TX 1/
 2004 DATA
 TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SUMMER	FALL	SEEDHEAD RATINGS			QUALITY RATINGS						MEAN	
					COLOR OCTOBER	SUMMER	FALL	MAR	APR	MAY	JUN	JUL	AUG	SEP		OCT
TIFSPORT	7.0	7.0	7.3	7.7	7.3	1.3	1.7	4.7	6.3	7.7	8.0	8.0	8.0	8.0	7.3	7.3
MIDLAWN	6.0	7.3	7.3	6.3	5.0	1.7	1.0	5.7	6.3	7.3	8.3	8.3	8.3	8.3	5.0	7.2
TIFT NO. 3	7.7	5.7	6.7	8.7	7.3	1.7	5.3	4.0	5.7	7.7	8.0	7.7	7.7	8.0	7.0	7.0
TIFT NO. 4	7.0	7.7	7.3	9.0	8.0	6.7	2.7	5.7	6.0	7.0	7.3	7.3	7.7	7.7	7.3	7.0
SWI-1045	7.3	5.7	6.0	7.3	7.0	3.7	5.0	4.0	6.0	7.0	7.7	7.7	7.7	7.7	6.0	6.7
CELEBRATION	5.7	6.0	6.7	8.0	7.3	3.0	6.0	4.3	5.7	7.0	7.0	7.3	7.3	6.7	7.3	6.6
PREMIER (OR 2002)	6.7	7.7	7.3	7.7	5.0	2.3	6.0	5.7	6.3	6.7	7.0	7.3	7.3	7.3	5.3	6.6
SWI-1012	6.7	6.7	5.7	8.0	5.3	5.3	5.3	5.3	6.0	7.0	7.3	7.3	7.3	7.7	5.0	6.6
SWI-1041	6.7	5.0	6.7	8.0	4.7	2.7	6.3	3.3	5.7	7.0	7.7	8.0	8.0	8.0	5.3	6.6
TIFWAY	7.3	4.0	7.3	7.3	6.3	1.0	1.0	2.7	5.3	7.0	7.7	7.7	8.0	8.0	6.3	6.6
ASHMORE	6.3	6.7	8.7	7.7	3.7	1.3	1.0	4.7	5.7	7.0	8.0	8.0	8.0	8.0	3.0	6.5
MS-CHOICE	7.3	5.7	6.3	7.7	6.3	1.7	4.7	4.7	6.0	7.3	7.3	7.7	7.3	7.3	4.7	6.5
SWI-1044	6.7	5.7	6.7	7.3	5.3	6.0	7.3	3.7	5.3	7.3	8.0	8.0	7.7	7.7	4.7	6.5
OKC 70-18	6.3	6.7	7.7	5.7	2.7	1.0	5.0	5.0	5.7	6.7	7.3	7.7	7.7	7.7	3.3	6.4
SWI-1003	6.3	5.3	6.7	9.0	5.3	4.3	7.3	4.0	5.3	7.0	7.3	7.3	7.3	8.0	4.7	6.4
SWI-1046	6.7	4.3	6.3	8.0	5.7	4.3	6.7	3.3	5.3	7.0	7.3	7.7	7.7	7.7	5.3	6.4
AUSSIE GREEN	8.0	5.7	7.7	6.3	2.0	2.7	4.0	3.7	5.7	7.0	7.3	8.0	7.7	7.7	3.0	6.3
GN-1	7.3	6.3	6.0	7.7	6.0	5.0	6.0	4.7	5.3	6.3	7.3	7.3	7.3	7.3	4.3	6.3
TIFT NO. 2	7.3	3.7	6.0	7.7	6.7	5.0	6.7	2.3	5.0	7.0	7.3	7.3	7.7	7.3	6.0	6.3
PATRIOT	6.7	7.0	7.3	6.7	3.0	1.3	2.7	4.7	6.0	6.3	7.3	7.3	7.3	7.3	3.0	6.2
PRINCESS 77	7.7	5.0	6.3	7.7	3.7	5.3	5.7	3.3	5.3	7.3	7.3	7.3	7.3	7.7	4.0	6.2
B-14	6.3	5.3	5.3	5.7	3.3	8.0	6.3	4.0	5.3	6.7	7.0	7.0	7.3	7.3	3.7	6.0
SOUTHERN STAR	7.3	4.7	5.3	6.0	3.3	8.0	7.0	3.3	5.3	6.7	7.3	7.0	7.3	7.3	3.3	6.0
YUKON	6.7	6.7	6.0	5.3	3.3	4.3	3.7	5.0	5.7	6.7	6.7	7.0	7.0	6.3	4.0	6.0
FMC-6	6.0	5.3	5.7	6.7	4.0	7.0	6.3	3.7	5.3	6.3	7.0	7.0	7.0	7.0	3.7	5.9
SWI-1014	6.0	5.7	5.7	7.3	5.7	5.3	6.0	3.7	5.0	6.0	6.7	7.0	7.0	7.0	5.0	5.9
CIS-CD5	7.0	6.0	5.7	5.3	3.3	7.7	5.3	4.3	5.3	6.3	6.3	6.7	6.7	6.7	3.7	5.8
RIVIERA	6.3	5.7	5.3	7.0	4.3	6.0	5.3	4.0	5.7	6.0	6.3	6.7	6.7	6.7	4.3	5.8
SUNBIRD (PST-R68A)	6.3	5.7	5.0	6.7	4.0	7.3	7.3	4.3	5.3	6.0	6.3	6.7	6.7	7.0	4.3	5.8
TIFT NO. 1	6.7	3.7	6.7	8.3	6.0	5.7	6.3	2.3	4.3	6.3	6.7	7.3	7.3	7.3	4.7	5.8
ARIZONA COMMON	6.3	4.7	5.3	5.7	3.7	7.3	7.3	3.0	5.0	6.0	6.7	7.0	7.0	7.0	4.0	5.7
CIS-CD7	7.0	5.7	5.3	6.3	4.7	7.7	7.3	4.3	5.3	6.3	6.3	6.7	6.3	6.7	3.7	5.7
SUNSTAR	7.0	4.3	5.0	6.3	3.7	7.7	6.0	3.0	5.0	6.7	6.7	7.0	7.0	7.0	3.3	5.7
LAPALOMA (SRX 9500)	6.7	4.3	5.7	6.0	2.3	8.7	6.7	3.0	5.0	6.0	6.7	7.0	7.0	7.0	3.0	5.6
NUMEX SAHARA	6.3	5.0	5.3	6.3	3.3	7.7	6.0	3.7	5.0	6.0	6.3	6.3	6.3	6.3	3.7	5.5
PANAMA	6.3	5.0	5.3	7.0	3.0	7.0	6.7	3.7	5.3	5.7	6.3	6.7	6.7	6.7	3.3	5.5
SUNDEVIL II	6.0	5.0	5.0	5.3	3.0	8.0	6.0	3.7	5.0	6.7	6.3	6.7	6.3	6.3	3.0	5.5
SWI-1001	6.0	4.0	5.7	6.3	3.7	7.3	7.3	3.0	4.7	6.0	6.7	6.7	6.7	6.7	3.7	5.5
SR 9554	6.7	4.3	6.3	5.7	2.3	7.3	6.3	3.0	5.0	5.7	6.0	6.3	6.7	7.0	3.3	5.4
TRANSCONTINENTAL	6.0	5.3	5.0	6.0	2.7	7.7	6.0	3.7	5.0	6.0	6.3	6.3	6.3	6.3	3.3	5.4
CIS-CD6	6.3	5.0	5.0	5.3	3.0	7.0	7.0	3.7	4.7	5.7	6.3	6.3	6.3	6.3	3.3	5.3
MOHAWK	6.7	4.7	5.3	5.3	3.3	7.3	7.0	3.0	4.7	5.7	6.0	6.3	6.3	6.3	3.0	5.2
LSD VALUE	1.5	1.2	1.1	1.2	1.8	1.3	1.9	1.3	0.8	1.1	1.2	1.1	0.9	0.8	1.3	0.6
C.V. (%)	10.2	14.0	10.8	11.0	25.8	17.6	22.6	19.4	8.6	9.0	9.3	8.0	7.4	6.7	18.9	6.3

- 1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
 2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 25.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
 IN THE 2002 NATIONAL BERMUDAGRASS TEST AT BLACKSBURG, VA 1/
 2004 DATA
 TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	FALL	SEEDHEAD RATINGS	MAY	JUN	QUALITY RATINGS					MEAN
				COLOR NOVEMBER				JUL	AUG	SEP	OCT	NOV	
SWI-1045	7.0	3.3	6.7	5.3	4.3	3.3	7.0	7.3	8.3	8.3	6.7	5.0	6.6
YUKON	7.0	5.7	8.7	4.3	6.7	4.3	7.3	7.0	7.3	7.3	7.0	3.7	6.3
PREMIER (OR 2002)	5.3	3.7	9.0	5.3	3.7	3.7	6.3	6.3	8.0	8.7	6.0	4.3	6.2
SWI-1044	7.0	3.0	8.0	4.0	6.0	3.0	6.0	7.3	8.3	8.7	6.0	3.7	6.1
RIVIERA	6.3	4.7	7.3	4.0	5.7	4.0	7.0	7.0	7.3	7.0	6.0	3.7	6.0
OKC 70-18	6.7	6.0	9.0	3.3	6.7	4.7	7.7	5.3	7.0	8.0	5.7	3.0	5.9
AUSSIE GREEN	7.7	2.3	9.0	3.3	6.7	3.0	6.3	6.3	7.3	7.0	6.7	3.7	5.8
CIS-CD7	7.3	4.0	7.3	4.0	7.0	3.3	6.0	6.7	6.0	7.3	6.3	3.7	5.6
SWI-1012	7.0	3.3	7.3	4.7	4.3	3.0	6.0	7.0	6.7	7.3	5.3	4.0	5.6
SWI-1041	6.3	1.3	7.7	5.0	6.0	2.7	4.0	6.3	6.7	7.3	7.0	5.0	5.6
SWI-1046	7.7	2.7	7.7	5.7	3.7	2.7	4.0	6.0	6.7	7.3	6.7	5.0	5.5
TIFT NO. 4	5.7	1.0	9.0	5.0	5.0	3.0	5.7	4.7	6.3	7.7	6.3	4.7	5.5
CELEBRATION	9.0	1.0	7.7	3.3	6.7	2.3	4.0	6.0	6.7	7.7	7.0	4.0	5.4
CIS-CD5	6.7	3.0	7.0	4.7	7.7	3.0	4.7	6.7	5.7	7.3	6.3	4.0	5.4
CIS-CD6	6.0	4.3	7.7	3.0	8.3	4.0	5.3	5.3	6.0	7.7	5.7	3.0	5.3
GN-1	8.0	1.3	7.7	4.0	6.0	3.0	5.0	6.3	5.7	6.3	7.0	3.7	5.3
SWI-1014	6.3	4.7	7.0	4.0	4.7	3.3	5.7	6.0	5.7	6.7	6.0	3.7	5.3
NUMEX SAHARA	6.0	2.0	7.0	5.7	8.3	2.3	3.7	6.0	6.0	7.3	6.3	5.0	5.2
SOUTHERN STAR	7.0	2.7	7.7	4.7	8.7	3.0	4.3	7.0	5.0	7.0	6.3	3.7	5.2
SUNBIRD (PST-R68A)	7.0	2.3	6.7	4.7	7.3	3.0	4.7	5.7	5.7	7.0	6.3	4.0	5.2
TIFT NO. 3	7.0	1.3	7.7	4.3	6.3	2.3	4.0	5.7	7.0	6.7	7.3	3.7	5.2
SWI-1001	6.3	2.0	7.3	4.3	8.0	2.3	4.7	5.7	5.7	7.0	6.7	4.0	5.1
LAPALOMA (SRX 9500)	6.3	1.3	7.3	6.0	9.0	2.3	4.0	5.3	5.3	7.3	5.7	4.3	4.9
FMC-6	6.0	2.0	7.3	4.3	8.3	2.7	4.3	5.0	5.0	6.3	6.7	3.7	4.8
MIDLAWN	6.0	5.0	8.3	5.3	3.3	3.7	5.7	4.3	4.0	6.7	5.0	4.3	4.8
PATRIOT	7.0	4.3	8.3	3.0	3.7	3.3	5.7	4.3	5.3	7.0	4.3	3.3	4.8
MS-CHOICE	6.3	2.7	7.7	4.0	1.0	3.0	5.0	4.3	6.0	5.3	5.0	4.0	4.7
SUNDEVIL II	5.0	2.3	7.0	3.3	8.7	3.0	4.3	6.0	5.0	6.0	5.0	3.7	4.7
MOHAWK	5.3	1.3	6.7	5.0	9.0	2.3	3.7	4.7	5.0	6.7	5.3	4.0	4.5
TIFWAY	8.3	1.0	8.7	6.0	4.3	2.7	3.3	4.0	4.3	6.0	6.0	5.3	4.5
TRANSCONTINENTAL	5.0	2.3	7.0	3.7	8.7	3.0	4.0	4.7	5.0	6.0	5.3	3.7	4.5
ASHMORE	3.0	4.3	9.0	3.7	3.0	3.3	4.0	3.7	4.0	7.3	4.0	3.0	4.2
SWI-1003	7.0	1.3	7.3	5.0	6.3	2.0	2.7	4.0	5.3	5.3	6.0	4.0	4.2
PANAMA	5.0	3.0	7.3	4.7	8.7	2.7	3.7	4.7	3.7	5.0	5.0	4.0	4.1
PRINCESS 77	6.7	1.3	8.0	4.7	7.3	2.0	3.3	3.7	4.0	5.0	6.0	3.7	4.0
SR 9554	7.3	2.3	6.7	4.3	8.3	2.3	3.3	4.0	4.0	4.7	5.0	4.0	3.9
TIFSPORT	8.3	1.0	8.3	7.3	4.3	2.3	2.7	4.0	3.7	4.3	5.7	4.7	3.9
B-14	7.5	1.7	7.0	5.0	5.7	1.7	3.0	4.0	4.0	5.7	4.7	3.3	3.8
SUNSTAR	7.5	1.3	8.0	5.0	5.0	2.3	2.3	3.0	4.0	5.0	4.7	3.0	3.5
ARIZONA COMMON	7.0	1.0	6.3	6.3	8.3	1.3	2.0	2.3	2.3	2.7	4.0	3.7	2.6
TIFT NO. 1	7.5	1.0	7.5	5.5	5.7	1.3	1.7	2.0	2.3	3.3	3.7	2.7	2.4
TIFT NO. 2	8.0	1.3	7.0	5.5	4.3	1.7	1.7	1.7	2.3	2.7	3.0	3.0	2.3
LSD VALUE	2.0	0.9	1.1	1.6	2.3	0.8	1.5	2.0	2.4	2.6	2.6	1.9	1.4
C.V. (%)	16.6	23.7	8.2	19.5	23.6	17.6	21.6	23.2	26.1	22.6	21.3	21.1	17.4

- 1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
 2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 26.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
 IN THE 2002 NATIONAL BERMUDAGRASS TEST AT VIRGINIA BEACH, VA 1/
 2004 DATA
 TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	FALL	SEEDHEAD RATINGS	AUG	QUALITY RATINGS			MEAN
				COLOR NOVEMBER			SEP	OCT	NOV	
PREMIER (OR 2002)	7.3	4.7	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0
AUSSIE GREEN	7.0	4.0	7.3	7.3	8.0	7.7	8.0	8.0	8.0	7.9
PATRIOT	8.0	3.7	7.0	7.0	8.0	8.0	7.7	7.7	7.7	7.8
TIFT NO. 3	7.0	4.7	7.0	8.0	7.7	7.7	7.7	8.0	8.0	7.8
TIFT NO. 4	8.0	3.0	8.0	7.3	5.7	7.3	7.7	8.0	8.0	7.8
TIFSPORT	7.7	2.3	7.7	7.7	7.7	7.7	8.0	7.3	7.7	7.7
MS-CHOICE	7.7	2.3	6.3	6.7	7.0	7.3	8.0	7.7	7.3	7.6
TIFT NO. 1	7.3	3.0	7.0	6.7	6.0	7.7	8.0	7.3	7.3	7.6
TIFWAY	7.0	4.3	7.7	7.3	7.7	7.0	8.0	7.3	7.7	7.5
GN-1	7.3	4.3	7.0	7.7	7.3	7.7	7.7	7.0	7.3	7.4
SWI-1046	7.3	2.7	6.7	7.0	6.0	7.3	8.0	7.0	7.3	7.4
CELEBRATION	8.0	2.7	7.0	7.3	6.7	7.0	7.3	7.3	7.3	7.3
OKC 70-18	6.0	6.0	8.0	5.3	7.0	7.0	7.7	7.7	6.7	7.3
TIFT NO. 2	7.0	2.7	7.3	7.3	6.3	7.3	7.7	7.0	7.0	7.3
MIDLAWN	7.0	6.0	7.7	7.7	7.7	6.7	7.7	7.3	6.7	7.1
SWI-1003	6.3	2.3	6.3	6.0	5.7	7.0	7.7	6.7	7.0	7.1
SWI-1041	6.7	2.3	7.0	7.7	6.0	6.7	7.0	7.3	7.3	7.1
RIVIERA	5.7	5.3	6.3	6.7	6.0	7.0	7.0	7.3	6.7	7.0
PRINCESS 77	6.7	3.0	7.0	7.0	5.0	6.0	7.3	7.0	7.3	6.9
SWI-1012	6.3	3.7	6.0	7.0	6.7	6.3	7.3	6.7	7.0	6.8
SWI-1045	6.7	2.7	6.0	7.7	5.3	6.7	6.7	6.7	7.3	6.8
YUKON	6.0	5.0	5.3	7.3	6.3	6.7	7.0	6.7	6.7	6.8
SUNDEVIL II	7.0	4.7	6.0	7.0	5.0	6.0	6.7	7.0	6.7	6.6
SWI-1001	6.0	4.3	6.0	7.0	6.0	6.3	6.3	7.0	6.7	6.6
SWI-1044	6.3	2.7	6.3	6.3	5.7	6.0	7.0	7.0	6.3	6.6
CIS-CD6	5.7	5.0	6.3	7.3	5.3	6.0	6.3	7.0	6.7	6.5
LAPALOMA (SRX 9500)	5.3	5.3	5.7	7.7	6.3	5.7	6.3	6.7	7.0	6.4
SOUTHERN STAR	6.0	4.3	6.0	7.7	5.0	6.0	6.3	6.7	6.7	6.4
CIS-CD7	5.7	4.0	6.0	7.3	5.3	5.3	7.0	6.7	6.3	6.3
CIS-CD5	5.7	3.0	6.3	7.7	4.7	5.0	6.3	6.7	6.7	6.2
SR 9554	5.3	4.3	6.0	7.7	6.0	5.7	6.0	6.3	6.7	6.2
SUNBIRD (PST-R68A)	5.3	3.7	6.3	6.7	5.0	5.7	6.3	6.3	6.3	6.2
FMC-6	5.7	3.0	6.0	7.3	5.7	5.3	6.0	6.3	6.3	6.0
TRANSCONTINENTAL	5.7	3.7	6.7	6.7	6.0	5.3	6.3	6.0	6.3	6.0
ARIZONA COMMON	6.7	3.3	5.3	6.7	6.3	5.3	6.0	5.7	6.0	5.8
B-14	5.7	3.3	5.7	7.7	6.3	5.3	5.7	5.7	6.3	5.8
PANAMA	5.3	3.3	5.3	6.7	6.3	5.3	5.7	6.3	6.0	5.8
SWI-1014	5.7	2.7	4.7	6.7	6.7	5.3	6.0	6.0	5.7	5.8
SUNSTAR	5.7	3.0	5.0	6.7	7.3	5.3	5.3	5.7	6.0	5.6
MOHAWK	4.3	2.3	5.7	7.7	7.0	4.3	5.7	5.7	6.0	5.4
NUMEX SAHARA	5.7	2.7	5.3	7.0	5.7	4.7	5.7	5.7	5.7	5.4
ASHMORE	4.0	3.0	8.0	5.7	8.0	3.3	5.0	5.7	5.7	4.9
LSD VALUE	0.9	1.3	0.7	0.9	1.2	1.0	0.7	0.8	0.9	0.6
C.V. (%)	8.8	22.4	7.0	7.5	12.0	10.6	7.1	7.6	8.2	5.7

- 1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
 2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.