

TABLE 1. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT TUCSON, AZ 1/
2008 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	QUALITY RATINGS								MEAN
				MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
PRINCESS 77	6.7	7.7	6.7	5.3	8.0	7.3	7.3	6.7	6.0	6.7	7.0	6.8
VERACRUZ	6.3	7.0	7.0	5.3	7.0	6.3	6.3	7.7	7.3	7.0	7.0	6.8
SWI-1057	6.7	7.3	6.3	4.7	6.7	7.3	7.3	6.7	7.0	6.7	7.0	6.7
SWI-1113	7.0	8.0	6.7	6.0	7.7	7.0	7.0	7.0	6.7	6.7	5.7	6.7
SWI-1070	6.3	7.3	6.7	5.0	6.7	6.3	7.0	7.0	6.7	6.7	6.3	6.5
SWI-1122	6.7	8.0	6.0	5.3	6.7	6.5	7.0	7.0	6.7	6.7	6.3	6.5
TIFWAY	6.0	6.3	7.7	4.0	7.0	7.0	6.7	7.0	6.0	6.7	6.7	6.4
SWI-1081	6.3	7.7	6.0	4.7	6.3	6.0	6.7	7.0	6.7	6.7	6.7	6.3
PSG 9Y20K	6.7	8.3	6.3	4.3	5.7	6.0	7.0	6.7	7.0	6.7	6.3	6.2
HOLLYWOOD (J-720)	6.3	7.0	6.0	5.3	6.0	5.7	6.7	6.0	6.7	6.3	6.0	6.1
OKC 1119	6.7	7.0	8.3	3.3	7.3	7.0	5.7	7.7	6.3	6.3	5.3	6.1
OKC 1134	6.7	7.3	8.0	3.7	7.5	7.0	7.0	7.7	6.0	6.3	5.3	6.1
PREMIER	6.7	7.0	8.0	3.7	8.0	7.7	7.3	6.3	5.3	5.3	5.0	6.1
RIVIERA	6.3	7.0	6.7	5.3	6.7	6.0	6.7	6.7	6.3	6.0	5.7	6.1
YUKON	6.7	7.5	6.7	3.7	7.3	7.0	7.0	6.3	7.0	6.0	5.0	6.1
BAR 7CD5	7.0	7.7	5.3	4.7	6.3	6.0	6.3	6.3	7.0	6.3	5.3	6.0
OKS 2004-2	6.0	7.0	6.0	4.7	7.0	5.5	6.3	6.7	6.3	6.3	5.0	6.0
RAD-CD1	6.0	7.0	6.3	4.7	6.0	6.3	6.3	6.3	6.3	6.0	5.7	6.0
SWI-1083	6.3	8.0	5.7	4.7	6.3	6.5	6.5	6.7	6.0	6.0	5.3	5.9
IS-01-201	6.0	6.7	6.3	4.7	6.0	5.3	7.0	6.0	5.3	5.7	6.0	5.8
PSG 91215	5.7	6.7	5.7	5.0	5.7	5.3	6.0	6.3	5.7	6.0	5.3	5.7
PSG 9BAN	6.3	7.0	6.0	5.0	6.0	5.0	6.0	6.7	5.7	6.0	5.3	5.7
PYRAMID 2 (IS-CD10)	5.7	6.3	6.0	4.3	6.3	5.3	6.0	6.0	5.7	5.7	5.3	5.6
PSG PROK	6.0	7.0	6.0	4.7	5.7	5.0	6.0	6.0	6.0	5.7	5.7	5.6
PATRIOT	7.0	7.5	7.0	3.0	7.7	6.5	6.7	7.0	4.7	5.0	3.7	5.5
PSG 94524	5.7	7.7	5.7	5.0	6.0	5.7	5.0	6.0	5.7	5.3	5.0	5.5
PST-R6FLT	6.0	7.3	6.7	3.3	5.7	5.0	6.0	6.0	5.7	6.0	6.0	5.5
SUNSPORT	5.7	7.0	5.7	3.7	5.7	5.0	5.0	5.7	6.3	6.0	5.7	5.4
NUMEX-SAHARA	5.3	6.7	5.7	4.0	5.0	5.3	5.7	6.3	5.7	5.3	5.0	5.3
SWI-1117	5.7	7.5	6.0	4.0	5.0	5.5	5.5	5.7	6.0	5.7	5.7	5.3
MIDLAWN	5.7	6.0	7.3	3.0	7.7	5.0	5.0	5.7	5.3	5.0	3.7	5.0
LSD VALUE	1.0	2.8	0.8	2.8	1.2	2.1	2.0	1.7	2.5	1.1	1.3	0.7
C.V. (%)	8.1	12.1	7.5	24.6	10.9	14.8	13.4	11.2	15.0	9.6	13.0	7.2

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 1.
(CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT TUCSON, AZ 1/
2008 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT COVER FALL	FALL COLOR SEPTEMBER	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	FALL COLOR DECEMBER	SEEDHEAD RATINGS
PRINCESS 77	7.0	7.3	7.3	82.7	90.0	92.7	6.3	7.0	7.3	5.0	8.0
VERACRUZ	7.0	6.7	8.0	86.7	97.7	92.7	6.7	7.0	7.0	4.7	7.7
SWI-1057	7.0	7.0	7.3	76.0	96.0	97.0	6.0	6.3	7.0	5.0	7.0
SWI-1113	6.3	7.0	7.7	88.0	88.3	86.7	6.7	7.3	6.7	3.7	7.7
SWI-1070	6.7	7.0	7.7	83.3	89.3	93.3	6.7	6.7	6.7	4.0	7.0
SWI-1122	6.0	6.3	6.7	81.7	93.3	93.3	7.0	7.3	7.0	4.7	7.7
TIFWAY	8.0	8.0	9.0	63.3	90.0	90.0	6.0	6.0	5.7	4.7	8.7
SWI-1081	5.3	6.0	6.3	76.3	94.3	86.7	7.0	6.7	6.3	4.3	7.3
PSG 9Y20K	6.0	6.3	7.7	70.0	91.7	94.3	6.7	7.7	7.3	4.0	7.3
HOLLYWOOD (J-720)	5.3	6.0	6.7	78.3	90.0	85.0	5.7	7.0	5.3	3.3	7.3
OKC 1119	8.0	7.7	9.0	58.3	89.3	85.0	6.3	6.3	6.0	3.7	8.3
OKC 1134	7.5	8.0	8.0	55.0	91.7	60.0	6.7	6.0	5.0	2.7	8.0
PREMIER	7.3	8.0	8.0	53.3	86.7	78.3	5.3	6.0	5.7	3.0	5.3
RIVIERA	6.0	6.3	7.0	81.0	93.0	90.0	6.3	7.0	6.0	4.0	7.7
YUKON	7.0	6.7	8.0	56.7	95.0	88.3	6.7	7.3	6.0	3.3	7.3
BAR 7CD5	5.7	6.0	6.0	78.3	91.7	90.0	6.7	7.0	6.0	3.7	8.7
OKS 2004-2	6.0	6.7	7.0	73.3	88.3	85.0	6.0	6.7	5.7	3.3	8.0
RAD-CD1	6.3	6.0	6.7	75.0	91.7	83.3	6.7	6.7	5.3	4.7	8.0
SWI-1083	5.5	6.0	6.0	76.7	90.0	92.5	5.7	7.0	6.3	3.7	7.3
IS-01-201	6.0	6.7	7.0	73.3	84.0	83.3	6.0	6.0	5.3	4.3	7.7
PSG 91215	4.7	5.7	5.7	81.7	91.7	85.0	6.0	6.3	6.0	4.0	7.7
PSG 9BAN	5.0	7.0	7.0	81.7	88.3	88.3	7.0	6.3	6.3	3.7	7.0
PYRAMID 2 (IS-CD10)	6.0	6.0	6.0	78.3	85.0	81.7	5.0	6.3	6.3	3.7	7.7
PSG PROK	5.0	6.0	6.0	76.7	88.3	83.3	5.7	6.7	5.3	3.7	8.0
PATRIOT	6.0	6.7	7.0	50.0	81.7	60.0	6.0	6.3	4.0	2.3	7.7
PSG 94524	5.0	5.7	6.0	75.0	90.0	85.0	6.3	7.3	5.7	3.7	8.0
PST-R6FLT	6.0	6.0	6.3	56.7	90.0	83.3	5.7	6.7	5.7	3.3	7.3
SUNSPORT	5.0	5.7	6.0	51.7	91.7	80.0	6.0	7.3	6.3	4.0	7.7
NUMEX-SAHARA	4.7	5.0	5.3	56.7	91.7	85.0	5.7	7.0	5.3	4.3	7.3
SWI-1117	5.5	6.0	6.0	62.7	87.7	90.0	6.0	7.0	6.3	4.0	8.0
MIDLAWN	5.3	6.0	7.3	53.3	88.3	66.7	5.7	5.3	4.0	2.3	8.0
LSD VALUE	1.1	1.3	0.9	54.7	23.6	15.8	3.0	2.5	1.8	1.2	1.2
C.V. (%)	10.7	11.1	8.5	26.3	7.2	10.2	14.7	12.6	15.2	17.7	8.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 2. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT RIVERSIDE, CA 1/
2008 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	DENSITY	QUALITY RATINGS									
	SPRING	JAN	FEB	APR	MAY	AUG	SEP	OCT	NOV	DEC	MEAN
SWI-1113	7.0	4.0	4.0	7.7	7.3	7.7	7.0	7.0	7.0	7.3	6.6
OKS 2004-2	6.3	4.0	4.0	7.3	7.0	8.0	7.7	7.3	6.7	6.7	6.5
PSG 9Y20K	7.0	4.0	4.0	7.3	7.3	7.3	7.0	7.3	7.0	7.3	6.5
RIVIERA	7.0	4.0	4.0	7.3	6.0	8.0	7.0	8.0	7.3	7.0	6.5
BAR 7CD5	6.7	4.0	4.0	5.7	7.0	7.7	8.0	7.7	7.0	6.7	6.4
IS-01-201	7.7	4.0	4.0	6.7	7.0	7.3	7.3	7.3	7.3	7.0	6.4
HOLLYWOOD (J-720)	7.7	4.0	4.0	7.3	6.3	7.3	7.0	7.0	7.3	7.0	6.4
PSG 9BAN	6.7	4.0	4.0	6.7	6.3	7.3	7.3	7.0	8.0	7.3	6.4
SWI-1122	7.3	4.0	4.0	6.7	6.0	7.7	7.3	7.0	7.3	7.7	6.4
OKC 1119	7.7	3.3	3.3	6.3	8.0	7.3	7.0	6.3	7.3	7.3	6.3
OKC 1134	7.0	4.0	4.0	5.7	7.0	8.0	7.3	6.7	6.7	7.0	6.3
PATRIOT	6.7	4.0	4.0	5.0	6.7	9.0	9.0	7.0	6.7	5.3	6.3
PSG 94524	6.0	4.0	4.0	6.7	5.7	7.3	7.0	7.3	7.3	7.0	6.3
RAD-CD1	7.3	4.0	4.0	6.7	6.7	7.7	7.0	7.0	7.0	7.0	6.3
SWI-1070	7.7	4.0	4.0	6.7	6.0	7.0	7.0	7.0	7.7	7.7	6.3
SWI-1081	6.7	4.0	4.0	6.0	6.3	7.7	7.0	7.3	7.3	7.0	6.3
SWI-1083	7.0	4.0	4.0	6.7	6.0	7.0	7.0	7.3	7.7	7.0	6.3
PSG PROK	7.0	4.0	4.0	6.7	5.7	7.0	6.7	7.7	7.3	7.0	6.2
PST-R6FLT	6.7	4.0	4.0	7.0	7.0	7.3	7.0	6.3	6.3	7.0	6.2
SUNSPORT	6.7	4.0	4.0	5.7	6.0	6.7	7.3	7.0	7.3	7.7	6.2
VERACRUZ	7.3	4.0	4.0	6.7	6.7	7.0	7.0	6.3	6.7	7.7	6.2
PRINCESS 77	7.3	4.0	4.0	6.3	5.7	8.0	7.0	6.3	6.3	7.3	6.1
PYRAMID 2 (IS-CD10)	6.7	4.0	4.0	6.0	5.3	7.3	7.0	6.7	7.0	6.7	6.0
NUMEX-SAHARA	6.7	4.0	4.0	6.0	4.7	7.0	6.7	7.3	7.3	7.3	6.0
SWI-1057	6.0	4.0	4.0	5.3	5.7	7.3	7.0	7.0	7.0	7.0	6.0
SWI-1117	6.7	4.0	4.0	5.0	5.3	7.3	7.0	7.0	7.3	6.7	6.0
YUKON	6.0	4.0	4.0	6.0	7.3	7.3	7.0	6.7	6.0	5.3	6.0
PSG 91215	6.3	4.0	4.0	5.0	5.3	6.7	6.7	7.3	7.3	7.0	5.9
TIFWAY	7.0	3.7	3.7	4.3	6.7	6.7	7.0	6.7	7.3	7.0	5.9
PREMIER	6.3	3.7	3.7	4.3	6.0	6.7	7.0	7.0	7.0	7.0	5.8
MIDLAWN	6.0	3.7	3.7	5.0	7.3	6.7	6.7	7.0	6.0	5.3	5.7
LSD VALUE	1.2	0.5	0.5	2.4	2.0	1.4	0.8	0.9	1.7	1.0	0.5
C.V. (%)	8.6	5.2	5.2	18.2	14.8	8.8	6.1	6.7	9.3	8.4	4.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 3.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT GAINESVILLE, FL 1/
2008 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	LEAF TEXTURE	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	PERCENT COVER SPRING	FALL COLOR NOVEMBER	FALL COLOR DECEMBER	SEEDHEAD RATING	JUN	JUL	AUG	QUALITY RATINGS SEP	OCT	NOV	DEC	MEAN
TIFWAY	8.3	7.3	8.7	7.7	7.7	96.0	7.0	6.0	8.7	8.3	8.0	7.0	7.7	7.3	7.0	6.0	7.3
OKC 1119	8.3	7.0	8.7	7.3	7.3	83.0	4.7	3.3	9.0	7.7	7.3	7.3	7.3	7.3	5.0	2.7	6.4
SWI-1057	8.3	6.7	7.3	6.7	6.7	83.0	6.7	4.3	7.0	7.3	6.7	6.3	6.7	6.0	6.3	4.7	6.3
VERACRUZ	7.3	6.7	7.3	6.3	7.0	86.7	6.3	6.0	7.3	7.3	6.7	6.0	6.7	6.7	5.7	5.3	6.3
PREMIER	8.3	7.0	8.0	7.0	4.3	92.7	6.0	5.3	4.3	7.3	7.0	7.0	7.3	4.3	5.7	5.0	6.2
PRINCESS 77	8.3	6.3	8.3	6.7	6.0	93.0	6.7	4.3	6.7	7.0	6.3	6.3	7.0	6.0	6.3	4.3	6.2
SWI-1070	7.7	6.3	7.7	6.7	6.7	96.0	6.3	5.3	8.0	7.3	6.3	6.0	6.3	6.7	6.0	4.7	6.2
PSG 9Y20K	7.7	6.3	7.0	6.7	6.7	93.0	6.0	4.7	8.0	7.7	6.0	6.3	6.7	5.7	6.0	4.7	6.1
SWI-1113	8.3	6.3	7.7	7.0	6.3	89.7	6.0	4.0	7.3	8.0	6.7	6.0	7.0	6.7	5.3	3.3	6.1
SWI-1081	7.7	6.0	6.3	6.0	6.3	76.7	5.3	5.3	6.7	6.3	6.0	6.3	6.7	6.3	6.0	4.0	6.0
RAD-CD1	7.3	6.3	7.0	7.0	6.3	93.0	6.0	5.0	7.0	6.7	6.0	6.3	6.0	6.3	5.7	4.3	5.9
IS-01-201	7.7	6.7	6.7	6.7	6.7	70.0	5.3	4.3	6.7	6.0	6.0	7.0	6.3	6.0	5.3	4.0	5.8
OKC 1134	8.0	7.0	7.7	6.3	6.7	76.7	4.7	2.3	8.3	7.3	6.7	6.3	6.7	6.7	4.3	2.3	5.8
SWI-1083	8.0	5.7	7.0	6.7	6.0	89.7	6.3	5.0	6.7	6.0	6.3	6.3	5.7	6.0	5.7	4.7	5.8
PYRAMID 2 (IS-CD10)	6.7	6.3	6.3	6.3	6.0	83.3	5.3	4.7	7.0	5.7	5.7	6.7	6.3	6.0	5.0	4.7	5.7
HOLLYWOOD (J-720)	7.7	6.3	7.0	7.0	5.3	83.3	5.7	3.7	7.7	6.3	6.3	6.3	6.0	5.7	5.3	3.7	5.7
SWI-1122	7.0	6.0	6.7	6.0	6.3	83.3	6.3	5.0	7.3	6.0	6.0	6.3	6.0	5.7	5.7	4.3	5.7
RIVIERA	7.7	6.0	7.0	6.3	6.0	80.0	4.7	3.0	7.3	6.3	6.3	6.0	6.7	5.7	5.0	3.0	5.6
SWI-1117	7.0	6.0	6.7	6.7	6.3	83.0	5.7	6.0	7.3	5.7	5.7	6.3	6.0	6.0	5.3	4.3	5.6
BAR 7CD5	7.7	5.3	6.0	5.7	6.3	60.0	6.3	5.7	6.3	6.0	5.7	5.7	5.3	6.0	5.3	4.7	5.5
PSG 9BAN	7.0	6.0	6.0	6.3	5.0	80.0	7.0	5.7	7.3	5.7	5.7	5.7	5.7	5.3	5.3	5.0	5.5
PST-R6FLT	7.3	6.0	7.0	6.7	6.3	76.7	4.7	5.0	4.7	6.0	6.0	5.7	6.3	5.7	4.7	4.0	5.5
YUKON	8.3	6.0	8.0	6.0	5.0	93.0	5.0	3.0	8.0	8.0	6.3	6.0	5.7	5.0	4.7	2.7	5.5
OKS 2004-2	7.7	6.7	7.0	6.7	5.0	89.7	5.0	2.0	7.7	7.3	7.0	6.0	5.7	4.7	4.7	2.0	5.3
SUNSPORT	6.7	6.0	5.3	5.7	5.7	92.7	5.0	4.3	5.7	5.7	5.3	5.3	5.7	5.3	5.3	4.3	5.3
PSG 94524	6.7	5.7	5.0	5.7	5.3	93.0	5.0	4.0	5.3	5.0	5.0	5.7	5.3	6.3	4.7	4.0	5.1
PSG PROK	7.3	6.0	6.0	5.3	6.0	89.7	6.0	4.7	6.7	5.7	4.7	5.3	5.7	5.0	5.0	4.7	5.1
PATRIOT	8.0	6.3	6.7	5.0	6.7	80.0	4.0	1.3	8.7	7.0	5.3	5.0	5.7	7.0	3.7	1.3	5.0
PSG 91215	7.0	5.7	5.3	6.0	5.0	93.0	5.3	5.0	5.3	5.0	5.0	5.7	5.3	5.3	5.0	4.0	5.0
NUMEX-SAHARA	6.3	5.7	4.3	5.7	4.7	93.0	4.3	4.3	6.3	4.7	4.3	6.0	5.0	5.7	4.3	3.7	4.8
MIDLAWN	6.0	6.7	6.7	6.0	5.0	56.7	4.0	2.3	8.0	5.7	5.0	5.0	5.3	5.0	4.0	1.7	4.5
LSD VALUE	1.0	0.9	0.9	1.1	1.2	13.7	1.5	1.3	1.3	0.9	0.9	1.0	1.1	1.1	1.3	1.1	0.6
C.V. (%)	7.8	7.8	8.5	9.5	11.8	9.7	15.0	19.4	11.7	8.9	9.3	9.3	10.3	11.0	13.9	17.8	6.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 3.
(CONT'D)MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT GAINESVILLE, FL 1/
2008 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	PERCENT ESTABLISHMENT RATINGS								
	NOVEMBER 2007	DECEMBER 2007	JANUARY 2008	FEBRUARY 2008	MARCH 2008	APRIL 2008	MAY 2008	JUNE 2008	JULY 2008
TIFWAY	5.0	15.0	25.0	31.7	30.0	96.0	93.3	94.7	99
OKC 1119	5.0	13.3	21.7	23.3	20.0	83.0	86.7	94.7	99
SWI-1057	10.3	11.7	25.0	38.3	38.3	83.0	90.0	96.3	99
VERACRUZ	5.0	11.7	20.0	30.0	33.3	86.7	90.0	94.7	99
PREMIER	5.0	16.7	28.3	33.3	36.7	92.7	95.0	99.0	99
PRINCESS 77	7.0	18.3	35.0	53.3	60.0	93.0	95.0	99.0	99
SWI-1070	9.3	23.3	40.0	53.3	60.0	96.0	94.7	97.7	99
PSG 9Y20K	13.3	33.3	50.0	60.0	66.7	93.0	90.0	97.7	99
SWI-1113	7.7	18.3	30.0	50.0	50.0	89.7	91.3	97.7	99
SWI-1081	4.0	9.3	18.3	28.3	30.0	76.7	91.7	97.7	99
RAD-CD1	14.0	30.0	46.7	56.7	63.3	93.0	93.3	97.7	99
IS-01-201	3.0	6.7	15.0	26.7	33.3	70.0	86.7	94.7	99
OKC 1134	5.0	11.7	20.0	20.0	25.0	76.7	90.0	97.7	99
SWI-1083	8.0	13.3	28.3	46.7	43.3	89.7	91.3	99.0	99
PYRAMID 2 (IS-CD10)	9.3	21.7	43.3	46.7	56.7	83.3	88.3	96.3	99
HOLLYWOOD (J-720)	5.7	14.3	31.7	43.3	46.7	83.3	89.7	96.3	99
SWI-1122	5.0	9.3	20.0	31.7	43.3	83.3	93.3	97.7	99
RIVIERA	4.0	9.3	16.7	30.0	30.0	80.0	85.0	96.0	99
SWI-1117	10.0	22.7	48.3	56.7	60.0	83.0	88.3	96.0	99
BAR 7CD5	2.0	6.0	10.0	18.3	16.7	60.0	70.0	91.7	99
PSG 9BAN	5.0	11.0	18.3	26.7	26.7	80.0	81.7	93.3	99
PST-R6FLT	6.0	13.3	25.0	31.7	33.3	76.7	86.7	93.0	99
YUKON	12.3	25.0	43.3	46.7	50.0	93.0	91.7	97.7	99
OKS 2004-2	6.0	13.3	21.7	33.3	36.7	89.7	88.3	97.7	99
SUNSPORT	15.0	35.0	53.3	55.0	60.0	92.7	96.0	97.7	99
PSG 94524	11.3	21.7	36.7	50.0	50.0	93.0	94.7	99.0	99
PSG PROK	9.3	21.7	33.3	53.3	50.0	89.7	90.0	97.7	99
PATRIOT	5.0	15.0	21.7	25.0	30.0	80.0	93.3	99.0	99
PSG 91215	7.7	18.3	30.0	40.0	50.0	93.0	95.0	99.0	99
NUMEX-SAHARA	9.3	20.0	38.3	50.0	63.3	93.0	95.0	99.0	99
MIDLAWN	5.0	11.7	18.3	18.3	18.3	56.7	81.7	96.3	99
LSD VALUE	2.9	8.8	18.2	17.1	20.3	13.7	9.1	8.0	0
C.V. (%)	25.2	32.4	35.7	26.6	28.8	9.7	5.7	3.0	0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 4.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT GAINESVILLE (TRAFFIC STUDY), FL 1/
2008 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	PERCENT COVER SPRING	QUALITY RATINGS				MEAN
						JUN	JUL	AUG	SEP	
TIFWAY	8.3	7.3	7.0	7.3	60.0	6.7	7.3	7.0	7.3	7.1
PRINCESS 77	8.0	7.7	6.7	7.0	83.3	7.0	6.3	6.3	6.7	6.6
SWI-1057	7.7	7.7	6.3	6.7	80.0	7.0	6.0	6.3	6.0	6.3
SWI-1113	8.0	7.3	6.3	6.0	80.0	7.0	6.0	6.3	6.0	6.3
VERACRUZ	7.0	7.3	6.3	6.7	63.3	6.0	6.3	6.3	6.3	6.3
PSG 9Y20K	6.7	7.0	6.0	5.7	86.7	7.0	5.7	6.0	5.3	6.0
OKS 2004-2	7.3	7.3	5.7	6.0	76.7	6.3	6.7	5.7	5.0	5.9
PSG 9BAN	7.7	5.7	5.7	5.7	73.3	6.3	5.3	5.7	5.7	5.8
RIVIERA	7.3	7.0	6.0	5.7	60.0	6.3	6.0	6.0	5.0	5.8
SWI-1070	7.0	7.0	5.7	5.7	83.3	7.7	5.0	5.3	5.0	5.8
OKC 1119	7.7	6.7	5.7	4.7	50.0	4.7	6.7	5.7	5.0	5.5
RAD-CD1	6.3	6.3	6.0	5.7	80.0	5.7	5.3	5.7	5.3	5.5
SWI-1081	7.3	5.0	6.0	4.7	63.3	5.7	5.3	5.7	5.0	5.4
IS-01-201	7.0	5.7	5.7	5.3	43.3	5.3	5.0	5.7	5.3	5.3
HOLLYWOOD (J-720)	7.0	6.3	5.0	4.7	70.0	6.7	5.0	4.7	4.7	5.3
SWI-1083	7.0	5.7	5.7	4.7	73.3	5.7	5.7	5.3	4.3	5.3
OKC 1134	7.3	7.3	5.3	4.3	60.0	6.0	6.0	4.7	4.0	5.2
PREMIER	7.7	7.0	5.3	5.3	76.7	5.7	4.7	5.3	5.0	5.2
PST-R6FLT	7.3	6.3	5.0	4.3	73.3	6.0	5.3	4.7	4.7	5.2
YUKON	8.0	7.0	5.3	3.7	73.3	5.7	5.7	5.3	4.0	5.2
PSG PROK	6.7	5.7	5.0	4.7	83.3	5.0	5.3	4.7	4.7	4.9
BAR 7CD5	8.0	4.7	5.3	5.7	46.7	4.0	4.7	5.3	5.3	4.8
PYRAMID 2 (IS-CD10)	6.7	6.3	5.0	4.0	76.7	5.3	4.7	5.0	4.3	4.8
MIDLAWN	6.3	5.7	5.3	5.0	40.0	5.0	4.3	5.0	4.7	4.8
PSG 94524	6.3	5.3	5.0	5.3	76.7	5.0	4.3	4.7	4.7	4.7
SWI-1117	6.7	5.3	5.0	3.7	73.3	6.0	4.3	4.3	4.0	4.7
SUNSPORT	6.0	5.3	4.3	4.3	80.0	5.3	4.3	4.7	4.0	4.6
SWI-1122	7.3	6.0	4.7	4.0	60.0	5.7	4.3	4.7	3.7	4.6
PSG 91215	6.7	5.3	4.0	4.0	80.0	5.7	4.3	3.7	3.7	4.3
NUMEX-SAHARA	6.3	4.0	4.0	2.3	66.7	5.0	3.3	3.7	2.3	3.6
PATRIOT	8.0	7.3	2.3	1.3	53.3	5.7	4.3	2.0	1.7	3.4
LSD VALUE	1.1	1.1	1.4	1.3	28.4	1.8	0.9	1.4	1.2	0.8
C.V. (%)	8.6	10.7	15.0	17.0	20.8	15.4	10.9	15.8	15.6	10.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 4.
(CONT'D)MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT GAINESVILLE (TRAFFIC STUDY), FL 1/
2008 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	PERCENT ESTABLISHMENT RATINGS								
	NOVEMBER 2007	DECEMBER 2007	JANUARY 2008	FEBRUARY 2008	MARCH 2008	APRIL 2008	MAY 2008	JUNE 2008	JULY 2008
TIFWAY	5.0	13.3	20.0	21.7	26.7	60.0	70.0	93.0	99
PRINCESS 77	5.0	9.3	18.3	25.0	26.7	83.3	88.3	96.3	99
SWI-1057	6.0	9.3	20.0	25.0	30.0	80.0	81.7	95.0	99
SWI-1113	9.3	13.3	25.0	30.0	33.3	80.0	88.3	97.7	99
VERACRUZ	3.0	7.0	11.7	16.7	16.7	63.3	68.3	90.0	99
PSG 9Y20K	9.3	18.3	26.7	33.3	33.3	86.7	90.0	97.7	99
OKS 2004-2	4.0	8.7	16.7	20.0	25.0	76.7	80.0	96.0	99
PSG 9BAN	4.0	11.0	18.3	21.7	25.0	73.3	80.0	96.3	99
RIVIERA	3.0	9.3	16.0	21.7	20.0	60.0	76.7	93.3	99
SWI-1070	7.7	12.7	23.3	28.3	33.3	83.3	90.0	99.0	99
OKC 1119	5.0	10.0	18.3	16.7	20.0	50.0	58.3	90.0	99
RAD-CD1	10.7	16.7	30.0	40.0	40.0	80.0	83.3	90.0	99
SWI-1081	3.0	7.7	13.3	13.3	16.7	63.3	75.0	88.0	99
IS-01-201	2.0	6.0	9.3	11.7	13.3	43.3	60.0	86.7	99
HOLLYWOOD (J-720)	4.0	8.3	8.3	18.3	20.0	70.0	80.0	96.0	99
SWI-1083	9.3	11.7	18.3	25.0	23.3	73.3	76.7	94.7	99
OKC 1134	5.0	13.3	21.7	25.0	25.0	60.0	68.3	90.0	99
PREMIER	5.0	11.7	23.3	26.7	30.0	76.7	63.3	91.7	99
PST-R6FLT	6.0	11.0	20.0	23.3	20.0	73.3	71.7	91.3	99
YUKON	8.3	13.3	20.0	26.7	30.0	73.3	75.0	90.0	99
PSG PROK	10.0	18.3	28.3	36.7	43.3	83.3	88.3	99.0	99
BAR 7CD5	2.0	5.0	9.3	10.0	13.3	46.7	48.3	78.3	99
PYRAMID 2 (IS-CD10)	9.0	12.7	21.7	30.0	33.3	76.7	78.3	95.0	99
MIDLAWN	5.0	10.0	18.3	11.7	16.7	40.0	46.7	86.7	99
PSG 94524	10.0	13.3	25.0	28.3	31.7	76.7	88.3	97.7	99
SWI-1117	10.7	15.0	25.0	30.0	33.3	73.3	76.7	93.3	99
SUNSPORT	13.0	20.0	31.7	33.3	30.0	80.0	81.7	94.7	99
SWI-1122	4.0	7.3	15.0	20.0	21.7	60.0	73.3	91.3	99
PSG 91215	8.3	13.3	21.7	31.7	30.0	80.0	88.3	97.7	99
NUMEX-SAHARA	6.0	9.3	18.3	21.7	21.7	66.7	75.0	93.0	99
PATRIOT	5.0	13.3	20.0	18.3	23.3	53.3	70.0	93.3	99
LSD VALUE	2.7	6.5	12.0	11.5	15.1	28.4	20.6	11.7	0
C.V. (%)	27.5	31.0	31.7	27.9	30.7	20.8	15.1	5.9	0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT JAY, FL 1/
2008 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	DENSITY SUMMER	DENSITY FALL	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	PERCENT JANUARY	ESTABLISHMENT AUGUST	APR	JUN	JUL	QUALITY RATINGS				MEAN
											AUG	SEP	OCT	NOV	
PREMIER	7.3	7.0	6.3	6.3	4.0	7.3	97.7	6.3	4.3	6.3	6.3	6.7	5.7	4.0	5.7
SWI-1122	6.7	6.0	6.0	6.0	4.3	13.7	99.0	6.0	4.3	5.3	6.7	7.0	5.7	4.0	5.6
OKS 2004-2	6.0	6.0	5.7	6.3	3.7	13.7	99.0	5.3	4.3	6.3	6.3	6.0	5.7	4.3	5.5
SWI-1070	6.0	6.7	5.7	5.7	4.3	18.7	99.0	6.0	4.0	6.3	7.0	6.3	5.3	3.7	5.5
SWI-1057	5.7	5.7	7.0	7.3	4.3	9.3	99.0	4.7	4.3	5.3	6.3	6.0	6.3	4.7	5.4
SWI-1113	5.7	7.0	6.7	5.0	4.3	13.7	99.0	5.0	4.3	5.0	6.3	6.7	5.7	4.3	5.3
PSG 9Y20K	6.0	5.3	6.3	6.0	3.3	16.0	99.0	5.3	4.0	5.3	6.0	6.0	5.7	4.3	5.2
TIFWAY	6.0	6.3	4.7	7.0	7.0	6.0	94.7	6.0	4.7	4.0	5.7	6.0	5.0	5.3	5.2
RAD-CD1	5.3	5.0	6.7	5.0	4.3	15.0	99.0	5.3	4.0	5.0	5.7	6.0	5.7	4.3	5.1
BAR 7CD5	5.7	4.3	5.0	7.0	5.7	6.0	89.7	4.7	4.3	5.0	5.0	5.3	5.7	5.0	5.0
HOLLYWOOD (J-720)	5.3	5.0	6.7	6.0	4.3	13.3	99.0	4.7	3.7	5.0	6.0	5.7	6.0	4.0	5.0
PRINCESS 77	5.0	6.7	6.3	5.0	4.3	15.3	99.0	5.7	3.7	5.0	6.0	5.7	5.0	4.3	5.0
PYRAMID 2 (IS-CD10)	6.3	5.7	6.3	6.0	3.7	17.3	99.0	5.3	3.0	5.3	6.0	5.7	6.0	4.0	5.0
SWI-1081	7.0	4.7	5.7	6.0	4.0	11.0	99.0	4.7	4.0	6.3	5.3	5.0	5.3	4.3	5.0
PST-R6FLT	6.3	4.0	6.0	6.7	3.7	11.3	97.7	4.0	4.0	5.3	5.3	5.3	5.7	4.7	4.9
SWI-1083	7.0	5.3	5.3	5.0	4.7	12.0	99.0	5.0	3.7	5.3	5.7	5.7	4.7	4.0	4.9
VERACRUZ	5.3	4.7	6.0	5.0	4.3	8.7	97.7	4.0	4.0	5.3	5.3	6.0	5.0	4.7	4.9
OKC 1134	5.7	4.7	5.0	5.3	5.0	6.0	96.3	5.0	4.0	4.3	5.0	5.7	4.7	4.3	4.7
RIVIERA	5.7	5.7	5.0	5.3	3.3	8.0	92.7	6.5	3.3	4.3	5.7	6.0	4.7	3.7	4.7
SWI-1117	5.7	4.3	5.3	4.7	3.3	16.7	99.0	5.0	4.0	5.0	5.0	5.0	4.7	4.0	4.7
NUMEX-SAHARA	5.3	3.7	5.0	4.7	3.0	20.3	96.0	5.7	3.7	4.7	4.3	5.0	5.0	3.7	4.6
PSG 94524	5.0	4.3	6.0	5.7	3.3	14.0	99.0	4.3	4.0	4.3	5.0	5.0	5.7	4.0	4.6
PSG 9BAN	6.3	5.0	5.0	5.0	3.7	13.7	99.0	4.0	4.3	5.7	5.7	5.0	4.0	3.7	4.6
SUNSPORT	5.0	4.3	5.3	5.7	4.0	12.7	99.0	4.0	4.0	4.3	4.7	5.3	5.3	4.3	4.6
YUKON	6.0	4.0	6.7	7.3	5.0	7.7	97.7	4.0	2.7	5.7	5.0	5.3	5.7	4.0	4.6
OKC 1119	7.0	5.0	4.3	5.7	4.7	4.7	68.3	5.7	3.3	6.0	4.3	4.3	4.0	3.7	4.5
PSG 91215	5.0	4.3	5.7	5.7	3.3	11.3	99.0	4.0	3.7	4.0	5.0	5.3	5.3	4.3	4.5
PSG PROK	6.0	4.0	5.3	5.0	3.7	15.3	96.0	5.0	4.0	4.7	4.7	5.0	4.7	3.3	4.5
IS-01-201	5.7	5.0	5.0	5.7	3.0	9.0	93.0	3.7	2.7	5.3	5.3	5.3	4.7	3.7	4.4
MIDLAWN	5.3	4.7	3.7	4.0	3.7	5.7	86.7	5.7	4.3	4.3	5.0	4.7	3.7	3.0	4.4
PATRIOT	6.3	4.7	4.7	5.0	3.3	5.7	84.7	5.7	3.7	4.3	5.0	4.7	4.3	3.0	4.4
LSD VALUE	3.8	1.8	3.9	2.0	1.3	7.8	10.0	3.5	3.1	3.1	1.1	1.8	3.6	1.6	1.4
C.V. (%)	19.2	18.9	22.8	17.2	18.9	37.1	6.0	23.7	23.0	21.1	11.6	14.3	21.4	16.8	11.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 6. TURFGRASS DENSITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT GRIFFIN, GA 1/
2008 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	DENSITY FALL	PERCENT COVER FALL
IS-01-201	7.3	99.0
MIDLAWN	8.0	99.0
OKC 1119	8.3	99.0
OKC 1134	8.0	99.0
PATRIOT	8.3	99.0
RIVIERA	7.0	99.0
SWI-1122	7.7	99.0
TIFWAY	8.3	99.0
PYRAMID 2 (IS-CD10)	7.3	97.7
HOLLYWOOD (J-720)	7.0	97.7
OKS 2004-2	7.3	97.7
PSG 91215	7.0	97.7
PSG 9Y20K	7.3	97.7
SWI-1070	7.7	97.7
SWI-1083	7.7	97.7
SWI-1117	7.3	97.7
NUMEX-SAHARA	7.0	96.3
PREMIER	7.7	96.3
PSG 94524	7.0	96.3
SWI-1113	7.7	96.3
PSG 9BAN	7.0	94.7
PST-R6FLT	7.0	94.7
RAD-CD1	7.0	93.3
PRINCESS 77	7.3	91.3
VERACRUZ	6.0	91.3
SWI-1057	6.7	89.7
SUNSPORT	7.0	88.0
SWI-1081	7.0	88.0
PSG PROK	7.3	76.3
BAR 7CD5	6.0	55.0
YUKON	6.0	53.3
LSD VALUE	1.8	16.2
C.V. (%)	10.7	10.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 7.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT LEXINGTON, KY 1/
2008 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT COVER FALL	FROST TOLERANCE	JUN	JUL	QUALITY RATINGS			MEAN
PREMIER	7.3	7.3	9.0	81.3	91.3	83.0	5.3	9.0	9.0	7.7	7.7	9.0	8.5
OKC 1119	8.3	7.3	8.7	68.0	80.7	86.3	3.0	8.3	9.0	7.3	8.0	8.7	8.3
TIFWAY	7.3	4.3	9.0	38.3	37.3	55.7	5.7	7.7	9.0	8.3	9.0	6.7	8.1
OKC 1134	9.0	5.0	9.0	35.0	43.3	50.0	3.0	9.0	9.0	8.7	8.0	4.3	7.8
SWI-1070	7.0	5.7	6.7	92.7	96.7	94.3	3.3	7.3	7.7	7.3	7.0	7.0	7.3
SWI-1113	7.0	4.7	6.7	75.0	90.0	99.0	4.3	7.0	6.7	7.7	7.7	7.7	7.3
PATRIOT	8.7	5.7	7.7	47.3	60.0	63.3	3.3	7.0	8.3	7.3	8.0	5.3	7.2
PSG 9Y20K	6.0	8.0	6.7	99.0	96.7	99.0	4.0	7.3	7.3	7.3	6.0	7.0	7.0
SWI-1122	7.0	6.7	6.7	99.0	96.7	99.0	4.7	7.0	7.0	6.3	6.7	8.0	7.0
IS-01-201	6.7	5.7	6.0	91.3	90.3	88.0	3.3	7.0	7.0	7.0	7.0	6.7	6.9
OKS 2004-2	7.0	8.3	7.0	99.0	99.0	91.0	2.7	7.7	8.0	6.7	6.3	5.7	6.9
RAD-CD1	6.7	8.3	5.7	99.0	99.0	96.0	4.0	7.0	7.3	6.0	7.0	7.3	6.9
PYRAMID 2 (IS-CD10)	7.0	6.0	6.7	91.3	96.3	93.0	4.3	6.7	7.3	7.0	6.3	6.7	6.8
HOLLYWOOD (J-720)	6.7	8.0	6.3	99.0	99.0	92.0	4.0	7.3	7.7	6.7	5.7	6.7	6.8
PSG 9BAN	6.7	6.0	6.0	84.7	91.7	89.7	4.3	7.0	6.3	6.7	7.3	6.7	6.8
SWI-1057	7.0	3.7	7.0	71.7	88.0	94.7	4.7	7.0	6.3	6.3	7.0	7.3	6.8
VERACRUZ	7.0	4.7	6.7	71.7	83.0	88.0	4.3	6.7	6.0	6.7	6.7	8.0	6.8
PSG 91215	6.7	7.0	6.3	88.0	93.0	91.3	4.0	7.0	6.3	6.3	6.7	6.7	6.6
PSG PROK	6.7	5.7	5.7	92.7	96.7	92.7	3.7	7.0	6.7	6.7	7.3	5.3	6.6
PST-R6FLT	7.3	5.7	6.0	68.0	88.3	85.7	3.7	6.3	6.3	6.0	8.0	6.3	6.6
RIVIERA	7.7	8.3	6.7	99.0	93.7	89.3	3.3	7.7	7.7	5.7	5.7	6.0	6.5
SWI-1083	7.0	6.0	7.0	92.7	92.0	94.3	3.3	6.7	6.7	6.0	6.0	7.0	6.5
PRINCESS 77	7.0	2.0	6.0	37.7	61.7	77.7	5.0	6.7	5.3	7.3	6.0	6.3	6.3
MIDLAWN	5.7	7.7	8.3	76.3	81.3	81.7	3.3	7.0	7.0	4.0	6.0	6.7	6.1
SWI-1081	6.3	5.7	5.0	89.7	88.7	78.3	3.3	6.7	6.3	5.7	5.3	5.7	5.9
YUKON	5.7	8.0	5.7	99.0	99.0	71.0	5.0	7.0	7.0	4.3	5.0	6.0	5.9
SWI-1117	7.3	2.7	5.3	34.0	60.0	78.0	3.7	6.7	5.0	6.0	6.0	5.3	5.8
PSG 94524	6.7	4.0	6.3	73.3	86.3	91.3	4.0	5.7	5.0	5.3	6.3	6.3	5.7
SUNSPORT	6.3	3.7	5.0	51.7	84.0	78.3	3.3	6.0	5.0	5.0	5.3	5.7	5.4
BAR 7CD5	5.7	7.7	4.3	99.0	99.0	80.0	5.3	6.7	5.0	4.3	5.0	5.7	5.3
NUMEX-SAHARA	6.7	2.3	5.3	20.0	65.7	68.3	4.3	5.0	5.0	5.3	5.3	5.7	5.3
LSD VALUE	1.1	1.8	1.7	26.7	28.3	18.6	1.2	0.9	1.0	1.6	1.6	2.4	0.7
C.V. (%)	9.7	20.0	15.2	22.0	18.8	12.9	17.4	8.2	9.2	14.8	14.1	18.0	6.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 8.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT BATON ROUGE, LA 1/
2008 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

	GENETIC	SPRING	LEAF	DENSITY	PERCENT	FALL	SEEDHEAD	SEEDHEAD				QUALITY RATINGS							
NAME	COLOR	GREENUP	TEXTURE	SUMMER	COVER	COLOR	MIDDLE	LATE	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	MEAN		
OKC 1119	8.0	6.7	8.0	8.0	99.0	7.3	9.0	8.7	6.3	6.7	7.0	8.0	8.0	7.7	8.0	8.0	7.5		
OKC 1134	7.3	6.3	7.0	7.3	97.7	6.7	9.0	8.7	6.3	6.3	6.7	7.0	7.7	6.7	7.7	7.3	7.0		
PATRIOT	7.7	5.3	6.0	7.0	97.7	7.0	9.0	9.0	5.3	6.0	6.7	7.7	7.7	7.0	7.3	7.3	6.9		
PREMIER	7.7	5.3	7.3	6.3	97.7	7.0	8.3	8.0	5.3	6.3	6.3	7.7	7.7	7.0	7.3	7.7	6.9		
TIFWAY	6.7	7.0	6.3	7.3	96.3	6.7	8.7	8.7	5.3	6.0	6.3	6.7	7.7	7.0	7.3	7.0	6.7		
OKS 2004-2	7.0	5.0	6.7	6.3	97.7	6.7	9.0	7.3	5.0	6.0	6.0	7.0	7.0	6.3	7.0	7.0	6.4		
RIVIERA	6.7	5.3	5.7	6.3	94.7	6.7	9.0	7.3	5.3	6.0	6.0	6.7	6.7	6.0	7.0	6.7	6.3		
YUKON	7.0	5.3	5.0	6.0	93.0	6.3	9.0	8.0	5.3	6.0	5.7	7.0	6.3	6.3	6.3	7.0	6.3		
SWI-1081	7.0	4.3	5.7	6.0	96.0	6.7	9.0	7.7	4.3	5.3	6.0	7.0	6.3	6.3	6.7	7.0	6.1		
MIDLAWN	6.3	4.0	6.0	6.0	95.0	6.3	8.7	8.3	5.3	5.7	5.7	6.3	6.3	5.7	6.3	6.3	6.0		
SWI-1057	6.7	3.7	5.3	5.7	96.3	6.7	8.3	7.3	4.7	6.0	5.7	6.7	6.0	6.3	6.3	6.7	6.0		
SWI-1122	7.0	3.7	5.7	6.0	94.7	6.0	9.0	8.3	4.0	5.3	5.7	7.0	6.7	6.0	6.7	7.0	6.0		
BAR 7CD5	7.0	4.0	5.0	5.7	93.0	6.0	8.7	7.3	4.7	5.3	5.7	7.0	6.0	5.3	6.3	6.7	5.9		
PRINCESS 77	6.7	4.0	5.7	5.7	93.0	5.7	8.7	7.3	5.0	5.7	5.3	6.7	6.0	6.0	6.0	6.7	5.9		
SWI-1113	7.0	4.3	5.7	6.0	97.7	6.0	8.3	7.7	4.3	6.0	5.3	7.0	6.0	5.7	6.0	7.0	5.9		
PSG 9BAN	6.3	4.0	5.7	5.7	96.3	5.7	9.0	7.3	5.0	5.7	5.3	6.3	6.0	5.7	6.3	6.3	5.8		
PSG 9Y20K	6.3	4.0	5.7	6.0	96.3	6.0	8.7	8.0	4.7	5.3	5.7	6.3	6.0	6.0	6.0	6.3	5.8		
IS-01-201	6.3	3.3	6.0	5.7	95.0	5.3	8.7	7.7	4.0	5.3	5.3	6.3	6.3	5.7	6.3	6.3	5.7		
PYRAMID 2 (IS-CD10)	6.0	4.0	5.3	5.7	94.7	6.0	8.3	7.7	4.7	5.3	5.7	6.0	5.7	6.0	6.0	6.0	5.7		
SWI-1070	6.0	4.7	5.7	5.3	97.7	6.0	9.0	7.3	4.3	5.7	5.3	6.0	6.0	5.7	6.3	6.3	5.7		
PSG 91215	6.3	4.0	5.7	4.7	90.0	5.3	8.7	7.3	4.7	5.3	5.3	6.3	6.0	5.0	5.7	6.3	5.6		
RAD-CD1	6.0	4.0	5.7	5.7	93.3	6.0	8.3	7.3	4.3	5.3	5.3	6.0	6.0	6.0	6.0	6.0	5.6		
SWI-1083	6.3	4.3	5.7	5.3	93.3	6.0	8.7	8.0	4.3	5.3	5.3	6.3	5.7	5.7	6.0	6.3	5.6		
VERACRUZ	6.3	3.7	5.7	5.7	94.7	6.0	8.7	7.7	4.0	5.3	5.3	6.3	5.7	5.7	6.0	6.3	5.6		
HOLLYWOOD (J-720)	6.0	4.0	6.0	6.0	97.7	5.7	8.7	7.7	4.0	5.3	5.3	6.0	6.0	5.7	5.7	6.0	5.5		
PST-R6FLT	6.0	4.0	6.0	5.3	96.3	6.0	9.0	7.7	4.0	5.0	5.0	6.0	6.0	5.3	6.0	6.3	5.5		
SUNSPORT	6.0	3.3	6.0	5.0	93.3	6.0	8.3	8.3	4.3	4.7	5.0	6.0	5.3	6.0	6.0	6.3	5.5		
NUMEX-SAHARA	6.3	2.7	4.0	4.3	90.0	5.7	8.7	7.3	4.0	5.3	5.3	6.3	5.3	5.0	5.7	6.0	5.4		
PSG PROK	5.7	3.7	5.0	5.0	94.7	5.7	8.7	8.0	4.3	5.0	5.0	5.7	5.3	5.3	5.3	6.0	5.3		
SWI-1117	5.7	3.7	5.7	5.0	97.7	5.7	9.0	7.3	4.3	5.0	5.0	5.7	5.3	5.3	5.3	6.0	5.3		
PSG 94524	5.3	3.7	5.0	4.3	94.7	5.3	9.0	7.3	4.3	5.0	4.3	5.3	4.7	4.3	5.0	5.7	4.8		
LSD VALUE	1.3	0.8	0.9	0.8	9.6	1.2	1.5	1.7	1.3	1.4	1.0	1.4	1.0	1.1	0.9	0.8	0.7		
C.V. (%)	10.3	11.8	9.6	8.8	3.6	9.9	5.1	8.9	14.6	10.8	9.7	10.6	10.0	10.6	9.0	7.3	7.0		

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 9.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT MISS. ST., MS 1/
2008 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SUMMER	PERCENT COVER SPRING	FALL COLOR NOVEMBER	SEEDHEAD RATINGS	APR	MAY	JUN	QUALITY RATINGS					MEAN
											JUL	AUG	SEP	OCT	NOV	
OKC 1119	6.0	6.3	8.0	7.0	96.0	5.0	7.3	6.7	7.0	7.7	7.0	7.0	7.0	7.3	7.0	7.1
OKC 1134	6.0	6.7	7.3	7.7	95.3	3.3	7.3	6.7	7.0	7.0	7.0	6.7	7.0	8.0	7.0	7.0
PREMIER	7.0	6.0	7.3	7.7	93.3	5.0	7.7	6.0	7.0	7.7	7.0	7.0	6.3	7.7	6.7	6.9
TIFWAY	6.3	6.7	7.3	6.7	91.7	5.3	7.3	6.3	6.3	7.0	6.7	7.0	6.3	7.3	6.7	6.7
PATRIOT	6.0	5.7	7.0	6.7	88.3	3.0	7.7	5.7	6.3	7.0	6.7	6.3	6.3	6.0	6.0	6.3
PSG 9BAN	6.0	4.3	6.0	6.3	81.7	4.7	7.0	5.0	5.0	6.0	6.0	6.3	6.7	7.0	6.0	6.0
RIVIERA	6.0	6.3	6.7	6.3	90.0	4.7	7.0	5.0	5.7	6.0	6.7	6.0	6.0	6.3	6.0	6.0
OKS 2004-2	6.0	6.0	6.0	6.0	91.7	4.3	7.0	5.3	6.0	6.0	6.0	6.0	6.0	6.0	6.0	5.9
PRINCESS 77	6.3	5.0	6.3	6.0	83.3	5.0	6.3	5.0	6.0	5.7	6.0	6.0	6.0	6.7	6.0	5.9
SWI-1070	6.0	5.0	6.0	6.3	88.3	5.0	7.0	5.0	5.3	6.3	6.0	6.0	6.0	6.7	6.0	5.9
SWI-1113	7.0	4.3	6.0	6.3	80.0	5.0	7.0	4.7	5.3	6.3	6.3	6.0	6.0	6.7	6.0	5.9
HOLLYWOOD (J-720)	6.0	5.0	6.3	6.0	81.7	4.7	6.7	5.0	5.0	6.0	6.0	6.0	6.0	6.3	6.0	5.8
PSG 9Y2OK	6.0	4.3	6.0	6.0	80.0	5.0	6.7	4.7	5.7	6.0	6.0	6.0	6.0	6.0	6.0	5.8
RAD-CD1	6.0	4.7	6.0	6.0	83.3	5.0	6.3	5.0	5.0	6.0	6.0	6.0	6.0	6.0	6.0	5.8
SWI-1057	6.7	4.7	6.7	6.3	83.3	5.0	6.0	5.0	5.3	5.7	6.0	6.0	6.0	6.7	6.0	5.8
SWI-1081	6.0	5.0	6.0	6.3	83.3	5.0	6.7	5.0	5.0	5.7	6.0	6.0	6.0	7.0	6.0	5.8
SWI-1083	6.0	4.7	6.0	6.0	80.0	3.7	7.0	5.0	5.0	5.3	6.0	6.0	6.0	6.7	6.0	5.8
SWI-1122	6.0	4.7	5.7	6.0	83.3	5.0	6.7	5.0	5.0	6.0	6.0	6.0	6.0	6.0	6.0	5.8
PST-R6FLT	6.0	4.3	6.0	6.7	80.0	5.0	6.7	4.7	5.0	5.7	6.0	6.0	6.0	6.3	6.0	5.7
IS-01-201	6.3	3.7	6.0	6.0	61.7	4.0	6.3	4.3	4.7	5.7	6.0	6.0	6.0	6.0	6.0	5.6
PYRAMID 2 (IS-CD10)	6.0	4.0	6.0	6.0	63.3	4.7	7.0	4.3	4.7	5.7	6.0	6.0	6.0	6.3	6.0	5.6
MIDLAWN	6.0	5.3	7.0	5.3	88.3	5.0	7.7	5.7	6.3	6.7	6.3	5.7	4.7	5.0	4.7	5.6
PSG PROK	6.0	4.0	6.0	6.0	75.0	5.0	6.3	4.0	5.0	6.0	6.0	6.0	6.0	6.0	6.0	5.6
VERACRUZ	6.0	4.0	6.0	6.0	76.7	5.0	6.3	4.7	4.7	6.0	6.0	6.0	6.0	6.0	5.7	5.6
YUKON	6.0	4.7	6.3	5.3	81.7	5.0	6.7	5.0	5.0	6.0	5.7	6.0	5.7	5.7	5.7	5.6
SWI-1117	6.0	4.0	5.7	6.0	68.3	5.0	7.0	4.3	4.0	5.3	6.0	6.0	6.0	6.0	6.0	5.5
PSG 94524	6.3	3.0	5.7	6.0	56.7	5.0	6.3	4.0	4.0	5.0	5.7	6.0	6.0	6.0	6.0	5.3
PSG 91215	6.3	3.7	5.7	5.7	58.3	5.0	6.7	4.0	4.0	5.0	5.7	5.3	6.0	6.0	5.7	5.2
SUNSPORT	6.0	3.0	5.3	6.0	41.7	5.0	6.7	3.7	3.7	5.0	5.3	6.0	6.0	6.0	5.7	5.2
BAR 7CD5	6.0	4.7	5.0	5.3	73.3	5.0	6.7	4.0	4.3	5.0	5.7	5.7	5.0	5.7	5.3	5.1
NUMEX-SAHARA	6.0	3.3	5.3	5.7	41.7	5.0	7.0	3.7	4.0	4.7	5.0	5.7	5.7	6.0	5.7	5.0
LSD VALUE	0.4	0.9	0.7	0.6	8.5	0.5	1.2	0.6	0.5	0.5	0.5	0.4	0.4	0.6	0.5	0.2
C.V. (%)	4.1	12.3	7.1	6.4	7.3	7.3	8.0	8.1	6.7	5.7	5.5	4.6	4.3	6.0	5.2	2.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 10.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT RALEIGH, NC 1/
2008 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SUMMER	FALL COLOR NOVEMBER	FALL COLOR NOVEMBER	SEEDHEAD RATINGS	APR	MAY	JUN	QUALITY RATINGS				MEAN
											JUL	AUG	SEP	OCT	
OKC 1119	7.3	7.0	9.0	8.7	7.7	5.3	9.0	8.7	8.3	8.7	8.3	9.0	9.0	9.0	8.7
TIFWAY	8.0	6.3	9.0	8.7	8.0	5.7	7.0	8.0	8.0	8.3	8.7	8.7	8.7	8.3	8.4
OKC 1134	7.3	5.3	8.3	9.0	5.0	3.0	9.0	8.3	8.7	8.3	8.0	8.0	7.7	8.0	8.1
PREMIER	7.7	6.0	8.7	8.3	8.3	6.0	8.7	6.7	8.3	8.0	7.7	8.0	8.3	7.7	7.8
PATRIOT	8.3	3.3	8.3	8.3	5.0	2.3	9.0	6.0	8.3	8.3	8.3	8.0	7.0	7.0	7.6
RIVIERA	6.3	7.7	6.7	7.7	5.7	3.0	6.7	6.3	7.0	7.3	7.3	7.0	6.3	6.7	6.9
MIDLAWN	6.0	5.7	9.0	7.7	5.3	3.0	7.3	7.7	8.0	7.3	6.3	6.0	6.0	6.0	6.8
SWI-1113	7.3	6.3	7.3	6.7	7.7	4.7	5.0	5.7	6.0	6.3	7.0	7.3	7.7	7.7	6.8
OKS 2004-2	7.0	7.0	7.0	7.3	5.3	3.0	7.3	6.3	7.0	6.7	6.7	6.7	6.3	6.3	6.6
PSG 9Y20K	6.3	6.3	6.3	6.7	6.7	4.7	4.3	5.3	6.3	6.0	6.7	6.7	6.7	7.0	6.4
SWI-1070	6.3	6.0	7.0	6.7	6.0	3.7	5.7	5.3	7.0	6.0	6.0	6.7	7.0	6.7	6.4
SWI-1122	6.0	6.0	5.3	6.7	6.7	4.3	3.7	5.7	6.3	6.3	6.7	6.7	6.7	6.3	6.4
VERACRUZ	6.3	5.3	7.0	6.7	7.0	5.7	4.3	5.3	6.7	6.3	6.7	6.3	6.7	6.7	6.4
PYRAMID 2 (IS-CD10)	6.7	6.3	6.3	6.7	6.3	3.7	4.0	4.7	6.0	6.7	6.7	6.7	7.0	6.7	6.3
IS-01-201	6.0	5.7	6.7	7.0	5.3	3.3	4.3	5.7	6.3	6.3	6.3	6.0	6.3	6.3	6.2
RAD-CD1	6.0	5.7	6.3	6.3	6.3	4.0	5.3	5.0	6.0	6.7	6.7	6.7	6.3	6.3	6.2
HOLLYWOOD (J-720)	6.7	6.3	6.3	6.7	6.3	3.7	5.7	5.7	6.7	6.7	6.3	5.7	5.7	6.0	6.1
PRINCESS 77	7.0	6.0	7.3	6.7	6.3	4.7	4.0	5.7	7.0	6.0	6.0	6.0	6.0	5.7	6.0
PST-R6FLT	6.0	6.3	6.0	6.7	6.0	4.0	3.3	5.3	5.7	6.0	6.0	6.0	6.7	6.7	6.0
SWI-1057	6.3	5.7	6.0	6.3	7.3	4.7	3.7	5.7	6.7	6.0	6.0	6.0	6.0	6.0	6.0
YUKON	7.3	5.7	6.7	5.7	6.3	3.7	5.7	5.0	6.0	6.3	6.3	6.3	5.7	5.7	5.9
PSG 9BAN	7.0	6.3	6.0	6.7	6.0	4.0	3.7	5.7	6.7	6.3	5.7	5.3	5.3	5.7	5.8
SWI-1083	6.3	6.3	6.0	6.3	5.7	3.7	4.0	5.3	5.7	6.0	6.0	6.0	5.7	5.7	5.8
SUNSPORT	5.3	5.3	5.3	6.3	6.0	3.3	3.3	5.0	5.7	5.7	6.0	5.7	5.7	6.0	5.7
PSG 94524	5.7	6.3	6.0	6.3	6.3	4.0	4.3	4.3	5.7	5.7	5.7	5.7	6.3	6.0	5.6
PSG PROK	5.7	6.0	5.7	6.3	7.0	4.3	3.0	5.3	6.0	5.3	5.7	5.7	5.3	5.3	5.5
PSG 91215	6.7	5.7	5.3	6.3	6.7	4.7	4.3	4.7	6.0	5.7	5.7	5.3	5.3	5.3	5.4
SWI-1081	6.0	6.0	5.7	6.0	6.3	3.7	4.0	5.0	6.0	5.7	5.3	5.3	5.3	5.3	5.4
NUMEX-SAHARA	5.3	5.3	5.0	5.7	6.3	4.3	5.3	4.7	5.0	5.3	5.7	5.3	5.7	5.7	5.3
SWI-1117	5.7	5.7	6.3	6.3	4.7	3.0	4.0	4.3	5.7	5.3	5.7	5.0	5.0	5.3	5.2
BAR 7CD5	6.3	5.0	4.7	5.3	5.7	3.3	5.3	4.7	6.0	5.7	5.3	5.0	4.3	4.7	5.1
LSD VALUE	0.9	0.9	1.0	0.7	1.1	0.9	1.0	1.1	0.8	1.0	1.2	1.0	1.4	1.5	0.7
C.V. (%)	8.3	9.2	10.3	6.8	10.9	14.3	12.7	12.7	7.9	9.5	11.3	9.8	13.3	13.5	7.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 11.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT LAS CRUCES, NM 1/
2008 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

	GENETIC	SPRING	PERCENT	PERCENT	PERCENT	FALL	FALL		QUALITY RATINGS				
NAME	COLOR	GREENUP	COVER	COVER	COVER	COLOR	COLOR	JUL	AUG	SEP	OCT	MEAN	
			SPRING	SUMMER	FALL	OCTOBER	NOVEMBER						
OKC 1119	8.0	5.3	64.7	92.3	96.0	7.3	5.7	8.3	7.7	7.7	4.0	6.9	
OKC 1134	7.3	4.3	45.3	84.0	96.7	7.7	5.7	7.3	8.3	8.0	4.0	6.9	
SWI-1122	8.0	4.7	69.3	98.0	94.3	6.7	5.0	7.3	7.7	7.7	3.3	6.5	
YUKON	7.7	3.7	43.7	88.0	98.0	7.3	5.3	7.7	7.7	7.3	3.3	6.5	
PRINCESS 77	7.0	3.7	36.7	83.3	93.3	7.0	5.0	6.7	7.3	7.7	3.3	6.3	
PSG PROK	8.0	4.7	60.7	97.3	96.7	7.3	5.0	7.7	7.0	8.0	2.7	6.3	
SWI-1113	7.3	4.7	61.7	87.3	89.7	6.3	4.7	7.3	7.7	7.0	3.0	6.3	
TIFWAY	7.0	2.3	19.0	78.7	93.3	7.0	5.3	7.7	7.3	6.7	3.3	6.3	
VERACRUZ	7.3	4.7	58.7	88.3	95.7	7.0	5.0	7.3	7.3	7.3	3.3	6.3	
PSG 9Y20K	8.0	5.3	74.7	97.7	95.7	6.7	5.0	8.0	6.7	7.3	2.7	6.2	
SWI-1070	7.7	5.0	68.0	94.3	94.0	6.7	5.0	7.0	7.3	7.3	2.7	6.1	
PSG 9BAN	7.3	4.0	53.3	90.3	97.3	7.7	5.0	7.3	7.0	7.0	2.3	5.9	
RAD-CD1	8.0	4.7	77.7	98.7	96.0	7.0	5.0	7.3	6.7	6.7	3.0	5.9	
RIVIERA	6.7	3.3	40.3	80.7	96.7	7.0	5.0	6.7	7.3	6.7	2.3	5.8	
PATRIOT	5.3	2.3	12.7	51.7	90.0	7.0	4.7	6.7	6.7	6.3	3.0	5.7	
BAR 7CD5	6.7	3.3	32.7	66.3	84.0	6.7	5.3	5.3	7.0	6.7	3.3	5.6	
SWI-1081	7.0	4.0	48.7	85.0	92.0	6.3	4.3	6.7	6.7	6.3	2.7	5.6	
PSG 91215	5.7	3.3	28.0	64.7	96.0	7.0	4.7	6.3	6.0	6.7	3.0	5.5	
HOLLYWOOD (J-720)	6.7	4.0	46.7	80.7	92.0	6.7	4.7	6.7	6.0	6.0	3.0	5.4	
PYRAMID 2 (IS-CD10)	6.7	3.7	45.0	80.7	87.3	6.3	3.7	7.0	6.3	5.7	2.0	5.3	
SUNSPORT	6.3	3.7	51.7	83.3	95.0	6.3	4.3	6.7	5.3	6.0	3.0	5.3	
SWI-1057	6.7	3.7	31.3	77.0	90.0	6.7	4.7	5.7	7.0	6.0	2.7	5.3	
SWI-1083	7.0	5.3	64.0	88.3	89.7	6.0	4.0	7.3	6.0	5.3	2.7	5.3	
SWI-1117	6.3	4.0	48.0	77.7	88.7	6.3	4.7	6.3	5.7	5.7	3.3	5.3	
OKS 2004-2	5.7	3.3	41.0	69.0	96.7	7.3	4.7	5.7	6.3	6.0	2.7	5.2	
NUMEX-SAHARA	6.7	4.0	53.0	92.0	88.3	6.0	4.3	6.0	5.7	5.3	2.7	4.9	
IS-01-201	5.0	2.7	32.3	50.3	88.3	5.7	3.3	5.7	5.7	5.7	2.3	4.8	
MIDLAWN	6.3	3.3	36.7	81.7	83.3	5.3	4.0	6.3	5.3	5.0	2.3	4.8	
PSG 94524	5.7	3.7	46.0	70.7	76.3	6.0	3.7	5.7	5.3	5.7	2.3	4.8	
PST-R6FLT	4.7	2.7	23.3	53.7	79.3	6.0	4.0	4.7	5.0	4.7	2.7	4.3	
PREMIER	4.7	3.0	27.7	52.7	82.0	5.7	4.3	5.0	4.0	5.0	2.7	4.2	
LSD VALUE	2.1	1.5	28.5	32.3	19.1	1.0	1.2	1.3	1.2	1.2	1.5	0.8	
C.V. (%)	16.1	21.1	34.4	20.2	8.5	8.6	13.1	11.4	11.3	11.5	22.0	8.5	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 12.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT STILLWATER, OK 1/
2008 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY FALL	PERCENT	PERCENT	QUALITY RATINGS					MEAN
					COVER SPRING	COVER SUMMER	APR	MAY	JUN	JUL	AUG	
OKC 1119	7.0	6.7	8.0	7.0	96.7	99.0	5.0	6.0	6.7	8.0	7.3	6.6
OKC 1134	7.0	5.7	8.0	7.7	94.0	98.3	5.0	6.3	6.3	7.3	7.3	6.5
TIFWAY	8.7	5.0	7.7	6.7	92.3	98.7	4.7	5.7	6.7	7.3	7.3	6.3
OKS 2004-2	8.0	6.0	6.0	5.7	94.0	97.3	5.0	6.0	5.7	6.0	7.0	5.9
PATRIOT	8.7	4.3	6.0	4.7	96.3	98.0	5.0	6.7	5.7	6.3	6.0	5.9
RIVIERA	7.0	6.0	7.0	6.0	92.3	97.3	5.3	5.3	5.0	6.7	7.0	5.9
PREMIER	8.3	4.3	8.0	7.7	86.7	97.0	3.7	5.3	5.3	7.3	6.7	5.7
SWI-1070	7.7	5.0	6.3	6.0	93.3	97.0	4.3	5.7	5.3	6.0	7.0	5.7
PRINCESS 77	8.7	4.0	7.0	6.7	86.0	95.0	3.3	5.0	5.3	7.0	6.7	5.5
PSG 9Y20K	8.3	4.7	6.0	5.0	86.0	97.0	4.0	5.0	5.7	5.7	7.0	5.5
RAD-CD1	9.0	4.3	6.0	5.7	89.3	97.3	4.0	5.7	5.3	6.0	6.7	5.5
SWI-1122	7.3	4.3	5.7	5.0	89.7	97.0	4.3	5.7	5.7	5.7	6.3	5.5
MIDLAWN	6.7	5.3	5.7	4.3	95.7	97.7	5.0	5.3	5.0	6.0	5.7	5.4
SWI-1113	8.3	3.7	6.3	5.7	85.3	97.0	3.7	5.0	5.3	6.0	7.0	5.4
IS-01-201	8.7	4.3	6.0	5.3	88.3	96.7	3.3	5.0	5.3	6.0	6.7	5.3
PSG 9BAN	8.7	4.3	6.7	6.0	88.7	96.3	3.7	5.3	5.0	5.3	7.0	5.3
PSG PROK	8.7	4.0	5.7	5.0	85.0	97.3	3.7	5.0	5.0	5.7	7.0	5.3
SWI-1083	8.0	4.0	6.3	6.3	88.7	96.3	4.3	5.0	5.0	5.0	7.0	5.3
PYRAMID 2 (IS-CD10)	8.3	4.7	6.3	5.3	89.0	97.7	4.0	5.3	5.3	4.7	6.7	5.2
HOLLYWOOD (J-720)	8.0	5.0	7.0	5.7	89.3	97.3	4.0	5.0	5.0	5.3	6.7	5.2
SWI-1057	9.0	3.3	6.3	6.0	76.7	95.7	3.0	4.7	5.3	5.7	7.3	5.2
VERACRUZ	8.3	3.7	6.3	6.7	80.0	94.7	2.7	5.0	5.3	6.0	7.0	5.2
SWI-1081	7.7	4.3	6.3	6.0	90.0	93.7	3.7	5.0	4.7	4.7	7.0	5.0
SWI-1117	8.0	3.7	5.0	4.3	82.3	96.0	3.3	5.0	5.0	5.0	6.3	4.9
BAR 7CD5	8.7	3.7	4.7	4.0	63.3	90.7	3.0	4.7	4.7	4.3	6.3	4.6
PSG 91215	8.0	3.0	5.7	5.0	66.7	95.7	2.3	4.3	5.0	4.7	6.7	4.6
PSG 94524	8.3	3.0	5.3	5.0	71.0	94.7	2.7	5.0	4.7	4.3	6.3	4.6
PST-R6FLT	8.0	3.7	5.7	5.7	72.7	92.3	2.7	4.7	4.0	4.7	6.3	4.5
SUNSPORT	7.7	2.7	5.7	5.0	56.7	95.7	2.3	4.3	4.3	4.7	6.0	4.3
YUKON	8.0	2.3	6.3	5.7	50.0	90.0	1.7	3.7	4.0	5.3	6.3	4.2
NUMEX-SAHARA	7.7	2.3	5.7	4.3	46.7	92.3	1.7	4.3	4.3	4.0	6.3	4.1
LSD VALUE	1.3	0.9	0.7	0.9	13.1	2.2	0.9	0.7	0.9	0.9	0.9	0.4
C.V. (%)	8.4	13.5	7.7	9.9	10.2	1.5	15.4	9.0	10.0	9.9	6.8	4.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 13.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT KNOXVILLE, TN 1/
2008 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT COVER FALL	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	APR	MAY	JUN	QUALITY RATINGS					MEAN
										JUL	AUG	SEP	OCT	NOV	
OKC 1119	5.0	97.3	96.3	99.0	7.0	3.3	5.0	9.0	8.0	8.7	8.0	8.3	7.0	3.3	7.2
TIFWAY	7.7	94.7	95.0	98.3	7.0	4.7	2.7	8.0	8.3	8.3	8.0	8.3	7.0	4.7	6.9
SWI-1057	7.3	95.3	95.0	97.7	7.0	4.0	2.0	8.3	8.3	8.3	8.0	8.0	7.0	4.0	6.8
YUKON	8.0	94.3	95.0	97.3	6.3	3.7	4.7	8.3	8.3	9.0	7.0	7.3	6.3	3.7	6.8
PREMIER	5.7	96.0	95.7	97.3	7.0	2.3	3.3	8.7	8.3	8.0	7.7	8.3	7.0	2.3	6.7
PSG 9Y20K	7.0	95.0	95.3	97.7	6.7	3.3	5.0	8.0	7.7	8.3	7.3	7.0	6.7	3.3	6.7
RIVIERA	5.0	94.0	94.0	98.0	6.7	2.3	6.0	8.0	8.3	8.0	7.0	7.3	6.7	2.3	6.7
HOLLYWOOD (J-720)	7.0	95.3	94.0	97.7	6.7	2.3	4.3	8.3	8.0	8.3	7.7	7.7	6.3	2.3	6.6
PATRIOT	8.0	96.3	94.3	98.3	6.0	2.0	2.3	9.0	8.7	9.0	7.7	8.0	6.0	2.0	6.6
OKC 1134	6.0	97.3	96.3	98.3	6.0	2.0	3.7	9.0	8.3	8.3	7.7	7.3	6.0	2.0	6.5
OKS 2004-2	5.7	94.7	95.0	97.7	6.0	2.0	4.7	8.3	7.7	8.3	7.7	7.7	6.0	2.0	6.5
PSG 9BAN	6.7	94.3	95.3	97.3	7.0	2.7	3.0	8.0	7.7	8.7	7.7	7.0	7.0	2.7	6.5
RAD-CD1	4.3	95.3	95.0	95.7	6.3	3.0	4.3	8.0	8.0	8.0	7.0	7.3	6.3	3.0	6.5
SWI-1070	6.7	94.3	93.0	98.3	7.0	2.7	3.0	8.0	7.7	8.7	7.0	7.7	7.0	2.7	6.5
SWI-1122	7.0	94.7	93.7	97.7	6.7	3.7	3.7	8.0	7.7	8.3	7.0	6.7	6.7	3.7	6.5
SWI-1083	7.3	91.7	94.3	96.7	7.0	2.0	2.7	8.0	8.0	8.7	7.3	7.3	7.0	2.0	6.4
SWI-1113	7.0	90.3	95.3	98.0	6.3	3.3	2.0	7.7	8.0	8.7	7.7	7.7	6.3	3.3	6.4
BAR 7CD5	6.7	93.0	93.7	96.7	6.7	2.7	3.0	8.0	8.0	8.3	7.3	6.3	6.3	2.7	6.3
MIDLAWN	6.0	94.7	92.7	97.7	6.7	2.7	3.0	8.3	7.3	8.3	7.0	7.0	6.7	2.7	6.3
PRINCESS 77	6.3	93.3	95.0	95.7	7.0	3.0	2.3	8.0	6.7	8.3	7.7	7.7	7.0	3.0	6.3
PSG PROK	5.7	94.7	94.7	97.7	6.3	2.3	2.7	7.7	8.0	8.0	7.7	7.3	6.3	2.3	6.3
VERACRUZ	6.7	93.7	94.7	96.7	6.3	3.3	2.0	8.0	7.7	8.3	7.3	7.3	6.3	3.3	6.3
IS-01-201	7.3	93.0	94.7	96.7	6.3	2.0	2.0	8.0	8.0	8.3	7.3	7.3	6.3	2.0	6.2
PSG 94524	5.0	93.7	93.7	96.3	6.0	2.0	3.0	7.7	8.0	8.0	7.0	7.7	6.0	2.0	6.2
PYRAMID 2 (IS-CD10)	5.7	94.3	93.0	95.3	6.3	2.0	2.3	8.0	7.7	8.3	6.7	7.3	6.3	2.0	6.1
PSG 91215	4.3	93.7	91.3	96.0	6.0	2.3	2.7	8.0	8.3	7.7	6.3	7.0	6.0	2.3	6.0
PST-R6FLT	6.3	92.7	92.7	96.3	7.0	2.3	2.7	7.7	7.3	7.7	7.0	7.0	6.7	2.3	6.0
SWI-1081	6.0	95.0	91.7	96.7	7.0	2.0	2.3	8.0	7.7	8.0	6.3	6.3	7.0	2.0	6.0
SWI-1117	5.0	89.7	93.0	95.7	6.3	2.0	2.7	7.0	7.3	7.7	6.7	6.3	6.0	2.0	5.7
NUMEX-SAHARA	6.0	90.3	90.0	95.3	6.3	2.3	2.3	7.3	7.0	8.0	5.7	6.0	6.0	2.3	5.6
SUNSPORT	6.7	90.0	91.0	95.0	6.0	2.0	2.0	7.0	6.3	7.3	6.3	6.7	6.0	2.0	5.5
LSD VALUE	3.2	5.9	1.8	2.0	0.8	1.0	0.9	1.0	1.3	2.5	0.8	0.9	0.7	1.0	0.4
C.V. (%)	21.2	2.7	1.2	1.1	6.2	22.2	18.8	6.6	7.9	8.7	6.4	7.5	6.1	22.2	3.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 13.
(CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT KNOXVILLE, TN 1/
2008 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	PERCENT SEEDHEAD	PERCENT SPRING GREENUP 3_27	PERCENT SPRING GREENUP 4_01	PERCENT SPRING GREENUP 4_04	PERCENT SPRING GREENUP 4_08	PERCENT SPRING GREENUP 4_14	PERCENT SPRING GREENUP 4_21	PERCENT SPRING GREENUP 4_29	COLOR APR	COLOR MAY	COLOR JUN	COLOR JUL	COLOR AUGUST
OKC 1119	15.0	8.7	14.0	45.0	73.3	90.0	92.7	94.7	5.0	7.7	5.3	5.0	6.7
TIFWAY	28.3	6.7	9.0	19.0	40.7	71.7	84.0	88.0	2.7	8.0	7.3	7.7	6.0
SWI-1057	20.0	5.0	5.0	10.7	17.0	51.0	70.0	86.0	2.0	7.7	7.7	7.3	5.3
YUKON	16.7	12.3	19.0	43.3	70.3	80.0	86.3	87.3	5.0	8.0	7.7	8.0	5.0
PREMIER	13.3	5.0	8.3	26.7	41.7	71.7	82.7	90.0	3.0	7.3	6.3	5.7	6.0
PSG 9Y20K	25.0	8.7	14.0	46.7	76.7	88.3	92.7	95.0	5.0	7.0	5.3	7.0	5.0
RIVIERA	33.3	10.0	20.0	51.7	80.0	89.7	92.7	94.0	5.7	6.7	7.0	5.0	6.0
HOLLYWOOD (J-720)	30.0	8.3	15.7	40.0	73.3	87.7	91.0	94.3	4.3	7.3	6.7	7.0	6.7
PATRIOT	18.3	5.0	7.0	12.7	23.3	63.3	73.3	89.3	2.3	9.0	8.3	8.0	7.0
OKC 1134	18.3	5.0	11.0	30.0	55.0	85.0	92.0	94.0	3.7	8.7	6.0	6.0	5.3
OKS 2004-2	30.0	7.7	14.0	43.3	75.0	92.0	93.3	96.3	4.7	7.0	6.3	5.7	6.0
PSG 9BAN	33.3	5.0	6.0	17.7	30.0	61.7	80.0	87.0	2.7	7.0	6.0	6.7	4.7
RAD-CD1	23.3	9.3	14.0	40.0	65.0	87.7	90.7	92.7	4.3	5.7	5.7	4.3	4.7
SWI-1070	40.0	5.0	7.0	18.3	37.7	73.3	88.7	91.3	2.7	7.0	5.7	6.7	4.7
SWI-1122	23.3	7.0	9.3	26.7	56.7	78.3	85.3	89.7	3.7	6.3	6.0	7.0	4.3
SWI-1083	20.0	5.0	7.0	21.0	40.0	71.0	82.7	88.7	2.7	6.7	7.0	7.3	5.3
SWI-1113	20.0	3.3	5.0	10.7	16.7	58.3	74.0	86.0	2.0	7.7	7.0	7.0	4.7
BAR 7CD5	13.3	8.3	10.0	25.7	51.7	69.3	80.7	88.3	3.0	7.7	6.0	6.7	4.7
MIDLAWN	15.0	3.3	8.7	18.3	33.3	70.0	76.7	86.0	3.0	7.0	5.3	6.0	4.7
PRINCESS 77	11.7	1.7	5.0	15.3	20.7	50.0	71.0	81.7	2.3	7.3	5.0	6.3	5.7
PSG PROK	30.0	6.7	7.7	23.3	41.7	74.3	86.0	89.3	3.0	6.3	6.0	5.7	5.7
VERACRUZ	13.3	0.0	5.0	8.0	13.3	33.3	45.0	80.3	2.0	8.0	5.3	6.7	5.0
IS-01-201	30.0	0.0	5.0	9.3	21.7	60.0	66.7	82.3	2.0	7.3	6.7	7.3	5.0
PSG 94524	25.0	5.0	8.0	18.3	35.0	69.3	80.0	88.7	3.0	5.7	6.3	5.0	5.0
PYRAMID 2 (IS-CD10)	25.0	5.0	6.0	14.7	38.3	70.0	82.7	89.0	2.3	6.7	5.7	5.7	5.0
PSG 91215	38.3	3.3	6.0	17.3	31.7	66.7	78.3	87.7	2.7	7.7	7.0	4.3	5.3
PST-R6FLT	33.3	3.3	7.0	16.0	28.3	63.3	78.3	85.0	2.7	6.7	6.3	6.3	6.0
SWI-1081	28.3	0.0	5.0	11.0	22.7	71.7	86.7	90.0	2.3	7.3	6.7	6.0	5.3
SWI-1117	21.7	6.0	7.0	16.7	36.7	66.7	78.3	87.0	2.3	6.0	6.3	5.0	5.0
NUMEX-SAHARA	21.7	5.0	7.0	11.7	22.7	55.0	66.7	80.7	2.3	6.7	6.0	6.0	5.0
SUNSPORT	25.0	3.3	5.0	8.7	17.7	45.0	57.7	70.7	2.0	5.0	6.0	6.7	5.0
LSD VALUE	9.3	3.2	3.7	11.7	12.1	13.9	12.0	8.3	0.9	1.2	2.5	3.2	2.8
C.V. (%)	24.2	37.6	27.1	32.9	19.7	12.8	9.5	5.4	18.2	10.1	16.7	21.2	18.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 14.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT DALLAS, TX 1/
2008 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS												MEAN
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
OKC 1119	3.0	3.0	3.7	4.7	6.0	7.0	7.3	7.0	6.7	6.3	5.3	4.7	5.4
OKC 1134	3.0	3.3	3.7	5.7	6.3	7.0	6.7	6.7	6.0	6.0	4.7	4.0	5.3
PREMIER	3.7	2.7	3.7	3.7	6.0	7.0	7.0	6.7	6.3	7.0	5.3	4.3	5.3
RIVIERA	4.0	3.7	4.3	6.0	6.0	6.0	6.7	6.7	5.7	5.7	5.0	3.3	5.3
PYRAMID 2 (IS-CD10)	4.3	3.0	5.0	5.7	6.0	6.0	6.7	6.3	5.7	5.7	4.7	3.3	5.2
RAD-CD1	4.3	3.7	5.0	5.7	6.0	6.0	6.3	6.3	5.7	5.3	5.0	3.3	5.2
SWI-1070	4.0	3.7	4.7	5.7	6.0	6.3	6.3	6.3	5.0	5.7	4.7	3.7	5.2
OKS 2004-2	3.3	3.0	4.3	6.0	6.0	6.0	6.7	6.3	6.0	5.7	4.3	4.0	5.1
PRINCESS 77	3.7	3.3	4.3	5.0	5.3	6.0	6.7	6.3	5.7	6.0	5.7	3.7	5.1
PSG 9BAN	3.7	3.0	4.3	5.3	6.0	6.0	6.3	6.3	5.7	6.0	4.3	3.7	5.1
TIFWAY	3.0	2.3	3.0	4.0	5.3	6.3	7.0	6.7	6.3	6.7	6.0	5.0	5.1
VERACRUZ	4.0	3.0	4.3	4.7	5.7	6.3	6.3	6.3	6.0	5.7	5.0	4.0	5.1
HOLLYWOOD (J-720)	3.3	3.0	4.0	5.3	5.7	6.0	6.7	6.0	5.7	5.7	4.7	3.7	5.0
PSG PROK	4.0	3.3	4.3	5.0	5.7	6.0	6.3	6.0	5.3	5.7	5.0	3.3	5.0
PST-R6FLT	3.7	3.3	4.3	5.7	5.7	5.7	6.7	6.3	5.7	5.3	4.3	3.3	5.0
SWI-1113	3.7	3.0	4.3	5.7	5.7	5.7	6.3	6.0	5.7	5.7	4.7	3.3	5.0
PATRIOT	3.0	2.0	3.3	5.0	6.0	6.3	6.3	6.3	6.0	6.3	4.0	4.0	4.9
PSG 9Y20K	4.0	3.3	4.3	5.0	6.0	6.0	6.0	6.0	5.3	5.0	4.7	3.3	4.9
SWI-1117	4.0	3.3	4.3	5.0	5.7	6.0	6.0	6.0	5.7	5.0	5.0	3.3	4.9
IS-01-201	4.0	3.3	4.7	5.0	5.3	5.3	6.0	5.7	5.3	5.0	4.3	3.0	4.8
PSG 94524	4.3	3.3	4.3	4.3	5.7	6.0	6.0	6.3	5.0	5.0	4.3	3.0	4.8
SUNSPORT	4.0	3.0	4.0	4.7	5.7	5.7	6.0	6.0	5.3	5.3	4.3	3.0	4.8
SWI-1057	3.3	3.0	4.0	4.7	5.7	6.0	6.0	6.0	5.7	5.3	5.0	3.3	4.8
SWI-1081	4.0	3.0	4.0	5.3	5.7	6.0	6.0	6.0	5.0	5.0	4.0	3.0	4.8
SWI-1083	3.7	3.3	4.3	5.7	5.7	5.3	6.0	6.0	5.3	5.3	4.3	3.0	4.8
PSG 91215	4.0	3.0	4.0	4.3	5.3	5.7	6.0	6.0	5.3	5.7	4.3	3.0	4.7
SWI-1122	3.7	3.0	4.0	5.3	5.7	5.7	6.0	6.0	5.0	5.0	4.0	3.0	4.7
YUKON	3.0	2.3	3.0	4.7	5.0	6.0	6.3	6.0	5.7	6.0	5.0	3.7	4.7
NUMEX-SAHARA	4.0	3.0	4.3	4.0	5.0	5.3	5.7	6.0	5.0	5.3	5.0	3.0	4.6
MIDLAWN	2.7	2.0	2.7	3.7	5.3	6.3	6.0	6.0	5.7	5.0	4.7	3.7	4.5
BAR 7CD5	3.0	2.3	3.0	3.7	5.3	6.0	5.3	5.7	5.0	5.0	5.3	3.0	4.4
LSD VALUE	0.6	0.8	0.7	0.8	1.0	0.6	1.0	1.2	1.0	0.7	0.8	0.7	0.4
C.V. (%)	10.6	14.8	11.1	10.1	7.5	6.1	7.6	7.4	8.8	7.4	9.6	12.2	4.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 14.
(CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT DALLAS, TX 1/
2008 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	FALL COLOR SEPTEMBER	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	FALL COLOR DECEMBER
OKC 1119	7.0	3.3	6.7	4.7	8.7	8.0	6.3	6.3	4.3	2.7
OKC 1134	7.3	2.7	7.0	5.7	8.7	7.3	6.0	5.7	4.3	1.3
PREMIER	7.3	2.3	7.0	4.0	9.0	8.0	7.0	7.3	5.3	2.3
RIVIERA	5.7	1.0	6.0	7.3	8.7	7.3	6.3	6.0	5.0	1.0
PYRAMID 2 (IS-CD10)	6.0	1.0	6.0	6.7	8.7	6.7	6.3	6.7	5.7	1.0
RAD-CD1	5.3	1.0	6.0	6.7	8.7	7.3	6.0	6.3	5.7	1.0
SWI-1070	5.0	1.0	6.0	6.7	8.3	7.3	6.0	5.7	6.0	1.3
OKS 2004-2	5.3	1.3	6.0	7.0	8.7	7.0	7.0	7.0	4.7	1.0
PRINCESS 77	6.7	1.3	6.0	5.7	9.0	8.0	6.3	6.3	5.3	2.0
PSG 9BAN	5.3	1.3	5.7	6.3	8.7	7.7	6.7	6.3	4.3	1.0
TIFWAY	7.3	3.3	6.7	3.3	8.7	7.7	7.0	7.0	5.3	4.0
VERACRUZ	5.0	1.0	5.0	5.3	8.3	7.7	6.3	5.7	5.3	2.0
HOLLYWOOD (J-720)	5.3	1.0	6.0	6.7	8.3	7.7	5.7	6.0	5.7	1.0
PSG PROK	5.7	1.0	5.3	6.0	8.3	7.3	6.0	6.3	6.0	1.3
PST-R6FLT	6.7	2.0	5.3	6.3	8.3	6.7	6.0	6.3	4.0	1.0
SWI-1113	5.3	1.3	6.0	6.0	8.3	7.0	5.3	5.7	4.3	1.3
PATRIOT	8.0	1.7	6.3	5.3	8.7	8.0	6.0	6.7	3.0	2.0
PSG 9Y20K	5.7	1.3	6.0	6.0	8.0	7.0	6.0	5.7	5.0	1.3
SWI-1117	6.0	1.3	5.3	5.7	8.3	7.3	6.3	5.7	5.7	1.0
IS-01-201	5.7	1.0	6.0	6.0	7.7	6.7	6.0	5.7	4.3	1.0
PSG 94524	6.3	1.0	5.3	5.0	8.0	6.7	6.3	5.7	5.0	1.0
SUNSPORT	5.0	1.3	5.3	5.7	8.0	6.7	6.7	6.0	5.0	1.3
SWI-1057	6.7	2.0	5.3	5.7	8.0	7.0	5.7	5.3	5.3	1.3
SWI-1081	5.3	1.0	5.7	6.0	8.3	6.3	6.3	6.3	4.0	1.0
SWI-1083	5.7	1.3	5.7	6.7	8.3	7.3	6.0	6.7	4.7	1.0
PSG 91215	5.7	1.0	5.0	5.0	7.3	7.0	6.3	7.0	5.3	1.3
SWI-1122	5.3	1.3	5.7	6.0	8.0	7.0	5.7	5.3	4.7	1.0
YUKON	8.0	2.7	5.0	4.7	8.3	7.7	6.3	6.7	5.0	2.0
NUMEX-SAHARA	5.3	1.7	4.7	4.3	8.0	7.0	6.7	6.7	6.0	1.0
MIDLAWN	5.0	2.7	6.0	4.0	8.3	7.0	5.0	4.7	4.0	1.7
BAR 7CD5	7.7	2.0	4.3	4.0	7.3	6.7	6.0	6.0	5.7	1.0
LSD VALUE	1.2	0.9	0.6	1.1	1.1	1.0	1.8	1.3	1.1	0.9
C.V. (%)	12.1	33.2	6.7	12.1	6.1	7.1	10.8	10.6	12.8	38.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 15.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT COLLEGE STATION, TX 1/
2008 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SUMMER	PERCENT	FALL	SEEDHEAD MAY	SEEDHEAD NOVEMBER	MAY	JUN	JUL	QUALITY RATINGS				NOV	MEAN
					COVER SPRING	COLOR OCTOBER						AUG	SEP	OCT			
OKC 1119	7.3	6.3	8.0	5.3	95.7	8.0	1.7	6.0	7.0	6.0	6.7	8.0	7.3	7.7	5.3	6.9	
OKC 1134	7.3	6.3	7.7	6.0	85.0	6.7	3.7	6.0	6.0	5.3	6.0	7.7	7.3	6.7	4.3	6.2	
SWI-1113	6.7	4.7	5.7	5.7	87.7	7.0	2.7	3.7	7.0	6.0	6.3	6.3	6.7	7.0	4.3	6.2	
SWI-1070	6.7	4.7	6.3	4.7	91.7	7.0	2.7	3.0	7.0	6.3	5.7	6.3	6.3	6.7	4.7	6.1	
SWI-1083	6.3	4.7	5.7	6.7	97.0	5.7	2.0	2.7	6.7	6.7	6.7	6.7	6.3	6.3	3.3	6.1	
TIFWAY	7.3	5.3	7.3	5.3	68.3	6.7	7.7	8.0	5.0	5.7	7.3	6.7	6.3	6.0	4.7	6.0	
BAR 7CD5	7.3	5.3	4.7	6.7	85.0	7.3	6.0	7.0	5.3	5.3	6.3	7.0	6.3	6.7	4.3	5.9	
MIDLAWN	7.0	5.3	6.3	5.7	71.7	6.7	8.3	8.0	6.0	4.3	6.7	6.3	6.7	6.7	4.3	5.9	
PATRIOT	8.0	5.7	7.0	6.7	86.7	6.7	3.3	3.3	6.0	6.7	5.7	7.0	6.3	6.0	3.3	5.9	
OKS 2004-2	6.7	4.3	5.0	5.3	91.3	6.7	2.7	3.7	6.0	5.3	5.3	7.0	6.7	6.7	3.7	5.8	
PRINCESS 77	6.0	4.0	6.3	6.7	86.7	5.7	3.3	3.3	6.0	5.7	5.7	6.0	5.3	5.7	4.7	5.6	
SWI-1057	6.7	5.0	5.3	6.3	86.7	5.7	4.0	4.0	6.7	5.7	6.0	6.3	6.0	5.3	3.3	5.6	
PREMIER	6.7	4.3	7.7	6.0	66.7	6.7	4.7	2.0	4.3	3.0	6.0	7.3	6.7	7.0	4.0	5.5	
PSG 9BAN	6.7	3.7	4.3	6.3	83.3	5.7	3.0	4.3	5.7	4.7	5.7	5.7	7.3	5.7	4.0	5.5	
VERACRUZ	6.3	3.7	5.3	6.0	71.7	5.7	3.3	4.0	6.0	4.7	6.3	6.7	5.7	5.0	4.0	5.5	
SWI-1081	6.3	4.3	4.7	5.7	83.3	5.0	2.3	4.0	5.7	5.3	6.3	5.7	6.3	4.7	3.7	5.4	
IS-01-201	6.0	4.3	5.7	7.7	84.7	5.0	2.3	3.3	5.0	5.3	6.3	6.3	6.3	5.0	3.0	5.3	
RIVIERA	6.0	3.7	6.0	6.0	88.3	4.3	3.3	3.7	5.7	6.0	5.3	6.7	5.7	4.7	3.0	5.3	
HOLLYWOOD (J-720)	6.3	3.7	5.7	7.7	85.0	6.3	3.3	4.0	5.7	4.3	5.7	6.0	5.7	5.7	3.3	5.2	
PSG 9Y20K	6.3	3.7	3.7	6.3	85.0	6.7	3.3	4.7	5.3	4.7	5.3	5.7	6.0	5.7	4.0	5.2	
SWI-1122	6.0	3.7	4.0	7.3	83.3	5.3	3.7	5.3	6.0	4.7	6.0	5.3	5.7	5.3	3.7	5.2	
YUKON	7.0	3.3	6.0	6.0	80.0	6.7	7.3	7.3	5.3	4.0	5.3	7.0	6.0	5.3	3.0	5.1	
PSG 91215	6.0	3.7	3.7	6.0	85.0	6.3	3.3	3.7	5.0	4.7	5.0	5.3	6.0	5.7	3.3	5.0	
PST-R6FLT	6.7	3.7	4.0	7.7	80.0	5.3	2.3	2.3	5.0	4.3	5.0	5.3	6.7	5.0	3.3	5.0	
NUMEX-SAHARA	6.3	3.0	4.3	6.7	76.7	5.3	4.3	5.3	5.3	4.3	5.3	5.3	5.0	5.0	3.7	4.9	
PSG PROK	5.7	3.7	3.7	7.0	85.0	5.3	3.3	3.7	5.0	4.0	5.0	5.3	6.0	5.3	3.3	4.9	
RAD-CD1	6.0	3.3	3.7	6.0	83.3	5.7	3.3	5.0	5.3	4.3	5.0	5.0	5.7	5.3	3.7	4.9	
SWI-1117	6.0	3.3	4.0	5.7	83.3	5.7	4.0	3.3	5.0	3.7	5.0	5.3	6.7	5.7	3.0	4.9	
PYRAMID 2 (IS-CD10)	6.3	3.3	5.7	6.7	78.3	6.0	3.7	3.7	5.0	4.3	5.0	5.7	5.3	5.7	2.7	4.8	
SUNSPORT	6.3	3.3	4.0	6.3	86.7	4.7	2.7	3.3	5.3	5.0	5.0	5.0	5.7	4.7	3.0	4.8	
PSG 94524	5.3	3.0	5.7	7.0	81.7	5.0	3.0	4.0	5.0	4.7	5.0	4.7	5.0	4.3	4.0	4.7	
LSD VALUE	1.2	1.1	1.7	3.0	19.6	1.5	1.6	1.7	1.5	1.7	1.4	1.1	1.8	1.5	1.6	0.7	
C.V. (%)	9.7	16.8	18.9	17.5	10.6	14.0	27.5	24.2	13.6	18.2	12.4	11.0	13.0	14.5	20.4	7.8	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 16. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT BLACKSBURG, VA 1/
2008 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT SPRING GREENUP	JUN	JUL	AUG	OCT	MEAN
PREMIER	8.0	58.3	81.7	71.7	4.7	6.0	6.0	9.0	6.4
TIFWAY	8.0	26.7	48.3	86.7	5.0	6.0	6.0	8.7	6.4
OKC 1119	7.7	28.3	61.7	76.7	4.7	6.0	6.0	8.3	6.3
OKC 1134	7.3	48.3	78.3	85.0	4.7	6.0	6.0	8.3	6.3
MIDLAWN	7.7	56.7	83.3	81.7	5.0	5.7	5.7	8.3	6.2
PATRIOT	8.0	36.7	73.3	66.7	4.0	5.7	6.0	8.7	6.1
YUKON	7.3	63.3	83.3	83.3	4.7	5.7	5.7	8.0	6.0
SWI-1113	7.3	81.7	96.3	76.7	4.7	5.7	5.7	7.7	5.9
BAR 7CD5	7.7	56.7	80.0	86.7	4.3	5.3	5.3	8.0	5.8
PSG 9Y20K	7.0	86.7	96.0	86.7	4.3	5.3	5.7	7.7	5.8
RAD-CD1	7.0	70.0	96.0	73.3	4.7	5.0	5.3	7.7	5.7
SWI-1070	7.0	73.3	83.3	61.7	3.7	5.3	6.0	7.7	5.7
SWI-1081	7.0	65.0	81.7	53.3	4.3	5.0	5.3	8.0	5.7
RIVIERA	6.7	82.7	96.3	88.3	3.7	5.7	5.3	7.3	5.5
OKS 2004-2	6.7	65.0	94.7	83.3	3.3	5.0	6.0	7.3	5.4
VERACRUZ	6.7	66.7	75.0	35.0	3.7	5.0	6.0	7.0	5.4
IS-01-201	7.0	60.0	60.0	36.0	3.3	4.7	5.7	7.3	5.3
HOLLYWOOD (J-720)	7.0	71.7	86.3	61.7	4.0	5.0	5.3	7.0	5.3
PRINCESS 77	7.0	68.3	70.0	40.0	3.7	5.0	5.3	7.0	5.3
PSG 9BAN	7.7	78.3	96.0	60.0	3.3	5.0	5.7	7.3	5.3
PSG PROK	7.7	78.3	99.0	66.7	3.3	5.0	5.3	7.3	5.3
PST-R6FLT	6.7	76.7	90.0	70.0	3.7	5.7	5.0	7.0	5.3
SWI-1057	7.0	66.7	78.3	43.3	4.0	4.7	5.7	7.0	5.3
SWI-1083	7.3	75.0	91.0	66.7	4.3	4.7	5.0	7.3	5.3
SWI-1117	7.3	65.0	76.7	73.3	3.7	4.7	5.3	7.3	5.3
SWI-1122	7.0	80.0	88.0	76.7	3.7	5.0	5.3	7.0	5.3
PYRAMID 2 (IS-CD10)	7.3	54.3	91.3	55.0	3.0	5.0	5.3	7.0	5.1
PSG 91215	7.7	66.7	78.0	38.3	3.7	4.7	4.7	7.3	5.1
PSG 94524	7.7	63.3	63.3	32.7	3.0	4.7	4.3	7.7	4.9
NUMEX-SAHARA	7.3	68.3	56.7	16.7	2.3	4.3	4.7	7.7	4.8
SUNSPORT	7.0	68.3	93.3	36.7	3.3	4.0	5.0	7.0	4.8
LSD VALUE	1.0	21.3	28.1	23.5	1.2	0.9	1.1	0.8	0.5
C.V. (%)	6.5	19.5	17.8	23.0	16.5	9.8	9.8	6.2	5.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.