

TABLE 1. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT FAYETTEVILLE, AR 1/  
2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS								
	SPRING GREENUP	DENSITY SUMMER	SEEDHEAD RATINGS	MAY	JUN	JUL	AUG	SEP	MEAN
OKC 1119	6.3	9.0	8.3	7.0	7.0	7.0	7.3	7.0	7.1
PREMIER	7.3	7.7	8.7	7.7	7.0	6.7	7.7	6.7	7.1
TIFWAY	6.0	7.7	7.3	6.3	7.3	7.0	7.7	7.0	7.1
PATRIOT	5.3	7.3	9.0	6.3	7.3	6.3	7.7	7.3	7.0
SWI-1113	6.3	7.3	5.3	5.3	7.0	7.3	7.7	6.7	6.8
MIDLAWN	5.7	7.0	5.0	5.7	7.0	7.0	7.3	6.3	6.7
OKC 1134	7.0	8.3	9.0	5.7	6.3	6.7	7.3	7.3	6.7
OKS 2004-2	6.7	6.0	5.3	5.0	6.7	6.7	8.0	7.0	6.7
SWI-1057	5.7	6.7	4.7	5.3	6.3	7.3	7.7	6.7	6.7
RIVIERA	7.3	6.0	5.7	4.7	6.7	6.7	7.7	7.3	6.6
YUKON	5.7	6.0	5.0	5.0	6.7	7.0	8.0	6.3	6.6
PSG 9Y2OK	7.3	6.7	5.7	4.3	6.3	7.3	7.7	6.7	6.5
PRINCESS 77	5.3	6.3	5.0	4.7	6.0	6.7	7.7	6.7	6.3
SWI-1122	6.3	5.3	6.0	5.0	6.7	6.7	7.0	6.0	6.3
HOLLYWOOD (J-720)	6.3	5.3	6.0	4.0	6.3	6.7	7.3	6.7	6.2
VERACRUZ	4.3	6.3	5.0	4.0	6.0	6.7	7.7	6.7	6.2
PSG 9BAN	6.7	5.0	4.7	4.3	6.0	6.0	7.7	6.3	6.1
RAD-CD1	7.0	5.7	5.7	4.7	6.0	6.7	7.3	6.0	6.1
SWI-1070	6.3	6.0	4.3	4.0	6.0	6.7	7.7	6.3	6.1
IS-01-201	6.0	6.0	4.7	5.0	5.3	6.3	7.3	6.0	6.0
GOLD GLOVE (PST-R6FLT)	6.0	7.0	3.3	5.0	6.0	6.3	6.7	6.0	6.0
PYRAMID 2 (IS-CD10)	6.7	6.0	5.7	4.7	6.0	6.0	7.0	6.0	5.9
SWI-1081	6.7	5.7	5.3	4.0	5.7	6.3	7.3	6.3	5.9
SWI-1083	7.0	5.0	4.7	4.0	5.0	6.0	7.3	6.7	5.8
SWI-1117	6.7	5.3	6.7	4.7	5.7	5.7	7.7	5.3	5.8
PSG PROK	6.3	5.7	6.3	4.0	5.7	5.7	7.0	6.0	5.7
BAR 7CD5	5.3	4.3	5.0	3.3	5.7	5.3	7.0	6.0	5.5
PSG 94524	6.7	5.0	6.0	3.7	5.0	6.0	7.0	5.3	5.4
SUNSPORT	5.7	4.3	5.7	3.7	5.0	5.0	7.3	5.0	5.2
PSG 91215	7.0	4.0	6.7	3.7	5.0	5.0	6.3	5.0	5.0
NUMEX-SAHARA	6.0	4.0	7.3	3.3	4.7	5.0	6.7	5.0	4.9
LSD VALUE	1.1	1.0	1.1	0.8	1.0	1.1	1.2	0.8	0.4
C.V. (%)	10.3	10.7	12.1	11.4	10.0	9.6	7.0	8.1	4.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 2. PERCENT LIVING GROUND COVER RATINGS OF BERMUDAGRASS CULTIVARS 1/  
 IN THE 2007 NATIONAL BERMUDAGRASS TEST AT FAYETTEVILLE (TRAFFIC STUDY), AR 2/  
 2009 DATA

TRAFFIC APPLIED IN SUMMER AND FALL

NAME	TRAFFIC APPLIED IN SUMMER (JULY)				RECOVERY FROM TRAFFIC (NO MORE TRAFFIC APPLIED)		BEFORE INITIAL TRAFFIC	TRAFFIC APPLIED IN FALL (SEP)			RECOVER FROM TRF.
	JULY 23 1 WEEK	JULY 29 2 WEEKS	AUG 14 4 WEEKS	AUG 21 5 WEEKS	AUG 29 1 WEEK	SEP 8 2 WEEKS	AUG 31	SEP 8 1 WEEK	SEP 19 2 WEEKS	SEP 29 3 WEEKS	OCT 8 1WEEK
RIVIERA	87.7	80.7	82.3	80.3	71.7	88.3	86.7	74.0	84.0	69.3	82.7
TIFWAY	89.3	87.7	77.0	73.0	61.7	85.0	91.0	82.3	87.7	69.7	81.0
SWI-1057	84.7	82.0	76.7	79.7	67.7	85.0	87.0	81.3	84.7	65.7	79.7
PSG 9Y20K	91.7	89.3	89.0	89.0	80.3	95.0	90.3	80.3	84.7	66.0	78.3
OKC 1119	82.3	82.0	82.3	80.0	68.7	89.0	90.0	74.7	84.3	63.0	77.3
YUKON	85.7	82.3	83.3	78.0	69.3	89.3	91.7	80.7	87.7	72.0	77.0
PRINCESS 77	88.3	85.7	80.0	83.0	73.7	90.3	88.3	80.3	85.7	69.3	74.3
VERACRUZ	87.3	82.3	83.3	79.3	72.3	91.0	85.3	78.7	85.0	67.3	74.3
OKC 1134	71.7	69.0	77.7	78.7	59.3	86.3	88.7	76.0	79.3	60.0	74.0
RAD-CD1	84.7	82.7	84.3	82.7	80.0	94.3	87.0	72.0	75.7	56.0	73.7
HOLLYWOOD (J-720)	85.0	77.0	80.3	79.0	60.0	85.7	88.7	77.0	74.7	58.3	71.7
GOLD GLOVE (PST-R6FLT)	80.7	76.7	76.3	65.3	53.7	84.7	79.3	60.3	58.3	35.0	68.7
SWI-1070	82.3	77.3	81.0	77.3	71.3	90.3	83.0	66.7	74.3	56.3	67.7
PREMIER	70.7	73.7	77.0	77.7	65.3	88.0	91.3	76.7	76.3	52.0	66.3
SWI-1122	80.7	77.0	82.0	82.7	69.3	89.3	88.0	74.0	81.3	55.3	66.0
BAR 7CD5	87.7	82.0	82.3	79.7	67.7	89.7	85.7	71.3	77.7	53.0	65.0
OKS 2004-2	80.7	70.3	75.7	73.0	56.3	87.0	89.3	79.0	84.0	55.0	61.7
PATRIOT	74.7	77.0	57.7	63.0	50.0	74.3	88.7	72.7	84.3	61.7	61.3
PYRAMID 2 (IS-CD10)	77.7	73.7	74.3	68.7	63.7	85.3	79.7	60.7	67.0	45.3	60.7
PSG PROK	77.0	79.3	81.0	71.7	67.7	91.7	88.0	64.7	71.0	44.0	56.7
PSG 91215	73.3	73.0	76.3	66.3	51.7	88.7	82.0	66.7	70.3	47.7	54.3
SWI-1113	93.0	87.3	69.7	80.0	63.3	87.7	87.3	74.0	75.3	55.7	52.3
SUNSPORT	71.3	74.7	77.0	73.0	55.3	87.3	84.0	63.3	65.7	43.7	52.0
SWI-1117	68.3	70.7	77.7	75.3	64.0	89.3	85.0	66.7	66.3	38.7	51.0
IS-01-201	69.3	70.3	76.3	72.3	58.7	89.0	85.3	64.0	65.3	46.7	49.7
SWI-1081	79.0	75.7	77.3	68.3	54.7	86.3	85.7	62.7	63.3	38.0	49.3
PSG 9BAN	82.3	73.3	80.3	73.7	56.7	88.7	88.3	71.3	70.0	41.0	44.3
SWI-1083	75.0	69.3	74.0	70.7	61.3	83.7	80.7	61.3	60.7	37.3	43.7
PSG 94524	77.0	77.7	77.3	74.7	61.3	90.0	86.0	59.3	59.7	40.3	40.7
NUMEX-SAHARA	66.7	70.3	69.3	64.3	57.0	84.0	79.0	62.7	55.0	38.3	40.3
MIDLAWN	78.7	86.0	81.3	76.7	59.0	90.7	84.7	77.3	76.0	31.3	36.0
LSD VALUE	12.9	15.5	10.4	16.3	16.9	6.8	10.6	13.6	10.1	14.9	18.6
C.V. (%)	8.9	9.3	7.3	10.0	13.6	4.3	5.3	10.4	8.6	17.4	18.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 3.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT TUCSON, AZ 1/  
2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	LEAF TEXTURE	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT COVER FALL	WINTER COLOR	FALL COLOR		QUALITY RATINGS								
										SEPTEMBER	DECEMBER	MAR	APR	MAY	JUN	JUL	AUG	SEP	MEAN	
OKC 1134	7.0	8.3	6.7	8.7	8.0	70.0	99.0	8.3	1.3	6.3	1.3	4.0	7.0	8.0	8.3	8.3	8.0	6.7	7.2	
TIFWAY	7.0	8.7	6.7	8.7	8.7	66.7	99.0	86.7	3.0	7.0	3.0	4.7	5.7	8.0	6.3	7.7	7.3	8.3	6.9	
YUKON	7.0	7.0	6.3	7.7	7.0	76.7	98.7	9.0	1.0	6.7	1.0	4.7	7.0	8.0	7.3	7.0	7.0	7.0	6.8	
PREMIER	7.3	7.3	5.7	8.7	8.5	51.7	99.0	33.3	1.3	7.3	1.3	3.0	5.3	8.0	8.0	8.0	8.0	7.7	6.7	
BAR 7CD5	7.0	5.7	5.7	6.0	5.7	70.0	97.3	16.7	1.0	6.7	1.0	4.7	6.3	6.7	6.7	7.0	6.3	7.0	6.4	
PSG 9Y20K	6.7	6.3	5.3	7.3	7.3	68.3	97.0	12.7	1.3	6.0	1.3	3.7	5.3	6.7	7.0	7.0	8.0	6.7	6.3	
SWI-1057	6.3	7.3	6.3	7.7	7.0	55.0	98.7	8.3	1.3	5.3	1.3	3.3	6.3	7.7	7.0	7.0	6.7	6.3	6.3	
SWI-1070	7.0	7.0	5.0	8.0	7.3	40.0	99.0	11.7	1.0	6.7	1.0	3.3	5.3	7.7	7.3	7.3	7.0	6.0	6.3	
OKC 1119	7.0	8.7	5.7	8.3	8.5	60.0	97.0	8.3	1.3	5.7	1.3	3.7	5.7	6.3	8.5	7.7	8.0	6.0	6.2	
PATRIOT	7.3	7.3	6.0	7.3	6.3	60.0	96.3	3.3	1.0	5.5	1.0	4.0	5.3	8.0	8.5	8.0	6.7	4.0	6.2	
SWI-1122	6.7	6.7	5.7	6.3	6.3	73.3	97.3	11.7	1.0	6.0	1.0	4.0	6.3	6.7	7.0	6.7	7.0	6.0	6.2	
OKS 2004-2	6.7	6.3	4.3	6.7	7.0	58.3	98.7	9.3	1.0	6.0	1.0	2.7	4.3	7.3	6.3	7.3	7.7	6.7	6.0	
PRINCESS 77	6.0	7.3	5.0	8.0	7.3	41.7	99.0	7.7	2.0	6.0	2.0	2.7	5.3	7.3	7.0	8.0	6.7	5.0	6.0	
SWI-1113	7.3	7.3	3.7	7.7	7.7	33.3	99.0	11.7	1.0	6.7	1.0	2.0	4.3	7.7	7.3	8.7	7.3	4.3	6.0	
VERACRUZ	6.3	7.0	6.0	7.3	7.3	50.0	98.0	11.7	2.0	5.0	2.0	3.0	5.3	7.3	7.0	7.5	6.0	6.0	6.0	
HOLLYWOOD (J-720)	6.7	7.0	5.0	7.3	7.7	61.7	98.0	9.3	1.7	5.7	1.7	3.3	5.0	6.3	6.7	7.7	7.0	5.3	5.9	
RIVIERA	6.3	6.0	4.7	6.0	6.7	58.3	97.0	7.3	1.0	5.3	1.0	4.0	5.0	6.3	5.7	5.7	7.0	6.3	5.7	
PSG PROK	6.3	6.3	4.0	6.3	6.7	41.7	97.7	11.7	1.0	6.7	1.0	3.0	4.3	6.3	5.7	6.3	6.7	6.7	5.6	
RAD-CD1	6.0	6.7	4.7	6.7	6.0	55.0	98.0	11.7	1.3	5.7	1.3	3.3	4.0	6.3	7.3	7.3	6.3	4.7	5.6	
PSG 9BAN	6.3	6.7	3.7	6.3	6.7	26.7	97.7	11.7	1.0	6.0	1.0	2.3	3.7	6.0	6.3	6.7	7.0	6.0	5.4	
SWI-1083	6.3	6.0	4.7	6.7	6.3	40.0	98.0	6.7	1.0	6.3	1.0	2.7	4.0	5.7	5.3	6.7	6.7	6.3	5.3	
MIDLAWN	5.3	7.0	5.0	7.7	7.3	51.7	97.0	11.7	1.0	4.0	1.0	3.0	4.7	7.0	7.0	6.0	5.3	4.0	5.2	
PYRAMID 2 (IS-CD10)	6.7	5.7	3.3	6.3	7.0	26.7	97.3	6.7	1.0	5.0	1.0	2.7	4.0	5.7	6.3	6.3	6.3	5.0	5.2	
SWI-1081	6.7	5.7	3.0	6.0	6.0	31.7	98.0	11.7	1.0	6.0	1.0	2.7	2.7	5.3	5.7	6.7	6.7	6.7	5.2	
GOLD GLOVE (PST-R6FLT)	5.7	6.3	4.7	6.3	6.7	45.0	97.3	16.7	1.3	5.0	1.3	2.7	4.3	5.7	5.3	6.3	5.7	4.7	5.0	
SUNSPORT	5.3	5.0	2.7	5.7	6.0	23.3	96.7	5.7	1.0	4.3	1.0	2.3	3.3	5.3	5.7	5.3	6.3	5.7	4.9	
SWI-1117	5.7	5.7	3.0	5.3	6.3	40.0	96.7	10.0	1.7	5.7	1.7	3.0	3.3	5.7	5.3	5.3	6.0	5.7	4.9	
IS-01-201	5.7	6.0	3.3	6.3	6.7	23.3	97.3	7.3	1.0	5.7	1.0	2.0	3.3	5.7	6.5	5.7	5.7	5.7	4.8	
PSG 91215	5.7	5.3	2.7	5.3	5.7	13.3	96.0	11.7	1.0	4.7	1.0	2.0	2.7	4.7	6.0	5.0	6.0	5.3	4.5	
PSG 94524	5.7	5.3	2.0	5.7	6.0	11.7	95.0	8.3	1.0	5.0	1.0	2.0	2.3	4.7	5.3	4.7	6.0	5.7	4.4	
NUMEX-SAHARA	5.3	5.3	2.3	4.7	4.7	16.7	91.7	10.0	1.0	4.7	1.0	2.0	2.0	5.7	5.5	4.7	5.7	5.3	4.3	
LSD VALUE	1.1	0.9	1.8	1.0	1.0	30.1	2.7	9.3	0.7	2.1	0.7	1.2	1.7	1.5	1.5	1.3	2.2	2.1	0.6	
C.V. (%)	9.6	8.7	24.1	9.1	8.9	37.2	1.5	47.3	31.6	17.2	31.6	23.2	22.7	13.6	12.7	11.7	14.1	18.7	7.3	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 4.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT RIVERSIDE, CA 1/  
2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS														MEAN
	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	WINTER COLOR	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	
PSG 9Y20K	8.0	4.0	4.7	3.7	4.0	6.7	7.3	7.7	6.3	5.7	6.3	6.3	4.0	4.7	5.9
OKC 1119	8.0	3.7	9.0	3.0	3.7	6.7	7.7	7.7	6.7	6.7	8.0	5.0	3.3	3.0	5.8
BAR 7CD5	6.3	2.0	3.7	2.3	1.7	5.0	6.3	7.0	6.0	6.3	5.3	6.7	5.3	5.0	5.5
OKC 1134	6.3	3.0	8.3	2.0	2.7	5.7	7.7	8.3	6.0	7.3	7.0	4.3	3.0	3.3	5.5
PREMIER	5.7	4.0	8.0	4.0	3.3	5.0	5.7	6.3	5.7	6.3	6.3	5.7	4.7	5.7	5.5
PSG PROK	5.7	4.0	5.0	3.7	4.0	6.7	6.7	6.7	4.3	5.7	5.0	5.0	4.7	5.0	5.4
SWI-1081	4.7	4.3	5.3	4.0	4.0	6.3	6.3	6.7	4.7	5.3	5.0	5.7	5.0	5.3	5.4
TIFWAY	6.7	5.0	7.7	5.0	4.0	4.7	6.0	6.7	5.0	7.0	6.7	5.3	4.7	4.3	5.4
SWI-1070	4.0	4.7	5.7	4.7	4.7	6.7	7.0	6.3	4.7	4.3	4.7	4.7	5.0	5.0	5.3
IS-01-201	4.0	4.0	5.3	4.3	4.0	5.7	6.3	6.3	5.0	5.0	4.3	5.3	5.3	4.3	5.2
PRINCESS 77	6.0	4.0	5.7	3.7	4.0	5.7	7.0	6.7	5.0	6.0	6.0	4.7	3.0	4.3	5.2
SWI-1113	6.7	3.0	6.0	3.3	2.7	5.0	6.0	7.0	5.3	6.0	7.3	4.7	3.7	4.0	5.2
SWI-1122	5.0	3.7	4.0	4.0	3.7	6.0	7.0	7.0	3.7	5.0	4.7	5.7	4.3	5.0	5.2
VERACRUZ	5.0	4.7	5.0	4.7	3.7	6.3	6.7	7.0	4.3	6.3	4.7	4.3	3.7	5.0	5.2
HOLLYWOOD (J-720)	4.3	3.3	4.7	3.7	3.7	5.7	6.7	6.0	5.0	5.0	4.3	5.3	5.0	4.7	5.1
RAD-CD1	4.7	4.7	4.0	4.7	3.7	5.7	6.7	7.0	4.0	5.0	4.7	4.7	4.0	4.3	5.0
SWI-1083	3.7	4.0	4.7	4.3	3.7	6.3	6.0	6.0	4.7	5.0	4.3	5.0	4.7	4.3	5.0
OKS 2004-2	4.7	2.3	5.0	2.7	2.0	5.7	6.3	7.0	5.0	5.0	5.3	5.3	4.3	3.3	4.9
PATRIOT	8.0	1.3	6.7	1.3	1.0	3.0	6.0	7.0	5.7	8.3	8.0	5.0	2.3	2.0	4.8
PSG 94524	4.3	3.3	5.3	3.3	2.3	4.7	5.3	5.7	4.0	5.0	4.7	5.3	6.0	5.0	4.8
PSG 9BAN	4.3	3.3	5.0	4.0	4.0	6.3	6.3	6.3	4.7	4.3	4.0	4.0	4.0	4.0	4.8
RIVIERA	4.3	2.7	4.7	2.7	2.3	4.7	6.7	7.0	5.3	4.7	4.3	4.7	4.7	3.7	4.8
PSG 91215	3.7	3.7	4.3	4.0	3.0	5.3	5.3	6.0	4.0	3.7	4.0	5.0	5.3	5.3	4.7
GOLD GLOVE (PST-R6FLT)	3.7	4.0	4.7	4.7	3.3	5.7	6.0	6.7	4.7	5.0	4.0	4.7	3.3	3.3	4.7
SWI-1057	3.3	3.7	4.3	3.0	2.7	5.3	6.0	6.3	4.0	5.0	3.7	4.3	5.0	5.0	4.7
SUNSPORT	4.3	4.3	4.3	4.7	3.7	5.0	5.3	6.3	3.7	4.0	4.3	4.3	4.7	4.7	4.6
YUKON	7.0	1.7	4.3	1.7	1.3	3.3	6.3	7.0	5.3	6.0	5.7	5.3	3.3	2.7	4.6
NUMEX-SAHARA	3.7	4.0	4.0	3.7	3.7	5.0	5.7	6.0	3.3	3.7	3.7	4.3	4.7	5.0	4.5
PYRAMID 2 (IS-CD10)	4.3	2.7	4.0	3.3	2.7	5.0	6.0	6.0	4.3	3.3	4.0	4.7	4.3	3.7	4.4
MIDLAWN	4.0	1.3	6.0	1.3	1.0	3.0	5.3	6.7	4.3	4.7	5.3	4.3	4.7	3.3	4.3
SWI-1117	3.0	3.0	4.0	2.3	2.7	4.3	5.0	5.0	3.7	3.3	3.7	4.7	4.7	4.0	4.1
LSD VALUE	2.1	1.6	1.2	1.6	1.5	1.5	1.8	1.4	2.6	2.3	2.1	3.4	2.0	2.6	1.2
C.V. (%)	24.1	26.3	14.9	26.2	27.4	16.5	13.2	10.8	23.0	23.5	23.5	21.0	22.4	26.4	10.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT GAINESVILLE, FL 1/  
2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	PERCENT COVER SPRING	PERCENT COVER SUMMER	WINTER COLOR	FALL COLOR SEPTEMBER	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	FALL COLOR DECEMBER	SEEDHEAD RATINGS	MOLE CRICKET
TIFWAY	7.7	6.0	8.0	7.7	8.0	6.0	83.3	99.0	7.7	4.7	6.7	6.3	7.7	9.0	7.7
OKC 1119	7.3	5.7	8.0	7.0	8.0	5.0	85.0	99.0	7.0	5.3	5.3	5.7	6.0	9.0	6.7
SWI-1113	7.0	4.7	7.0	7.0	7.3	6.7	76.7	99.0	6.0	6.0	7.0	6.7	5.3	9.0	7.3
OKC 1134	7.7	5.7	7.3	7.7	8.0	5.7	83.3	99.0	5.7	5.3	6.0	6.0	6.3	9.0	6.7
PREMIER	8.0	5.3	7.7	5.3	7.3	6.0	75.0	99.0	8.0	4.7	5.7	6.0	6.7	8.7	7.3
VERACRUZ	7.3	4.7	7.0	6.0	7.7	6.0	76.7	99.0	7.3	5.0	6.3	7.0	6.7	8.7	8.3
SWI-1070	7.0	4.3	6.7	6.3	6.7	6.0	75.0	99.0	6.0	6.3	6.3	5.7	5.7	8.7	8.0
PRINCESS 77	7.3	4.3	7.0	6.0	6.7	6.3	71.7	99.0	7.3	5.7	6.3	6.3	6.3	8.3	7.0
PSG 9Y20K	7.0	5.0	6.0	6.3	6.7	5.3	71.7	99.0	5.0	6.0	6.3	6.0	4.7	8.3	7.7
SWI-1057	7.3	3.0	6.3	6.7	6.3	6.0	58.3	99.0	6.7	6.0	6.7	6.3	5.7	9.0	8.3
RAD-CD1	6.0	4.3	6.3	6.7	6.3	5.3	76.7	99.0	4.3	6.7	6.0	5.7	4.3	8.7	8.0
HOLLYWOOD (J-720)	7.0	4.0	6.3	5.7	7.0	5.3	68.3	99.0	4.3	5.0	6.0	5.3	4.3	8.7	7.7
PSG 9BAN	6.0	4.3	6.3	6.3	6.3	6.3	78.3	99.0	5.3	5.7	6.7	6.3	5.7	9.0	7.0
OKS 2004-2	7.0	4.7	6.0	6.3	6.7	5.3	78.3	99.0	3.3	5.3	5.3	5.3	3.7	8.7	7.0
SWI-1081	6.7	4.0	6.0	6.0	6.0	5.0	76.7	99.0	5.3	5.0	5.7	5.7	4.3	9.0	7.7
SWI-1122	6.7	4.7	5.3	5.7	6.0	5.0	76.7	99.0	5.0	5.3	6.0	5.3	4.3	9.0	7.3
RIVIERA	6.3	3.7	6.0	6.0	6.7	5.0	70.0	99.0	3.7	5.0	4.7	5.0	3.7	8.7	7.7
BAR 7CD5	6.3	4.0	5.0	5.7	6.0	4.7	61.7	99.0	4.3	5.0	5.7	5.0	4.0	8.7	8.0
PYRAMID 2 (IS-CD10)	6.3	4.7	5.7	5.0	5.7	5.3	76.7	99.0	5.0	5.0	5.7	5.7	4.7	9.0	7.3
SWI-1083	5.7	4.3	5.7	5.7	5.3	5.3	73.3	99.0	4.3	5.3	5.3	6.0	3.7	8.3	8.3
PSG PROK	6.3	3.7	6.0	6.3	5.7	5.3	68.3	99.0	4.7	5.3	6.0	5.3	4.3	8.7	7.7
SWI-1117	5.7	5.0	5.0	5.0	5.3	5.0	78.3	99.0	3.7	5.3	5.0	5.0	4.3	9.0	7.3
IS-01-201	6.3	3.7	5.7	5.3	6.0	4.3	73.3	99.0	4.0	4.7	5.0	4.7	3.3	8.7	7.0
GOLD GLOVE (PST-R6FLT)	6.3	3.3	5.7	5.0	5.3	4.3	75.0	99.0	4.3	5.0	5.0	4.7	3.7	8.7	7.7
PATRIOT	7.0	2.7	6.7	6.3	6.7	2.0	38.3	99.0	1.7	3.7	3.3	2.3	1.7	7.7	8.3
YUKON	6.3	3.3	5.7	5.3	5.7	4.0	58.3	99.0	3.3	4.7	4.3	4.3	3.0	8.0	6.3
PSG 91215	5.0	3.0	5.0	4.3	4.7	4.7	73.3	92.7	3.7	4.7	4.3	5.3	3.3	8.7	8.0
MIDLAWN	5.3	2.0	7.0	4.3	5.0	4.0	36.7	99.0	2.7	5.3	4.7	4.7	2.7	9.0	7.3
PSG 94524	4.7	3.0	6.0	4.7	4.3	4.0	63.3	94.3	3.3	4.3	4.7	5.0	3.3	8.7	8.3
SUNSPORT	4.3	3.0	5.0	4.3	4.3	3.7	70.0	99.0	3.3	4.3	4.0	4.3	3.0	9.0	7.7
NUMEX-SAHARA	4.3	3.7	5.3	4.0	4.0	4.3	65.0	76.0	4.7	4.7	4.7	5.0	4.7	8.7	7.7
LSD VALUE	1.1	1.4	0.7	1.3	1.1	1.2	15.8	25.2	1.4	1.4	1.3	1.0	1.4	1.5	2.6
C.V. (%)	10.4	20.0	7.1	13.4	11.0	14.4	13.3	7.7	18.2	13.6	13.8	11.2	19.4	5.8	11.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5. (CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
 IN THE 2007 NATIONAL BERMUDAGRASS TEST AT GAINESVILLE, FL 1/  
 2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS												MEAN
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
TIFWAY	7.0	4.0	6.3	7.3	7.3	8.0	8.0	7.7	5.3	6.0	5.7	7.0	6.6
OKC 1119	4.0	4.3	4.7	6.3	7.3	8.0	7.7	7.3	5.7	5.3	5.3	5.7	6.0
SWI-1113	5.0	2.3	5.3	6.0	6.3	7.0	7.0	7.3	6.7	6.7	6.0	6.0	6.0
OKC 1134	3.7	4.3	5.7	6.0	7.3	7.3	7.3	7.0	5.7	5.7	5.0	5.7	5.9
PREMIER	5.3	4.7	5.3	5.0	6.3	7.0	7.3	6.7	5.3	5.7	6.0	6.3	5.9
VERACRUZ	6.0	2.7	4.7	6.3	6.3	7.0	7.0	7.3	5.7	5.7	6.0	6.3	5.9
SWI-1070	5.3	2.3	4.7	5.7	6.7	7.0	6.3	6.3	6.3	6.3	5.7	6.0	5.7
PRINCESS 77	5.0	3.0	4.3	5.7	6.0	6.7	7.0	7.0	5.7	6.0	5.3	6.0	5.6
PSG 9Y20K	5.3	2.0	5.0	6.0	6.0	6.7	6.3	6.7	6.0	6.0	5.3	5.0	5.5
SWI-1057	5.3	2.3	4.0	5.3	6.3	6.7	6.0	6.0	6.7	6.3	6.0	5.3	5.5
RAD-CD1	5.0	2.7	4.3	5.3	6.3	6.7	6.3	5.7	6.7	6.0	5.7	4.0	5.4
HOLLYWOOD (J-720)	4.7	2.3	5.3	6.0	6.0	6.0	6.0	6.0	6.0	5.7	5.3	4.7	5.3
PSG 9BAN	5.7	2.7	4.3	5.0	6.0	5.7	5.7	5.3	6.0	6.3	5.7	5.7	5.3
OKS 2004-2	4.7	2.7	5.7	5.3	6.3	6.3	6.3	5.7	5.7	5.3	5.0	3.3	5.2
SWI-1081	5.7	2.7	4.3	5.0	5.7	6.0	5.7	5.0	5.3	5.3	5.0	5.0	5.1
SWI-1122	5.3	3.0	4.7	5.3	5.7	6.0	6.3	5.7	5.0	5.0	5.0	4.7	5.1
RIVIERA	4.0	2.3	4.3	5.7	6.3	6.3	6.3	5.3	5.7	5.0	4.7	3.7	5.0
BAR 7CD5	5.0	2.7	4.3	4.7	6.0	5.7	5.7	5.0	5.0	5.0	5.0	4.3	4.9
PYRAMID 2 (IS-CD10)	5.0	3.0	4.7	4.7	5.3	5.3	5.7	4.7	5.3	5.3	5.0	5.0	4.9
SWI-1083	5.7	2.0	4.3	5.0	5.7	5.0	5.3	5.0	5.3	5.3	5.3	4.7	4.9
PSG PROK	4.7	2.0	4.0	5.0	5.3	5.0	6.0	5.0	5.0	5.3	5.0	4.7	4.8
SWI-1117	5.3	2.3	4.0	5.0	5.3	5.7	5.3	4.7	5.3	5.0	4.7	4.3	4.8
IS-01-201	4.7	2.7	4.0	5.0	5.3	5.3	6.0	4.7	5.0	5.0	4.3	4.3	4.7
GOLD GLOVE (PST-R6FLT)	5.0	3.0	4.3	4.3	5.0	5.0	5.0	4.3	5.7	5.3	4.7	4.3	4.7
PATRIOT	2.0	1.3	4.0	5.3	6.3	6.3	7.0	5.3	4.0	3.7	2.3	2.0	4.1
YUKON	3.0	1.7	3.3	4.7	5.7	5.0	5.3	5.3	4.3	4.0	3.7	3.0	4.1
PSG 91215	5.0	2.7	3.0	4.0	4.3	4.3	4.3	3.7	4.3	4.3	4.3	4.0	4.0
MIDLAWN	2.0	1.3	2.7	3.7	4.7	5.3	4.3	4.7	5.3	5.0	4.7	3.3	3.9
PSG 94524	4.3	2.0	3.0	3.7	4.7	4.3	4.7	3.7	4.3	4.3	4.0	3.3	3.9
SUNSPORT	4.3	2.7	3.0	3.7	4.3	4.3	4.0	4.3	3.7	3.7	3.7	3.3	3.8
NUMEX-SAHARA	4.0	1.7	3.0	3.7	4.0	3.7	3.7	3.0	4.3	4.3	4.0	4.0	3.6
C.V. (%)	14.6	22.3	13.3	10.2	9.7	10.4	9.8	14.5	14.6	13.2	13.1	17.1	5.9
LSD VALUE	1.1	0.9	0.9	0.8	0.9	1.0	0.9	1.3	1.4	1.2	1.1	1.3	0.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 6.

PERCENT LIVING GROUND COVER RATINGS RATINGS OF BERMUDAGRASS CULTIVARS 1/  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT GAINESVILLE (TRAFFIC STUDY), FL 2/  
2008-2009 DATA

TRAFFIC APPLIED IN FALL 2008

NAME	TRAFFIC APPLIED EACH WEEK FOR FOUR WEEKS IN 2008				PERCENT RECOVERY FROM TRAFFIC IN 2008-09 (NO MORE WEAR APPLIED)					
	WEEK 1 NOV 6	WEEK 2 NOV 12	WEEK 3 NOV 19	WEEK 4 NOV 24	WEEK 1 DEC 2	WEEK 2 DEC 9	WEEK 3 DEC 16	WEEK 4 DEC 23	WEEK 6 JAN 6	WEEK 7 JAN 14
BAR 7CD5	59.3	36.0	35.5	4.0	3.3	7.3	15.3	27.3	45.7	46.7
HOLLYWOOD (J-720)	41.0	23.3	31.7	1.0	1.0	3.3	12.0	25.7	51.7	50.0
IS-01-201	37.0	19.0	32.3	1.3	2.0	4.7	15.0	33.0	48.3	44.0
MIDLAWN	41.0	16.3	13.0	1.0	0.3	1.3	3.7	6.3	8.7	7.0
NUMEX-SAHARA	21.7	15.7	27.3	1.7	1.7	4.7	16.0	34.0	39.3	29.3
OKC 1119	50.3	17.3	31.7	1.0	0.7	1.7	6.0	15.0	43.7	52.7
OKC 1134	31.7	10.7	13.7	0.0	0.0	1.0	2.7	7.7	34.7	34.3
OKS 2004-2	34.0	11.3	24.0	0.0	0.0	1.3	5.7	15.0	49.3	50.7
PATRIOT	18.0	6.0	6.3	0.3	0.3	1.0	2.7	4.3	16.7	15.0
PREMIER	29.0	14.7	39.0	1.0	1.0	2.3	10.0	26.0	50.3	51.3
PRINCESS 77	45.0	28.0	54.0	3.7	1.7	4.3	13.7	31.0	49.7	54.7
PSG 91215	29.0	21.7	37.3	1.7	2.0	7.3	20.7	39.3	48.3	46.7
PSG 94524	33.3	22.7	29.7	1.7	1.7	5.0	15.0	30.0	44.7	38.7
PSG 9BAN	58.0	34.3	40.0	2.7	2.7	6.0	20.0	39.0	60.7	57.3
PSG 9Y20K	51.3	36.0	51.7	5.0	4.0	7.0	20.3	36.7	56.0	52.0
PSG PROK	51.0	24.0	35.7	2.0	2.0	5.7	16.7	32.3	46.7	42.3
GOLD GLOVE (PST-R6FLT)	36.0	24.7	37.7	1.0	1.0	2.7	12.3	24.7	47.7	49.3
PYRAMID 2 (IS-CD10)	36.0	24.0	29.3	1.7	2.3	6.3	17.7	40.0	50.7	45.3
RAD-CD1	48.0	27.7	38.0	4.0	3.3	7.7	20.0	34.7	54.0	53.0
RIVIERA	45.0	27.3	51.7	1.7	1.0	2.7	11.0	21.0	49.3	55.3
SUNSPORT	27.0	18.0	32.7	1.3	2.0	6.0	17.7	30.0	41.3	32.3
SWI-1057	63.7	35.0	46.7	5.3	3.3	5.7	13.0	25.0	51.3	52.7
SWI-1070	65.3	34.7	57.3	4.3	2.7	7.3	18.3	36.3	61.7	61.7
SWI-1081	45.3	26.3	44.3	1.7	1.7	3.7	12.7	29.7	56.0	53.3
SWI-1083	50.3	33.0	54.3	1.7	1.3	4.0	13.7	30.3	52.7	52.3
SWI-1113	44.0	19.7	40.0	1.7	1.3	4.7	13.7	31.7	55.7	60.0
SWI-1117	44.3	24.7	41.0	1.3	3.0	8.3	27.0	46.0	61.7	54.7
SWI-1122	44.0	29.7	41.0	2.7	2.7	6.7	19.7	35.7	54.0	50.7
TIFWAY	50.0	24.7	29.3	2.3	1.0	1.3	3.3	13.7	41.0	45.0
VERACRUZ	51.0	33.3	50.7	4.7	3.7	7.3	19.3	36.3	62.0	62.0
YUKON	36.3	20.0	22.7	2.0	2.0	3.0	7.0	13.3	23.0	18.7
LSD VALUE	13.1	8.7	18.7	1.5	1.2	2.2	5.2	10.1	11.2	10.1
C.V. (%)	19.4	23.0	30.2	44.7	40.4	31.4	24.9	23.8	15.5	14.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 6.  
(CONT'D)

PERCENT LIVING GROUND COVER RATINGS OF BERMUDAGRASS CULTIVARS 1/  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT GAINESVILLE (TRAFFIC STUDY), FL 2/  
2009 DATA

TRAFFIC APPLIED IN SPRING 2009

NAME	TRAFFIC APPLIED EACH WEEK FOR FOUR WEEKS				RECOVERY FROM TRAFFIC (NO MORE WEAR APPLIED)			
	WEEK 1 MAR 20	WEEK 2 MAR 26	WEEK 3 APR 3	WEEK 4 APR 10	WEEK 1 APR 17	WEEK 2 APR 24	WEEK 3 MAY 1	WEEK 4 MAY 8
BAR 7CD5	82.7	30.3	45.7	33.3	37.3	56.0	71.0	84.7
HOLLYWOOD (J-720)	89.7	32.3	46.0	32.7	39.7	63.0	81.0	88.0
IS-01-201	76.7	16.0	31.3	18.0	20.0	34.7	52.7	69.0
MIDLAWN	49.7	16.3	25.3	18.3	21.3	41.7	57.3	71.7
NUMEX-SAHARA	55.0	7.3	15.3	7.3	12.0	23.0	37.3	43.3
OKC 1119	94.7	49.3	58.0	46.3	56.3	78.3	87.3	94.0
OKC 1134	95.3	39.3	52.3	40.7	51.3	78.3	88.0	97.0
OKS 2004-2	95.7	34.0	46.7	31.3	37.0	60.0	79.0	88.3
PATRIOT	79.7	22.3	31.3	22.3	26.3	43.3	63.3	81.0
PREMIER	90.0	37.0	57.3	30.7	43.3	66.7	79.0	88.7
PRINCESS 77	87.3	36.0	56.0	45.0	52.3	70.0	71.0	84.0
PSG 91215	74.0	8.3	18.7	10.0	15.7	29.0	47.3	58.7
PSG 94524	61.7	9.3	22.3	11.3	14.7	28.7	54.0	66.3
PSG 9BAN	82.0	20.7	36.7	24.0	30.0	53.7	75.3	86.0
PSG 9Y20K	94.3	39.0	57.0	46.0	52.7	75.0	85.0	90.3
PSG PROK	88.0	21.0	41.0	27.3	34.7	58.7	77.7	82.3
GOLD GLOVE (PST-R6FLT)	82.0	25.7	38.7	21.7	21.3	35.0	53.3	72.0
PYRAMID 2 (IS-CD10)	83.0	14.3	30.0	19.3	27.3	48.0	69.0	75.3
RAD-CD1	88.7	37.0	54.0	36.0	42.3	65.7	83.0	90.3
RIVIERA	94.7	34.7	49.0	32.3	38.3	62.3	77.7	89.3
SUNSPORT	73.3	11.0	23.0	11.7	15.7	27.7	47.0	55.7
SWI-1057	82.7	37.7	53.3	44.3	46.0	69.3	79.3	92.0
SWI-1070	88.0	42.0	56.0	45.3	51.7	75.7	88.0	95.0
SWI-1081	90.0	23.7	38.7	27.7	32.0	52.0	74.7	86.3
SWI-1083	87.0	33.0	46.3	29.3	31.0	51.7	68.3	81.0
SWI-1113	93.7	36.3	54.0	44.7	51.3	75.3	86.3	93.0
SWI-1117	88.0	25.7	44.0	28.3	36.3	60.0	75.0	81.7
SWI-1122	90.3	33.3	48.7	34.7	41.7	62.7	75.7	82.0
TIFWAY	95.7	38.0	55.3	45.7	50.7	74.0	84.3	94.0
VERACRUZ	91.0	37.0	55.0	43.7	48.0	70.0	77.3	87.7
YUKON	71.3	20.7	33.0	24.3	25.0	41.7	58.3	67.7
LSD VALUE	11.9	8.9	9.6	7.9	9.3	13.2	18.3	16.5
C.V. (%)	9.1	20.8	15.0	17.6	17.3	15.6	15.6	12.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.



TABLE 6.  
(CONT'D)

PERCENT LIVING GROUND COVER RATINGS OF BERMUDAGRASS CULTIVARS 1/  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT GAINESVILLE (TRAFFIC STUDY), FL 2/  
2009 DATA

TRAFFIC APPLIED IN SUMMER 2009

NAME	TRAFFIC APPLIED EACH WEEK FOR FOUR WEEKS				RECOVERY FROM TRAFFIC (NO MORE WEAR APPLIED)			
	WEEK 1 JUL 24	WEEK 2 JUL 31	WEEK 3 AUG 7	WEEK 4 AUG 14	WEEK 1 AUG 21	WEEK 2 AUG 28	WEEK 3 SEP 4	WEEK 4 SEP 15
BAR 7CD5	89.0	85.7	90.7	77.7	69.0	81.0	78.3	80.7
HOLLYWOOD (J-720)	91.0	79.3	70.3	57.7	52.0	63.3	67.3	67.7
IS-01-201	92.0	86.0	91.3	77.3	69.7	73.0	79.7	72.0
MIDLAWN	84.3	82.7	92.7	72.0	63.3	80.3	66.3	75.7
NUMEX-SAHARA	58.7	38.7	38.0	25.7	20.0	21.7	33.7	46.3
OKC 1119	91.7	85.0	92.3	81.7	82.3	94.0	95.0	87.3
OKC 1134	93.3	80.0	84.0	72.0	65.3	78.7	84.7	90.0
OKS 2004-2	96.7	87.7	91.3	72.0	70.3	84.0	89.0	87.3
PATRIOT	89.3	71.3	71.3	41.7	29.0	51.7	53.0	70.0
PREMIER	91.7	87.3	92.3	75.7	67.7	84.7	82.3	82.7
PRINCESS 77	77.3	64.7	85.7	56.0	61.0	72.7	78.3	72.0
PSG 91215	78.3	61.7	62.3	49.0	41.0	53.7	58.7	62.0
PSG 94524	88.0	71.7	74.3	51.0	48.3	66.3	64.3	69.3
PSG 9BAN	94.0	86.3	90.0	70.3	61.0	77.7	80.7	81.7
PSG 9Y20K	94.7	90.3	95.7	81.7	77.7	86.0	88.3	82.7
PSG PROK	92.0	86.7	90.7	77.7	69.3	75.0	81.0	81.7
GOLD GLOVE (PST-R6FLT)	88.3	76.3	79.3	69.0	60.3	74.7	83.0	80.0
PYRAMID 2 (IS-CD10)	90.0	78.7	83.3	65.0	57.7	71.3	73.7	81.3
RAD-CD1	87.3	84.3	90.7	75.3	71.0	80.0	86.7	79.3
RIVIERA	96.0	89.7	93.7	77.0	75.0	89.3	90.7	79.0
SUNSPORT	83.0	73.3	79.7	57.0	51.3	65.3	67.7	76.0
SWI-1057	95.3	88.7	92.3	67.0	55.0	75.0	81.7	76.7
SWI-1070	94.3	87.3	92.7	78.0	75.3	84.3	85.3	71.3
SWI-1081	93.7	81.7	88.7	71.7	59.3	66.0	76.7	75.7
SWI-1083	95.7	87.3	93.7	76.7	66.7	80.3	85.0	80.7
SWI-1113	87.3	80.3	90.7	68.0	62.3	75.7	84.7	74.0
SWI-1117	88.0	81.0	84.3	61.0	49.3	59.3	61.3	66.0
SWI-1122	86.7	81.7	85.3	71.0	62.7	73.7	77.0	75.0
TIFWAY	74.3	51.0	70.0	46.0	44.3	57.0	64.7	79.7
VERACRUZ	87.3	83.3	92.7	74.7	68.7	81.3	86.7	72.3
YUKON	91.0	80.0	84.7	65.3	58.3	65.7	68.0	78.7
LSD VALUE	9.4	11.9	15.8	16.8	17.2	16.7	15.0	14.8
C.V. (%)	6.6	9.6	11.4	15.5	17.6	14.3	12.3	10.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 6.  
(CONT'D)

PERCENT LIVING GROUND COVER RATINGS OF BERMUDAGRASS CULTIVARS 1/  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT GAINESVILLE (TRAFFIC STUDY), FL 2/  
2009 DATA

TRAFFIC APPLIED IN FALL 2009

NAME	TRAFFIC APPLIED EACH WEEK FOR FOUR WEEKS				RECOVERY FROM TRAFFIC (NO MORE WEAR APPLIED)			
	WEEK 1 NOV 6	WEEK 2 NOV 18	WEEK 3 NOV 25	WEEK 4 DEC 2	WEEK 1 DEC 8	WEEK 2 DEC16	WEEK 3 DEC 23	WEEK 4 DEC 31
BAR 7CD5	74.3	39.0	54.3	30.7	16.3	27.0	22.7	15.7
HOLLYWOOD (J-720)	68.7	35.3	54.7	30.0	15.3	25.0	21.3	15.0
IS-01-201	56.3	23.7	43.3	17.7	8.7	19.7	12.7	8.0
MIDLAWN	60.0	25.7	41.7	17.3	5.3	11.7	7.0	4.3
NUMEX-SAHARA	41.0	18.3	30.0	11.7	5.0	9.3	7.7	5.0
OKC 1119	74.3	33.0	54.7	24.7	13.0	22.3	20.0	17.0
OKC 1134	72.3	29.3	52.0	22.7	13.7	26.3	22.7	19.3
OKS 2004-2	74.7	39.0	66.0	34.0	17.3	29.7	22.3	18.3
PATRIOT	34.3	11.0	23.0	9.0	4.0	10.0	6.0	5.0
PREMIER	69.3	28.7	57.0	26.3	15.3	27.0	19.7	15.0
PRINCESS 77	85.0	50.7	69.0	46.3	26.3	43.0	45.0	37.3
PSG 91215	54.0	27.7	45.0	21.0	8.7	17.3	13.0	10.0
PSG 94524	57.3	25.7	46.7	22.7	12.3	23.7	20.3	15.0
PSG 9BAN	74.3	36.7	61.0	32.7	17.0	36.0	31.7	25.0
PSG 9Y20K	79.3	47.3	66.7	37.7	22.3	37.7	34.7	25.0
PSG PROK	74.7	44.0	62.3	36.7	19.7	32.7	27.7	18.3
GOLD GLOVE (PST-R6FLT)	62.7	26.7	46.7	20.3	8.3	19.3	13.7	9.3
PYRAMID 2 (IS-CD10)	63.0	31.0	47.7	23.0	12.3	23.0	18.0	13.0
RAD-CD1	76.0	39.0	57.3	30.3	14.7	27.3	26.7	20.0
RIVIERA	74.7	43.7	64.0	37.0	20.0	31.3	29.3	23.0
SUNSPORT	45.3	19.7	32.3	14.3	5.3	13.0	9.3	5.7
SWI-1057	84.0	50.0	68.0	44.3	22.7	38.3	40.0	34.3
SWI-1070	80.0	47.7	69.3	45.7	28.3	44.3	45.3	40.7
SWI-1081	60.3	29.3	51.0	25.0	13.3	24.0	21.7	17.3
SWI-1083	70.0	39.3	59.7	35.3	19.7	31.0	27.7	22.3
SWI-1113	74.7	35.3	52.0	25.7	9.0	21.3	16.0	13.0
SWI-1117	53.3	25.3	42.0	18.7	9.7	18.7	15.3	12.3
SWI-1122	67.7	34.7	56.7	31.3	15.3	29.0	28.7	27.7
TIFWAY	76.3	38.3	58.0	33.0	18.3	29.7	26.0	22.0
VERACRUZ	86.7	49.3	69.0	46.7	24.0	38.3	36.3	34.3
YUKON	73.7	41.3	54.7	32.0	16.3	31.0	27.0	16.7
LSD VALUE	11.7	10.2	15.4	10.3	9.1	14.5	13.1	11.3
C.V. (%)	11.2	19.0	17.5	23.1	36.8	31.8	34.9	38.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 7.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT JAY, FL 1/  
2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	FALL COLOR	FALL COLOR	APR	MAY	JUN	QUALITY RATINGS				MEAN
					OCTOBER	NOVEMBER				AUG	SEP	OCT	NOV	
TIFWAY	6.3	6.0	7.0	7.0	6.7	6.0	5.7	6.7	6.7	7.7	7.3	6.3	6.0	6.6
PREMIER	6.0	5.3	6.7	7.0	6.0	4.7	4.7	6.7	6.7	7.0	7.7	6.3	5.7	6.4
SWI-1057	6.0	4.0	6.0	6.0	6.3	5.3	4.3	6.7	6.7	7.0	7.7	6.3	5.3	6.3
OKC 1119	6.7	6.0	7.0	6.7	7.0	5.0	4.3	5.3	5.7	7.3	8.0	6.3	6.3	6.2
OKC 1134	6.0	5.7	6.0	6.0	6.0	4.7	4.0	6.0	7.0	7.0	8.0	5.7	5.0	6.1
SWI-1113	5.7	3.7	6.7	5.7	6.0	4.0	4.0	6.3	7.0	7.0	7.3	6.3	5.0	6.1
PATRIOT	7.0	5.0	8.0	6.0	5.7	5.0	4.0	5.7	7.0	7.3	7.7	5.7	5.0	6.0
PRINCESS 77	5.0	4.7	7.0	6.7	7.0	4.7	4.3	5.0	7.0	6.7	7.3	6.7	5.3	6.0
RIVIERA	5.7	4.0	7.0	5.3	6.0	4.0	4.3	5.7	6.7	7.0	7.3	5.7	5.0	6.0
SWI-1070	5.7	4.0	6.7	5.7	6.0	5.7	4.0	6.0	7.0	7.0	7.3	5.7	5.0	6.0
SWI-1083	5.3	4.0	6.3	5.3	5.0	4.7	4.0	6.3	7.0	7.0	7.0	5.3	5.0	6.0
YUKON	6.3	4.3	7.0	6.0	6.0	4.3	4.3	6.0	6.7	7.0	7.3	5.3	5.0	6.0
HOLLYWOOD (J-720)	5.3	4.3	6.7	5.0	5.3	4.7	4.3	6.3	6.7	7.0	7.3	5.3	4.3	5.9
VERACRUZ	5.7	4.3	7.0	6.0	6.0	4.3	4.3	5.0	6.7	7.0	8.0	5.7	4.7	5.9
OKS 2004-2	5.3	4.3	7.0	5.0	4.3	3.3	4.3	5.3	6.0	7.0	8.0	5.0	4.7	5.8
BAR 7CD5	6.7	3.7	6.7	5.7	6.0	5.0	3.7	5.0	6.0	7.0	7.3	5.7	5.0	5.7
MIDLAWN	5.7	4.0	6.3	6.7	6.0	3.0	3.3	5.7	5.7	6.7	7.0	6.3	5.3	5.7
SWI-1081	6.0	4.3	6.0	5.7	5.0	4.7	4.7	4.7	6.3	7.0	7.3	5.0	5.0	5.7
IS-01-201	5.0	3.7	6.0	5.0	4.3	3.7	4.0	4.7	6.7	7.0	7.0	5.0	5.0	5.6
PSG 9Y20K	5.3	3.7	7.0	5.0	5.3	4.0	3.7	5.0	6.0	6.7	7.7	5.3	5.0	5.6
PYRAMID 2 (IS-CD10)	5.3	4.0	6.3	4.3	4.0	3.3	4.3	5.3	6.3	7.0	7.3	4.7	4.0	5.6
RAD-CD1	6.0	3.7	6.3	5.0	5.3	4.0	4.0	6.0	6.0	7.0	6.7	5.3	4.3	5.6
SUNSPORT	5.3	3.0	6.3	4.7	4.3	4.3	4.0	5.0	6.3	7.0	7.3	4.7	5.0	5.6
PSG 9BAN	5.0	3.7	6.0	5.0	4.0	3.3	4.0	5.3	6.0	6.7	7.3	4.7	4.3	5.5
PSG 91215	5.7	4.0	6.3	4.7	5.0	3.7	4.7	4.3	5.7	7.0	6.7	4.7	4.7	5.4
PSG PROK	6.0	3.7	6.3	5.0	5.0	3.7	3.7	5.0	6.3	7.0	6.7	5.0	4.3	5.4
GOLD GLOVE (PST-R6FLT)	5.3	4.0	6.3	5.0	4.0	3.7	4.0	4.7	5.7	7.0	7.3	4.7	4.7	5.4
SWI-1117	6.0	3.0	6.3	5.3	5.0	4.0	3.3	4.0	6.3	7.0	7.0	5.0	5.0	5.4
SWI-1122	5.3	4.0	6.7	5.3	4.3	4.0	3.7	5.3	5.7	7.0	7.0	4.7	4.7	5.4
PSG 94524	5.7	3.7	7.0	4.7	3.7	3.7	4.3	4.3	5.3	7.0	7.3	4.7	4.0	5.3
NUMEX-SAHARA	6.0	3.0	7.0	5.0	4.0	4.3	3.3	4.7	5.7	6.7	7.0	4.7	4.7	5.2
LSD VALUE	1.3	2.5	1.1	1.5	2.4	1.0	2.8	1.8	2.3	0.8	1.4	1.5	1.0	0.7
C.V. (%)	10.5	25.0	7.9	14.3	21.3	13.7	20.2	16.0	12.4	4.2	7.4	13.6	10.9	6.2

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 8.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT GRIFFIN, GA 1/  
2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	DENSITY SUMMER	PERCENT COVER		FALL COLOR	FALL COLOR	FALL COLOR	JUN	JUL	QUALITY RATINGS					MEAN
				SPRING	SUMMER	SEPTEMBER	OCTOBER	NOVEMBER			AUG	SEP	OCT	NOV		
PATRIOT	8.3	6.0	9.0	99.0	97.7	7.0	5.3	6.3	8.7	8.3	8.0	7.0	5.7	6.7	7.4	
TIFWAY	7.7	5.7	8.7	96.0	97.7	6.0	6.0	6.0	8.3	8.0	7.3	7.0	6.0	6.7	7.2	
OKC 1134	7.0	7.3	9.0	99.0	97.7	6.0	6.0	6.3	8.0	8.0	7.7	6.3	6.0	6.7	7.1	
OKC 1119	6.7	6.3	8.0	99.0	89.3	5.7	5.7	6.0	8.0	7.7	7.3	6.0	5.7	6.7	6.9	
OKS 2004-2	7.3	6.3	7.7	96.0	90.0	6.0	6.0	6.3	7.3	7.3	7.7	6.0	6.3	6.3	6.8	
PREMIER	7.3	5.0	8.7	93.0	97.7	6.3	6.0	6.0	7.3	7.3	7.3	6.3	6.0	6.3	6.8	
RIVIERA	6.7	6.3	8.0	96.0	91.7	6.3	6.0	6.0	7.0	7.3	7.3	6.7	6.0	6.3	6.8	
VERACRUZ	7.3	3.3	8.0	89.7	90.0	6.0	6.0	6.3	7.3	7.3	7.0	6.3	6.0	6.3	6.7	
PRINCESS 77	6.7	4.0	8.3	86.7	96.3	6.0	6.0	6.0	7.0	7.0	7.0	6.7	6.0	6.0	6.6	
SWI-1113	7.3	5.0	8.7	90.0	93.3	6.0	5.7	6.0	7.0	7.3	7.3	6.0	5.7	6.0	6.6	
PSG 9BAN	6.7	4.7	7.7	93.0	93.3	6.3	6.0	6.0	6.7	7.0	6.7	6.7	6.0	6.0	6.5	
IS-01-201	7.0	3.3	7.7	86.7	91.7	6.0	6.0	6.0	7.0	7.0	7.0	6.0	6.0	5.7	6.4	
RAD-CD1	7.0	5.3	7.7	96.0	95.0	6.3	6.0	6.0	7.0	6.7	7.0	6.3	6.0	5.7	6.4	
SWI-1070	6.7	4.3	8.3	93.0	96.3	6.0	6.0	6.0	6.7	7.0	6.7	6.0	6.0	6.0	6.4	
HOLLYWOOD (J-720)	7.0	4.3	7.3	93.0	92.7	6.3	5.7	6.0	6.3	6.7	6.7	6.3	6.0	6.0	6.3	
SWI-1057	6.3	4.7	8.3	86.7	97.7	6.7	6.0	6.0	6.3	6.3	6.3	6.7	6.0	6.0	6.3	
SWI-1083	6.7	5.0	8.7	96.0	95.0	6.0	6.0	5.7	6.7	6.7	6.3	6.0	6.0	6.0	6.3	
SWI-1117	6.7	5.0	8.7	89.7	95.0	6.0	6.0	5.7	7.0	6.7	7.0	6.0	6.0	5.3	6.3	
SWI-1122	6.7	4.7	8.0	96.0	94.7	6.0	5.7	6.0	6.7	6.7	6.7	6.0	6.0	5.7	6.3	
MIDLAWN	7.0	5.0	8.7	96.0	91.7	6.3	5.7	5.3	7.0	7.0	6.7	6.0	5.7	5.0	6.2	
PSG 9Y2OK	6.7	4.0	7.3	89.7	88.3	6.0	6.0	6.0	6.7	6.7	6.3	6.0	6.0	5.7	6.2	
GOLD GLOVE (PST-R6FLT)	6.3	5.0	8.3	89.7	93.0	6.3	6.0	6.0	6.3	6.3	6.3	6.3	6.0	5.7	6.2	
PYRAMID 2 (IS-CD10)	7.0	3.3	7.7	93.0	96.3	6.0	5.7	6.3	6.3	6.7	6.7	6.0	5.7	6.0	6.2	
YUKON	6.7	4.7	8.0	60.0	85.0	6.3	5.7	5.3	6.7	6.3	6.7	6.3	5.7	5.3	6.2	
PSG 94524	6.0	3.0	7.7	89.7	90.0	6.0	5.7	6.0	6.3	6.3	6.0	6.0	6.0	6.0	6.1	
SUNSPORT	6.3	3.7	7.7	80.0	86.7	6.0	6.0	5.7	6.3	6.3	6.3	6.0	6.0	5.7	6.1	
SWI-1081	6.3	3.3	7.7	86.3	81.7	6.0	6.0	5.7	6.7	6.3	6.0	6.0	6.0	5.7	6.1	
NUMEX-SAHARA	6.3	2.3	7.7	76.7	88.3	6.0	5.3	6.3	6.0	6.3	6.3	6.0	5.3	6.0	6.0	
PSG 91215	6.3	3.0	7.3	83.3	85.0	6.0	6.0	6.0	6.0	6.3	6.0	6.0	6.0	5.7	6.0	
BAR 7CD5	6.3	4.0	7.7	50.0	63.3	6.3	5.3	5.0	6.3	6.3	6.0	6.0	5.7	5.0	5.9	
PSG PROK	6.3	3.0	7.3	73.0	94.7	6.0	6.0	5.7	6.0	6.3	6.0	6.0	6.0	5.3	5.9	
LSD VALUE	1.0	1.4	1.6	16.5	15.9	1.4	0.9	1.0	0.9	1.0	0.9	1.1	1.0	0.9	0.4	
C.V. (%)	7.8	19.2	8.4	11.0	8.6	7.0	5.8	7.0	7.6	8.3	7.9	7.0	5.3	8.2	4.0	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 9.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT LEXINGTON, KY 1/  
2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SPRING	PERCENT	FROST TOLERANCE	MAY	JUN	QUALITY RATINGS			MEAN
					COVER SPRING				JUL	AUG	SEP	
PREMIER	8.3	8.3	8.7	8.7	79.0	3.0	7.3	8.7	9.0	8.3	7.3	8.1
OKC 1119	7.3	8.3	8.7	9.0	92.0	4.0	8.0	8.3	8.7	8.0	7.0	8.0
OKC 1134	8.0	7.7	8.3	8.3	44.0	5.0	7.3	7.3	8.0	7.7	7.7	7.6
TIFWAY	8.3	7.0	9.0	8.7	36.7	6.3	5.7	7.7	8.0	7.7	7.3	7.3
RIVIERA	7.3	8.0	7.3	8.3	74.7	3.0	5.7	8.3	7.3	8.0	6.7	7.2
SWI-1113	8.0	8.0	7.3	7.7	86.7	2.7	6.0	8.0	7.3	7.0	6.7	7.0
PATRIOT	9.0	7.7	8.0	7.3	40.7	4.3	4.7	7.3	8.0	7.3	7.3	6.9
PSG 9Y20K	8.3	9.0	6.7	8.7	94.3	3.3	6.0	8.3	8.0	6.7	5.3	6.9
RAD-CD1	8.0	8.7	7.0	8.7	99.0	2.7	6.7	8.0	8.0	6.3	5.7	6.9
SWI-1057	7.3	7.0	7.0	7.7	63.3	3.0	4.3	7.7	6.7	8.0	7.3	6.8
HOLLYWOOD (J-720)	8.3	7.3	6.3	8.0	83.3	2.0	5.3	8.0	7.0	7.0	6.0	6.7
OKS 2004-2	8.3	7.0	7.3	7.7	78.3	2.3	5.7	7.0	7.3	7.3	6.0	6.7
SWI-1070	7.7	7.3	8.0	7.7	78.0	2.0	5.3	8.0	7.3	6.7	6.0	6.7
SWI-1122	8.0	7.7	6.0	8.0	83.0	2.7	5.7	8.0	6.7	6.7	6.3	6.7
YUKON	9.0	8.0	5.7	8.0	86.7	4.0	5.7	7.3	7.0	7.0	5.7	6.5
PSG PROK	8.3	7.7	8.0	7.3	78.3	3.3	5.3	7.3	6.7	7.0	5.7	6.4
MIDLAWN	7.7	8.3	8.0	7.7	90.3	3.3	6.0	7.7	7.3	5.3	5.0	6.3
PYRAMID 2 (IS-CD10)	6.7	7.7	7.0	7.3	66.7	2.3	5.3	7.3	6.3	6.3	5.7	6.2
PSG 91215	8.0	6.0	5.7	7.7	59.0	2.3	5.0	7.0	6.0	6.7	5.7	6.1
PSG 9BAN	8.0	6.3	7.0	7.0	55.0	2.3	4.3	7.0	6.0	7.3	5.7	6.1
VERACRUZ	8.0	6.0	7.3	7.7	55.0	2.0	4.3	7.0	6.0	7.0	6.3	6.1
BAR 7CD5	8.3	8.0	5.3	7.7	73.3	4.3	4.7	7.7	6.7	5.0	5.0	5.8
PRINCESS 77	7.3	5.0	6.3	7.3	43.3	4.3	4.0	6.3	6.0	6.7	6.0	5.8
GOLD GLOVE (PST-R6FLT)	8.0	6.3	6.7	7.3	68.3	2.0	4.3	6.7	5.3	6.7	5.7	5.7
SWI-1083	8.0	5.7	6.3	6.7	63.3	2.3	4.0	6.3	5.3	6.7	6.0	5.7
PSG 94524	7.0	5.7	5.7	6.3	45.7	2.7	3.7	5.7	5.7	6.0	6.0	5.4
SWI-1081	8.0	5.3	5.7	6.0	45.0	2.7	4.0	6.0	5.3	6.0	5.3	5.3
IS-01-201	7.7	4.3	6.0	6.0	35.7	2.3	3.7	6.0	5.0	5.7	5.0	5.1
SWI-1117	7.7	5.7	6.3	6.3	29.0	2.0	4.0	5.7	5.3	5.7	5.0	5.1
SUNSPORT	6.7	5.7	5.7	6.0	28.0	1.3	3.3	5.0	5.0	5.3	4.3	4.6
NUMEX-SAHARA	7.3	3.7	6.0	4.7	15.7	1.3	3.0	4.3	4.7	4.7	4.0	4.1
LSD VALUE	2.5	1.6	2.1	1.2	28.5	1.7	1.1	1.6	1.2	1.2	0.9	0.8
C.V. (%)	11.1	14.1	16.1	9.9	27.5	33.1	13.9	12.9	11.3	11.1	10.1	7.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 10.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT BATON ROUGE, LA 1/  
2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SUMMER	PERCENT COVER SPRING	FALL COLOR NOVEMBER	SEEDHEAD RATINGS		MAR	APR	MAY	QUALITY RATINGS					MEAN
							MIDDLE SUMMER	LATE SUMMER				JUN	JUL	AUG	SEP	OCT	
TIFWAY	6.7	7.0	6.3	7.3	99.0	6.3	9.0	8.3	6.7	7.0	6.0	5.7	6.7	7.0	7.3	7.7	6.8
OKC 1119	8.0	6.7	8.0	8.3	99.0	6.7	9.0	9.0	6.3	6.7	5.3	5.0	6.7	7.3	7.7	8.0	6.6
OKC 1134	7.3	6.3	7.0	7.7	99.0	6.3	9.0	9.0	6.3	6.7	5.3	5.0	7.0	7.3	7.7	7.7	6.6
PREMIER	7.7	5.3	7.3	6.7	96.3	6.7	8.3	8.3	6.3	6.7	5.3	5.0	6.3	7.0	7.3	7.7	6.5
RIVIERA	6.7	5.3	5.7	6.7	96.3	6.0	8.7	8.0	6.7	6.0	5.3	4.7	6.3	6.7	7.3	7.0	6.3
OKS 2004-2	7.0	5.0	6.7	6.3	97.7	6.7	9.0	7.7	5.3	5.7	5.3	5.3	7.0	6.7	7.0	7.0	6.2
SWI-1057	6.7	3.7	5.3	6.0	97.7	6.7	8.7	8.0	5.3	6.0	5.3	5.3	6.7	6.7	6.3	7.0	6.1
YUKON	7.0	5.3	5.0	6.0	94.7	6.0	9.0	8.0	5.7	6.0	6.0	4.7	6.3	6.7	6.7	7.0	6.1
PRINCESS 77	6.7	4.0	5.7	6.3	97.7	5.3	8.7	7.7	6.0	6.7	4.7	4.7	6.0	6.3	7.0	6.7	6.0
MIDLAWN	6.3	4.0	6.0	5.7	94.7	6.7	9.0	9.0	6.0	6.3	5.3	5.0	5.7	5.7	6.7	6.3	5.9
BAR 7CD5	7.0	4.0	5.0	5.3	97.7	5.7	9.0	7.7	6.3	6.0	4.3	4.7	6.3	6.0	6.0	6.3	5.8
HOLLYWOOD (J-720)	6.0	4.0	6.0	6.0	96.3	5.7	8.7	8.0	5.0	6.0	5.3	4.7	6.0	6.3	6.7	6.0	5.8
PSG 9Y20K	6.3	4.0	5.7	6.0	94.7	5.7	8.7	8.7	5.3	5.7	5.0	5.0	6.3	6.3	6.0	6.3	5.8
PSG PROK	5.7	3.7	5.0	5.3	94.7	5.3	9.0	8.3	5.3	6.0	6.0	5.0	6.0	6.0	5.7	6.0	5.8
SWI-1081	7.0	4.3	5.7	6.3	97.7	6.7	9.0	8.0	5.7	6.3	5.3	4.7	5.7	6.0	6.3	6.7	5.8
SWI-1113	7.0	4.3	5.7	6.3	97.7	6.7	8.7	8.7	5.3	6.7	5.3	4.7	5.7	6.3	6.0	6.7	5.8
PSG 9BAN	6.3	4.0	5.7	5.7	96.3	5.3	9.0	7.7	5.7	6.3	5.0	4.3	5.7	5.3	6.7	6.3	5.7
SWI-1070	6.0	4.7	5.7	6.0	99.0	5.7	9.0	7.3	4.3	5.7	5.3	6.0	6.0	5.7	6.3	6.3	5.7
PATRIOT	7.7	5.3	6.0	6.3	93.3	7.0	9.0	9.0	5.7	5.7	4.3	4.0	5.7	6.3	6.7	6.3	5.6
PYRAMID 2 (IS-CD10)	6.0	4.0	5.3	6.0	97.7	5.7	8.3	7.7	5.3	5.7	5.3	4.7	5.7	6.0	6.3	6.0	5.6
RAD-CD1	6.0	4.0	5.7	6.0	94.7	6.0	8.3	7.7	5.7	6.0	5.3	4.3	5.3	6.0	6.3	6.0	5.6
SWI-1122	7.0	3.7	5.7	6.0	97.7	6.0	9.0	8.7	4.7	6.0	5.0	4.3	5.7	6.0	6.7	6.7	5.6
IS-01-201	6.3	3.3	6.0	5.3	97.7	5.3	8.7	7.7	4.7	5.0	5.0	5.0	6.0	6.0	6.3	6.3	5.5
PSG 91215	6.3	4.0	5.7	5.0	91.7	5.7	9.0	8.0	5.3	5.7	4.7	4.3	6.3	5.7	6.0	6.3	5.5
GOLD GLOVE (PST-R6FLT)	6.0	4.0	6.0	5.7	94.7	6.3	9.0	7.7	4.7	5.3	4.3	4.7	6.0	6.3	6.0	6.3	5.5
SWI-1117	5.7	3.7	5.7	5.7	99.0	6.0	8.7	7.7	5.0	6.0	5.0	4.3	5.3	5.7	6.3	6.3	5.5
VERACRUZ	6.3	3.7	5.7	6.0	97.7	5.7	8.7	8.0	5.0	5.3	5.0	4.7	6.0	5.7	6.0	6.0	5.5
SUNSPORT	6.0	3.3	6.0	5.3	94.7	5.7	8.3	8.7	5.3	5.0	4.7	4.7	5.7	6.0	6.0	6.0	5.4
SWI-1083	6.3	4.3	5.7	6.0	97.7	6.3	8.7	8.3	5.0	5.3	4.7	4.3	5.7	5.7	5.7	6.0	5.3
PSG 94524	5.3	3.7	5.0	4.3	91.3	5.0	9.0	7.7	5.0	5.7	4.3	4.7	5.3	5.3	5.0	6.0	5.2
NUMEX-SAHARA	6.3	2.7	4.0	5.0	93.3	5.0	7.3	6.7	4.3	5.0	5.0	4.3	5.0	5.0	5.3	6.0	5.0
LSD VALUE	1.3	0.8	0.9	0.8	8.3	1.0	0.8	1.0	1.1	1.2	1.2	1.3	1.0	0.7	0.8	0.8	0.5
C.V. (%)	10.3	11.8	9.6	8.7	3.3	9.3	4.6	6.8	11.7	10.1	11.2	11.7	9.0	7.3	7.5	7.1	5.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 11.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT MISS. ST., MS 1/  
2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SUMMER	SEEDHEAD RATINGS		APR	MAY	JUN	QUALITY RATINGS					MEAN
					MIDDLE SUMMER	LATE SUMMER				JUL	AUG	SEP	OCT	NOV	
OKC 1119	6.3	6.3	8.0	8.0	8.0	9.0	6.7	7.7	7.7	7.3	7.7	7.0	7.0	7.0	7.3
OKC 1134	6.0	7.0	8.0	8.0	8.3	9.0	7.0	7.7	7.7	7.0	7.7	7.0	7.0	7.0	7.3
TIFWAY	7.7	6.0	7.7	8.0	8.0	9.0	6.3	7.0	7.0	7.3	7.3	7.0	7.0	7.0	7.0
PREMIER	7.7	5.7	7.7	8.0	7.7	8.0	6.0	7.0	7.0	7.3	7.0	7.3	6.7	7.0	6.9
PATRIOT	7.0	4.0	7.0	7.0	8.3	8.7	6.0	6.0	6.7	7.0	7.3	7.0	7.0	7.0	6.8
SWI-1113	7.0	5.0	6.7	7.0	6.7	8.0	6.0	6.0	6.0	6.7	6.0	6.0	6.0	6.3	6.1
PRINCESS 77	7.0	5.0	6.7	7.0	6.7	7.3	5.3	6.0	6.0	6.0	6.3	6.3	6.3	6.0	6.0
SWI-1070	7.0	5.7	6.0	6.7	6.7	7.0	5.3	6.0	6.0	6.0	6.0	6.0	6.0	6.3	6.0
PSG 9BAN	7.0	5.3	6.0	6.7	6.7	8.0	5.3	5.7	6.0	6.0	6.0	6.3	6.0	6.0	5.9
SWI-1057	7.0	5.0	6.0	7.0	6.7	7.0	5.7	5.7	5.7	6.0	6.0	5.7	6.3	6.0	5.9
HOLLYWOOD (J-720)	7.0	5.0	6.0	6.3	7.3	7.3	5.3	5.7	5.7	5.7	6.0	6.0	6.0	6.0	5.8
GOLD GLOVE (PST-R6FLT)	7.0	5.0	6.0	6.7	6.0	7.0	5.3	5.3	5.3	6.0	6.0	6.0	6.0	6.0	5.8
PYRAMID 2 (IS-CD10)	7.0	5.3	6.0	6.3	7.0	8.0	5.3	5.3	5.7	5.7	6.0	6.3	6.0	6.0	5.8
RAD-CD1	6.7	5.3	6.0	6.0	7.0	7.7	5.3	5.7	5.7	6.0	6.0	6.0	6.0	6.0	5.8
RIVIERA	7.0	6.0	6.3	6.3	6.7	7.0	5.0	5.7	5.7	6.0	6.3	5.7	6.0	6.0	5.8
SWI-1122	7.0	4.7	6.0	6.3	6.7	7.7	5.0	5.7	6.0	6.0	6.0	6.0	6.0	6.0	5.8
VERACRUZ	7.0	5.0	6.0	6.0	6.7	8.0	5.0	5.7	5.7	6.3	6.3	5.7	6.0	6.0	5.8
YUKON	6.7	5.0	6.0	6.7	7.0	8.0	5.3	5.3	5.7	6.3	6.0	6.0	6.0	6.0	5.8
OKS 2004-2	7.0	4.0	6.7	7.0	6.7	7.7	4.7	5.3	5.3	6.0	6.3	6.0	6.0	6.0	5.7
PSG 94524	7.0	5.3	6.0	5.7	6.7	7.3	5.0	5.3	5.7	6.0	6.0	5.7	6.0	6.0	5.7
PSG PROK	7.0	5.0	5.7	6.0	6.7	7.0	5.0	5.3	5.7	6.0	6.0	6.0	5.7	6.0	5.7
SUNSPORT	7.0	5.0	5.3	6.3	6.7	7.3	5.0	5.3	5.7	6.0	6.0	5.3	6.0	6.0	5.7
SWI-1081	7.0	4.7	5.7	6.0	6.7	7.7	5.3	5.0	5.3	5.7	6.0	6.0	6.0	6.0	5.7
IS-01-201	7.0	4.3	5.7	6.3	6.7	7.0	4.7	5.0	5.7	5.3	6.0	5.0	6.0	6.0	5.5
MIDLAWN	7.0	3.0	6.3	6.7	8.3	9.0	5.0	5.3	6.3	6.3	6.0	5.3	5.0	5.0	5.5
PSG 9Y20K	7.0	4.3	5.7	6.3	6.7	8.0	4.7	5.0	5.0	6.0	6.0	5.7	6.0	6.0	5.5
SWI-1083	7.0	5.0	5.7	6.0	6.3	7.0	4.7	5.0	5.0	5.3	6.0	6.0	6.0	6.0	5.5
SWI-1117	7.0	4.7	6.0	6.0	6.3	7.7	4.7	5.0	5.0	5.3	6.0	5.3	6.0	6.0	5.4
PSG 91215	7.0	5.3	5.3	5.3	6.7	8.0	5.0	5.3	5.3	5.3	5.3	5.0	5.7	5.7	5.3
BAR 7CD5	6.7	4.0	4.7	5.3	6.3	7.7	4.0	4.7	4.7	5.0	5.3	5.0	5.0	5.7	4.9
NUMEX-SAHARA	6.7	5.0	5.3	5.0	6.7	7.0	4.7	4.7	4.7	4.7	5.3	5.0	5.0	5.0	4.9
LSD VALUE	0.5	0.8	0.7	0.6	0.9	0.9	0.5	0.7	0.7	0.6	0.5	0.8	0.4	0.3	0.3
C.V. (%)	3.9	10.2	7.2	6.0	7.6	6.8	6.7	8.0	8.0	6.7	5.3	8.1	3.9	3.4	3.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 12.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT RALEIGH, NC 1/  
2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SUMMER	FALL COLOR	FALL COLOR	SEEDHEAD RATINGS		APR	MAY	JUN	QUALITY RATINGS					MEAN
					OCTOBER	NOVEMBER	MIDDLE SUMMER	LATE SUMMER				JUL	AUG	SEP	OCT	NOV	
OKC 1119	7.7	5.0	9.0	9.0	7.7	4.0	9.0	9.0	8.3	9.0	8.7	8.7	9.0	8.7	8.0	7.7	8.5
PATRIOT	8.7	1.0	8.0	8.7	8.0	4.3	9.0	9.0	8.0	8.7	8.7	8.7	8.7	8.7	7.7	7.7	8.3
PREMIER	8.7	3.7	8.7	8.7	8.3	7.3	9.0	8.7	8.3	9.0	8.3	8.3	8.0	8.0	8.0	7.3	8.2
TIFWAY	7.3	2.0	8.7	9.0	7.7	7.3	8.7	9.0	8.0	9.0	8.3	8.3	7.7	7.7	8.0	8.0	8.1
OKC 1134	7.7	5.7	8.7	9.0	6.7	2.7	9.0	8.7	8.0	9.0	8.3	8.3	8.3	7.0	7.7	7.0	8.0
SWI-1113	6.0	2.0	7.0	6.7	7.3	4.7	6.7	7.0	6.3	6.3	6.3	6.0	7.0	7.0	6.3	6.3	6.5
PRINCESS 77	6.3	2.0	7.7	6.7	7.0	5.3	5.7	5.7	7.0	7.3	6.3	5.7	6.0	6.7	6.0	6.3	6.4
GOLD GLOVE (PST-R6FLT)	6.0	3.7	7.3	7.7	6.7	4.3	4.0	3.0	6.3	6.7	7.0	5.3	6.7	6.7	6.0	6.3	6.4
MIDLAWN	7.0	3.3	7.7	7.7	4.7	3.0	7.7	9.0	6.3	7.0	6.0	6.7	6.3	6.7	5.7	6.0	6.3
IS-01-201	5.0	4.3	6.3	6.3	6.7	3.3	5.7	5.3	5.7	6.0	6.3	5.3	7.0	6.3	6.7	6.3	6.2
VERACRUZ	5.0	2.3	6.3	6.7	7.0	5.7	6.0	6.0	5.7	5.7	5.7	5.7	7.0	6.7	6.0	6.3	6.1
HOLLYWOOD (J-720)	5.3	5.3	7.0	6.3	6.0	3.3	5.3	5.7	5.0	5.7	6.3	6.0	6.3	6.0	5.7	6.0	5.9
PSG 9Y20K	6.3	6.0	5.7	6.0	6.0	5.0	5.3	6.3	5.7	6.0	6.3	5.3	6.0	5.7	6.0	6.0	5.9
YUKON	7.0	5.7	6.7	6.3	5.3	3.7	7.0	8.0	6.0	6.3	6.3	6.0	5.3	6.0	5.7	5.7	5.9
PYRAMID 2 (IS-CD10)	5.0	4.7	6.0	6.3	7.0	3.3	5.7	6.0	5.7	5.7	5.7	5.0	6.3	6.0	6.3	6.0	5.8
SWI-1057	7.3	3.0	6.7	5.7	7.3	4.3	4.7	5.7	6.3	7.0	5.3	5.3	5.7	6.0	6.0	5.0	5.8
SWI-1070	4.7	4.0	6.0	6.0	7.3	4.3	5.7	7.3	5.0	5.0	6.0	5.3	6.3	6.3	6.7	5.3	5.8
SWI-1083	5.7	3.7	6.7	6.7	6.7	4.0	5.3	6.0	5.3	5.3	6.3	5.7	6.3	6.0	5.7	6.0	5.8
RAD-CD1	5.7	5.0	6.0	6.3	6.7	3.7	5.7	6.0	5.3	5.7	5.3	5.0	5.7	5.0	6.0	6.0	5.5
RIVIERA	5.3	6.0	6.7	6.3	5.7	3.0	6.7	6.7	5.3	5.7	6.0	5.3	6.0	5.3	5.0	5.7	5.5
SWI-1122	4.7	4.7	6.0	5.7	6.3	3.0	5.7	5.7	4.7	4.7	5.3	5.0	5.0	5.3	5.3	5.7	5.1
OKS 2004-2	5.7	6.0	6.7	5.0	5.0	2.7	6.3	6.3	5.3	5.3	5.3	5.0	5.0	4.7	4.7	4.7	5.0
SUNSPORT	5.0	3.7	5.3	5.3	6.0	4.0	5.0	4.3	4.7	5.0	4.7	4.3	5.3	6.0	4.7	5.7	5.0
SWI-1081	4.7	3.0	6.0	5.7	6.7	3.0	5.7	4.7	5.0	4.7	5.3	4.7	5.0	5.7	4.7	5.0	5.0
SWI-1117	5.0	4.7	6.0	5.7	6.3	3.3	6.0	7.0	4.3	4.7	4.7	4.0	5.7	6.3	5.7	5.0	5.0
PSG 94524	4.3	4.0	5.3	5.0	6.3	3.3	5.3	4.7	4.7	4.3	4.3	3.7	5.0	4.7	5.3	5.7	4.7
PSG 91215	4.7	4.7	5.3	5.0	6.0	3.3	5.0	5.0	4.7	4.7	4.3	3.7	4.7	5.0	4.7	5.3	4.6
BAR 7CD5	6.3	4.7	5.0	5.3	5.7	3.7	6.3	5.7	4.3	4.7	5.0	4.3	5.3	4.3	3.7	4.3	4.5
PSG 9BAN	4.7	3.7	5.7	5.7	5.0	2.7	5.3	4.3	4.3	4.7	5.3	4.0	4.3	4.3	4.3	4.7	4.5
NUMEX-SAHARA	4.0	4.7	5.7	4.0	5.7	3.7	5.7	6.7	3.7	3.7	4.0	3.7	4.7	5.0	4.7	5.3	4.3
PSG PROK	4.0	4.7	5.7	4.7	5.3	2.7	4.3	3.7	4.0	3.7	4.7	3.7	4.7	4.7	4.3	4.3	4.3
LSD VALUE	1.9	1.1	0.7	1.4	1.9	1.5	0.9	1.5	1.2	1.1	1.1	1.2	1.4	1.7	1.3	1.5	0.9
C.V. (%)	19.0	17.7	7.5	13.9	15.5	23.6	9.9	15.3	14.0	12.5	12.2	14.6	14.3	16.6	14.3	14.5	9.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.



TABLE 13.

WEAR TOLERANCE AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT RALEIGH (TRAFFIC STUDY)), NC 1/  
2009 DATA

WEAR TOLERANCE RATINGS 1-9; 9=BEST 2/  
SHEAR DATA MEASURED IN NEWTONS\*METER (N\*M) 3/

NAME	WEAR TOLERANCE RATINGS										
	AUG 6 2008	AUG 12 2008	AUG 19 2008	AUG 26 2008	SEP 4 2008	JUN 25 2009	JUN 30 2009	JUL 7 2009	JUL 14 2009	JUL 21 2009	JUL 28 2009
HOLLYWOOD (J-720)	5.0	5.3	6.3	7.7	8.3	6.7	7.0	7.3	8.0	8.3	9.0
MIDLAWN	6.3	6.7	7.7	8.7	9.0	7.3	7.3	8.0	8.3	8.7	9.0
OKC 1119	7.0	7.3	7.7	8.3	8.7	8.0	8.3	9.0	9.0	9.0	9.0
OKC 1134	6.0	5.7	6.7	7.0	8.0	7.7	8.0	8.3	8.7	8.7	9.0
PREMIER	6.0	5.0	6.7	8.0	9.0	7.7	7.7	8.7	9.0	9.0	9.0
PSG 9Y20K	6.0	6.0	8.0	8.7	9.0	7.0	7.7	8.0	8.7	8.7	9.0
PYRAMID 2 (IS-CD10)	6.0	6.3	7.7	8.0	9.0	7.0	7.3	7.3	8.3	8.3	9.0
RAD-CD1	5.3	6.3	7.7	7.7	9.0	7.0	7.3	7.7	8.0	8.3	9.0
SWI-1081	4.7	4.7	6.3	7.3	8.3	6.7	6.7	7.3	8.0	8.3	9.0
BAR 7CD5	6.0	5.7	7.7	8.7	9.0	7.0	7.0	7.3	8.0	8.3	8.7
IS-01-201	5.3	5.7	7.0	8.0	8.7	6.7	7.0	7.3	7.7	8.3	8.7
PATRIOT	5.0	4.7	5.7	7.0	8.0	7.3	8.0	8.3	8.3	8.7	8.7
PRINCESS 77	5.7	6.0	7.3	7.7	8.7	7.3	7.7	7.7	7.7	8.7	8.7
GOLD GLOVE (PST-R6FLT)	6.3	5.7	6.7	7.7	9.0	6.3	6.7	7.0	7.7	8.3	8.7
RIVIERA	6.0	6.0	6.7	7.7	8.7	7.0	7.0	7.0	7.7	8.3	8.7
SUNSPORT	5.3	5.3	7.0	7.7	8.7	6.3	7.0	7.0	8.0	8.3	8.7
SWI-1057	5.0	5.0	6.0	7.3	8.3	6.7	7.0	7.3	8.3	8.3	8.7
SWI-1083	5.0	5.3	6.3	7.3	8.3	5.7	6.3	6.7	7.7	8.0	8.7
SWI-1113	5.3	6.0	6.7	7.3	9.0	6.7	6.7	6.7	8.0	8.3	8.7
SWI-1117	5.7	5.7	7.3	8.0	9.0	7.0	7.3	7.7	7.7	8.0	8.7
VERACRUZ	5.3	6.0	7.0	7.7	8.7	6.7	7.0	7.3	8.0	8.0	8.7
YUKON	5.0	5.7	7.0	7.7	9.0	6.7	7.3	7.3	7.7	8.0	8.7
NUMEX-SAHARA	5.3	6.0	7.7	8.0	9.0	6.0	6.0	6.7	7.3	8.3	8.3
PSG 91215	5.3	5.3	7.3	7.7	8.7	7.0	7.0	7.0	7.7	8.0	8.3
PSG 94524	5.0	5.0	6.7	7.7	8.7	6.7	6.7	6.7	7.7	8.0	8.3
PSG 9BAN	5.3	5.0	6.3	7.3	8.0	6.0	6.7	6.7	7.3	7.7	8.3
SWI-1070	5.0	5.3	7.0	7.3	8.3	6.3	6.7	7.0	7.7	8.0	8.3
SWI-1122	5.3	6.0	7.7	8.0	9.0	6.7	6.7	6.7	7.7	7.7	8.3
TIFWAY	6.7	7.0	7.7	8.7	9.0	7.3	7.0	7.0	7.3	7.3	8.3
PSG PROK	4.7	5.0	6.3	7.3	8.3	5.3	5.7	6.3	7.0	7.0	8.0
OKS 2004-2	5.0	4.7	5.3	6.3	7.7	5.3	5.7	6.0	7.0	7.0	7.7
LSD VALUE	0.8	1.0	1.0	1.0	0.6	0.9	1.3	1.2	1.2	1.4	1.6
C.V. (%)	8.5	10.2	8.6	7.2	4.1	8.0	9.7	9.3	7.5	7.5	6.2

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 13. WEAR TOLERANCE AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
(CONT'D) IN THE 2007 NATIONAL BERMUDAGRASS TEST AT RALEIGH (TRAFFIC STUDY)), NC 1/  
2009 DATA

WEAR TOLERANCE RATINGS 1-9; 9=BEST 2/  
SHEAR DATA MEASURED IN NEWTONS\*METER (N\*M) 3/

NAME	SHEAR SEP 9 2007	SHEAR NOV 2 2007	SHEAR JUN 18 2008	SHEAR AUG 22 2008	SHEAR JUN 19 2009	SHEAR AUG 31 2009
HOLLYWOOD (J-720)	47.0	82.3	136.3	118.3	92.0	84.0
MIDLAWN	37.7	67.3	129.3	119.0	81.3	67.0
OKC 1119	58.0	108.3	167.3	134.0	116.3	110.3
OKC 1134	48.0	120.7	139.7	131.3	119.3	124.0
PREMIER	56.0	117.7	155.3	135.3	129.7	122.3
PSG 9Y20K	37.7	100.7	123.0	133.7	97.0	87.0
PYRAMID 2 (IS-CD10)	43.0	98.0	143.0	123.7	90.0	94.0
RAD-CD1	48.7	93.7	110.0	114.0	86.3	84.3
SWI-1081	30.7	93.3	126.0	123.7	120.3	104.7
BAR 7CD5	34.7	94.7	127.7	115.7	127.7	117.0
IS-01-201	47.0	89.7	139.3	125.3	84.0	97.3
PATRIOT	43.0	76.0	118.7	115.0	103.0	90.7
PRINCESS 77	45.7	90.0	124.7	129.3	98.3	84.7
GOLD GLOVE (PST-R6FLT)	45.3	95.0	129.0	119.0	101.3	86.3
RIVIERA	46.7	89.7	102.7	110.3	95.3	92.3
SUNSPORT	40.7	91.7	126.7	133.0	85.0	84.3
SWI-1057	48.0	85.0	126.7	141.0	96.7	101.7
SWI-1083	48.7	78.3	122.7	128.0	90.3	89.0
SWI-1113	43.3	102.7	139.0	121.0	94.7	83.3
SWI-1117	46.7	100.0	129.3	128.0	102.3	87.0
VERACRUZ	31.0	75.0	116.0	111.0	95.0	84.7
YUKON	33.0	92.0	101.3	109.3	82.3	80.7
NUMEX-SAHARA	50.7	95.3	122.3	125.3	84.7	83.7
PSG 91215	50.0	91.3	134.3	123.3	92.7	99.7
PSG 94524	39.7	106.0	124.3	125.7	87.3	101.0
PSG 9BAN	30.0	104.0	120.3	146.0	103.7	99.7
SWI-1070	52.3	89.7	118.3	111.7	84.0	77.7
SWI-1122	43.0	99.0	131.0	137.0	92.7	84.0
TIFWAY	37.0	104.3	134.0	106.7	111.3	114.3
PSG PROK	48.3	102.0	135.3	103.7	88.3	89.0
OKS 2004-2	41.7	89.7	114.3	125.3	89.7	88.3
LSD VALUE	26.4	46.1	37.7	53.3	10.4	20.2
C.V. (%)	23.4	18.2	13.3	13.9	7.1	12.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 14.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT LAS CRUCES, NM 1/  
2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	FALL	FALL	FALL	APR	MAY	JUN	QUALITY RATINGS				MEAN
			COLOR SEPTEMBER	COLOR OCTOBER	COLOR NOVEMBER				JUL	AUG	SEP	OCT	
TIFWAY	6.7	3.7	7.3	7.0	1.7	7.3	7.7	7.7	7.3	8.0	7.0	8.3	7.6
PRINCESS 77	6.3	3.0	8.0	7.3	1.7	6.3	7.7	7.3	7.7	7.7	7.7	8.0	7.5
OKC 1119	6.7	4.0	7.0	7.7	1.7	8.0	7.7	6.3	6.0	7.7	6.3	7.3	7.0
SWI-1113	7.3	3.3	8.3	7.7	1.7	7.0	7.0	7.0	6.3	7.3	6.7	7.7	7.0
OKC 1134	6.0	4.7	6.3	6.7	1.7	8.3	7.7	7.0	6.7	6.7	5.7	6.3	6.9
PSG 9Y20K	6.3	3.7	7.7	7.3	1.7	7.0	7.3	7.0	6.0	7.0	5.7	6.7	6.7
BAR 7CD5	7.0	4.3	7.3	7.3	2.0	7.0	7.3	6.3	6.3	6.3	6.0	6.7	6.6
YUKON	6.7	3.7	7.3	6.7	1.0	6.7	6.7	6.7	6.7	7.0	6.0	6.3	6.6
PATRIOT	6.3	3.0	7.3	7.0	1.0	6.3	7.3	7.0	6.3	7.0	5.3	6.0	6.5
SWI-1057	6.3	2.3	7.3	7.0	1.0	6.0	7.0	6.7	6.3	6.3	6.0	6.3	6.4
VERACRUZ	6.0	3.3	7.7	6.7	1.0	6.7	7.0	6.3	6.0	6.7	5.7	6.3	6.4
PSG PROK	6.0	3.3	8.0	7.0	1.3	6.3	6.3	6.3	5.7	6.7	5.7	6.3	6.2
SWI-1122	6.3	3.3	7.3	7.0	1.7	6.7	6.7	6.0	5.0	6.0	5.7	6.7	6.1
SWI-1070	6.0	3.0	7.7	7.0	1.3	6.0	6.0	6.0	5.3	6.0	5.7	6.7	6.0
RAD-CD1	6.3	3.0	7.3	7.0	1.0	6.0	6.7	6.0	5.0	6.3	5.0	6.0	5.9
SWI-1083	6.0	2.0	6.3	6.7	2.0	4.7	6.7	6.0	5.7	6.0	5.0	6.0	5.7
OKS 2004-2	5.3	3.0	7.3	7.0	1.7	5.3	6.7	5.7	5.7	5.7	5.0	5.3	5.6
PSG 9BAN	5.3	2.7	6.3	6.7	1.3	5.7	6.0	6.0	5.3	6.3	4.7	5.0	5.6
IS-01-201	5.3	1.7	6.0	6.3	2.0	5.0	5.7	5.7	6.0	6.0	5.0	5.3	5.5
RIVIERA	5.7	2.7	6.0	6.7	1.3	5.3	6.0	6.7	5.0	5.3	4.7	5.0	5.4
HOLLYWOOD (J-720)	5.7	3.0	5.7	6.7	2.0	5.3	5.7	5.7	5.3	5.3	4.7	5.0	5.3
NUMEX-SAHARA	5.7	2.0	6.3	6.7	1.7	5.0	5.3	5.0	5.3	5.3	5.0	5.3	5.2
SWI-1117	5.7	2.7	6.3	6.7	1.7	5.0	5.3	5.0	5.3	5.7	4.7	5.7	5.2
PYRAMID 2 (IS-CD10)	5.0	2.3	5.7	6.3	1.7	5.3	6.0	5.3	4.7	5.0	4.7	5.0	5.1
SWI-1081	5.3	2.7	5.7	6.3	2.0	5.0	6.0	5.3	4.7	5.0	4.0	5.3	5.0
PSG 91215	5.3	2.3	5.3	6.3	1.3	5.0	5.3	4.7	5.0	5.0	4.0	4.7	4.8
PSG 94524	5.3	2.3	4.7	6.3	2.0	4.3	5.3	5.3	4.7	5.0	4.0	4.7	4.8
GOLD GLOVE (PST-R6FLT)	5.7	2.0	6.3	6.3	1.7	4.7	4.3	5.0	4.7	5.3	4.3	5.0	4.8
SUNSPORT	5.0	1.3	4.7	6.0	2.0	4.3	5.0	5.0	4.3	4.7	3.3	4.3	4.4
MIDLAWN	4.0	2.3	3.3	5.0	2.0	5.7	6.3	4.7	4.3	3.7	2.3	2.3	4.2
PREMIER	5.3	1.3	5.3	6.3	2.3	4.3	4.3	4.3	3.0	4.7	4.0	4.7	4.2
LSD VALUE	1.0	0.9	1.9	1.1	0.9	1.5	1.1	1.4	1.3	1.3	1.6	1.4	0.9
C.V. (%)	10.0	20.7	16.5	8.6	26.7	15.1	11.1	13.5	14.1	13.2	18.6	15.1	9.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 15.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT STILLWATER, OK 1/  
2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	SPRING GREENUP	LEAF TEXTURE	DENSITY SPRING	FALL	FALL	FALL	FALL	SEEDHEAD RATINGS	MAY	JUN	JUL	QUALITY RATINGS					MEAN
				COLOR SEPTEMBER	COLOR OCTOBER	COLOR NOVEMBER	COLOR DECEMBER					AUG	SEP	OCT	NOV		
OKC 1119	5.3	8.3	8.0	7.0	5.3	4.3	2.0	8.7	7.0	8.0	7.0	7.7	8.3	5.7	5.0	7.0	
OKC 1134	6.3	8.3	8.0	7.0	5.3	4.7	2.3	7.7	5.7	7.7	7.0	8.7	8.0	7.0	5.0	7.0	
PREMIER	5.7	8.3	7.7	6.0	4.3	4.7	1.7	6.7	6.0	7.7	7.7	8.0	6.3	6.3	4.0	6.6	
TIFWAY	4.3	8.0	8.3	6.7	5.7	6.0	3.0	8.7	4.3	8.7	6.7	7.7	7.0	5.7	5.7	6.5	
PRINCESS 77	2.7	7.0	7.3	7.0	6.0	5.3	2.0	6.0	5.0	7.0	6.7	7.7	7.0	5.7	5.0	6.3	
PATRIOT	3.7	7.3	6.3	6.3	4.3	3.7	1.0	8.0	4.3	6.7	7.0	8.0	7.3	6.0	4.0	6.2	
VERACRUZ	2.3	7.3	6.3	7.3	6.3	5.0	2.0	6.0	4.7	7.3	6.7	7.7	6.3	5.7	5.0	6.2	
OKS 2004-2	4.0	7.0	6.0	6.0	4.3	4.3	1.7	6.7	4.3	6.7	6.7	7.7	7.7	5.3	4.7	6.1	
PSG 9BAN	4.0	6.7	6.0	6.7	5.7	5.3	1.7	5.7	4.0	7.3	5.7	7.0	8.0	5.7	5.0	6.1	
SWI-1057	3.0	7.0	6.3	7.0	5.7	5.0	1.7	5.0	4.7	7.0	6.0	7.3	7.0	6.0	4.7	6.1	
SWI-1070	3.7	7.3	6.0	6.7	5.7	4.3	1.7	6.3	4.3	6.7	6.0	7.3	7.3	5.3	4.7	6.0	
SWI-1113	3.0	6.7	5.3	5.7	4.3	3.7	2.0	6.3	5.0	7.0	5.7	7.7	7.3	5.7	4.0	6.0	
RAD-CD1	4.0	6.7	6.0	6.7	5.7	4.3	1.7	6.3	4.3	6.7	6.3	7.3	7.3	5.0	4.3	5.9	
RIVIERA	4.7	7.0	6.3	5.7	4.7	4.0	1.7	6.0	4.3	6.7	6.7	7.3	7.3	4.7	3.7	5.8	
SWI-1122	4.0	6.3	5.7	6.3	4.3	4.0	2.0	5.3	4.3	6.0	6.3	7.7	7.0	5.0	4.0	5.8	
MIDLAWN	2.7	7.7	5.7	5.3	2.3	2.3	1.7	8.3	4.7	6.7	5.7	7.0	7.3	5.7	2.7	5.7	
PSG PROK	3.3	6.7	5.3	6.3	5.0	4.3	1.3	5.0	3.3	6.0	6.7	6.7	7.7	5.3	4.3	5.7	
SWI-1083	3.3	6.3	5.3	6.3	5.3	4.0	1.3	5.3	3.3	6.0	6.3	7.3	7.7	5.0	4.3	5.7	
HOLLYWOOD (J-720)	4.0	7.0	6.0	5.7	4.7	4.0	1.0	4.0	3.7	6.3	5.7	7.7	6.3	5.7	4.0	5.6	
PSG 9Y20K	3.3	6.3	6.3	5.7	4.3	3.7	1.3	5.0	3.7	6.3	6.0	7.0	7.3	5.0	3.7	5.6	
PYRAMID 2 (IS-CD10)	3.7	7.0	6.0	6.0	5.3	4.7	1.7	6.0	4.0	6.0	6.7	6.7	6.3	5.3	4.3	5.6	
YUKON	3.3	7.3	5.7	6.0	4.7	4.0	1.7	6.0	4.3	6.7	5.3	7.7	6.0	5.0	4.0	5.6	
GOLD GLOVE (PST-R6FLT)	4.0	6.7	6.0	6.0	4.7	4.7	1.7	2.7	3.7	6.7	6.0	6.7	6.0	5.3	4.3	5.5	
SWI-1081	3.0	6.7	5.7	6.0	4.3	3.7	1.3	5.0	3.3	6.3	6.3	6.7	6.0	5.0	4.3	5.4	
IS-01-201	3.3	7.0	5.7	6.0	4.3	4.0	1.0	5.0	3.3	5.7	6.0	6.3	7.0	4.7	4.0	5.3	
PSG 91215	3.3	6.0	5.0	6.3	4.7	4.7	2.0	5.0	3.0	5.3	5.7	6.3	7.0	4.7	4.0	5.1	
BAR 7CD5	3.0	5.3	5.0	6.7	4.7	4.0	1.7	4.7	3.7	5.0	6.0	6.0	6.0	5.0	3.3	5.0	
SWI-1117	3.3	6.0	4.7	5.3	4.0	3.7	2.0	6.7	3.0	5.0	5.3	6.0	7.7	4.7	3.7	5.0	
SUNSPORT	3.0	6.0	4.3	5.0	4.0	3.7	1.0	4.3	2.7	5.3	5.0	6.0	7.3	3.3	3.7	4.8	
PSG 94524	3.3	6.0	5.0	5.0	3.7	4.3	1.7	5.0	2.7	5.3	4.7	6.3	6.7	4.0	3.3	4.7	
NUMEX-SAHARA	3.3	6.0	3.7	5.3	4.0	3.3	2.0	4.3	2.7	5.0	4.3	5.3	7.0	3.3	3.3	4.4	
LSD VALUE	0.9	0.8	0.9	1.3	1.3	1.4	0.8	1.6	1.0	0.7	0.9	1.2	2.2	1.2	1.1	0.5	
C.V. (%)	16.1	7.4	10.0	10.8	15.5	17.1	26.5	17.2	16.2	7.1	9.4	9.8	12.7	13.6	14.3	5.8	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 16.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT KNOXVILLE, TN 1/  
2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	LEAF TEXTURE	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT COVER FALL	WINTER COLOR	FALL COLOR NOVEMBER	FALL COLOR DECEMBER	PERCENT SPRING GREENUP	QUALITY RATINGS								MEAN
										MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
OKC 1119	8.0	2.0	96.0	98.3	91.0	4.7	8.0	4.7	64.3	8.0	8.7	8.7	8.7	8.7	6.7	7.7	5.0	7.8
PREMIER	8.0	2.0	90.7	97.7	91.3	7.0	8.0	7.0	49.3	7.0	8.7	8.3	8.7	8.3	7.0	8.0	6.7	7.8
RIVIERA	8.3	3.0	96.3	98.0	92.0	6.3	7.7	6.3	81.0	8.0	8.0	8.3	9.0	8.3	7.0	7.3	6.0	7.8
PSG 9BAN	8.7	3.0	91.7	98.3	92.3	5.7	8.0	5.7	34.0	6.7	7.3	8.7	9.0	8.3	7.3	8.0	6.0	7.7
PSG 9Y20K	8.0	3.0	90.7	96.0	91.7	7.0	8.0	7.0	65.0	6.7	8.0	8.0	8.7	8.7	7.3	8.0	6.0	7.7
TIFWAY	8.3	2.7	91.7	97.3	92.0	7.0	8.0	7.0	46.7	7.3	8.0	8.3	8.3	8.3	7.3	7.7	6.0	7.7
OKC 1134	8.3	2.3	94.7	97.7	88.7	4.0	8.0	4.0	49.3	7.7	8.7	8.7	8.7	8.7	6.3	7.7	4.7	7.6
SWI-1057	8.3	3.0	91.7	97.7	92.0	7.0	8.0	7.0	28.3	7.0	8.0	8.3	8.7	8.3	7.0	7.3	6.0	7.6
SWI-1122	8.0	3.0	89.7	97.3	92.7	6.7	8.0	6.7	55.0	6.7	8.0	8.0	8.7	8.3	7.7	7.3	6.3	7.6
YUKON	8.0	3.0	93.0	97.0	91.7	6.7	7.3	6.7	73.3	7.3	8.3	8.3	8.7	8.3	7.3	6.3	6.0	7.6
HOLLYWOOD (J-720)	7.7	3.0	92.7	97.3	92.3	5.7	8.0	5.7	63.3	7.3	8.0	8.3	8.7	8.0	7.3	6.7	6.0	7.5
OKS 2004-2	8.0	2.3	93.0	98.0	91.3	5.3	7.0	5.3	68.3	7.3	8.0	8.3	8.3	8.0	7.3	7.0	5.3	7.5
PSG 91215	8.0	3.0	85.7	96.3	93.7	5.7	8.0	5.7	35.0	6.3	7.3	8.0	8.3	8.3	8.0	7.7	6.0	7.5
PYRAMID 2 (IS-CD10)	8.0	3.3	86.3	95.7	92.0	5.7	8.0	5.7	44.3	6.7	7.7	7.7	9.0	8.7	7.0	7.7	5.3	7.5
SWI-1070	8.3	2.0	91.3	97.0	93.3	6.7	7.7	6.7	48.3	6.7	7.7	8.3	8.7	8.0	7.7	7.3	6.0	7.5
SWI-1081	8.0	3.0	92.0	95.7	92.7	6.7	8.0	6.7	27.7	6.7	7.3	8.0	8.3	8.3	7.7	8.0	6.0	7.5
SWI-1083	7.7	3.3	89.7	94.3	93.7	7.0	8.0	7.0	36.0	6.7	7.7	7.7	8.0	8.3	8.0	8.0	6.0	7.5
SWI-1113	8.0	2.7	89.7	96.3	91.7	6.7	8.0	6.7	36.7	6.3	8.0	8.0	8.7	8.0	7.0	7.3	6.3	7.5
IS-01-201	8.0	3.0	88.3	96.3	91.7	5.3	7.0	5.3	28.3	6.3	7.3	8.0	9.0	8.7	7.0	7.0	5.7	7.4
PSG PROK	8.0	3.3	88.3	96.0	91.0	6.3	7.7	6.3	46.7	6.0	8.0	8.0	8.7	8.3	7.0	7.0	6.0	7.4
RAD-CD1	8.0	3.3	92.0	96.3	92.7	7.0	7.7	7.0	61.7	6.7	8.0	8.0	8.0	8.3	7.3	7.0	6.0	7.4
BAR 7CD5	8.0	3.7	89.7	96.0	91.3	6.0	7.3	6.0	53.3	6.7	8.0	8.0	8.0	8.0	7.0	6.7	6.0	7.3
MIDLAWN	7.7	3.0	90.0	96.3	92.0	5.3	7.0	5.3	60.0	6.3	8.3	7.7	8.3	8.0	7.3	6.7	5.7	7.3
PATRIOT	8.3	3.0	93.7	97.3	90.0	3.3	7.0	3.3	27.7	7.3	9.0	8.3	8.7	8.0	6.7	6.0	4.7	7.3
PRINCESS 77	7.3	2.3	87.3	95.7	91.7	6.0	7.0	6.0	22.7	6.3	8.0	7.7	8.7	8.0	7.0	7.0	6.0	7.3
VERACRUZ	7.7	3.0	80.0	96.3	90.0	6.0	8.0	6.0	14.0	5.7	6.7	7.7	8.7	9.0	6.7	7.7	6.0	7.3
PSG 94524	8.0	3.7	83.3	95.3	92.0	6.0	8.0	6.0	27.3	6.0	7.0	8.0	8.3	8.0	7.0	7.3	5.7	7.2
GOLD GLOVE (PST-R6FLT)	7.7	3.0	87.3	96.0	91.0	5.3	7.3	5.3	45.0	6.7	7.3	8.0	8.3	8.3	7.0	6.3	5.3	7.2
SWI-1117	7.7	3.7	78.3	94.7	92.3	5.7	7.7	5.7	28.3	6.0	6.7	7.7	8.7	8.0	7.3	7.3	5.7	7.2
NUMEX-SAHARA	7.3	3.3	87.7	94.7	92.0	5.3	7.7	5.3	27.3	6.3	7.0	7.7	8.0	8.0	7.0	7.0	5.3	7.0
SUNSPORT	7.3	3.3	70.0	95.0	92.0	5.3	7.3	5.3	28.3	5.7	7.0	7.3	8.0	8.0	7.3	6.7	5.7	7.0
LSD VALUE	1.4	0.7	9.8	3.2	3.7	0.6	0.6	0.6	17.4	1.2	0.7	1.4	1.4	1.3	1.3	0.9	1.0	0.4
C.V. (%)	6.1	14.0	6.1	1.5	1.6	7.0	4.3	7.0	25.0	9.7	5.4	6.2	5.6	5.3	7.3	6.8	8.8	3.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 17.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT DALLAS, TX 1/  
2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	FALL		QUALITY RATINGS												
							COLOR NOVEMBER	COLOR DECEMBER	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN
OKC 1119	6.0	7.0	7.7	5.7	9.0	8.3	6.3	3.3	4.0	3.0	6.3	5.0	7.0	7.0	7.7	6.7	6.0	6.7	6.0	3.7	5.8
TIFWAY	6.3	6.7	7.3	5.3	8.3	8.0	8.0	6.0	4.0	4.0	5.3	4.7	6.3	7.0	7.3	6.0	6.3	6.7	6.7	5.0	5.8
PREMIER	7.0	7.3	7.7	6.0	8.3	8.0	6.3	4.0	4.0	3.0	6.0	5.3	6.7	7.7	7.0	6.7	5.7	6.7	5.3	4.0	5.7
OKC 1134	6.3	7.0	8.0	6.0	8.7	7.7	6.0	3.0	3.7	3.3	6.0	5.3	7.0	7.7	7.0	5.7	4.7	5.7	5.7	3.7	5.4
OKS 2004-2	6.3	7.0	6.7	4.3	7.7	7.3	5.3	3.0	3.3	2.7	6.0	4.3	5.3	6.3	6.0	5.3	5.3	6.3	4.0	3.3	4.9
PRINCESS 77	5.7	6.7	7.0	3.3	7.3	8.0	6.3	3.7	3.7	3.0	5.3	3.3	6.0	5.7	6.0	5.0	5.7	6.3	5.3	4.0	4.9
RIVIERA	5.7	7.0	6.3	4.3	7.3	7.7	5.3	3.0	3.7	2.7	6.0	4.0	5.3	6.3	6.3	5.7	5.3	6.0	4.7	3.0	4.9
RAD-CD1	5.3	7.0	6.3	4.0	7.7	7.7	5.7	3.3	3.3	2.3	5.7	4.0	5.3	5.7	6.0	5.3	5.3	6.3	4.7	3.7	4.8
VERACRUZ	5.3	7.0	5.7	3.3	8.3	7.7	6.3	3.7	3.3	2.3	5.3	3.3	5.0	6.0	6.3	5.7	5.3	5.7	5.3	3.7	4.8
MIDLAWN	5.0	6.3	6.7	4.0	7.3	7.7	4.3	3.3	3.0	2.7	5.0	4.0	6.0	6.0	6.3	5.0	5.3	5.7	4.0	3.3	4.7
YUKON	6.7	7.3	5.3	4.0	8.3	7.7	5.7	3.0	3.0	2.3	5.3	3.3	5.0	6.0	6.3	6.0	5.7	6.0	4.0	3.3	4.7
GOLD GLOVE (PST-R6FLT)	6.7	6.7	6.3	4.3	8.0	7.3	5.3	3.0	2.7	2.7	5.7	4.7	5.0	5.7	6.0	5.3	4.3	5.3	4.3	3.3	4.6
PYRAMID 2 (IS-CD10)	6.0	7.3	6.0	3.7	7.3	7.7	6.0	3.7	3.0	2.3	6.0	3.7	4.7	5.7	6.0	5.3	5.3	6.0	4.7	3.0	4.6
SWI-1057	5.7	6.7	6.3	4.0	8.3	7.7	6.0	3.7	2.7	2.3	5.0	3.7	5.3	5.3	6.0	5.3	5.3	5.7	4.7	3.3	4.6
SWI-1070	5.0	7.0	5.7	4.0	7.7	6.7	5.7	3.0	3.3	2.7	6.0	4.0	5.0	5.7	6.0	5.3	5.0	5.3	4.3	3.0	4.6
SWI-1113	5.3	7.0	6.0	3.7	7.3	6.7	5.3	3.3	3.3	2.7	5.0	3.3	5.7	6.0	6.0	5.3	5.3	5.3	4.3	3.0	4.6
HOLLYWOOD (J-720)	5.7	7.0	6.0	4.0	8.0	7.7	5.7	3.3	2.7	2.0	5.7	3.7	4.7	5.7	6.0	5.3	5.0	6.0	4.3	3.0	4.5
PATRIOT	7.0	4.7	7.0	3.7	7.0	7.3	5.0	3.7	3.3	2.3	4.3	3.7	5.7	5.0	5.7	5.7	5.0	5.7	4.3	3.0	4.5
PSG 9BAN	6.0	7.0	5.3	3.3	7.3	7.0	5.0	3.0	3.3	2.3	6.0	3.3	4.7	5.7	5.7	5.7	5.0	5.0	4.3	3.0	4.5
SWI-1083	6.0	6.7	6.0	4.0	7.7	6.7	5.7	2.7	2.7	2.3	5.7	4.3	5.0	5.7	6.0	5.0	4.7	5.0	4.3	3.0	4.5
BAR 7CD5	6.3	6.7	5.3	3.3	8.3	6.7	6.0	3.7	2.7	2.0	5.0	3.3	5.0	5.7	6.0	5.3	5.0	5.0	4.3	3.3	4.4
IS-01-201	5.7	6.3	6.3	4.0	7.3	7.0	5.0	3.0	2.3	2.0	5.7	4.0	5.0	5.7	6.0	5.0	5.0	5.3	4.0	3.0	4.4
NUMEX-SAHARA	6.0	7.0	5.3	3.0	6.7	6.3	6.0	4.0	3.0	2.3	5.7	3.0	4.0	5.7	5.3	5.0	5.3	5.3	4.7	3.0	4.4
SWI-1117	5.3	7.3	6.0	3.3	6.7	6.7	5.3	3.3	3.0	2.7	6.0	3.3	5.0	5.3	5.3	5.3	5.0	5.0	4.3	3.0	4.4
SWI-1122	5.3	7.0	5.7	3.7	7.0	6.3	5.0	3.7	2.3	2.0	5.7	3.3	5.0	6.0	6.0	5.0	5.3	4.7	4.3	3.0	4.4
PSG 91215	6.0	7.0	5.7	3.0	7.0	6.0	5.7	4.0	2.7	2.0	6.0	3.0	4.7	5.7	5.7	5.0	5.0	5.0	4.0	3.0	4.3
PSG 9Y20K	5.0	7.0	6.0	3.7	7.3	6.3	4.3	3.0	2.3	2.0	6.0	3.3	5.0	5.0	5.7	5.0	5.0	4.7	4.0	3.0	4.3
PSG PROK	5.7	7.7	5.3	3.0	7.0	7.0	5.7	3.3	2.3	2.0	5.3	3.0	4.0	5.3	5.7	5.0	5.7	5.3	4.3	3.0	4.3
PSG 94524	5.7	7.0	5.7	3.3	7.0	5.7	5.0	3.7	2.3	2.0	6.0	3.3	4.3	5.7	5.3	5.0	4.3	5.0	4.0	3.0	4.2
SUNSPORT	5.3	7.3	5.7	3.3	7.0	6.3	5.3	4.0	2.0	2.0	5.7	3.3	4.3	5.3	5.7	5.0	4.7	5.0	4.3	3.0	4.2
SWI-1081	5.7	7.0	5.7	3.0	7.0	7.3	5.0	3.3	3.0	2.0	5.0	3.0	4.3	5.3	5.7	5.0	5.0	5.3	4.0	3.0	4.2
LSD VALUE	1.7	0.8	0.8	1.2	1.1	2.1	2.5	0.8	0.7	0.7	0.7	0.9	0.7	1.0	0.7	0.8	1.5	1.4	0.9	0.6	0.4
C.V. (%)	12.6	7.0	8.4	18.6	8.0	12.6	17.4	13.4	14.5	17.3	7.2	15.0	8.5	9.7	7.4	8.0	11.5	12.2	11.3	10.6	5.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 18.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
 IN THE 2007 NATIONAL BERMUDAGRASS TEST AT BLACKSBURG, VA 1/  
 2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	LEAF TEXTURE	DENSITY SUMMER	PERCENT	SEEDHEAD RATINGS		MAY	JUN	QUALITY RATINGS			MEAN
				SPRING GREENUP	SPRING	FALL			JUL	SEP	OCT	
OKC 1119	8.0	8.3	9.0	30.0	7.7	9.0	6.7	9.0	9.0	8.7	8.7	8.4
PREMIER	8.3	7.7	9.0	28.3	7.7	8.7	8.0	9.0	8.3	8.7	8.0	8.4
PATRIOT	8.0	8.3	9.0	13.3	8.7	9.0	8.3	9.0	8.0	8.0	8.3	8.3
OKC 1134	7.7	7.0	9.0	26.7	8.7	8.7	8.3	8.7	8.3	8.0	7.7	8.2
BAR 7CD5	7.7	7.0	7.7	45.0	6.0	8.0	7.0	7.7	7.7	7.7	8.3	7.7
TIFWAY	8.7	7.3	8.3	10.0	6.7	8.3	8.7	8.0	7.7	7.0	7.0	7.7
RAD-CD1	7.3	6.7	8.0	63.3	3.7	7.0	7.0	8.0	7.7	7.7	7.7	7.6
YUKON	7.7	6.7	7.3	56.7	6.7	8.0	6.3	7.7	8.0	7.7	8.3	7.6
MIDLAWN	6.7	7.0	8.3	43.3	6.7	9.0	7.7	8.0	7.7	7.0	7.0	7.5
OKS 2004-2	7.7	6.0	8.3	50.0	3.3	7.7	7.0	8.0	8.0	7.0	7.3	7.5
SWI-1081	7.7	7.3	8.0	33.3	3.3	6.7	6.7	7.3	7.7	7.7	8.0	7.5
SWI-1113	7.7	7.0	7.3	9.3	3.7	7.0	7.7	8.0	7.0	8.0	7.0	7.5
PSG 9Y20K	8.0	7.3	7.3	55.0	4.0	7.0	6.3	7.7	7.0	8.0	8.0	7.4
SWI-1083	8.0	8.0	7.3	31.7	2.3	5.3	7.0	7.3	7.7	7.3	7.7	7.4
HOLLYWOOD (J-720)	8.0	8.0	7.3	48.3	2.7	6.3	6.7	7.3	7.0	8.0	7.3	7.3
PSG 9BAN	8.0	7.3	7.7	20.0	2.0	6.0	6.3	7.7	7.7	7.3	7.7	7.3
SWI-1070	7.7	7.7	8.3	30.0	2.3	6.7	6.0	7.3	8.0	7.7	7.7	7.3
PYRAMID 2 (IS-CD10)	7.3	7.7	7.3	30.0	2.3	6.0	6.0	7.3	7.3	7.7	7.3	7.1
RIVIERA	7.7	8.0	7.7	41.7	3.3	8.0	6.7	7.3	7.0	7.3	7.0	7.1
GOLD GLOVE (PST-R6FLT)	8.7	7.3	6.7	8.3	1.3	4.0	5.7	7.0	6.7	7.0	8.0	6.9
SWI-1122	7.0	7.7	8.0	33.3	3.3	6.7	5.0	7.0	7.3	7.3	8.0	6.9
PSG PROK	8.0	7.0	6.3	35.0	3.0	6.3	6.0	7.3	6.7	7.3	6.7	6.8
PSG 94524	8.0	7.0	7.7	18.3	3.3	5.3	4.7	6.0	7.0	7.3	8.0	6.6
PSG 91215	7.0	6.3	6.7	26.7	2.3	6.0	5.3	7.0	6.3	7.0	7.0	6.5
SWI-1057	7.0	7.0	7.3	9.3	5.0	7.0	5.3	7.0	7.0	6.7	6.7	6.5
PRINCESS 77	8.0	6.7	6.7	4.0	4.7	6.3	5.0	6.7	6.3	7.3	6.7	6.4
IS-01-201	7.7	7.0	7.7	13.3	1.7	5.7	4.3	6.7	6.7	6.3	7.3	6.3
SUNSPORT	7.0	6.7	6.7	16.7	3.0	6.0	4.7	6.7	6.3	6.0	7.3	6.2
VERACRUZ	7.3	8.0	6.3	5.0	5.3	5.3	3.3	6.3	6.3	7.7	7.3	6.2
SWI-1117	7.3	6.7	7.3	11.0	2.0	6.7	5.3	5.7	6.0	6.3	6.7	6.0
NUMEX-SAHARA	7.3	7.0	7.7	6.3	4.0	6.7	2.7	5.0	7.0	7.0	7.7	5.9
LSD VALUE	1.6	3.6	1.2	15.1	1.9	1.0	1.7	1.4	1.2	1.5	2.1	0.7
C.V. (%)	8.6	14.3	8.9	35.7	29.3	9.2	17.3	11.2	9.3	9.8	10.7	6.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 19.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT VIRGINIA BEACH (SOD STRENGTH), VA 1/  
2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	FALL	LARGE PATCH	MAY	JUN	QUALITY RATINGS				MEAN
			COLOR OCTOBER				JUL	AUG	SEP	OCT	
TIFWAY	8.3	7.3	7.7	9.0	6.7	7.3	7.7	8.3	7.7	7.3	7.5
OKC 1134	6.7	7.3	6.3	9.0	7.7	7.3	7.3	7.7	7.3	7.0	7.4
PATRIOT	8.7	7.0	8.3	9.0	6.7	6.7	7.3	8.3	8.0	7.7	7.4
PREMIER	8.0	8.0	8.0	8.0	6.0	7.0	8.0	8.0	7.7	7.7	7.4
OKC 1119	7.3	8.0	7.0	9.0	6.7	6.7	7.3	7.3	7.3	7.0	7.1
SWI-1083	7.7	6.7	7.3	6.7	5.3	6.3	7.3	7.7	7.7	7.0	6.9
OKS 2004-2	8.7	7.3	7.7	9.0	5.0	6.3	6.7	7.3	7.3	7.3	6.7
SWI-1081	7.0	7.3	7.0	9.0	6.0	6.3	7.0	7.3	7.0	6.3	6.7
RAD-CD1	8.0	6.0	8.0	9.0	5.7	6.3	7.0	7.0	7.0	6.3	6.6
RIVIERA	8.0	7.7	8.0	9.0	5.0	6.3	7.0	7.0	7.3	7.0	6.6
SWI-1113	8.0	6.3	8.0	9.0	5.0	6.3	7.0	7.3	7.0	6.7	6.6
YUKON	8.3	5.3	8.3	7.3	5.0	6.0	7.3	7.7	7.0	6.7	6.6
VERACRUZ	7.3	3.7	7.0	9.0	5.0	6.3	7.0	7.0	7.0	6.7	6.5
BAR 7CD5	8.3	6.3	8.0	9.0	5.7	6.0	6.3	7.0	7.0	6.7	6.4
IS-01-201	7.3	7.7	7.3	7.0	5.0	5.7	6.7	7.0	7.3	7.0	6.4
MIDLAWN	7.0	5.7	6.3	7.0	6.3	6.0	6.3	7.3	6.7	6.0	6.4
PSG 9Y20K	8.0	7.3	8.0	9.0	5.7	6.0	6.3	7.3	6.7	6.3	6.4
SWI-1057	8.0	5.0	8.0	9.0	5.3	5.7	6.7	7.0	7.3	6.3	6.4
SWI-1070	7.3	7.3	7.7	9.0	5.3	6.0	6.7	7.0	6.7	6.7	6.4
PRINCESS 77	7.3	5.7	7.0	9.0	5.0	6.3	6.7	7.0	6.7	6.3	6.3
SWI-1122	7.7	8.0	7.0	9.0	5.3	6.3	6.7	7.3	6.7	5.7	6.3
PYRAMID 2 (IS-CD10)	7.0	7.7	7.0	8.0	4.7	6.0	6.3	7.3	7.0	6.0	6.2
PSG 94524	7.7	8.0	7.3	9.0	4.7	5.7	6.0	6.7	7.0	6.7	6.1
SWI-1117	7.3	8.0	7.3	7.0	4.3	6.0	6.0	6.7	6.7	6.7	6.1
PSG 91215	7.7	8.0	7.3	9.0	4.7	5.7	6.0	6.7	6.3	6.3	5.9
PSG 9BAN	8.0	8.3	7.7	9.0	5.0	5.3	6.3	7.0	6.3	5.7	5.9
PSG PROK	7.7	7.7	7.3	7.0	4.7	5.3	6.0	7.0	6.7	6.0	5.9
HOLLYWOOD (J-720)	7.7	7.7	7.3	7.3	4.7	5.7	6.3	6.7	6.3	5.3	5.8
NUMEX-SAHARA	7.0	7.7	7.3	7.7	5.0	5.7	6.0	6.3	6.0	6.0	5.8
GOLD GLOVE (PST-R6FLT)	7.7	6.7	7.7	6.7	4.0	5.7	6.0	6.7	6.0	5.7	5.7
SUNSPORT	7.0	6.7	7.3	4.7	4.3	5.3	6.0	6.7	6.0	5.3	5.6
LSD VALUE	1.0	1.7	1.3	6.8	1.3	1.6	1.3	1.1	1.9	1.6	0.9
C.V. (%)	6.8	13.9	8.1	24.2	14.2	11.3	9.6	7.8	10.5	11.5	8.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.