

TABLE 1.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT FAYETTEVILLE, AR 1/  
2011 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SUMMER	PERCENT COVER SUMMER	PERCENT COVER FALL	MAY	JUN	QUALITY RATINGS			MEAN
									JUL	AUG	SEP	
NORTHBRIDGE (OKC 1134)	7.0	3.7	8.3	8.3	92.0	91.3	7.7	7.7	6.7	7.3	7.3	7.3
RIVIERA	7.0	4.0	6.7	6.3	88.3	86.7	6.3	7.7	7.3	7.7	7.3	7.3
TIFWAY	8.0	1.7	7.7	8.0	91.0	99.0	6.7	8.0	7.3	7.7	7.0	7.3
OKS 2004-2	6.7	4.0	6.0	5.3	92.7	91.0	6.3	7.7	7.3	7.7	7.0	7.2
PREMIER	7.7	3.0	8.0	8.0	90.3	88.7	6.7	7.7	7.0	7.7	7.0	7.2
PATRIOT	8.3	3.3	7.7	7.3	83.7	87.0	6.0	7.3	7.3	7.7	7.3	7.1
HOLLYWOOD (J-720)	6.7	3.0	5.3	5.3	92.0	85.7	6.0	7.3	7.0	7.3	6.7	6.9
LATITUDE 36 (OKC 1119)	6.3	3.7	9.0	8.7	96.7	82.7	7.0	7.0	6.3	7.3	7.0	6.9
YUKON	7.0	4.0	6.7	6.0	90.3	93.3	6.0	7.3	7.0	8.0	6.3	6.9
PSG 9Y20K	7.0	3.3	6.7	5.3	92.3	85.3	6.0	7.3	7.0	7.0	6.7	6.8
SWI-1070	6.0	2.7	6.0	5.7	94.3	84.7	5.3	7.3	7.3	7.7	6.3	6.8
SWI-1083	7.0	1.7	5.3	4.7	90.0	80.3	5.7	7.0	7.0	7.3	6.7	6.7
SWI-1113	7.3	2.0	7.3	6.3	90.0	89.3	5.3	7.0	7.0	7.7	6.7	6.7
GOLD GLOVE (PST-R6FLT)	6.7	2.0	7.0	6.0	80.0	82.7	6.0	7.3	6.7	6.7	6.0	6.5
MIDLAWN	6.3	4.3	7.3	7.3	91.0	97.3	6.3	7.0	6.3	6.7	6.3	6.5
PRINCESS 77	7.3	1.0	6.3	5.7	90.7	91.0	4.7	6.7	6.7	7.7	6.7	6.5
PYRAMID 2 (IS-CD10)	7.0	2.7	5.7	5.7	88.3	81.0	5.7	7.0	6.7	7.0	6.0	6.5
SWI-1057	7.0	1.7	6.7	5.3	92.7	89.0	5.3	6.7	6.3	7.7	6.7	6.5
RAD-CD1	5.7	2.7	6.0	5.0	92.0	84.3	6.0	7.0	6.7	6.3	6.0	6.4
SWI-1081	7.0	1.3	5.7	5.7	91.0	80.7	6.0	6.7	5.7	7.3	6.3	6.4
IS-01-201	7.0	2.0	6.0	5.3	87.3	77.3	5.7	6.7	6.3	6.7	6.0	6.3
PSG 9BAN	7.0	2.3	5.0	4.3	89.3	85.0	5.3	6.3	6.0	7.7	6.3	6.3
SWI-1122	6.0	2.3	5.3	4.3	90.3	87.7	5.7	6.7	6.3	7.0	6.0	6.3
VERACRUZ	6.0	1.0	6.3	5.3	95.0	91.7	4.7	6.3	6.3	7.7	6.7	6.3
BAR 7CD5	7.3	3.0	4.3	5.0	90.7	92.7	5.0	6.3	6.0	7.0	6.0	6.1
PSG PROK	7.3	2.7	5.7	5.0	87.7	86.7	5.0	6.3	6.3	7.0	6.0	6.1
PSG 94524	6.7	1.3	5.0	4.7	88.7	79.7	5.0	6.0	6.0	7.0	5.3	5.9
SWI-1117	7.0	2.3	6.0	4.3	90.7	76.7	5.3	6.3	6.3	6.3	5.3	5.9
PSG 91215	7.0	2.0	4.3	3.7	83.3	84.0	5.3	6.0	5.3	5.7	5.0	5.5
NUMEX-SAHARA	5.0	2.0	4.0	3.3	85.0	84.3	4.7	6.0	5.3	6.0	5.0	5.4
SUNSPORT	5.3	1.7	4.0	3.7	90.7	79.0	4.7	5.7	5.3	5.7	5.0	5.3
LSD VALUE	0.6	0.7	0.8	0.8	6.6	7.3	0.7	1.0	1.6	0.8	0.8	0.6
C.V. (%)	5.6	19.5	8.8	9.5	4.0	5.1	7.7	8.1	11.2	7.0	7.8	5.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 2. PERCENT RECOVERY RATINGS FROM TRAFFRIC OF BERMUDAGRASS CULTIVARS  
 IN THE 2007 NATIONAL BERMUDAGRASS TEST AT FAYETTEVILLE (TRAFFIC STUDY), AR 1/  
 2011 DATA 2/

NAME	PERCENT RECOVERY RATINGS FROM TRAFFRIC IN FALL 2010		
	APRIL	MAY	MEAN
NORTHBRIDGE (OKC 1134)	37.0	74.3	55.7
YUKON	36.7	67.3	52.0
LATITUDE 36 (OKC 1119)	24.3	75.3	49.8
PATRIOT	32.3	65.0	48.7
GOLD GLOVE (PST-R6FLT)	27.0	65.0	46.0
SWI-1122	32.0	59.7	45.8
TIFWAY	20.3	69.0	44.7
IS-01-201	27.3	61.3	44.3
RAD-CD1	22.0	65.7	43.8
PREMIER	24.7	62.7	43.7
PYRAMID 2 (IS-CD10)	23.0	64.3	43.7
HOLLYWOOD (J-720)	26.7	59.7	43.2
BAR 7CD5	22.3	62.7	42.5
SWI-1070	25.0	58.0	41.5
SWI-1113	19.7	63.3	41.5
OKS 2004-2	28.0	54.0	41.0
PSG PROK	17.3	64.7	41.0
PSG 9Y20K	34.7	46.0	40.3
RIVIERA	23.7	56.3	40.0
SWI-1057	18.3	61.3	39.8
PSG 91215	23.7	53.0	38.3
SWI-1117	22.7	51.3	37.0
SUNSPORT	14.3	57.7	36.0
PSG 9BAN	17.3	52.3	34.8
MIDLAWN	16.0	53.3	34.7
NUMEX-SAHARA	13.7	55.7	34.7
SWI-1081	15.7	53.0	34.3
PRINCESS 77	10.7	57.3	34.0
PSG 94524	11.3	54.3	32.8
SWI-1083	12.7	44.0	28.3
VERACRUZ	4.0	51.3	27.7
LSD VALUE	12.7	25.2	16.2
C.V. (%)	33.1	17.2	19.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 3.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT TUCSON, AZ 1/  
2011 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	APR	MAY	JUN	JUL	QUALITY RATINGS					MEAN
								AUG	SEP	OCT	NOV	DEC	
NORTHBRIDGE (OKC 1134)	5.7	7.0	9.0	7.7	8.0	7.7	8.7	6.7	7.3	8.3	7.7	7.3	7.7
TIFWAY	7.0	7.7	8.0	6.7	7.7	7.7	8.0	7.0	7.3	8.0	8.0	8.0	7.6
LATITUDE 36 (OKC 1119)	6.0	7.0	8.7	6.0	5.7	6.7	8.0	6.0	7.7	8.3	7.7	6.7	7.0
PREMIER	6.3	7.3	9.0	5.7	7.0	7.0	7.7	7.7	7.3	7.0	6.7	7.3	7.0
PSG 9Y20K	7.0	8.3	6.7	6.0	6.3	6.7	7.3	7.7	7.3	7.3	7.3	6.3	6.9
SWI-1057	6.0	7.0	7.0	6.3	6.3	6.7	7.0	7.3	7.0	7.3	7.0	6.3	6.8
HOLLYWOOD (J-720)	6.7	7.3	7.3	5.7	5.7	6.0	7.0	6.7	7.0	7.0	6.7	6.7	6.5
PATRIOT	6.7	8.0	7.7	6.3	6.3	7.0	8.0	4.7	6.7	7.7	6.3	5.7	6.5
SWI-1070	6.3	7.7	6.7	5.7	5.7	6.3	6.3	7.3	7.3	6.7	6.3	6.0	6.4
YUKON	6.7	7.7	7.0	5.0	5.0	6.0	7.3	7.0	7.3	7.0	6.7	6.0	6.4
ENTRY 33	5.0	5.7	9.0	5.7	6.7	6.7	6.7	7.0	7.3	7.7	5.3	3.3	6.3
SWI-1122	6.0	7.3	6.3	5.0	5.0	6.0	6.7	7.3	7.0	7.3	6.3	6.0	6.3
RAD-CD1	6.3	7.3	6.0	4.3	5.0	5.7	6.7	7.0	7.0	7.0	6.3	5.7	6.1
RIVIERA	5.3	6.3	6.3	5.3	4.7	5.7	5.7	7.0	7.0	7.0	6.7	5.7	6.1
VERACRUZ	6.0	7.0	7.0	4.0	4.7	6.0	6.7	6.7	6.7	7.3	6.7	6.0	6.1
OKS 2004-2	6.7	8.0	6.3	4.7	5.0	5.7	6.3	6.7	7.0	7.0	6.3	5.3	6.0
PRINCESS 77	5.7	7.3	7.0	4.3	4.7	5.0	6.3	6.7	7.0	7.3	6.7	6.3	6.0
PSG PROK	6.7	7.7	6.3	4.3	5.0	5.7	6.0	6.0	6.3	7.0	6.0	6.7	5.9
SWI-1081	6.0	7.3	6.0	4.0	5.0	5.7	6.0	6.3	6.7	7.0	6.3	5.3	5.8
PSG 9BAN	6.0	7.7	6.7	4.0	4.3	5.7	6.0	6.3	6.3	7.0	6.3	5.7	5.7
SWI-1113	6.7	7.7	7.0	2.7	3.7	4.7	6.7	8.0	7.3	6.7	6.0	5.3	5.7
PYRAMID 2 (IS-CD10)	6.0	7.3	6.7	4.0	5.0	5.7	6.0	5.0	6.0	6.7	6.3	6.0	5.6
BAR 7CD5	6.3	7.7	6.0	4.7	4.3	5.0	5.3	6.3	6.0	6.3	6.3	5.0	5.5
SWI-1083	5.7	6.7	6.0	3.3	4.7	5.3	6.0	6.0	6.3	6.3	5.7	5.7	5.5
ENTRY 32	5.3	6.3	4.3	5.3	5.3	5.7	5.7	4.3	5.7	6.0	4.7	4.7	5.3
MIDLAWN	5.0	5.3	6.7	5.0	5.7	6.7	6.3	4.3	5.7	6.0	4.3	3.7	5.3
PSG 94524	5.7	7.3	5.7	3.0	3.3	4.3	5.0	6.0	6.3	6.7	6.0	6.0	5.2
SUNSPORT	5.7	6.7	6.0	3.7	4.3	4.3	5.0	5.7	6.0	6.0	5.7	6.0	5.2
GOLD GLOVE (PST-R6FLT)	5.7	7.0	6.3	2.7	4.0	4.7	4.7	5.7	5.7	6.0	6.0	6.3	5.1
IS-01-201	5.7	7.0	6.0	3.3	3.7	4.7	5.0	6.0	6.0	6.0	5.7	5.7	5.1
NUMEX-SAHARA	5.7	7.0	5.3	2.7	3.3	4.3	4.7	5.3	5.7	5.7	5.3	5.0	4.7
PSG 91215	6.0	7.3	5.3	2.0	3.0	3.3	4.0	6.0	6.0	6.0	5.0	5.7	4.6
SWI-1117	5.0	6.3	6.0	2.3	3.0	3.7	4.0	6.0	6.0	5.7	5.7	5.3	4.6
LSD VALUE	1.2	1.3	0.6	1.8	1.6	1.5	1.5	1.2	1.1	1.5	1.3	1.3	0.7
C.V. (%)	10.2	9.5	6.0	23.5	19.7	15.5	14.7	11.4	9.0	11.4	12.1	13.3	7.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 3. (CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT TUCSON, AZ 1/  
2011 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT COVER FALL	WINTER COLOR	FALL COLOR SEPTEMBER	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	FALL COLOR DECEMBER	SEEDHEAD RATINGS
NORTHBRIDGE (OKC 1134)	7.3	9.0	8.7	94.3	99.0	99.0	1.3	5.7	6.3	5.0	1.3	2.0
TIFWAY	6.0	8.0	8.0	80.0	98.3	96.3	2.7	7.0	7.3	6.7	2.7	2.3
LATITUDE 36 (OKC 1119)	5.3	8.7	8.7	66.7	90.7	98.7	1.7	5.7	6.7	4.7	1.7	2.7
PREMIER	5.3	8.3	8.7	75.0	94.3	96.0	1.3	6.3	5.7	6.0	1.3	4.0
PSG 9Y20K	5.3	6.7	7.7	75.0	96.0	99.0	1.3	6.7	7.7	6.0	1.3	3.0
SWI-1057	5.7	6.7	7.7	85.0	97.3	96.0	1.7	7.3	6.0	5.0	1.7	4.0
HOLLYWOOD (J-720)	5.7	7.3	7.7	80.0	93.3	96.0	1.3	6.0	7.0	5.7	1.3	3.0
PATRIOT	5.7	7.7	5.7	86.7	96.3	98.3	1.0	4.7	7.3	6.7	1.0	2.7
SWI-1070	5.0	7.3	7.3	73.3	91.3	97.0	1.3	7.0	6.3	5.7	1.3	4.0
YUKON	4.7	7.3	7.7	65.0	85.0	97.3	1.7	6.3	7.0	6.0	1.7	2.7
ENTRY 33	5.7	9.0	9.0	80.0	92.7	93.0	2.7	4.7	6.3	3.7	2.7	3.0
SWI-1122	4.0	6.0	7.3	60.0	89.0	97.3	1.0	6.3	6.7	5.0	1.0	3.3
RAD-CD1	4.0	6.7	7.3	43.3	80.0	97.0	1.7	7.0	6.7	6.0	1.7	2.7
RIVIERA	5.0	6.3	7.3	65.0	84.3	96.3	1.3	6.0	5.7	5.0	1.3	3.0
VERACRUZ	3.7	6.7	8.0	51.7	78.3	98.7	1.7	6.7	6.3	5.3	1.7	3.7
OKS 2004-2	4.3	6.7	7.0	60.0	84.3	98.7	1.0	6.3	7.7	5.0	1.0	3.3
PRINCESS 77	3.7	6.7	8.3	51.7	76.7	97.3	2.0	5.3	6.3	6.0	2.0	4.3
PSG PROK	3.7	6.0	6.3	45.0	69.0	97.7	1.0	6.3	7.0	6.3	1.0	2.7
SWI-1081	3.7	6.3	6.7	51.7	83.3	97.7	1.0	7.0	6.3	6.0	1.0	4.7
PSG 9BAN	3.3	6.0	6.7	41.7	68.3	98.7	1.0	6.3	6.7	6.3	1.0	3.7
SWI-1113	2.3	7.3	7.7	31.7	63.3	94.0	1.3	7.7	6.3	5.7	1.3	3.7
PYRAMID 2 (IS-CD10)	4.0	6.3	6.7	51.7	80.0	97.3	1.0	5.0	6.7	6.3	1.0	3.7
BAR 7CD5	4.3	6.3	7.0	61.7	81.7	95.7	2.0	6.0	7.0	5.0	2.0	2.3
SWI-1083	4.0	6.0	6.7	38.3	75.0	96.0	1.0	6.0	5.7	6.0	1.0	3.7
ENTRY 32	4.3	5.7	5.3	61.7	81.3	96.3	1.0	5.7	5.3	4.7	1.0	2.7
MIDLAWN	5.7	7.7	6.3	83.3	91.7	90.0	1.3	4.3	5.0	3.7	1.3	3.3
PSG 94524	3.0	5.3	5.7	25.0	48.3	98.7	1.0	6.3	6.3	5.7	1.0	3.0
SUNSPORT	3.3	5.7	6.7	36.7	68.3	96.3	1.0	5.7	5.7	6.0	1.0	4.3
GOLD GLOVE (PST-R6FLT)	2.7	5.3	6.7	28.3	61.7	96.0	1.0	5.7	6.3	6.0	1.0	4.0
IS-01-201	3.0	5.3	6.3	33.3	65.0	97.0	1.0	6.0	6.3	5.3	1.0	4.0
NUMEX-SAHARA	2.3	5.0	5.0	25.0	47.3	96.3	1.0	5.7	5.7	6.0	1.0	3.0
PSG 91215	2.0	4.3	6.0	10.0	45.0	98.7	1.3	6.3	6.7	6.3	1.3	3.3
SWI-1117	1.7	4.3	6.0	16.7	41.7	94.3	1.0	6.3	5.7	5.7	1.0	3.7
LSD VALUE	1.9	1.1	0.9	30.0	33.7	10.7	0.7	1.2	1.8	1.7	0.7	1.2
C.V. (%)	26.5	10.6	8.0	32.7	22.5	3.4	30.4	11.7	12.6	15.2	30.4	19.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 4.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT RIVERSIDE, CA 1/  
2011 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	QUALITY RATINGS								MEAN
				APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	
TIFWAY	6.0	3.7	6.7	6.7	7.0	6.3	6.0	6.0	7.0	6.7	5.3	6.4
LATITUDE 36 (OKC 1119)	5.0	2.7	7.7	6.0	7.0	6.7	6.0	7.0	7.3	6.0	4.0	6.3
NORTHBRIDGE (OKC 1134)	4.3	3.0	6.7	6.0	6.7	6.7	5.7	5.7	6.3	5.7	3.3	5.8
PSG 9Y20K	6.3	2.7	4.3	6.3	6.0	6.3	5.3	5.7	5.3	6.7	4.3	5.8
PATRIOT	8.0	1.3	5.7	5.3	5.3	4.7	5.3	5.3	7.0	6.0	3.5	5.2
SWI-1113	5.7	2.0	5.3	4.3	5.0	4.3	5.0	5.3	5.7	6.3	4.0	5.0
VERACRUZ	5.0	1.7	5.3	4.3	4.7	4.3	4.3	5.0	5.7	6.7	4.7	5.0
MIDLAWN	4.0	2.0	5.3	4.7	5.0	5.3	5.0	4.7	5.3	5.7	3.3	4.9
PREMIER	4.7	2.7	6.0	4.7	5.3	5.0	5.7	5.0	5.0	5.0	3.7	4.9
SWI-1057	4.7	2.7	4.3	5.0	6.0	5.0	4.7	4.3	5.0	5.3	4.0	4.9
BAR 7CD5	6.0	1.3	4.0	4.3	5.3	5.7	4.0	5.3	4.3	5.7	4.0	4.8
PSG PROK	5.5	2.0	4.0	5.0	4.7	4.7	4.3	4.7	5.5	7.0	4.0	4.7
YUKON	5.3	2.0	5.3	5.3	5.0	5.3	4.0	4.7	5.0	5.0	3.3	4.7
SWI-1070	4.0	2.3	4.7	4.7	5.0	4.3	4.7	4.7	4.3	5.0	4.3	4.6
OKS 2004-2	5.5	2.3	4.0	4.7	5.3	5.0	4.3	4.0	4.5	5.5	3.5	4.5
PSG 91215	3.3	2.0	4.0	4.7	4.3	4.7	4.7	5.0	4.0	4.7	3.7	4.5
PRINCESS 77	5.0	1.7	4.7	3.3	4.0	4.3	4.3	4.7	5.3	5.3	3.7	4.4
PSG 9BAN	5.0	2.0	4.7	4.7	5.0	4.0	3.7	4.0	4.0	5.0	3.7	4.3
RAD-CD1	5.0	2.0	4.0	4.0	5.3	4.7	4.0	3.3	3.5	4.5	4.0	4.1
SWI-1122	4.3	2.0	4.7	4.3	5.0	4.0	3.3	4.0	4.0	4.3	3.7	4.1
HOLLYWOOD (J-720)	4.0	3.3	4.3	4.7	4.7	4.0	4.3	3.7	4.0	4.3	2.7	4.0
RIVIERA	5.3	2.7	5.0	4.3	4.0	3.7	3.7	4.0	4.3	4.0	3.7	4.0
SWI-1081	4.0	2.7	3.7	4.7	4.3	3.7	3.7	3.7	4.0	4.3	3.3	4.0
PSG 94524	4.0	1.7	4.0	3.7	3.3	3.7	3.7	4.3	4.0	4.7	3.7	3.9
PYRAMID 2 (IS-CD10)	4.3	2.3	4.0	4.3	4.3	3.3	3.3	4.0	3.3	3.7	2.7	3.6
SWI-1083	5.0	2.3	3.0	3.7	3.7	3.0	3.7	3.0	3.7	4.7	2.7	3.5
SUNSPORT	3.5	2.0	4.5	3.3	3.3	3.3	3.3	3.3	5.0	5.0	3.0	3.4
IS-01-201	4.3	2.0	4.3	3.7	4.0	3.3	3.3	3.3	3.0	3.3	2.0	3.3
SWI-1117	4.0	2.0	3.3	3.0	3.3	3.0	3.0	3.3	3.0	3.5	3.0	3.1
NUMEX-SAHARA	3.5	1.7	3.5	3.0	3.0	2.7	3.0	3.0	4.0	3.5	3.0	3.0
GOLD GLOVE (PST-R6FLT)	4.0	2.3	5.0	3.3	3.7	2.3	2.7	2.3	4.0	4.0	3.0	2.9
LSD VALUE	1.6	1.5	1.3	1.4	1.6	1.3	1.6	2.0	1.9	2.9	3.3	1.2
C.V. (%)	18.2	30.5	16.4	18.5	19.5	18.7	21.0	24.5	20.8	23.5	28.7	16.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 4.  
(CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT RIVERSIDE, CA 1/  
2011 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	DENSITY SUMMER	DENSITY FALL	FROST TOLERANCE	WINTER COLOR	FALL COLOR NOVEMBER	POA ANNUA	CRABGRASS RATINGS
TIFWAY	7.7	7.0	4.3	4.7	6.0	7.7	8.0
LATITUDE 36 (OKC 1119)	8.0	6.0	1.7	2.3	4.3	8.0	8.0
NORTHBRIDGE (OKC 1134)	7.0	6.3	2.0	3.0	3.0	8.0	7.0
PSG 9Y20K	6.3	5.3	2.0	1.3	4.7	7.7	7.3
PATRIOT	7.7	5.5	1.5	1.0	2.5	8.0	6.3
SWI-1113	6.3	6.0	1.7	1.7	4.0	7.3	7.0
VERACRUZ	6.3	5.3	1.7	1.7	5.0	6.3	7.0
MIDLAWN	6.3	5.3	2.0	2.7	2.7	6.7	7.0
PREMIER	6.7	5.7	2.0	3.0	4.7	7.7	7.7
SWI-1057	6.3	5.3	2.3	3.0	5.3	6.0	6.7
BAR 7CD5	6.0	4.7	2.0	2.3	4.0	7.7	7.3
PSG PROK	4.7	5.5	2.0	2.0	5.5	7.7	5.3
YUKON	6.0	5.7	2.0	2.3	3.3	7.3	6.7
SWI-1070	6.0	4.7	1.7	1.7	5.0	7.7	6.7
OKS 2004-2	5.7	5.0	2.0	3.3	3.5	7.3	8.0
PSG 91215	5.3	3.7	1.7	2.7	4.3	6.7	7.7
PRINCESS 77	6.0	5.3	2.0	1.7	4.7	7.7	7.0
PSG 9BAN	5.7	4.3	1.7	2.3	3.7	6.7	7.3
RAD-CD1	5.7	4.5	2.0	1.7	4.0	8.0	7.0
SWI-1122	5.3	5.0	2.0	2.0	4.3	6.0	6.3
HOLLYWOOD (J-720)	6.0	4.3	1.7	2.7	4.0	7.3	6.3
RIVIERA	5.3	5.5	2.5	3.7	5.0	5.7	7.7
SWI-1081	4.7	3.3	2.0	2.7	4.0	7.0	6.3
PSG 94524	4.3	4.5	2.0	1.7	3.7	5.3	6.3
PYRAMID 2 (IS-CD10)	5.0	3.7	1.3	2.3	3.3	7.3	6.0
SWI-1083	4.0	3.0	1.0	2.3	3.0	6.7	6.3
SUNSPORT	4.7	5.0	1.5	2.3	3.5	4.7	5.0
IS-01-201	5.0	2.7	1.0	2.0	2.3	5.0	6.0
SWI-1117	4.3	4.0	1.0	2.0	5.0	5.0	4.3
NUMEX-SAHARA	3.3	3.5	1.5	2.0	3.0	5.7	5.3
GOLD GLOVE (PST-R6FLT)	4.0	4.0	1.0	2.3	2.0	6.3	4.0
LSD VALUE	1.6	1.9	1.1	1.7	1.8	2.7	3.7
C.V. (%)	17.1	19.6	30.8	36.2	22.4	18.1	21.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT GAINESVILLE, FL 1/  
2011 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS												MEAN
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
TIFWAY	5.0	5.3	6.0	7.3	7.3	7.7	6.7	6.3	6.0	5.7	6.0	5.3	6.2
NORTHBRIDGE (OKC 1134)	6.0	6.0	5.7	6.7	6.7	6.7	6.3	6.0	6.0	5.7	6.0	5.7	6.1
PRINCESS 77	5.0	4.0	4.7	5.7	6.7	7.0	7.0	6.3	6.3	6.0	6.0	6.0	5.9
SWI-1070	4.7	4.0	5.3	5.0	6.7	6.7	7.0	6.3	6.3	6.3	6.3	6.0	5.9
PSG 9Y20K	4.7	4.3	5.7	5.7	6.3	6.7	6.0	6.0	6.3	6.3	6.0	5.7	5.8
LATITUDE 36 (OKC 1119)	4.7	4.3	5.0	6.3	7.0	7.3	6.3	6.0	6.0	5.3	5.3	5.0	5.7
PREMIER	4.7	4.3	3.7	5.3	6.3	7.0	6.7	6.3	6.3	5.7	6.0	5.7	5.7
RAD-CD1	4.0	4.0	5.3	5.3	6.3	6.0	6.3	6.7	6.3	6.3	6.0	5.7	5.7
SWI-1057	4.5	3.5	5.0	5.0	6.5	6.5	6.5	6.5	6.5	6.0	6.5	5.5	5.7
SWI-1113	4.7	4.3	5.7	5.0	6.3	6.7	6.7	6.0	6.0	5.3	5.7	5.7	5.7
VERACRUZ	4.3	3.7	5.0	5.0	6.3	6.3	6.3	6.3	6.3	5.7	6.3	6.0	5.6
OKS 2004-2	4.3	4.0	5.0	5.7	6.0	6.0	6.7	6.3	6.0	5.7	5.3	5.3	5.5
YUKON	4.3	4.0	5.3	5.7	6.0	6.0	6.0	6.0	6.0	6.0	5.7	4.7	5.5
GOLD GLOVE (PST-R6FLT)	4.0	3.3	5.3	5.3	6.0	6.0	6.7	6.0	6.0	6.0	5.3	5.0	5.4
MIDLAWN	4.3	3.3	4.0	5.7	7.0	7.0	5.7	5.7	5.7	5.7	5.3	5.0	5.4
PSG 9BAN	4.7	4.0	4.7	5.7	5.7	5.3	5.7	6.3	6.3	6.0	6.0	5.0	5.4
PSG PROK	4.3	4.0	5.0	5.3	6.0	6.0	6.3	6.0	6.0	5.7	5.3	4.7	5.4
SWI-1081	4.0	4.0	5.3	5.3	6.0	6.0	6.3	6.0	6.0	5.3	5.3	5.3	5.4
SWI-1083	4.3	4.0	5.0	5.0	6.0	6.0	6.3	6.0	6.0	5.3	5.7	5.0	5.4
HOLLYWOOD (J-720)	4.0	4.0	5.0	5.3	5.3	5.7	6.0	6.0	6.0	5.7	5.3	5.3	5.3
RIVIERA	3.5	3.5	5.0	5.5	5.5	5.5	6.5	6.0	6.0	6.0	5.0	5.0	5.3
SWI-1122	4.0	4.3	4.3	4.7	5.7	6.0	6.0	6.0	6.0	5.3	5.7	5.3	5.3
NUMEX-SAHARA	4.0	4.0	4.7	5.0	5.7	6.0	6.0	5.7	5.7	5.3	5.3	5.0	5.2
PYRAMID 2 (IS-CD10)	3.7	4.0	5.0	4.7	5.7	5.7	5.7	5.7	6.0	5.3	5.3	5.3	5.2
BAR 7CD5	4.3	3.7	4.0	4.7	5.3	5.3	5.7	5.7	5.7	5.7	5.7	4.7	5.0
PATRIOT	3.3	3.3	4.3	5.0	5.7	6.0	6.0	5.7	5.7	5.3	5.3	4.3	5.0
SWI-1117	3.7	3.3	4.3	4.3	4.7	5.3	5.3	5.7	5.7	6.0	5.7	5.3	4.9
IS-01-201	3.7	3.3	4.3	4.3	5.0	5.0	5.7	5.7	5.7	5.3	5.3	4.7	4.8
PSG 91215	3.7	4.0	4.0	4.0	4.3	4.3	5.3	5.3	5.7	5.3	5.3	5.3	4.7
SUNSPORT	3.3	4.0	4.0	4.0	4.3	4.7	5.7	5.3	5.7	5.7	5.0	4.3	4.7
PSG 94524	3.7	4.0	4.0	4.3	4.3	4.0	5.0	5.0	5.0	5.0	5.0	5.0	4.5
LSD VALUE	1.3	0.7	1.3	1.2	1.7	1.4	1.1	1.4	1.5	1.9	2.0	1.8	0.8
C.V. (%)	15.2	10.5	13.7	12.8	14.7	13.2	9.1	8.7	8.3	10.4	11.3	12.7	7.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5. (CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT GAINESVILLE, FL 1/  
2011 DATA

## TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	FALL COLOR SEPTEMBER	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	FALL COLOR DECEMBER
TIFWAY	7.0	5.0	7.3	6.7	5.3	6.0	6.0	6.0	5.7
NORTHBRIDGE (OKC 1134)	6.3	6.0	6.7	6.3	5.7	6.3	5.7	6.3	5.7
PRINCESS 77	6.0	5.0	6.7	7.0	5.7	6.3	6.3	6.0	6.0
SWI-1070	6.3	6.0	6.7	7.0	5.3	6.3	6.3	6.3	6.3
PSG 9Y20K	6.3	6.0	6.3	6.0	5.3	6.3	6.3	6.3	6.3
LATITUDE 36 (OKC 1119)	5.7	5.0	6.7	6.3	5.0	6.0	6.0	5.7	5.0
PREMIER	6.7	5.7	6.0	6.7	5.7	6.3	6.0	6.3	5.7
RAD-CD1	6.0	5.0	5.7	6.3	5.7	6.3	6.3	6.3	6.0
SWI-1057	6.5	6.0	6.5	7.0	6.0	6.5	6.5	6.5	5.5
SWI-1113	6.0	5.0	6.0	6.3	5.3	6.0	6.0	5.7	5.7
VERACRUZ	5.3	5.3	6.7	6.3	5.3	6.3	6.3	6.3	6.0
OKS 2004-2	6.0	5.0	6.0	6.7	5.0	6.0	6.0	6.0	5.3
YUKON	6.7	5.7	6.0	6.0	5.0	6.0	6.0	6.0	5.0
GOLD GLOVE (PST-R6FLT)	7.0	5.7	6.0	6.7	5.0	6.0	6.0	5.7	5.0
MIDLAWN	6.3	5.0	7.0	6.0	5.3	5.7	5.7	5.3	5.0
PSG 9BAN	6.3	4.7	6.0	6.0	6.0	6.3	6.3	6.3	5.3
PSG PROK	6.7	5.7	5.7	6.3	5.0	6.0	6.0	6.0	5.0
SWI-1081	6.0	4.3	6.0	6.3	5.0	6.0	6.0	6.0	5.7
SWI-1083	5.7	4.3	6.0	6.3	5.0	6.0	6.0	5.7	5.0
HOLLYWOOD (J-720)	6.0	5.3	5.3	6.0	5.0	6.0	5.7	6.0	5.3
RIVIERA	6.0	5.5	6.0	6.5	5.0	6.0	6.0	5.5	5.0
SWI-1122	6.3	4.7	5.7	6.0	5.0	6.0	6.0	5.7	5.7
NUMEX-SAHARA	6.0	5.7	5.7	6.0	5.0	6.0	6.0	5.7	5.3
PYRAMID 2 (IS-CD10)	5.7	4.7	5.7	6.0	5.3	6.0	6.0	6.0	5.7
BAR 7CD5	6.3	5.7	5.0	6.0	5.3	5.7	5.7	5.7	4.7
PATRIOT	6.3	5.0	5.7	6.0	4.7	5.3	5.3	5.3	4.3
SWI-1117	7.0	5.0	4.3	5.3	5.3	6.3	6.3	6.0	5.7
IS-01-201	5.7	5.0	5.0	5.7	5.0	5.7	5.7	5.3	5.0
PSG 91215	5.3	3.3	4.0	5.3	5.0	5.7	6.0	5.7	5.3
SUNSPORT	6.3	6.0	4.3	5.7	5.0	5.7	5.7	5.7	5.0
PSG 94524	6.7	5.7	4.0	5.3	5.0	5.3	5.7	5.3	5.0
LSD VALUE	1.5	1.8	1.5	1.1	1.7	1.2	1.2	1.7	1.2
C.V. (%)	9.7	15.0	14.4	8.4	10.1	7.3	7.0	9.4	10.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.



TABLE 6. PERCENT LIVING GROUND COVER RATINGS OF BERMUDAGRASS CULTIVARS  
 IN THE 2007 NATIONAL BERMUDAGRASS TEST AT GAINESVILLE (TRAFFIC STUDY), FL 1/  
 2011 DATA 2/

NAME	BEFORE	JUST FOLLOWING WEAR			RECOVERY AFTER WEAR	
	WEAR NOV_8	NOV_10	NOV_18	NOV_22	DEC_9	DEC_16
VERACRUZ	94.7	90.0	88.3	76.7	78.3	80.0
PRINCESS 77	93.0	85.0	78.3	71.7	76.7	76.7
SWI-1070	93.3	83.3	80.0	75.0	73.3	76.7
SWI-1057	95.0	88.3	83.3	75.0	73.3	75.0
PSG 9Y20K	88.3	81.7	76.7	71.7	68.3	73.3
TIFWAY	93.3	91.7	81.7	76.7	68.3	71.7
RAD-CD1	91.7	78.3	75.0	66.7	70.0	70.0
RIVIERA	86.7	78.3	70.0	63.3	66.7	68.3
PREMIER	93.0	81.7	78.3	70.0	60.0	66.7
PSG PROK	88.3	80.0	70.0	66.7	63.3	65.0
PYRAMID 2 (IS-CD10)	75.0	70.0	68.3	56.7	63.3	65.0
SWI-1113	91.7	78.3	66.7	63.3	60.0	65.0
YUKON	90.0	80.0	71.7	63.3	65.0	63.3
OKS 2004-2	88.3	80.0	70.0	50.0	65.0	61.7
LATITUDE 36 (OKC 1119)	93.3	86.7	80.0	73.3	63.3	58.3
SWI-1083	81.7	73.3	71.7	58.3	61.7	56.7
NORTHBRIDGE (OKC 1134)	91.7	86.7	76.7	68.3	58.3	55.0
SWI-1122	80.0	66.7	66.7	56.7	58.3	55.0
BAR 7CD5	80.0	73.3	66.7	55.0	58.3	53.3
IS-01-201	83.3	75.0	61.7	51.7	50.0	53.3
PSG 9BAN	85.0	71.7	61.7	60.0	53.3	53.3
MIDLAWN	75.0	68.3	50.0	48.3	53.3	51.7
SWI-1081	86.7	78.3	65.0	50.0	55.0	51.7
SWI-1117	75.0	58.3	56.7	53.3	43.3	50.0
HOLLYWOOD (J-720)	88.3	76.7	58.3	51.7	46.7	46.7
GOLD GLOVE (PST-R6FLT)	70.0	66.7	41.7	58.3	45.0	45.0
PSG 94524	66.7	58.3	53.3	50.0	41.7	36.7
PSG 91215	80.0	70.0	55.0	40.0	35.0	35.0
SUNSPORT	65.0	56.7	43.3	40.0	30.0	33.3
PATRIOT	80.0	60.0	60.0	50.0	30.0	30.0
NUMEX-SAHARA	56.7	51.7	33.3	30.0	26.7	23.3
LSD VALUE	18.2	15.9	20.5	18.2	17.5	21.5
C.V. (%)	11.6	11.9	17.3	17.2	17.8	21.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 7.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT JAY, FL 1/  
2011 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	LEAF TEXTURE	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	FALL	APR	MAY	QUALITY RATINGS					OCT	MEAN
						COLOR OCTOBER			JUN	JUL	AUG	SEP			
LATITUDE 36 (OKC 1119)	8.0	2.3	7.0	7.7	8.0	7.3	3.7	7.3	6.7	7.7	8.3	8.0	7.7	7.0	
PATRIOT	8.7	3.0	5.0	8.0	7.0	7.0	4.3	7.7	7.3	7.7	7.7	7.7	6.7	7.0	
TIFWAY	7.7	3.0	6.7	8.0	8.0	7.3	5.7	7.0	7.0	7.0	8.0	7.0	7.7	7.0	
HOLLYWOOD (J-720)	7.3	5.0	4.3	7.3	6.7	7.7	4.3	6.7	6.3	7.3	8.0	7.3	7.3	6.8	
NORTHBRIDGE (OKC 1134)	6.0	2.7	6.0	8.0	7.3	7.0	3.7	7.7	7.0	7.0	8.0	7.3	6.7	6.8	
OKS 2004-2	7.0	4.7	4.3	7.3	7.0	7.0	4.3	7.7	6.0	7.0	7.3	7.0	7.3	6.7	
PREMIER	7.7	3.0	5.0	8.3	7.3	7.0	4.7	6.0	6.0	8.0	8.0	7.0	7.3	6.7	
YUKON	7.3	4.7	4.7	6.7	8.0	7.7	4.7	6.3	5.7	7.0	7.7	7.7	7.7	6.7	
SWI-1113	7.3	4.3	3.7	7.3	7.3	7.0	4.0	6.3	5.7	7.3	7.7	7.7	7.7	6.6	
PRINCESS 77	7.7	4.0	4.3	7.0	7.0	7.0	4.3	6.3	6.0	7.3	7.0	7.0	7.3	6.5	
RAD-CD1	7.0	4.7	3.7	7.0	6.7	7.7	4.0	6.3	5.7	7.0	7.0	8.0	7.3	6.5	
SWI-1057	7.3	4.0	4.7	7.0	7.3	7.7	4.3	6.7	6.0	7.0	7.3	6.7	7.7	6.5	
PYRAMID 2 (IS-CD10)	6.3	5.0	4.3	6.3	7.3	6.7	4.7	6.3	6.0	6.7	7.0	7.3	6.7	6.4	
SWI-1070	6.3	5.0	4.0	6.3	6.7	7.7	4.0	7.0	6.7	6.7	7.0	7.0	6.7	6.4	
PSG 91215	6.7	5.3	4.0	6.3	6.7	7.3	4.7	5.7	6.3	6.3	7.0	7.0	7.3	6.3	
PSG PROK	7.0	5.0	4.3	6.7	6.3	7.0	3.7	6.3	6.3	6.7	7.0	7.3	6.7	6.3	
RIVIERA	7.0	5.3	4.0	6.7	6.7	6.0	3.7	6.7	6.3	7.0	7.3	7.0	6.0	6.3	
SWI-1081	6.3	5.0	4.0	6.3	6.7	6.0	4.3	6.0	6.3	6.3	7.0	7.3	7.0	6.3	
SWI-1122	6.3	5.0	4.0	6.3	7.0	7.0	3.7	6.7	6.0	6.7	7.0	7.0	7.3	6.3	
VERACRUZ	6.7	4.7	4.7	6.7	6.7	6.3	4.3	5.7	5.7	6.7	7.0	7.3	7.3	6.3	
PSG 94524	6.7	5.3	3.7	6.3	6.0	6.0	4.0	6.0	6.0	6.7	7.7	7.0	6.0	6.2	
SWI-1083	6.7	5.0	4.0	6.7	6.7	6.0	4.3	6.3	5.7	7.0	7.0	6.7	6.7	6.2	
BAR 7CD5	7.7	5.3	3.7	7.0	6.0	6.7	3.7	5.0	6.3	7.0	7.0	6.7	7.0	6.1	
MIDLAWN	7.3	3.7	3.3	7.3	6.7	6.0	3.3	6.0	6.7	7.0	7.3	6.7	6.0	6.1	
PSG 9Y20K	6.7	4.7	3.7	6.7	7.3	7.0	3.7	6.0	5.7	6.7	7.0	7.0	7.0	6.1	
PSG 9BAN	6.3	5.0	4.0	6.0	6.3	6.0	4.0	6.3	5.7	6.7	7.0	6.3	6.3	6.0	
SUNSPORT	6.0	5.0	3.0	6.3	6.0	7.0	4.0	5.7	6.0	6.3	6.7	6.0	6.7	5.9	
GOLD GLOVE (PST-R6FLT)	6.3	4.3	4.3	6.0	6.0	5.7	3.7	5.7	6.0	6.0	6.3	6.7	6.0	5.8	
IS-01-201	6.7	5.0	3.7	6.0	6.7	5.7	3.7	5.7	5.7	6.3	6.7	6.0	6.3	5.8	
NUMEX-SAHARA	6.0	5.0	3.3	6.0	6.0	6.0	3.3	5.0	5.3	6.7	7.0	6.0	7.0	5.8	
SWI-1117	6.3	5.0	3.3	5.7	6.0	5.3	3.3	5.7	5.7	6.0	6.7	6.0	6.3	5.7	
LSD VALUE	1.1	0.7	0.9	1.0	1.6	1.1	1.0	1.4	1.5	1.3	1.1	0.9	1.5	0.5	
C.V. (%)	8.9	10.3	13.0	9.0	10.9	9.6	12.9	11.5	10.2	8.7	7.5	7.2	10.0	4.7	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 8.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT GRIFFIN, GA 1/  
2011 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS										MEAN
	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
NORTHBRIDGE (OKC 1134)	6.3	7.3	8.0	7.7	8.0	8.0	8.0	8.0	7.7	6.7	7.6
LATITUDE 36 (OKC 1119)	6.0	5.7	6.7	7.7	8.7	8.3	7.3	7.3	7.3	7.0	7.2
HOLLYWOOD (J-720)	6.0	6.3	7.0	7.7	7.3	7.7	7.3	7.7	7.7	6.3	7.1
PATRIOT	6.0	5.3	7.0	7.7	8.0	7.7	8.0	7.7	7.0	6.7	7.1
SWI-1113	5.3	6.0	7.0	8.0	8.0	7.3	7.0	7.7	7.0	6.3	7.0
TIFWAY	4.7	6.0	7.0	7.7	8.0	8.3	7.7	6.7	6.7	7.3	7.0
PREMIER	5.3	6.3	7.3	7.0	7.3	7.7	7.7	7.3	7.0	5.7	6.9
PRINCESS 77	4.7	6.0	6.3	7.3	8.0	7.7	7.7	7.0	6.7	6.3	6.8
PSG 9BAN	6.0	6.3	7.0	7.3	7.0	7.0	6.7	7.0	6.7	6.3	6.7
PSG PROK	6.3	6.0	6.3	7.3	7.0	7.3	7.0	7.0	6.7	6.0	6.7
PYRAMID 2 (IS-CD10)	5.0	5.7	6.3	7.3	7.7	7.0	7.3	7.0	7.0	6.7	6.7
RAD-CD1	5.3	5.7	6.3	7.0	7.3	7.0	7.0	7.0	7.0	6.0	6.6
RIVIERA	6.0	6.0	6.3	7.0	7.0	7.0	6.7	7.0	6.7	6.0	6.6
MIDLAWN	4.7	5.7	6.3	7.0	7.3	6.7	7.0	7.0	6.3	6.7	6.5
SWI-1070	4.7	5.7	6.3	7.0	7.0	7.0	6.7	7.0	6.7	6.7	6.5
SWI-1122	6.0	5.7	6.0	6.7	7.0	7.0	7.0	7.3	6.0	6.3	6.5
YUKON	4.7	5.7	6.0	7.0	7.0	7.3	7.0	7.0	6.7	6.3	6.5
OKS 2004-2	4.7	6.0	6.3	7.0	6.7	7.0	6.7	7.0	6.7	6.0	6.4
SWI-1117	5.7	5.7	6.0	6.7	6.3	7.0	7.0	7.0	7.0	5.3	6.4
GOLD GLOVE (PST-R6FLT)	6.0	6.0	6.3	7.0	7.0	6.7	6.7	6.3	6.0	5.3	6.3
PSG 91215	6.0	5.7	6.0	6.7	6.3	6.7	6.7	6.7	6.7	5.3	6.3
PSG 9Y20K	5.3	6.0	6.3	6.3	6.7	7.0	6.7	6.7	6.3	5.7	6.3
SUNSPORT	4.7	5.3	6.0	7.0	7.0	7.3	6.7	6.3	6.3	6.0	6.3
SWI-1081	4.7	5.3	6.0	6.3	6.3	7.0	7.0	7.0	6.7	6.3	6.3
SWI-1057	4.7	5.3	6.0	6.7	6.7	6.7	6.7	6.7	6.7	6.3	6.2
SWI-1083	5.0	5.0	5.7	6.3	6.7	6.7	6.7	7.0	7.0	6.3	6.2
VERACRUZ	4.3	4.7	6.3	6.7	7.3	6.7	6.7	6.7	6.7	6.3	6.2
BAR 7CD5	4.3	5.0	6.7	6.7	6.3	6.3	6.0	6.3	6.3	5.3	5.9
PSG 94524	5.0	4.7	5.3	6.0	6.3	6.3	6.3	6.3	6.3	5.7	5.9
NUMEX-SAHARA	4.5	4.7	5.7	6.3	6.3	6.3	6.3	6.3	6.0	5.3	5.8
IS-01-201	4.0	4.3	4.7	5.7	6.0	6.7	6.7	6.7	6.0	5.3	5.6
LSD VALUE	2.4	1.9	1.0	2.8	1.0	1.1	1.2	1.5	1.0	1.1	0.8
C.V. (%)	18.1	14.5	9.3	13.0	8.4	8.0	8.4	8.5	7.4	9.4	6.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 8. (CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT GRIFFIN, GA 1/  
2011 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	DENSITY SUMMER	PERCENT COVER SPRING	WINTER COLOR	SEEDHEAD RATINGS	FALL COLOR SEPTEMBER	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	FALL COLOR DECEMBER
NORTHBRIDGE (OKC 1134)	7.3	8.7	7.7	99.0	4.7	8.0	6.7	7.0	6.7	4.7
LATITUDE 36 (OKC 1119)	7.3	8.0	5.7	96.0	4.7	9.0	6.7	6.7	6.7	4.7
HOLLYWOOD (J-720)	7.7	8.0	5.7	99.0	5.0	7.3	7.3	7.0	7.0	5.0
PATRIOT	7.3	8.3	6.3	89.7	5.0	8.7	7.0	7.3	6.7	5.0
SWI-1113	7.7	8.7	6.7	99.0	5.3	7.7	7.0	7.3	7.0	5.3
TIFWAY	7.3	8.3	6.0	99.0	6.0	9.0	7.3	7.7	6.7	6.0
PREMIER	6.3	8.7	6.3	99.0	4.7	8.0	7.0	7.0	7.0	4.7
PRINCESS 77	7.0	8.0	6.3	99.0	6.0	7.7	7.3	7.0	6.7	6.0
PSG 9BAN	7.0	8.7	6.3	99.0	4.3	6.7	6.7	7.0	6.7	4.3
PSG PROK	7.3	7.7	5.7	96.0	5.0	6.0	7.0	6.7	6.3	5.0
PYRAMID 2 (IS-CD10)	7.0	8.0	5.3	93.0	5.0	7.7	7.0	7.0	6.3	5.0
RAD-CD1	7.0	8.0	6.0	93.0	4.7	7.3	6.7	6.7	6.7	4.7
RIVIERA	6.7	8.0	6.3	96.0	4.7	8.0	6.7	6.7	6.3	4.7
MIDLAWN	7.0	7.7	5.3	93.0	5.0	7.7	7.3	7.0	6.3	5.0
SWI-1070	7.0	7.7	5.7	99.0	4.7	7.7	6.7	6.7	6.7	4.7
SWI-1122	7.3	8.3	6.3	99.0	4.7	7.0	7.0	7.0	6.0	4.7
YUKON	7.0	7.7	5.3	83.0	5.3	7.7	6.7	7.0	6.3	5.3
OKS 2004-2	6.7	8.7	6.3	99.0	4.0	8.3	6.3	7.0	6.3	4.0
SWI-1117	6.7	7.7	5.7	89.7	3.7	7.3	7.0	7.0	6.3	3.7
GOLD GLOVE (PST-R6FLT)	6.7	7.3	6.0	96.0	4.3	6.7	6.7	6.3	6.0	4.3
PSG 91215	6.7	8.0	5.3	86.7	4.0	5.0	6.7	6.3	6.0	4.0
PSG 9Y2OK	6.3	8.3	6.0	93.0	5.3	6.3	7.0	7.0	6.7	5.3
SUNSPORT	6.7	7.7	5.7	89.7	5.3	7.0	6.7	6.3	6.3	5.3
SWI-1081	6.3	8.0	5.3	93.0	4.7	5.7	7.3	6.7	6.3	4.7
SWI-1057	7.0	7.3	5.3	93.0	4.7	7.7	6.7	6.7	6.3	4.7
SWI-1083	6.3	8.0	5.7	93.0	4.7	7.0	6.7	7.0	6.3	4.7
VERACRUZ	7.0	7.7	5.7	89.3	5.7	8.3	6.7	6.3	6.0	5.7
BAR 7CD5	7.3	7.3	5.7	83.3	5.7	7.7	6.3	6.3	6.3	5.7
PSG 94524	6.0	7.0	4.7	86.7	5.7	6.7	6.7	6.3	6.0	5.7
NUMEX-SAHARA	6.3	7.7	5.3	90.0	4.3	7.0	6.3	6.3	6.0	4.3
IS-01-201	5.3	6.3	5.0	86.7	4.0	5.7	7.0	6.7	6.0	4.0
LSD VALUE	3.3	1.7	1.9	16.1	3.0	1.4	2.3	1.2	1.4	3.0
C.V. (%)	13.6	9.0	13.5	7.2	19.9	11.0	8.8	7.0	7.5	19.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 9.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT LEXINGTON, KY 1/  
2011 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	SPRING GREENUP	DENSITY SUMMER	FALL	SCALPING RATINGS	MAY	JUN	QUALITY RATINGS			MEAN
			COLOR OCTOBER				JUL	AUG	SEP	
LATITUDE 36 (OKC 1119)	8.7	8.0	7.3	4.7	8.0	8.3	8.0	7.0	8.0	7.9
TIFWAY	5.3	9.0	7.0	4.7	7.0	8.3	8.0	8.0	7.3	7.7
NORTHBRIDGE (OKC 1134)	8.3	7.3	7.3	3.3	7.7	7.3	8.3	6.7	7.7	7.5
PREMIER	6.7	8.7	8.0	3.7	7.3	8.7	8.0	5.3	6.7	7.2
RIVIERA	7.3	8.0	5.0	8.0	7.0	7.3	7.7	5.7	6.7	6.9
SWI-1113	6.0	7.3	6.0	8.7	5.7	7.3	7.7	7.0	7.0	6.9
YUKON	8.0	7.3	5.3	6.0	7.0	7.3	7.3	7.0	6.0	6.9
PSG 9Y20K	7.3	7.0	5.7	8.3	6.3	7.3	7.0	6.7	6.7	6.8
RAD-CD1	7.3	6.3	5.0	9.0	6.0	7.0	7.0	6.7	6.3	6.6
PATRIOT	7.3	7.7	4.3	2.7	6.7	8.7	8.0	4.7	4.7	6.5
PSG PROK	7.3	6.3	6.3	7.3	5.3	6.3	8.0	6.3	6.3	6.5
SWI-1057	5.0	7.0	7.3	9.0	5.7	7.0	7.3	5.7	7.0	6.5
MIDLAWN	7.7	6.7	4.0	5.7	5.7	6.3	7.0	6.7	6.0	6.3
OKS 2004-2	7.3	7.3	4.7	8.7	6.0	6.0	7.7	5.7	6.3	6.3
SWI-1070	6.7	7.3	5.7	7.3	5.7	6.0	7.3	6.0	6.7	6.3
HOLLYWOOD (J-720)	7.0	7.0	5.3	7.7	5.7	6.3	7.0	5.3	6.3	6.1
PSG 91215	6.3	6.3	5.0	8.3	5.7	5.3	7.0	6.0	6.7	6.1
PSG 9BAN	6.0	6.3	5.7	8.7	5.0	6.0	7.0	5.7	7.0	6.1
PRINCESS 77	3.7	7.0	5.7	8.7	4.0	5.3	7.7	6.3	6.3	5.9
SWI-1083	6.3	6.3	5.3	8.7	4.7	5.3	6.7	6.0	6.7	5.9
SWI-1122	6.3	6.3	5.0	8.7	5.7	5.7	6.0	6.0	6.0	5.9
PSG 94524	6.0	6.0	5.7	9.0	4.3	5.0	6.0	6.3	6.7	5.7
PYRAMID 2 (IS-CD10)	6.3	6.7	4.7	8.0	5.3	5.0	6.7	5.7	5.7	5.7
SWI-1117	6.0	6.3	5.0	8.7	4.7	5.3	6.0	6.3	6.0	5.7
SWI-1081	5.7	6.3	4.7	9.0	5.0	4.7	6.3	5.3	6.3	5.5
VERACRUZ	4.0	7.0	5.0	8.7	4.0	4.7	7.0	5.7	6.0	5.5
BAR 7CD5	7.3	5.3	4.3	8.3	5.3	5.3	5.0	6.0	5.0	5.3
GOLD GLOVE (PST-R6FLT)	5.3	6.3	5.7	8.7	4.7	3.7	6.0	5.7	6.0	5.2
SUNSPORT	5.7	6.0	4.0	9.0	4.7	3.7	6.0	4.7	5.7	4.9
IS-01-201	5.7	6.3	4.0	9.0	4.3	3.0	5.7	4.7	6.3	4.8
NUMEX-SAHARA	5.0	5.3	6.0	8.0	3.7	3.0	5.0	5.0	5.7	4.5
LSD VALUE	1.0	1.1	1.3	1.4	0.9	1.0	1.4	1.5	0.8	0.6
C.V. (%)	10.5	9.9	14.9	12.7	10.7	11.4	11.5	13.2	7.7	6.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 10.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT MISS. ST., MS 1/  
2011 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SUMMER	PERCENT COVER SPRING	FALL COLOR OCTOBER	SEEDHEAD RATINGS	QUALITY RATINGS								MEAN
								APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	
TIFWAY	7.0	4.3	8.0	7.3	95.0	7.0	9.0	6.3	7.0	7.7	7.3	7.7	8.0	8.0	7.0	7.4
NORTHBRIDGE (OKC 1134)	6.0	6.0	7.0	7.0	93.3	4.7	9.0	7.3	7.3	7.0	7.0	7.0	7.0	6.7	6.0	6.9
LATITUDE 36 (OKC 1119)	6.0	6.3	6.7	6.3	93.3	5.3	8.7	7.3	7.3	7.0	7.0	6.7	6.7	6.3	6.0	6.8
PREMIER	6.7	5.7	7.0	6.7	83.3	4.7	7.0	6.3	6.7	6.3	6.3	6.7	6.3	6.0	6.0	6.3
PATRIOT	6.3	4.3	6.0	4.7	93.3	3.3	8.3	6.0	6.3	6.7	6.3	5.7	6.0	5.0	6.0	6.0
SWI-1113	7.0	4.7	6.0	6.0	91.7	6.0	7.0	5.3	6.0	6.0	6.0	6.0	6.3	6.0	6.0	6.0
YUKON	7.0	4.7	6.0	6.0	90.0	6.0	7.0	5.7	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
PSG 9Y20K	7.0	5.0	6.0	6.0	88.3	6.0	7.0	5.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	5.9
PSG PROK	7.0	4.3	6.0	6.0	88.3	6.0	6.7	5.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	5.9
SWI-1057	6.3	4.0	6.0	6.0	88.3	6.0	6.0	5.3	5.7	6.0	6.0	6.0	6.0	6.0	6.0	5.9
SWI-1070	7.0	4.7	6.0	6.0	90.0	6.0	6.3	5.3	6.0	6.0	6.0	6.0	6.0	6.0	6.0	5.9
VERACRUZ	7.0	4.0	6.0	6.0	88.3	6.0	7.0	5.0	6.0	6.0	6.0	6.0	6.0	6.3	6.0	5.9
BAR 7CD5	6.3	4.3	6.3	6.0	90.0	5.0	7.0	5.0	5.7	6.0	6.0	6.0	5.7	6.0	6.0	5.8
OKS 2004-2	7.0	5.0	6.0	6.0	88.3	5.7	7.0	5.0	5.7	6.0	6.0	6.0	6.0	6.0	6.0	5.8
PRINCESS 77	7.0	4.0	6.0	6.0	88.3	6.0	6.3	5.0	5.7	6.0	5.7	6.3	6.0	6.0	6.0	5.8
RAD-CD1	7.0	5.0	6.0	5.7	88.3	6.0	6.3	5.3	6.0	6.0	5.7	5.7	6.0	6.0	6.0	5.8
SWI-1122	7.0	5.0	6.0	6.0	88.3	6.0	6.7	5.0	6.0	5.7	5.7	6.0	6.3	6.0	6.0	5.8
HOLLYWOOD (J-720)	6.7	4.3	6.0	5.3	88.3	5.7	7.0	5.0	6.0	6.0	5.7	5.7	5.7	5.7	6.0	5.7
PSG 9BAN	6.3	4.3	6.0	5.7	85.0	5.7	6.0	5.0	5.3	5.7	6.0	6.0	6.0	5.7	6.0	5.7
PYRAMID 2 (IS-CD10)	7.0	4.0	5.7	5.7	88.3	5.7	6.3	5.0	5.7	5.7	6.0	5.7	5.7	5.7	6.0	5.7
GOLD GLOVE (PST-R6FLT)	7.0	4.0	5.7	5.7	83.3	5.3	6.0	5.0	5.3	5.3	5.7	6.0	5.7	5.7	6.0	5.6
MIDLAWN	6.3	5.0	6.3	5.3	90.0	5.3	7.7	5.3	6.0	6.0	5.7	5.7	5.7	5.0	5.7	5.6
PSG 94524	6.3	4.7	5.7	5.3	88.3	5.3	5.7	5.0	5.3	5.7	6.0	5.7	5.3	6.0	6.0	5.6
SUNSPORT	7.0	4.7	5.7	5.7	86.7	5.3	6.3	5.0	5.3	5.7	5.7	5.3	5.7	6.0	6.0	5.6
IS-01-201	6.7	4.0	5.7	5.7	85.0	5.0	6.0	5.0	5.0	5.0	5.3	6.0	5.7	6.0	6.0	5.5
PSG 91215	7.0	4.7	5.7	5.3	85.0	5.3	6.0	5.0	5.3	5.3	5.7	5.3	5.3	5.7	5.3	5.4
RIVIERA	6.7	4.3	5.0	5.3	83.3	5.7	6.7	5.3	5.7	5.0	5.0	5.7	5.3	5.3	6.0	5.4
SWI-1117	7.0	4.7	5.7	5.7	85.0	5.7	6.3	4.7	5.3	5.3	5.7	5.7	5.7	5.3	5.3	5.4
SWI-1081	7.0	4.0	5.7	5.3	83.3	5.3	5.3	4.7	5.0	5.0	5.0	5.7	5.7	5.7	6.0	5.3
SWI-1083	6.7	4.0	5.3	5.0	85.0	5.0	6.0	4.7	5.0	5.0	5.3	5.3	5.7	5.7	6.0	5.3
NUMEX-SAHARA	6.7	4.0	5.0	4.7	81.7	5.3	5.7	4.3	5.0	5.0	5.7	5.0	5.0	5.0	5.3	5.0
LSD VALUE	0.7	0.8	0.6	1.1	6.2	0.7	0.8	0.6	0.7	0.6	0.8	0.7	0.7	0.7	0.3	0.4
C.V. (%)	5.3	10.6	6.7	10.2	3.9	8.3	7.5	7.6	7.7	6.7	7.5	7.5	7.3	7.5	3.5	4.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 11.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT RALEIGH, NC 1/  
2011 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SUMMER	PERCENT COVER SPRING	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	SEEDHEAD RATINGS	SPRING DEAD SPOT	QUALITY RATINGS						OCT	MEAN
										MAY	JUN	JUL	AUG	SEP			
LATITUDE 36 (OKC 1119)	8.0	8.0	9.0	8.7	99.0	6.3	1.0	8.7	9.0	8.0	8.7	9.0	8.3	8.0	8.0	8.3	
NORTHBRIDGE (OKC 1134)	8.0	7.7	7.7	8.7	99.0	5.7	1.0	8.0	9.0	8.7	8.3	8.7	8.7	8.0	7.7	8.3	
TIFWAY	8.3	4.7	9.0	8.7	99.0	7.3	4.3	9.0	9.0	8.0	7.3	8.7	8.7	8.0	8.3	8.2	
PREMIER	8.3	6.0	8.0	8.3	99.0	6.3	2.3	8.0	9.0	6.3	8.0	8.3	8.3	7.3	7.3	7.6	
ENTRY 32	7.7	2.3	7.3	7.7	99.0	6.3	1.7	9.0	7.7	5.7	7.0	7.3	7.7	7.7	7.0	7.1	
PATRIOT	8.7	4.3	7.7	7.3	99.0	4.3	1.0	8.7	9.0	7.7	7.7	8.0	7.3	6.7	5.3	7.1	
MIDLAWN	6.7	7.0	7.0	8.0	92.7	6.0	3.3	8.7	9.0	7.0	6.7	8.0	6.7	6.7	7.0	7.0	
SWI-1113	7.0	4.7	7.3	7.3	99.0	5.7	2.3	6.3	9.0	5.7	5.7	8.0	6.7	7.3	7.3	6.8	
YUKON	7.0	6.7	7.0	7.3	99.0	6.3	3.0	7.3	8.7	5.7	6.3	7.3	7.0	7.0	7.0	6.7	
PRINCESS 77	7.0	3.7	6.7	7.0	99.0	5.7	2.7	4.7	9.0	5.3	6.0	7.0	7.0	7.0	7.0	6.6	
RIVIERA	6.3	6.7	7.0	7.0	99.0	4.7	1.7	7.0	9.0	6.0	6.7	6.3	7.0	6.7	6.7	6.6	
RAD-CD1	7.0	5.7	7.0	7.0	99.0	6.3	3.0	6.0	9.0	4.7	6.0	7.3	7.0	6.3	7.0	6.4	
PYRAMID 2 (IS-CD10)	6.3	6.0	6.7	7.0	99.0	5.3	2.0	4.3	9.0	5.7	6.3	6.7	6.3	7.0	6.0	6.3	
HOLLYWOOD (J-720)	6.0	5.7	6.7	7.3	99.0	5.3	1.7	4.7	9.0	5.7	6.0	6.3	6.7	6.0	6.3	6.2	
SWI-1057	6.0	4.0	7.0	6.7	99.0	5.7	1.7	3.3	9.0	5.3	5.7	6.0	7.0	7.0	6.0	6.2	
GOLD GLOVE (PST-R6FLT)	6.3	5.7	7.0	7.3	99.0	5.0	1.3	2.0	9.0	5.7	6.0	6.0	6.7	6.7	5.7	6.1	
VERACRUZ	5.3	4.3	6.7	6.7	97.7	6.0	2.0	4.7	8.0	5.0	5.7	7.0	6.0	6.7	6.3	6.1	
PSG 9Y20K	6.0	6.0	5.3	6.0	99.0	5.0	1.7	4.7	9.0	5.7	5.7	6.7	5.7	6.0	6.0	5.9	
SWI-1070	5.0	4.3	6.7	6.7	99.0	5.7	1.3	6.0	9.0	5.0	6.0	6.0	6.7	6.3	5.7	5.9	
IS-01-201	5.3	5.0	7.0	6.7	99.0	3.7	1.0	3.7	9.0	5.0	6.3	5.7	6.3	6.3	5.3	5.8	
SWI-1117	5.3	5.3	6.0	5.7	99.0	4.3	1.7	5.3	9.0	4.7	5.7	6.7	5.3	6.3	6.3	5.8	
SWI-1122	6.0	5.7	5.7	7.0	99.0	6.0	2.0	4.7	9.0	4.3	5.7	6.3	5.7	6.0	6.7	5.8	
SWI-1083	4.7	6.0	6.3	6.7	99.0	5.0	1.7	5.3	8.3	5.0	5.7	5.3	6.0	6.3	6.0	5.7	
OKS 2004-2	5.7	7.0	6.7	6.3	99.0	4.3	1.7	6.0	9.0	5.7	6.0	5.3	6.3	5.0	5.3	5.6	
PSG PROK	5.7	4.7	5.0	6.7	99.0	4.3	1.7	3.7	9.0	4.3	5.3	5.7	5.3	6.0	5.7	5.4	
SWI-1081	4.7	4.3	6.0	5.7	97.7	4.0	1.3	4.0	9.0	5.7	6.0	4.7	5.3	5.3	5.0	5.3	
SUNSPORT	4.3	5.3	5.7	6.3	99.0	5.0	1.3	3.0	9.0	4.3	4.7	5.7	5.3	5.0	5.3	5.1	
PSG 94524	5.0	5.7	5.3	5.3	99.0	4.7	2.0	4.0	9.0	4.3	5.0	4.7	4.3	5.7	5.3	4.9	
BAR 7CD5	5.3	5.0	4.3	5.3	99.0	7.0	3.0	4.7	9.0	4.0	4.0	4.0	5.0	6.0	5.7	4.8	
ENTRY 33	8.3	3.0	9.0	8.3	85.0	4.3	3.3	8.7	3.0	2.7	3.7	5.0	5.3	7.3	5.0	4.8	
PSG 91215	4.3	4.7	5.0	4.7	96.0	4.0	1.0	3.3	8.3	4.7	4.7	5.0	4.3	4.7	4.3	4.6	
NUMEX-SAHARA	4.7	4.7	5.0	5.0	97.7	4.3	1.7	4.0	9.0	4.0	3.7	4.0	4.3	5.0	5.0	4.3	
PSG 9BAN	4.3	3.7	5.3	5.3	88.0	3.7	1.3	4.0	5.0	3.7	3.7	4.3	4.3	4.7	4.3	4.2	
LSD VALUE	1.4	1.3	0.8	1.1	7.1	2.2	1.0	1.1	1.3	1.2	1.5	1.7	1.3	1.2	1.6	1.0	
C.V. (%)	14.0	16.0	8.2	10.0	3.7	21.0	33.1	13.5	9.5	14.6	16.1	16.3	13.0	11.4	15.0	10.4	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 12.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
 IN THE 2007 NATIONAL BERMUDAGRASS TEST AT RALEIGH (TRAFFIC STUDY)), NC 1/  
 2011 DATA

## TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	SHEAR (N.M)	WEAR TOLERANCE JULY_16	WEAR TOLERANCE JULY_22	WEAR TOLERANCE JULY_29	WEAR TOLERANCE AUG_5	WEAR TOLERANCE AUG_20	WEAR TOLERANCE AUG_23	WEAR TOLERANCE AUG_30	WEAR TOLERANCE MEAN
TIFWAY	81.7	7.3	7.3	8.0	8.7	7.0	7.3	7.7	7.6
LATITUDE 36 (OKC 1119)	82.7	6.3	7.3	8.0	8.7	7.0	7.3	7.7	7.5
NORTHBRIDGE (OKC 1134)	118.3	6.7	7.7	8.0	8.7	7.0	7.0	7.3	7.5
ENTRY 32	82.7	6.7	6.7	7.7	8.0	7.0	7.3	7.3	7.2
YUKON	87.3	7.0	7.3	8.0	8.0	6.7	6.3	7.0	7.2
PSG 9Y20K	85.7	7.0	7.0	7.7	7.7	6.3	6.3	7.0	7.0
RAD-CD1	70.3	6.7	7.0	7.7	8.0	6.7	6.3	6.7	7.0
SWI-1122	80.7	6.7	7.0	7.7	8.0	6.3	6.0	6.3	6.9
MIDLAWN	60.3	6.7	6.7	7.0	7.7	6.3	6.3	6.7	6.8
PATRIOT	77.3	6.0	6.3	7.0	7.7	6.7	6.7	7.0	6.8
SWI-1113	75.7	6.0	6.7	7.0	8.0	6.3	6.3	7.0	6.8
SWI-1117	66.7	6.7	6.7	7.0	7.3	6.7	6.3	7.0	6.8
BAR 7CD5	67.7	6.3	6.7	7.3	7.7	6.3	6.0	6.7	6.7
PRINCESS 77	77.7	6.3	6.3	7.3	7.7	6.3	6.3	6.7	6.7
PYRAMID 2 (IS-CD10)	75.3	6.0	7.0	7.7	8.0	6.0	6.0	6.3	6.7
PREMIER	89.3	6.0	6.7	7.0	7.7	6.0	6.0	6.7	6.6
SWI-1083	85.0	6.7	7.0	7.3	7.7	6.0	5.3	6.3	6.6
VERACRUZ	76.7	6.0	6.3	7.3	7.7	6.0	6.3	6.3	6.6
RIVIERA	85.7	6.0	6.3	7.0	7.7	6.0	6.0	6.7	6.5
SWI-1057	99.3	6.3	6.7	7.7	7.7	5.7	5.7	5.7	6.5
SWI-1070	88.0	6.0	6.3	7.0	7.7	6.0	6.0	6.7	6.5
OKS 2004-2	101.7	6.0	6.3	7.0	7.7	5.7	6.0	6.0	6.4
HOLLYWOOD (J-720)	87.3	5.7	6.0	7.0	7.7	6.0	5.7	6.0	6.3
IS-01-201	93.7	6.0	6.0	7.0	7.7	5.7	5.7	6.0	6.3
PSG PROK	93.3	5.7	6.3	7.3	7.7	5.7	5.7	6.0	6.3
SUNSPORT	72.3	6.0	6.0	7.0	7.0	6.0	6.0	6.0	6.3
NUMEX-SAHARA	77.3	6.0	6.0	7.0	7.3	5.7	5.3	5.7	6.1
ENTRY 33	130.7	5.7	5.7	6.0	7.0	6.0	6.0	6.0	6.0
GOLD GLOVE (PST-R6FLT)	79.0	5.7	6.0	6.3	7.0	6.0	5.0	5.7	6.0
PSG 91215	77.0	5.3	6.3	6.7	7.3	5.3	5.0	5.0	5.9
SWI-1081	88.7	5.3	5.0	6.0	7.0	5.3	5.7	5.7	5.7
PSG 94524	90.7	4.3	5.0	6.0	7.0	5.0	5.0	5.3	5.4
PSG 9BAN	68.0	4.7	4.7	5.7	6.7	4.3	4.3	4.3	5.0
LSD VALUE	28.4	1.1	2.1	1.6	1.4	1.0	1.1	1.4	1.1
C.V. (%)	17.9	10.1	13.9	10.6	8.1	9.6	10.8	12.0	8.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.



TABLE 13.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT LAS CRUCES (SALINE STUDY), NM 1/  
2011 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	PERCENT	PERCENT	PERCENT	FALL	APR	MAY	JUN	QUALITY RATINGS					MEAN
			COVER SPRING	COVER SUMMER	COVER FALL	COLOR NOVEMBER				JUL	AUG	SEP	OCT	NOV	
TIFWAY	8.3	1.0	36.0	99.0	97.7	6.0	6.0	6.0	6.3	8.7	7.7	6.7	8.0	6.7	7.0
SWI-1113	8.0	1.0	51.3	99.0	99.0	2.7	5.0	6.7	7.7	8.0	7.7	7.0	8.0	4.0	6.8
LATITUDE 36 (OKC 1119)	7.7	1.0	47.7	99.0	94.7	2.3	5.7	6.0	6.0	7.7	7.0	8.3	8.3	4.3	6.7
PRINCESS 77	8.0	1.0	37.3	99.0	99.0	3.3	4.7	5.7	6.3	8.0	8.0	8.0	8.7	3.7	6.6
BAR 7CD5	7.7	1.3	70.0	99.0	98.7	2.0	5.7	6.0	6.3	7.3	7.3	7.3	7.3	3.7	6.4
PSG 9Y20K	8.0	2.3	63.3	99.0	98.7	1.0	6.3	5.3	6.3	7.0	7.3	8.0	7.7	3.0	6.4
NORTHBRIDGE (OKC 1134)	7.0	1.0	67.7	98.3	99.0	1.3	6.3	6.0	6.7	6.7	6.3	7.3	7.7	3.3	6.3
SWI-1057	8.0	1.0	41.3	98.7	98.3	2.7	4.0	4.7	6.7	7.0	7.3	7.7	7.3	3.7	6.0
PSG PROK	7.3	2.0	58.3	99.0	98.0	1.0	5.7	5.3	5.0	6.3	6.3	7.7	7.7	3.3	5.9
SWI-1122	7.3	1.0	50.0	99.0	98.3	1.7	5.3	5.0	5.7	6.7	7.0	6.7	8.0	3.0	5.9
OKS 2004-2	7.3	1.7	54.7	99.0	98.0	1.3	5.0	4.3	5.0	6.3	6.7	7.3	7.7	4.0	5.8
SWI-1070	8.0	1.0	32.0	99.0	99.0	1.7	4.0	4.0	5.7	7.7	7.7	7.3	7.0	3.3	5.8
YUKON	8.0	2.0	69.7	99.0	98.3	1.0	6.7	5.0	5.3	6.0	6.0	7.3	6.7	3.7	5.8
PSG 9BAN	7.3	2.3	52.0	98.7	99.0	1.0	6.0	4.3	5.0	6.0	6.0	7.0	7.3	3.0	5.6
IS-01-201	6.7	1.0	32.0	88.7	81.3	1.3	4.7	4.7	5.3	6.0	6.7	6.3	6.3	3.7	5.5
RIVIERA	6.3	1.3	58.3	94.0	97.3	2.3	5.0	4.7	5.7	5.3	6.0	6.7	7.0	3.3	5.5
VERACRUZ	7.7	1.0	39.0	97.3	94.0	1.0	4.3	4.0	5.3	6.7	7.0	6.7	6.7	3.3	5.5
PYRAMID 2 (IS-CD10)	6.3	1.0	31.0	78.7	81.7	1.0	5.3	4.7	5.7	6.0	6.3	6.3	6.0	3.0	5.4
NUMEX-SAHARA	6.7	1.3	34.3	98.7	98.0	1.3	4.3	4.3	4.7	6.0	6.0	6.7	7.0	3.0	5.3
SWI-1117	7.0	1.3	46.7	95.3	95.0	2.0	4.7	4.0	4.0	6.0	6.0	6.7	7.3	3.7	5.3
GOLD GLOVE (PST-R6FLT)	6.7	1.0	56.7	91.7	98.7	1.3	4.7	3.7	4.7	6.0	6.0	7.3	6.3	3.0	5.2
RAD-CD1	7.0	1.3	37.7	98.7	92.7	1.0	5.0	4.0	4.0	5.7	6.0	7.3	6.7	3.0	5.2
SWI-1083	6.7	1.0	35.3	97.7	96.3	1.0	4.0	4.0	4.7	6.0	5.7	6.7	7.0	3.0	5.1
PSG 91215	5.7	2.0	27.3	85.0	97.3	3.0	4.3	4.0	4.7	5.0	5.0	7.0	6.3	3.3	5.0
SWI-1081	6.3	1.0	34.3	96.3	99.0	1.0	3.7	4.0	3.3	5.7	6.0	7.0	6.7	3.0	4.9
PATRIOT	6.7	1.0	36.7	91.7	76.0	1.0	4.7	4.7	5.0	5.3	5.7	5.3	5.3	2.7	4.8
SUNSPORT	6.3	1.7	35.3	83.7	91.7	1.0	4.0	3.3	4.3	5.0	5.7	6.0	6.0	3.0	4.7
HOLLYWOOD (J-720)	6.0	1.0	31.7	68.0	73.7	1.0	3.7	3.7	4.0	4.7	5.3	6.3	5.3	3.0	4.5
MIDLAWN	5.7	1.0	19.0	90.7	92.3	3.0	3.3	2.7	4.3	5.3	4.7	5.3	6.3	3.3	4.4
PSG 94524	5.7	1.7	38.7	73.7	65.0	2.0	3.7	3.7	3.7	4.7	5.3	5.3	5.0	3.0	4.3
PREMIER	5.7	1.0	19.0	74.7	36.7	1.0	2.7	3.3	3.0	3.7	4.0	3.3	2.7	1.7	3.0
LSD VALUE	2.2	1.5	28.8	44.3	33.3	2.6	2.3	2.4	2.6	2.5	2.7	2.0	2.4	1.5	1.4
C.V. (%)	14.3	46.9	34.8	15.5	17.5	72.3	23.4	24.9	24.7	20.3	19.0	15.7	18.7	24.4	14.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 14.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT STILLWATER, OK 1/  
2011 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SUMMER	FALL	FALL	SEEDHEAD RATINGS	APR	MAY	QUALITY RATINGS					MEAN
					COLOR OCTOBER	COLOR NOVEMBER				JUN	JUL	AUG	SEP	OCT	
NORTHBRIDGE (OKC 1134)	7.0	6.3	8.0	8.0	8.0	6.3	9.0	7.7	8.0	6.7	8.0	7.3	7.7	7.3	7.5
LATITUDE 36 (OKC 1119)	7.3	5.0	8.3	8.0	7.7	6.3	8.7	6.3	8.0	6.3	8.3	7.3	8.0	7.3	7.4
PATRIOT	6.0	3.3	7.0	7.0	8.3	6.3	9.0	6.7	7.3	6.3	7.3	6.7	7.3	7.3	7.0
TIFWAY	6.7	4.3	8.0	8.3	8.7	7.3	7.3	5.7	7.3	7.0	7.7	7.0	7.0	7.3	7.0
RIVIERA	7.0	7.3	7.0	6.7	7.3	4.3	5.7	6.0	6.3	6.0	6.7	7.0	7.0	6.7	6.5
PREMIER	6.7	6.0	7.7	7.7	7.7	6.3	6.7	5.3	6.7	6.0	6.7	6.7	7.3	6.3	6.4
OKS 2004-2	6.0	6.0	5.7	6.7	7.0	4.7	6.7	6.0	6.0	5.7	6.0	6.3	7.0	6.3	6.2
HOLLYWOOD (J-720)	6.3	7.0	7.0	7.3	7.0	3.7	5.0	5.7	5.3	6.0	7.0	6.7	6.0	6.3	6.1
PSG 9BAN	6.0	5.3	6.7	7.3	7.7	4.7	6.0	5.7	6.3	5.7	7.0	6.3	6.0	6.0	6.1
SWI-1070	5.7	5.3	7.0	8.0	7.3	5.0	6.0	5.7	6.3	5.7	6.7	6.7	6.7	5.3	6.1
SWI-1113	6.3	4.7	6.3	7.0	7.3	5.7	5.0	4.0	5.3	6.7	7.0	6.3	6.7	7.0	6.1
YUKON	5.3	5.7	6.7	6.0	6.3	5.3	6.0	6.0	6.0	6.3	6.7	6.0	5.7	6.3	6.1
PSG 9Y20K	5.7	6.0	6.3	6.3	7.0	5.3	4.3	5.3	6.3	6.0	6.0	6.3	5.7	6.0	6.0
PYRAMID 2 (IS-CD10)	5.7	5.7	7.0	7.0	7.0	4.0	5.3	5.7	5.7	5.0	6.3	6.7	7.0	6.0	6.0
VERACRUZ	6.7	3.3	7.3	7.3	7.3	4.3	5.7	4.0	5.7	5.7	7.3	7.0	6.0	6.0	6.0
RAD-CD1	5.7	3.7	5.7	6.3	7.0	6.3	5.7	4.3	6.3	5.7	6.7	5.7	6.7	5.7	5.9
SWI-1057	6.7	5.0	5.7	7.0	7.0	5.0	5.7	5.3	5.3	6.0	6.0	5.7	6.3	6.3	5.9
SWI-1083	7.0	6.0	6.7	7.0	7.7	4.0	4.3	4.3	5.0	6.0	6.7	6.0	6.7	6.7	5.9
MIDLAWN	5.7	4.7	7.0	6.0	5.7	6.3	6.0	5.3	5.7	5.3	6.3	6.3	6.3	5.3	5.8
PRINCESS 77	7.0	3.3	6.7	7.3	7.0	5.0	5.0	3.7	5.0	6.0	7.0	6.7	6.0	6.0	5.8
PSG PROK	5.7	5.0	5.7	6.7	7.0	4.3	5.7	5.3	5.3	6.0	6.3	6.0	5.7	5.7	5.8
SWI-1122	6.0	4.7	5.7	6.0	6.7	4.3	3.7	4.3	5.0	5.7	6.0	6.0	6.7	6.3	5.7
IS-01-201	6.0	4.7	6.3	6.7	7.0	4.0	3.3	4.3	5.0	5.7	6.3	6.0	6.0	6.0	5.6
SWI-1081	6.3	5.3	6.3	6.7	7.3	3.7	3.7	4.3	4.7	5.0	6.3	6.0	6.0	6.3	5.5
GOLD GLOVE (PST-R6FLT)	6.7	4.3	6.0	6.7	7.0	4.3	2.3	3.7	4.7	4.0	5.7	6.7	5.3	5.7	5.1
PSG 91215	6.7	4.3	5.7	5.7	7.0	4.7	4.3	3.3	5.0	4.7	6.0	6.0	5.3	5.7	5.1
PSG 94524	6.0	4.3	5.7	6.3	6.7	4.3	3.3	3.3	5.0	5.3	5.7	5.3	5.0	6.0	5.1
BAR 7CD5	6.0	3.3	6.0	6.7	6.3	5.0	5.0	4.7	4.7	5.3	5.0	5.3	5.0	5.0	5.0
SUNSPORT	6.0	4.0	5.7	5.7	6.7	4.0	2.7	3.0	4.0	5.0	5.7	6.0	5.0	6.0	5.0
SWI-1117	5.3	4.0	5.0	5.3	6.3	4.0	4.0	3.0	4.7	5.0	5.0	5.3	5.7	5.7	4.9
NUMEX-SAHARA	4.3	3.7	4.7	5.0	7.0	3.3	3.7	2.7	3.3	4.3	5.0	5.0	5.3	5.0	4.4
LSD VALUE	1.6	1.3	0.8	1.1	0.8	1.3	1.3	1.0	0.9	1.3	1.0	1.2	1.1	0.9	0.4
C.V. (%)	12.6	16.6	8.3	9.5	7.0	15.8	15.7	13.9	10.9	12.3	9.8	10.0	10.7	8.7	4.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 15.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT KNOXVILLE, TN 1/  
2011 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	PERCENT	PERCENT	PERCENT	FALL	FALL	SEEDHEAD RATINGS	PERCENT	QUALITY RATINGS								MEAN
		COVER SPRING	COVER SUMMER	COVER FALL	COLOR OCTOBER	COLOR NOVEMBER		DEAD SPOT	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	
LATITUDE 36 (OKC 1119)	8.0	91.3	98.7	90.7	7.3	5.3	9.0	0.0	7.0	7.7	9.0	9.0	8.0	8.0	6.7	5.7	7.6
NORTHBRIDGE (OKC 1134)	8.0	81.0	95.3	90.7	7.3	5.3	9.0	0.0	5.7	6.7	9.0	8.3	8.0	9.0	7.0	5.3	7.4
TIFWAY	8.0	71.7	97.0	87.3	8.0	6.0	9.0	0.0	5.0	6.3	9.0	8.7	8.0	8.0	6.3	6.0	7.2
PATRIOT	9.0	84.7	95.3	83.3	8.0	6.0	9.0	0.0	6.0	6.3	9.0	8.3	8.0	8.0	5.7	4.7	7.0
PREMIER	8.7	82.3	97.0	87.3	7.3	5.3	8.3	0.0	6.0	6.0	8.3	8.7	8.0	8.7	6.0	4.7	7.0
SWI-1113	8.3	80.7	95.7	85.3	7.7	5.7	8.3	15.0	5.7	6.0	9.0	8.3	8.3	8.0	6.0	5.0	7.0
HOLLYWOOD (J-720)	8.3	79.0	97.0	88.0	7.3	5.3	8.7	0.0	5.7	7.0	8.0	9.0	8.0	7.3	5.7	4.7	6.9
OKS 2004-2	8.3	81.0	96.3	81.3	7.0	5.0	9.0	10.7	5.7	6.7	8.0	8.7	8.0	7.3	6.0	4.7	6.9
PSG 9Y20K	7.3	84.0	96.7	81.0	7.3	5.3	8.7	0.0	6.0	6.7	8.0	8.7	8.0	7.7	5.7	4.7	6.9
RIVIERA	8.0	85.7	97.7	82.3	7.0	5.0	8.3	9.3	6.0	6.0	8.0	9.0	8.0	8.0	5.7	4.3	6.9
SWI-1070	7.7	76.7	96.3	85.7	6.7	4.7	8.0	10.7	5.0	6.0	8.7	8.7	8.0	8.0	6.0	4.7	6.9
YUKON	8.3	75.0	96.7	90.3	7.3	5.3	9.0	11.3	5.0	6.7	8.0	8.7	8.0	8.0	6.0	4.7	6.9
BAR 7CD5	8.7	73.3	96.0	82.7	7.7	5.7	8.7	14.0	5.0	6.0	8.0	9.0	8.0	8.0	5.7	4.7	6.8
MIDLAWN	7.0	73.3	95.7	83.0	7.0	5.0	8.3	10.0	5.3	6.0	8.0	8.7	7.7	8.3	5.7	4.7	6.8
PSG 9BAN	7.3	59.0	97.0	87.0	7.7	5.7	8.3	15.0	5.0	5.7	8.0	8.7	8.0	8.0	6.0	5.0	6.8
PYRAMID 2 (IS-CD10)	8.0	71.7	96.3	81.7	7.0	5.0	8.0	0.0	5.3	6.3	8.0	8.7	7.7	7.7	5.7	4.7	6.8
RAD-CD1	7.7	84.0	95.7	84.7	6.7	4.7	8.7	0.0	6.0	6.3	8.0	8.0	8.0	7.3	6.0	4.7	6.8
SWI-1083	8.0	71.7	96.7	83.7	7.3	5.3	8.0	13.0	5.0	5.3	8.0	9.0	8.3	8.0	5.7	5.0	6.8
SWI-1122	8.0	71.7	97.0	86.3	7.3	5.3	9.0	10.7	5.0	6.0	8.0	9.0	8.0	7.3	6.0	5.0	6.8
GOLD GLOVE (PST-R6FLT)	8.3	63.3	96.0	81.7	7.7	5.7	8.0	13.7	5.0	5.7	8.0	8.7	8.0	8.0	5.7	4.7	6.7
PRINCESS 77	7.7	63.3	96.3	83.0	8.0	6.0	8.0	0.0	5.0	6.0	8.0	8.7	8.0	7.3	6.0	4.7	6.7
PSG 91215	7.0	68.3	95.0	85.3	7.7	5.7	8.3	15.7	5.0	5.3	7.7	8.3	8.0	7.7	6.0	5.0	6.6
PSG 94524	7.3	66.0	96.3	83.7	7.3	5.3	8.7	13.0	5.0	6.0	7.7	8.3	8.0	7.0	6.0	5.0	6.6
PSG PROK	7.3	73.3	96.0	82.0	7.7	5.7	9.0	16.0	5.0	6.0	8.0	8.3	8.0	7.3	5.7	4.7	6.6
SUNSPORT	7.3	53.3	97.3	80.0	6.0	4.0	8.3	0.0	5.0	5.0	8.0	9.0	8.0	8.0	5.7	4.3	6.6
SWI-1057	8.3	56.7	96.3	85.3	7.7	5.7	8.3	11.3	5.0	5.0	7.7	8.7	8.0	8.0	5.7	5.0	6.6
SWI-1081	7.3	63.3	95.0	84.7	7.0	5.0	7.7	0.0	5.0	5.0	8.0	8.3	8.0	8.0	6.0	4.7	6.6
IS-01-201	7.3	68.3	95.7	85.7	7.3	5.0	8.3	21.7	5.0	5.0	7.3	8.0	8.0	7.7	6.0	5.0	6.5
SWI-1117	7.7	55.0	94.3	81.0	7.0	5.0	8.3	15.0	5.0	5.0	7.3	8.0	8.0	8.0	5.7	4.7	6.5
VERACRUZ	7.7	36.7	96.7	84.0	6.7	4.7	8.3	0.0	4.0	5.0	7.7	9.0	8.0	8.0	6.0	4.7	6.5
NUMEX-SAHARA	7.3	59.0	95.0	77.3	7.0	5.0	8.0	18.3	5.0	5.0	7.3	8.0	8.0	8.0	5.3	4.0	6.3
LSD VALUE	0.8	6.0	2.3	9.1	1.2	1.2	0.9	2.4	0.4	0.6	0.5	1.0	0.7	0.6	1.1	0.7	0.2
C.V. (%)	6.0	5.7	1.1	4.8	7.7	10.5	5.3	20.6	4.7	6.8	3.6	5.0	2.6	4.4	7.6	8.1	2.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 16.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT DALLAS, TX 1/  
2011 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	FALL COLOR		QUALITY RATINGS											
							DECEMBER	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN
LATITUDE 36 (OKC 1119)	7.7	6.0	7.3	6.3	9.0	6.7	3.0	4.0	3.7	4.3	5.0	7.0	6.7	8.0	7.0	7.3	5.7	6.0	4.0	5.7
NORTHBRIDGE (OKC 1134)	8.0	6.7	7.3	6.7	9.0	7.3	3.7	3.3	2.3	4.7	5.7	7.0	7.0	7.7	7.0	7.0	6.3	6.0	4.0	5.7
TIFWAY	7.3	5.7	7.0	6.7	9.0	7.0	4.7	4.0	3.3	4.0	5.0	7.0	6.3	7.3	7.0	7.3	6.0	6.0	4.3	5.6
PREMIER	8.0	6.0	7.0	6.3	9.0	6.0	2.7	3.7	2.7	3.7	5.0	6.3	6.0	7.3	6.7	6.7	5.0	5.3	3.7	5.2
VERACRUZ	6.7	5.0	6.0	5.0	9.0	7.3	2.7	3.3	2.3	3.0	4.0	5.7	5.3	7.3	6.0	7.0	5.7	5.7	3.7	4.9
YUKON	7.7	6.3	6.0	5.7	9.0	7.0	2.3	3.0	2.0	3.3	4.7	5.7	5.3	7.3	6.7	6.0	5.3	5.7	3.7	4.9
PSG 9Y20K	7.0	6.0	6.0	5.3	8.7	6.7	2.0	3.0	2.0	3.3	4.3	6.0	5.3	7.0	6.0	6.3	5.0	5.3	3.3	4.8
GOLD GLOVE (PST-R6FLT)	7.3	5.0	6.0	5.7	8.7	7.0	2.0	3.3	2.0	3.0	4.7	5.0	5.3	6.3	6.0	6.0	5.7	5.7	3.3	4.7
PRINCESS 77	6.7	5.0	6.3	5.0	8.7	7.0	2.3	3.3	2.0	3.3	4.0	5.7	5.3	6.7	6.0	6.0	5.0	5.0	3.7	4.7
SWI-1057	7.7	4.7	6.0	5.7	8.7	6.3	2.3	3.0	2.3	2.7	4.7	5.7	4.7	6.7	6.0	6.3	5.0	6.0	3.3	4.7
SWI-1113	7.3	5.7	6.3	4.7	8.7	7.0	2.3	3.0	2.3	3.0	3.7	5.7	5.7	6.7	6.3	6.0	5.3	5.7	3.3	4.7
BAR 7CD5	7.3	5.7	5.0	5.3	8.3	7.0	2.0	3.3	2.0	2.7	4.3	4.7	5.0	6.0	6.0	6.7	5.7	5.7	3.3	4.6
PSG PROK	7.3	5.7	6.0	5.0	8.3	7.0	2.0	3.3	2.0	2.7	4.0	5.7	5.3	6.7	6.0	6.0	5.3	5.7	3.0	4.6
RIVIERA	7.0	5.3	6.0	5.7	8.7	7.3	2.0	3.0	2.0	3.0	4.7	5.0	5.0	6.3	6.3	6.0	5.3	5.3	3.0	4.6
SWI-1070	7.7	4.0	6.0	4.3	9.0	7.3	2.0	3.3	2.3	2.0	3.3	5.7	5.3	7.0	6.0	6.0	5.3	5.7	3.3	4.6
HOLLYWOOD (J-720)	7.7	5.7	6.0	5.0	8.7	6.7	2.0	3.3	2.0	2.7	4.0	4.7	5.3	6.3	6.0	6.3	5.0	5.0	3.0	4.5
MIDLAWN	7.3	5.0	6.3	4.7	9.0	6.3	2.3	3.0	2.0	2.7	3.7	4.7	5.3	7.0	5.7	5.7	5.0	5.7	3.3	4.5
OKS 2004-2	7.3	5.7	5.7	5.0	8.3	7.0	2.0	3.0	2.0	3.0	4.0	5.0	5.3	6.0	6.0	6.0	5.7	5.3	3.0	4.5
PSG 9BAN	6.0	6.0	5.7	5.0	8.7	6.7	2.0	3.0	2.0	3.0	3.7	5.3	4.7	7.0	6.0	6.0	5.3	5.3	3.0	4.5
RAD-CD1	7.3	5.0	6.0	4.7	9.0	7.3	2.3	3.0	2.0	3.0	3.7	4.7	5.3	6.7	6.3	6.3	5.3	5.0	3.0	4.5
SWI-1122	7.0	6.0	6.0	5.3	8.7	6.7	2.0	3.0	2.0	3.0	4.3	5.3	5.0	6.3	6.0	6.0	4.7	5.3	3.0	4.5
IS-01-201	6.7	4.3	6.0	4.7	8.0	6.7	2.0	3.0	2.0	2.7	3.7	4.7	4.3	6.0	6.0	5.7	5.0	5.7	3.0	4.3
SWI-1083	7.7	4.3	6.0	4.7	8.3	6.7	2.0	3.0	2.0	2.3	3.7	5.0	5.0	6.0	6.0	6.0	5.0	4.3	3.0	4.3
SWI-1081	7.3	3.7	5.7	4.3	8.7	6.7	2.0	3.0	2.0	2.0	3.3	4.3	5.3	6.0	6.0	6.0	4.7	5.0	3.0	4.2
PATRIOT	8.0	4.0	6.0	4.0	8.7	6.0	2.0	3.0	2.0	2.3	3.0	3.7	5.0	6.3	5.7	6.0	4.3	4.7	2.7	4.1
PSG 91215	7.0	5.3	6.0	4.7	8.3	6.3	2.0	3.0	2.0	2.7	3.7	5.3	5.0	6.0	5.3	5.0	4.3	4.3	2.3	4.1
PSG 94524	7.0	6.0	6.0	4.3	8.3	6.3	2.0	3.0	2.0	2.7	3.3	5.0	4.7	6.0	5.7	5.7	4.7	4.3	2.7	4.1
PYRAMID 2 (IS-CD10)	7.0	4.7	5.7	4.3	8.0	6.3	2.0	3.0	2.0	2.3	3.3	4.3	5.0	6.0	6.0	5.7	4.3	4.7	2.3	4.1
SUNSPORT	7.3	5.3	6.0	4.3	8.0	6.0	2.0	3.0	2.0	3.0	3.3	4.7	4.3	6.0	5.7	5.3	4.3	4.7	2.7	4.1
SWI-1117	7.3	3.3	5.7	4.0	8.0	6.7	2.0	3.0	2.0	2.0	3.0	4.0	4.3	6.0	5.3	5.7	4.3	5.0	2.7	3.9
NUMEX-SAHARA	6.7	3.7	5.0	3.3	7.7	6.3	2.0	3.0	2.0	2.0	2.3	4.3	4.3	5.7	5.7	5.0	4.7	4.7	2.3	3.8
LSD VALUE	1.4	1.1	0.5	1.2	0.9	2.1	0.6	0.5	0.5	0.8	1.1	0.9	1.0	0.7	0.7	0.6	2.0	1.1	0.8	0.3
C.V. (%)	8.1	13.3	5.5	14.3	5.2	10.1	16.5	9.0	13.5	16.2	16.5	11.0	11.4	6.9	6.5	6.6	14.9	10.8	14.4	5.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 17.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT BLACKSBURG, VA 1/  
2011 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	SPRING GREENUP	LEAF TEXTURE	DENSITY SPRING	PERCENT	PERCENT	PERCENT	WINTER COLOR	SEEDHEAD RATINGS	MAY	JUN	QUALITY RATINGS					MEAN
				COVER SPRING	COVER SUMMER	COVER FALL					JUL	AUG	SEP	OCT		
NORTHBRIDGE (OKC 1134)	2.0	7.0	6.3	94.7	99.0	99.0	6.3	7.0	6.0	7.7	9.0	6.7	7.0	8.0	7.4	
YUKON	7.3	7.3	6.3	97.7	99.0	99.0	5.3	7.7	6.0	6.0	8.0	7.7	7.7	8.3	7.3	
PATRIOT	1.0	7.7	4.0	83.0	99.0	99.0	5.0	8.3	4.7	7.0	8.7	8.3	7.0	7.3	7.2	
MIDLAWN	8.0	8.3	7.3	99.0	99.0	99.0	5.7	5.7	7.0	7.7	8.0	6.3	7.0	6.3	7.1	
BAR 7CD5	3.7	6.0	5.3	93.3	99.0	99.0	5.0	5.7	5.3	6.3	8.0	6.7	7.0	8.0	6.9	
PSG 9Y2OK	3.0	8.0	5.0	88.3	99.0	99.0	5.3	7.3	4.7	6.0	7.7	7.0	8.0	8.3	6.9	
RAD-CD1	2.7	6.3	4.7	88.3	97.7	99.0	6.0	7.0	4.0	5.7	6.7	7.3	7.3	8.7	6.6	
RIVIERA	1.3	7.0	3.7	58.3	96.3	99.0	5.3	6.0	4.0	5.3	7.7	7.0	7.3	7.3	6.4	
LATITUDE 36 (OKC 1119)	1.3	7.0	3.3	40.0	81.7	99.0	6.0	6.3	3.0	4.0	8.3	6.7	7.0	8.3	6.2	
OKS 2004-2	1.0	8.0	3.3	43.3	90.0	99.0	5.7	5.0	3.3	4.3	7.0	5.7	7.0	7.3	5.8	
PREMIER	1.0	8.3	3.3	45.0	76.7	94.7	6.7	4.3	3.7	4.3	7.3	4.7	7.3	7.3	5.8	
HOLLYWOOD (J-720)	1.0	6.3	3.0	43.3	90.0	99.0	6.0	6.0	3.3	4.3	6.0	6.7	6.0	7.0	5.6	
PYRAMID 2 (IS-CD10)	1.0	6.0	2.0	19.0	73.3	99.0	5.3	3.7	2.7	3.7	5.7	6.0	6.7	7.3	5.3	
PSG PROK	1.7	4.7	2.7	56.7	78.3	97.7	5.0	5.0	3.0	3.7	6.0	6.0	5.3	7.3	5.2	
SWI-1122	1.0	5.3	2.0	17.3	73.3	96.0	5.0	4.7	2.3	4.0	4.7	5.3	6.3	6.7	4.9	
SWI-1070	1.0	7.0	.	7.3	50.0	97.7	5.3	5.0	1.3	3.0	5.3	4.7	6.3	7.3	4.7	
SWI-1081	1.0	5.0	.	10.0	31.7	89.3	5.0	5.0	1.3	1.7	4.7	6.0	5.7	7.7	4.5	
TIFWAY	1.0	4.7	1.0	15.7	51.7	88.3	7.3	5.3	2.0	3.0	4.7	5.7	4.7	6.0	4.3	
PSG 94524	1.0	5.3	.	4.7	26.7	80.0	5.0	7.3	1.3	1.7	4.0	6.3	5.7	6.3	4.2	
PSG 9BAN	1.0	5.7	.	8.7	38.3	89.3	5.3	3.7	1.3	2.0	4.7	5.0	6.0	6.3	4.2	
SUNSPORT	1.0	6.0	.	5.0	11.7	76.7	5.0	3.0	1.0	1.0	4.0	5.7	6.0	7.3	4.2	
SWI-1083	1.0	4.7	.	6.0	23.3	88.0	5.7	4.7	1.0	2.0	4.0	5.3	5.0	7.0	4.1	
SWI-1113	1.0	5.0	.	4.0	11.7	75.0	6.0	5.3	1.0	1.3	3.7	5.7	5.3	6.7	3.9	
PSG 91215	1.0	4.3	.	3.7	18.3	83.3	5.7	2.3	1.3	1.3	4.3	3.7	5.7	6.7	3.8	
NUMEX-SAHARA	1.0	5.3	.	2.3	8.3	61.7	5.0	4.3	1.0	1.3	3.7	4.3	5.3	6.7	3.7	
SWI-1057	1.0	5.7	.	5.0	11.7	53.3	5.7	6.0	1.0	1.3	3.3	5.7	4.3	6.0	3.6	
SWI-1117	1.0	6.0	.	6.3	17.7	55.0	5.3	4.0	1.0	1.3	2.7	4.7	5.7	6.3	3.6	
GOLD GLOVE (PST-R6FLT)	1.0	3.0	.	6.0	15.0	66.7	6.0	4.0	1.3	1.3	3.0	5.7	4.0	5.7	3.5	
IS-01-201	1.0	3.3	.	4.0	14.3	58.3	5.0	3.0	1.0	1.3	3.3	4.3	4.0	6.3	3.4	
VERACRUZ	1.0	4.0	.	11.7	21.7	53.3	5.3	3.7	1.7	1.0	3.3	4.3	4.3	5.7	3.4	
PRINCESS 77	1.0	4.7	.	4.0	8.0	40.0	6.0	6.3	1.0	1.0	2.7	3.0	4.0	5.7	2.9	
LSD VALUE	0.8	3.2	1.0	12.1	13.5	16.9	0.8	7.1	0.7	0.9	1.3	3.4	2.6	1.7	0.8	
C.V. (%)	30.8	27.3	14.1	24.0	16.8	12.9	8.2	45.4	19.0	17.7	15.5	26.3	22.0	12.9	10.1	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 18. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS  
IN THE 2007 NATIONAL BERMUDAGRASS TEST AT VIRGINIA BEACH, VA 1/  
2011 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	QUALITY RATINGS						MEAN
			MAY	JUN	JUL	AUG	SEP	OCT	
PATRIOT	8.7	5.3	6.7	7.3	8.0	8.3	7.7	7.7	7.6
LATITUDE 36 (OKC 1119)	8.0	2.7	3.7	6.7	7.3	7.7	7.3	7.3	6.7
YUKON	8.0	5.3	5.3	6.3	7.0	7.0	7.3	7.0	6.7
NORTHBRIDGE (OKC 1134)	7.7	2.0	4.0	6.7	7.3	7.7	7.0	6.3	6.5
RIVIERA	8.0	6.0	4.7	6.7	7.0	7.3	6.3	6.7	6.4
TIFWAY	8.0	4.0	5.0	6.3	7.0	7.7	6.3	6.3	6.4
PREMIER	8.0	4.3	5.7	6.0	6.7	7.0	5.7	6.0	6.2
RAD-CD1	8.0	5.0	6.0	6.0	6.3	6.3	6.3	6.3	6.2
MIDLAWN	7.7	2.0	5.7	5.7	6.3	6.3	6.3	6.0	6.1
SWI-1083	8.0	4.7	4.3	5.7	7.0	6.7	6.3	6.3	6.1
SWI-1113	8.0	4.3	4.7	6.0	7.0	7.3	6.0	5.7	6.1
SWI-1081	8.0	3.3	4.0	5.3	6.3	7.0	6.7	6.7	6.0
OKS 2004-2	7.7	5.3	5.7	5.7	6.0	6.0	6.3	6.0	5.9
HOLLYWOOD (J-720)	7.7	4.7	4.7	5.3	6.0	6.3	6.3	6.0	5.8
SWI-1070	8.0	4.3	5.0	5.0	6.0	6.7	6.3	6.0	5.8
PRINCESS 77	8.0	3.0	4.3	5.7	6.3	6.3	5.7	6.0	5.7
PSG PROK	8.0	4.0	5.0	5.7	5.7	6.0	5.7	5.7	5.6
SWI-1057	8.0	3.0	4.7	5.7	5.7	6.0	5.7	6.0	5.6
SWI-1117	8.0	3.7	4.3	5.0	6.0	6.3	5.0	5.7	5.4
BAR 7CD5	8.0	3.3	4.3	5.0	6.0	6.3	5.3	5.0	5.3
GOLD GLOVE (PST-R6FLT)	8.0	4.7	5.3	5.3	6.0	5.7	5.0	4.7	5.3
PSG 9BAN	8.0	3.7	4.7	5.0	5.7	5.7	5.3	5.7	5.3
PSG 9Y20K	7.7	4.0	4.3	5.3	5.3	5.3	6.0	5.7	5.3
SWI-1122	8.0	4.0	3.7	5.0	5.3	6.0	5.3	6.0	5.2
VERACRUZ	8.0	2.0	3.3	4.3	5.3	6.0	6.3	6.0	5.2
PYRAMID 2 (IS-CD10)	8.0	4.3	5.0	5.0	5.0	5.0	5.0	5.7	5.1
IS-01-201	8.0	4.3	4.0	4.7	4.7	5.3	5.0	5.3	4.8
NUMEX-SAHARA	7.7	3.0	3.0	4.0	5.0	5.3	5.0	5.0	4.6
PSG 91215	8.0	3.0	3.3	4.7	5.0	5.0	4.3	5.0	4.6
SUNSPORT	7.3	2.7	4.0	4.3	5.0	5.0	5.0	4.0	4.6
PSG 94524	8.0	5.0	3.7	4.0	4.7	5.0	4.7	5.0	4.5
LSD VALUE	0.7	1.8	1.1	0.9	0.8	0.9	1.3	1.1	0.6
C.V. (%)	3.7	26.5	14.7	10.8	8.9	8.8	12.5	10.9	7.2

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.