

TABLE 2A. 2004-05 MANAGEMENT - ON-SITE OVERSEEDING OF BERMUDAGRASS TEST AT INDIAN WELLS, CA (INDIAN WELLS COUNTRY CLUB)

SEEDBED PREPARATION

Scalp to stolons  
 MOWING  
 Initial height 3/4"  
 mowing height during test 1/2"  
 Frequency 6 days/week  
 Type of mower Toro 5400 ReelMaster

FERTILIZATION

Date(s)	Product	Rate (lbs./M)
4-Nov-04	Best 12-12-12	0.75 lb N/M
8-Dec-04	Best 22-3-9 NitraKing	1.0 lb N/M
25-Jan-05	Best 22-3-9 NitraKing	1.0 lb N/M
5-May-05	Best 25-5-5	1.3 lb N/M
Monthly	AN 20 (Liquid)	0.1 lb N/M

CULTIVATION

Aerification - dates N/A  
 Aerification - type N/A  
 Verticutting N/A  
 Dates of topdressing N/A  
 Other cultural practices N/A

FUNGICIDES

Date(s)	Product	Rate (oz./M)
None		

HERBICIDES

Date(s)	Product	Rate (oz./M)
None		

MAINTENANCE PRACTICES TO ENHANCE SPRING

None

INSECTICIDES

OTHER INFORMATION

Course closed for overseeding Yes  
 Landing area Yes  
 Divoting problem No  
 Cart allowed on Test area Yes  
 Traffic patterns No

OTHER PRODUCTS

Date(s)	Product	Rate (oz./M)
10/15-25/2004	Dispatch	Accumulative of 2 oz/M (injected through irrigation system)
28-Oct-04	Primo Maxx	0.25 oz/M

NOTES/COMMENTS  
 We scalp to the point that only stolons are left. Spread the seed and water every 1.5 hours the first 4 days then gradually reduce the water to night water only after 17 days. We don't do anything special to aid in the transition process.

Product and company names mentioned herein may be trademarks and/or registered trademarks of their respective owners