

TABLE 1.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF WARM-SEASON CULTIVARS IN THE
2018 NATIONAL LOW INPUT WARM-SEASON TEST AT JAY, FL 1/
2022 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME		PERCENT SPRING GREENUP	PERCENT WEEDS SEPTEMBER	QUALITY RATINGS							MEAN
				MAR	APR	MAY	JUN	JUL	AUG	SEP	
FAES 1322	ZOYSIA	6.0	6.7	5.7	6.3	6.7	6.7	7.3	7.0	7.0	6.7
XZ 14069	ZOYSIA	6.3	8.3	5.7	7.0	6.7	7.3	6.7	7.0	6.7	6.7
MEYER	ZOYSIA	6.0	8.3	5.0	6.7	7.3	6.7	7.7	7.0	6.3	6.7
FB 1628	BERMUDA	5.0	33.3	5.0	7.0	7.0	7.0	7.3	7.0	6.0	6.6
TIFWAY	BERMUDA	5.7	21.7	5.0	7.0	7.0	7.3	6.7	6.7	6.0	6.5
16-TZ-14114	ZOYSIA	5.0	2.5	4.3	6.0	6.7	7.0	7.3	7.0	7.0	6.4
MIDIRON	BERMUDA	5.7	20.0	5.7	7.0	7.0	6.5	7.5	6.5	6.0	6.4
ASC-117	BERMUDA	5.7	.	5.7	6.0	6.5	7.0	7.0	7.0	.	6.2
HABITURF	MIXTURE	5.0	45.0	4.3	6.0	6.3	6.5	7.5	7.0	5.5	6.0
CODY	BUFFALO	4.3	86.7	4.0	6.0	6.0	6.0	7.0	6.3	5.0	5.8
LSD VALUE		2.1	38.5	2.1	0.4	1.5	1.7	1.9	1.3	1.8	1.0
C.V. (%)		16.2	74.0	18.0	3.9	8.7	9.0	8.9	6.4	12.2	6.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 1.
(CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF WARM-SEASON CULTIVARS IN THE
2018 NATIONAL LOW INPUT WARM-SEASON TEST AT JAY, FL 1/
2022 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME		PERCENT LIVING GROUND COVER MARCH-SEPTEMBER						
		MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
FAES 1322	ZOYSIA	96.3	99.0	99.0	99.0	96.3	99.0	99.0
LOBO (XZ 14069)	ZOYSIA	94.7	99.0	99.0	99.0	96.0	99.0	96.0
MEYER	ZOYSIA	91.7	94.7	99.0	99.0	96.0	99.0	99.0
FB 1628	BERMUDA	88.3	97.7	99.0	99.0	97.7	96.3	83.3
TIFWAY	BERMUDA	90.0	97.7	97.7	99.0	90.0	93.3	93.0
16-TZ-14114	ZOYSIA	73.3	78.0	71.0	72.7	86.0	92.7	99.0
MIDIRON	BERMUDA	88.3	94.7	99.0	99.0	97.0	99.0	89.5
ASC-117	BERMUDA	86.7	90.0	64.5	99.0	99.0	99.0	.
HABITURF	MIXTURE	63.0	69.7	51.3	79.5	69.5	69.5	59.5
CODY	BUFFALO	40.0	40.0	20.0	50.0	60.0	56.7	20.0
LSD VALUE		43.3	34.3	53.1	53.7	37.1	31.3	30.9
C.V. (%)		25.2	20.8	32.6	23.6	16.7	15.2	19.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 1. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF WARM-SEASON CULTIVARS IN THE
 (CONT'D) 2018 NATIONAL LOW INPUT WARM-SEASON TEST AT JAY, FL 1/
 2022 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME		CANOPY HEIGHT MEASURED IN cm					
		MARCH	APRIL	MAY	JULY	AUGUST	SEPTEMBER
FAES 1322	ZOYSIA	5.0	4.7	4.7	6.7	5.7	5.7
XZ 14069	ZOYSIA	5.7	5.7	6.3	6.0	6.0	5.7
MEYER	ZOYSIA	8.0	7.0	7.7	8.7	7.7	6.3
FB 1628	BERMUDA	5.7	5.0	4.3	6.7	6.0	5.3
TIFWAY	BERMUDA	6.0	6.7	7.7	7.7	6.3	5.3
16-TZ-14114	ZOYSIA	5.3	7.0	8.7	9.3	5.3	4.3
MIDIRON	BERMUDA	6.7	6.7	5.0	6.7	4.7	4.3
ASC-117	BERMUDA	7.0	6.7	2.7	3.0	0.0	2.0
HABITURF	MIXTURE	5.7	6.0	5.3	7.0	6.0	4.3
CODY	BUFFALO	6.3	6.0	10.3	12.7	11.0	7.0
LSD VALUE		1.6	2.1	7.2	8.4	5.9	7.0
C.V. (%)		13.7	15.7	50.1	47.9	49.6	52.2

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 2.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF WARM-SEASON CULTIVARS
IN THE 2018 NATIONAL LOW INPUT WARM-SEASON TEST GROWN UNDER LOW INPUT AT CITRA, FL 1/
2022 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/
CANOPY HEIGHT MEASURED IN CENTIMETERS

NAME		SPRING GREENUP	PERCENT WEEDS		JAN	FEB	MAR	APR	MAY	JUN	QUALITY RATINGS			OCT	NOV	DEC	MEAN
			APRIL	DECEMBER							JUL	AUG	SEP				
16-TZ-14114	ZOYSIA	4.3	25.0	8.3	6.0	5.0	4.7	5.0	5.0	5.0	5.7	5.7	6.3	6.0	5.3	5.7	5.4
XZ 14069	ZOYSIA	6.0	23.3	13.3	6.0	4.3	5.3	5.0	4.7	4.7	5.0	4.7	4.3	4.0	4.7	4.3	4.8
TIFWAY	BERMUDA	1.7	31.7	23.3	4.0	3.3	3.3	4.7	4.3	4.0	5.7	5.3	5.7	5.3	4.7	4.7	4.6
FAES 1322	ZOYSIA	5.7	36.7	53.3	5.0	4.0	4.7	4.7	4.7	4.7	5.0	5.0	4.0	2.3	3.7	3.0	4.2
MEYER	ZOYSIA	2.7	66.7	50.0	3.7	3.0	2.3	3.3	2.0	2.0	4.0	3.7	4.7	4.0	4.0	3.7	3.4
FB 1628	BERMUDA	1.5	55.0	70.0	3.0	2.0	2.0	2.7	1.7	1.7	2.3	3.3	2.0	2.3	3.0	2.3	2.4
ASC-117	BERMUDA	.	47.5	.	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
CODY	BUFFALO	.	75.0	.	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.7	1.0	1.0	1.0	1.0
HABITURF	MIXTURE	.	57.5	.	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.7	1.0	1.0	1.0	1.0
MIDIRON	BERMUDA	.	57.5	.	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.7	1.0	1.0	1.0	1.0	1.0
LSD VALUE		1.6	33.9	29.0	1.4	0.6	0.8	1.1	0.8	0.7	1.1	1.2	1.4	1.0	1.1	1.0	0.7
C.V. (%)		23.1	32.9	43.0	27.7	16.1	20.5	23.0	18.3	17.7	22.2	25.1	28.6	22.6	23.0	22.3	16.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 2.
(CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF WARM-SEASON CULTIVARS
IN THE 2018 NATIONAL LOW INPUT WARM-SEASON TEST GROWN UNDER LOW INPUT AT CITRA, FL 1/
2022 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/
CANOPY HEIGHT MEASURED IN CENTIMETERS

NAME		PERCENT LIVING GROUND COVER JANUARY-DECEMBER											
		JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
16-TZ-14114	ZOYSIA	97.7	96.3	96.3	90.0	88.3	91.7	94.7	93.0	96.0	91.7	99.0	93.0
XZ 14069	ZOYSIA	93.0	84.7	93.0	86.3	84.7	81.7	76.7	80.0	76.7	56.7	80.0	86.7
TIFWAY	BERMUDA	61.7	48.3	58.3	83.3	81.7	76.7	86.7	93.0	89.7	76.7	83.3	73.3
FAES 1322	ZOYSIA	88.3	73.3	86.7	83.3	86.7	83.3	86.7	89.7	56.7	26.7	53.3	46.7
MEYER	ZOYSIA	63.3	41.7	31.7	45.0	20.0	16.7	63.3	56.7	66.7	63.3	70.0	50.0
FB 1628	BERMUDA	36.7	20.0	16.7	31.7	8.3	8.3	46.7	46.7	30.0	20.0	40.0	20.0
ASC-117	BERMUDA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CODY	BUFFALO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HABITURF	MIXTURE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIDIRON	BERMUDA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LSD VALUE		22.1	20.3	14.3	20.8	9.5	8.1	21.9	22.1	18.8	18.3	21.8	21.2
C.V. (%)		31.9	35.5	24.0	31.6	16.7	14.8	30.7	30.6	28.9	34.7	32.5	36.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 2.
(CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF WARM-SEASON CULTIVARS
IN THE 2018 NATIONAL LOW INPUT WARM-SEASON TEST GROWN UNDER LOW INPUT AT CITRA, FL 1/
2022 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/
CANOPY HEIGHT MEASURED IN CENTIMETERS

NAME		CANOPY HEIGHT JANUARY-DECEMBER									
		JANUARY	MARCH	APRIL	MAY	JUNE	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
16-TZ-14114	ZOYSIA	5.3	4.5	5.5	5.5	7.0	7.0	6.0	6.5	5.5	5.0
XZ 14069	ZOYSIA	4.0	7.0	6.0	6.0	6.0	7.0	5.0	6.0	7.0	7.0
TIFWAY	BERMUDA	7.0	6.5	6.0	5.5	8.0	8.0	7.0	7.0	6.0	6.0
FAES 1322	ZOYSIA	2.7	7.0	9.0	7.0	16.0	11.0	8.0	10.0	9.0	9.0
MEYER	ZOYSIA	4.3	6.7	7.5	5.7	10.7	7.3	7.0	8.3	9.0	7.7
FB 1628	BERMUDA	4.5	4.0	4.0	4.5	5.0	4.0	3.5	3.5	3.0	3.5
ASC-117	BERMUDA	.	5.3	5.0	6.0	10.3	7.0	7.3	7.0	6.0	7.3
CODY	BUFFALO	.	6.0	7.0	6.5	9.0	7.0	8.0	8.5	7.5	7.0
HABITURF	MIXTURE	.	6.0	5.0	5.5	5.5	8.5	5.5	5.5	8.0	7.0
MIDIRON	BERMUDA	.	5.0	.	.	.	5.0	5.0	6.0	3.0	5.0
LSD VALUE		1.5	6.8	6.3	6.5	13.7	9.2	6.7	6.9	10.4	9.3
C.V. (%)		17.4	33.7	33.2	33.7	50.8	38.1	31.7	31.3	47.3	41.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 3.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF WARM-SEASON CULTIVARS IN THE
2018 NATIONAL LOW INPUT WARM-SEASON TEST AT MISS. ST., MS 1/
2022 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	PERCENT GROUND COVER			QUALITY RATINGS							MEAN	
			APRIL 22	MAY 16	AUGUST	APR	MAY	JUN	JUL	AUG	SEP	OCT		
FB 1628	BERMUDA	5.7	7.7	63.3	99.0	99.0	5.3	5.3	6.7	5.7	6.3	5.0	4.7	5.6
CODY	BUFFALO	6.0	9.0	86.3	99.0	97.7	5.3	5.0	5.7	6.0	5.0	5.0	4.3	5.2
HABITURF	MIXTURE	5.0	9.0	89.3	99.0	94.7	5.0	5.0	5.7	6.0	5.0	5.0	5.0	5.2
XZ 14069	ZOYSIA	4.7	4.0	50.0	99.0	96.0	4.7	5.3	3.7	4.3	6.0	7.0	5.7	5.2
TIFWAY	BERMUDA	5.7	6.3	63.3	99.0	99.0	4.7	5.0	6.0	5.7	6.0	5.0	4.3	5.2
16-TZ-14114	ZOYSIA	5.0	5.0	53.3	89.7	99.0	4.0	5.3	4.7	5.0	6.0	5.7	4.7	5.0
MEYER	ZOYSIA	5.0	7.7	99.0	96.0	99.0	5.3	5.3	3.7	3.7	4.7	6.0	4.7	4.8
MIDIRON	BERMUDA	5.7	5.7	56.7	93.0	96.0	4.3	5.0	6.0	5.3	4.3	4.7	4.0	4.8
FAES 1322	ZOYSIA	5.3	2.0	23.3	40.0	93.0	2.3	3.3	5.0	4.7	5.0	5.0	5.0	4.3
ASC-117	BERMUDA	5.0	1.0	46.7	43.3	60.0	3.3	3.0	3.7	3.3	3.3	3.7	3.3	3.4
LSD VALUE		0.7	1.9	18.3	10.0	15.7	1.2	0.9	1.0	0.7	0.8	0.5	1.4	0.4
C.V. (%)		7.1	20.6	17.9	7.4	9.6	15.8	10.9	11.6	8.2	9.6	6.1	14.8	5.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 4.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF WARM-SEASON CULTIVARS IN THE
2018 NATIONAL LOW INPUT WARM-SEASON TEST AT RALEIGH, NC 1/
2022 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	PERCENT SPRING GREENUP	DOLLAR SPOT RATINGS							QUALITY RATINGS					MEAN	
				JULY 5	AUGUST 11	SEPT 6	OCTOBER 11	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV		
16-TZ-14114	ZOYSIA	8.0	2.7	24.0	7.3	7.3	8.0	7.3	2.0	4.7	7.0	7.3	8.0	8.3	7.0	6.3	6.3
FAES 1322	ZOYSIA	8.0	2.0	25.0	7.3	8.0	9.0	8.7	2.0	3.7	7.7	7.0	7.0	8.0	8.0	6.7	6.3
XZ 14069	ZOYSIA	7.7	2.3	21.7	9.0	8.7	8.7	8.7	2.0	4.7	8.0	6.3	8.3	8.3	6.7	5.7	6.3
MEYER	ZOYSIA	8.0	4.0	50.0	8.0	9.0	9.0	9.0	1.7	4.0	7.3	6.0	7.3	7.7	6.7	3.3	5.5
TIFWAY	BERMUDA	9.0	1.7	8.3	8.0	8.3	9.0	9.0	1.3	3.7	7.0	7.3	7.0	7.0	6.0	3.3	5.3
FB 1628	BERMUDA	9.0	2.3	20.0	8.7	9.0	9.0	9.0	1.7	3.0	6.7	7.0	5.7	6.0	5.3	3.3	4.8
MIDIRON	BERMUDA	9.0	1.7	6.7	9.0	8.7	9.0	9.0	1.0	3.0	5.3	6.0	5.7	6.0	4.7	2.0	4.2
CODY	BUFFALO	9.0	4.7	63.3	9.0	7.0	8.7	9.0	1.3	4.7	5.7	6.3	5.0	4.7	3.3	1.0	4.0
HABITURF	MIXTURE	8.7	5.7	60.0	9.0	8.0	9.0	9.0	1.3	3.7	5.0	5.3	5.0	6.0	4.0	1.0	3.9
ASC-117	BERMUDA	9.0	1.0	5.0	9.0	9.0	9.0	9.0	1.0	2.0	2.7	4.3	3.3	3.3	2.7	1.3	2.6
LSD VALUE		0.4	1.2	17.7	0.9	0.8	0.4	0.5	0.8	0.8	1.0	2.2	0.8	0.8	0.7	0.9	0.4
C.V. (%)		3.1	26.4	38.3	6.3	5.7	2.8	3.3	26.9	12.4	10.1	16.6	8.3	8.0	8.6	17.9	5.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 4.
(CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF WARM-SEASON CULTIVARS IN THE
2018 NATIONAL LOW INPUT WARM-SEASON TEST AT RALEIGH, NC 1/
2022 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME		APRIL	PERCENT GROUND COVER APRIL-NOVEMBER						PERCENT SEEDHEAD RATINGS		
			MAY	JUNE	JULY	AUGUST	OCTOBER	NOVEMBER	MAY	AUGUST	OCTOBER
16-TZ-14114	ZOYSIA	3.3	80.0	99.0	98.7	93.3	94.0	44.7	3.3	3.0	8.3
FAES 1322	ZOYSIA	1.7	54.3	97.0	90.0	64.0	56.3	9.0	0.0	3.3	4.0
XZ 14069	ZOYSIA	3.0	77.7	96.0	92.3	84.3	84.7	26.3	0.0	0.0	0.0
MEYER	ZOYSIA	22.0	64.7	96.7	94.3	98.3	95.3	61.0	26.7	0.0	0.0
TIFWAY	BERMUDA	0.0	58.0	93.0	95.0	96.0	95.7	44.3	0.0	0.0	0.0
FB 1628	BERMUDA	4.3	58.0	90.3	91.3	99.0	99.0	98.3	0.0	53.3	28.3
MIDIRON	BERMUDA	0.0	36.0	85.3	85.0	97.7	95.0	46.3	0.0	31.0	0.0
CODY	BUFFALO	32.3	81.0	93.3	85.0	71.3	67.7	38.0	30.0	8.3	9.3
HABITURF	MIXTURE	27.3	59.0	78.3	66.7	99.0	99.0	99.0	23.3	9.0	13.3
ASC-117	BERMUDA	0.0	5.3	15.0	41.7	93.3	92.7	65.7	0.0	10.0	11.7
LSD VALUE		7.6	17.6	14.7	22.6	36.8	46.6	69.2	8.7	11.4	8.9
C.V. (%)		51.2	19.0	11.1	15.3	18.2	22.8	61.7	65.6	60.6	71.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 4.
(CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF WARM-SEASON CULTIVARS IN THE
2018 NATIONAL LOW INPUT WARM-SEASON TEST AT RALEIGH, NC 1/
2022 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME		CANOPY HEIGHT MEASUREMENT IN cm JUNE-OCTOBER					COLOR RATINGS JULY-NOVEMBER				PERCENT WEEDS		PERCENT GRASSY WEEDS		
		JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	JULY	SEPTEMBER	OCTOBER	NOVEMBER	APRIL	MAY	FEBRUARY	JUNE	NOVEMBER
16-TZ-14114	ZOYSIA	11.0	10.3	11.7	12.0	10.7	6.0	8.0	7.7	6.3	19.3	22.7	0.7	0.3	2.0
FAES 1322	ZOYSIA	7.0	6.7	7.3	7.7	7.7	5.0	8.0	6.7	6.3	35.3	35.0	1.0	0.3	0.0
XZ 14069	ZOYSIA	8.0	6.3	7.3	7.0	6.0	4.7	7.7	6.3	6.0	40.7	32.3	1.3	0.3	1.3
MEYER	ZOYSIA	8.7	7.0	8.7	8.0	8.7	6.3	8.0	5.7	3.3	45.3	52.7	0.7	0.7	4.3
TIFWAY	BERMUDA	8.0	7.3	7.3	7.7	6.7	8.0	9.0	7.3	2.7	38.7	42.0	1.7	1.3	2.0
FB 1628	BERMUDA	5.3	6.3	8.7	7.7	7.0	7.7	9.0	8.0	3.3	35.7	40.7	1.7	2.7	0.3
MIDIRON	BERMUDA	11.0	8.7	13.7	8.0	7.0	7.0	9.0	4.3	2.0	25.3	24.3	1.7	1.3	3.7
CODY	BUFFALO	19.0	11.7	14.3	14.7	12.0	5.7	9.0	3.7	1.0	48.7	41.7	1.5	2.0	1.0
HABITURF	MIXTURE	20.7	13.0	16.0	16.7	14.7	7.0	8.7	5.0	1.3	34.0	27.7	2.0	1.0	2.0
ASC-117	BERMUDA	17.0	9.0	20.0	10.7	16.7	7.7	9.0	4.0	2.0	34.3	37.0	1.3	5.0	1.0
LSD VALUE		3.9	2.1	1.4	2.0	2.7	0.8	0.4	1.7	1.4	94.9	72.6	2.2	1.4	1.8
C.V. (%)		21.1	14.8	7.8	12.6	17.6	7.7	3.1	17.0	24.9	87.1	69.7	58.9	54.6	56.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF WARM-SEASON CULTIVARS IN THE
2018 NATIONAL LOW INPUT WARM-SEASON TEST AT LAS CRUCES, NM 1/
2022 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP			QUALITY RATINGS						MEAN
		MARCH	APRIL	MAY	JUN	JUL	AUG	SEP	OCT		
TIFWAY	BERMUDA	4.0	2.3	2.4	7.7	8.0	8.7	8.3	8.0	7.7	8.1
FB 1628	BERMUDA	4.7	2.7	2.8	7.3	8.3	8.3	8.3	7.0	7.0	7.7
XZ 14069	ZOYSIA	4.7	3.3	3.4	6.0	6.7	7.0	7.3	7.0	7.3	6.9
FAES 1322	ZOYSIA	6.0	3.0	3.0	5.7	6.3	6.7	7.0	7.0	7.0	6.6
16-TZ-14114	ZOYSIA	4.7	3.0	3.0	5.0	6.3	6.3	7.3	7.0	6.7	6.4
MIDIRON	BERMUDA	4.0	2.3	2.4	6.0	6.3	7.0	5.3	5.7	5.0	5.9
CODY	BUFFALO	6.0	3.0	3.0	4.3	5.7	4.7	5.0	4.3	3.7	4.6
MEYER	ZOYSIA	5.0	3.3	3.4	3.7	4.0	4.3	4.7	5.0	5.0	4.4
ASC-117	BERMUDA	5.7	2.3	2.4	3.0	3.7	5.0	4.3	4.3	4.3	4.1
HABITURF	MIXTURE	5.0	3.3	3.4	4.3	4.3	4.3	4.0	4.7	3.0	4.1
LSD VALUE		3.3	0.9	1.0	2.0	1.8	1.9	1.7	1.6	0.8	1.3
C.V. (%)		25.9	16.0	16.0	21.5	17.9	18.0	16.3	15.1	9.2	13.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5.
(CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF WARM-SEASON CULTIVARS IN THE
2018 NATIONAL LOW INPUT WARM-SEASON TEST AT LAS CRUCES, NM 1/
2022 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME		PERCENT GROUND COVER APRIL-OCTOBER						
		APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER
TIFWAY	BERMUDA	62.3	50.3	78.0	75.0	61.7	53.0	60.0
FB 1628	BERMUDA	54.7	82.0	80.0	72.3	59.7	51.0	55.0
XZ 14069	ZOYSIA	39.7	42.7	54.3	49.0	37.3	24.0	33.0
FAES 1322	ZOYSIA	53.7	56.7	75.7	66.3	56.7	47.3	51.0
16-TZ-14114	ZOYSIA	51.7	38.7	66.0	62.3	52.7	43.0	52.7
MIDIRON	BERMUDA	51.3	85.7	85.0	67.7	53.3	41.7	37.3
CODY	BUFFALO	74.7	50.7	49.7	47.0	33.3	23.7	22.0
MEYER	ZOYSIA	63.0	55.3	46.7	55.0	49.7	40.3	38.0
ASC-117	BERMUDA	64.0	71.7	66.0	57.7	47.7	38.7	40.3
HABITURF	MIXTURE	79.3	33.7	20.0	44.3	31.3	21.7	24.7
LSD VALUE		54.8	35.2	20.8	17.5	14.1	13.2	11.9
C.V. (%)		35.4	31.5	19.9	15.8	16.6	20.1	17.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF WARM-SEASON CULTIVARS IN THE
 (CONT'D) 2018 NATIONAL LOW INPUT WARM-SEASON TEST AT LAS CRUCES, NM 1/
 2022 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME		CANOPY HEIGHT MEASUREMENTS IN cm FROM APRIL-OCTOBER							PERCENT WEEDS		% BROADLEAF WEEDS	
		APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	SPRING	SUMMER	APRIL 19	JULY 26
TIFWAY	BERMUDA	6.3	5.7	6.0	6.3	5.7	6.0	6.0	0.0	0.0	0.0	0.0
FB 1628	BERMUDA	5.3	5.0	5.0	5.0	5.0	5.3	5.0	3.3	6.7	3.3	6.7
XZ 14069	ZOYSIA	5.3	5.7	5.7	6.0	5.7	5.3	5.7	3.3	5.0	1.7	5.0
FAES 1322	ZOYSIA	5.7	5.0	5.0	5.7	5.7	5.7	5.7	1.7	5.0	1.7	5.0
16-TZ-14114	ZOYSIA	5.7	6.0	6.0	5.7	6.0	5.7	6.3	0.0	3.3	0.0	3.3
MIDIRON	BERMUDA	5.7	5.7	5.3	6.0	6.3	5.7	5.3	3.3	3.3	1.7	3.3
CODY	BUFFALO	6.0	6.0	6.0	6.3	6.0	5.7	5.7	13.3	23.3	8.3	18.3
MEYER	ZOYSIA	6.0	6.0	5.7	5.7	5.3	6.0	5.3	6.7	26.7	3.3	20.0
ASC-117	BERMUDA	6.3	6.0	6.3	6.3	6.3	5.7	6.0	26.7	46.7	11.7	28.3
HABITURF	MIXTURE	6.3	6.0	6.3	6.7	6.0	6.0	6.0	6.7	21.7	3.3	13.3
LSD VALUE		1.1	0.9	0.9	0.8	0.9	1.5	1.7	8.9	19.4	5.1	16.5
C.V. (%)		8.3	7.6	7.9	7.3	7.5	9.5	11.5	80.5	78.3	82.0	83.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5.
(CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF WARM-SEASON CULTIVARS IN THE
2018 NATIONAL LOW INPUT WARM-SEASON TEST AT LAS CRUCES, NM 1/
2022 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME		COLOR RATINGS APRIL-OCTOBER						
		APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER
TIFWAY	BERMUDA	6.3	5.7	7.7	5.7	6.7	7.3	6.0
FB 1628	BERMUDA	5.7	6.7	7.0	6.7	7.3	8.0	8.7
XZ 14069	ZOYSIA	3.0	2.7	3.0	3.7	3.3	2.7	3.0
FAES 1322	ZOYSIA	4.0	3.0	4.3	5.3	5.0	4.0	5.7
16-TZ-14114	ZOYSIA	3.7	3.0	4.3	5.0	4.3	3.3	5.3
MIDIRON	BERMUDA	4.7	7.3	7.3	5.0	6.3	7.7	8.0
CODY	BUFFALO	5.7	4.7	4.3	7.3	7.3	8.0	7.3
MEYER	ZOYSIA	5.3	4.0	4.3	7.7	7.0	6.0	6.7
ASC-117	BERMUDA	5.7	5.7	5.0	6.3	6.7	7.3	6.7
HABITURF	MIXTURE	5.3	5.0	4.7	7.7	7.0	6.3	7.0
LSD VALUE		2.1	1.6	1.5	2.7	1.4	1.1	1.2
C.V. (%)		21.6	20.0	17.0	22.5	13.4	11.5	11.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 6.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF WARM-SEASON CULTIVARS IN THE
2018 NATIONAL LOW INPUT WARM-SEASON TEST AT STILLWATER, OK 1/
2022 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME		SPRING GREENUP	APRIL	PERCENT GROUND COVER FROM APRIL-SEPTEMBER					QUALITY RATINGS					MEAN	
				MAY	JUNE	JULY	AUGUST	SEPTEMBER	APR	MAY	JUN	JUL	AUG		SEP
XZ 14069	ZOYSIA	7.7	94.3	97.0	98.0	97.7	98.0	98.3	5.7	5.3	5.7	6.3	5.3	5.7	5.7
16-TZ-14114	ZOYSIA	7.3	93.3	96.0	97.0	96.7	95.0	97.0	5.0	5.0	5.3	5.3	5.0	5.0	5.1
MEYER	ZOYSIA	6.7	93.3	97.7	98.0	96.7	96.3	97.0	5.0	5.0	4.7	5.3	4.7	5.0	4.9
MIDIRON	BERMUDA	8.0	95.0	97.3	97.3	93.7	91.7	89.3	5.7	5.7	5.3	4.7	4.0	4.0	4.9
TIFWAY	BERMUDA	7.0	90.0	97.7	98.0	95.0	91.0	92.0	4.7	6.0	5.7	5.0	4.0	4.3	4.9
CODY	BUFFALO	6.7	66.7	90.0	86.7	66.7	43.3	41.0	4.3	5.0	4.7	4.3	2.7	3.3	4.1
FB 1628	BERMUDA	4.3	78.3	93.3	96.7	92.3	90.0	88.3	4.0	4.7	4.3	4.0	4.0	3.7	4.1
FAES 1322	ZOYSIA	5.0	58.3	69.0	80.0	78.3	84.7	79.0	3.3	3.7	3.7	4.0	4.0	4.3	3.8
HABITURF	MIXTURE	7.3	88.3	86.7	70.7	68.3	26.7	35.0	5.3	4.0	3.7	3.7	2.7	2.7	3.7
ASC-117	BERMUDA	2.3	6.7	36.7	25.0	30.7	4.3	8.0	2.0	2.3	2.3	2.3	1.0	1.0	1.8
LSD VALUE		1.6	20.3	21.9	24.7	25.6	22.2	32.7	1.5	1.5	1.1	1.2	0.9	0.9	0.8
C.V. (%)		15.8	16.5	14.9	17.3	18.2	19.4	27.0	19.2	18.1	14.1	15.9	15.7	14.6	11.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 6.
(CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF WARM-SEASON CULTIVARS IN THE
2018 NATIONAL LOW INPUT WARM-SEASON TEST AT STILLWATER, OK 1/
2022 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME		CANOPY HEIGHT IN cm APRIL-SEPTEMBER						PERCENT WEEDS		
		APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	JULY	AUGUST	SEPTEMBER
XZ 14069	ZOYSIA	4.0	3.3	2.7	3.7	2.7	2.7	0.3	0.3	0.3
16-TZ-14114	ZOYSIA	5.0	4.7	4.7	4.7	4.7	4.7	1.0	2.0	2.3
MEYER	ZOYSIA	6.0	5.3	4.7	5.7	4.7	4.7	2.7	2.0	4.3
MIDIRON	BERMUDA	6.3	5.0	5.0	5.0	4.7	4.0	4.3	7.0	16.0
TIFWAY	BERMUDA	5.3	4.7	4.3	4.7	3.3	3.7	2.3	5.0	5.7
CODY	BUFFALO	7.3	6.7	5.7	7.3	5.7	5.3	24.3	52.3	54.0
FB 1628	BERMUDA	5.3	4.0	3.3	3.0	2.7	3.7	6.7	11.7	14.7
FAES 1322	ZOYSIA	3.7	3.7	3.0	3.0	3.0	3.3	19.3	14.7	20.0
HABITURF	MIXTURE	6.3	6.3	5.3	7.7	6.7	6.0	23.3	36.7	61.7
ASC-117	BERMUDA	6.7	6.0	5.7	5.3	4.7	4.7	53.3	86.7	90.0
LSD VALUE		1.5	1.2	1.2	1.3	1.6	0.8	21.6	25.3	29.2
C.V. (%)		15.1	14.1	16.4	15.8	21.5	12.2	89.8	70.5	65.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 7.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF WARM-SEASON CULTIVARS IN THE
2018 NATIONAL LOW INPUT WARM-SEASON TEST AT COLLEGE STATION, TX 1/
2022 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME		SPRING	PERCENT GROUND COVER FROM MARCH-SEPTEMBER						QUALITY RATINGS							
		GREENUP	MARCH	MAY	JUNE	JULY	AUGUST	SEPTEMBER	APR	MAY	JUN	JUL	AUG	SEP	OCT	MEAN
TIFWAY	BERMUDA	3.3	80.0	88.3	88.3	91.7	91.7	88.3	5.3	5.7	5.7	6.0	5.7	5.7	5.7	5.7
XZ 14069	ZOYSIA	4.0	80.0	86.7	60.0	66.7	86.7	86.7	4.7	5.3	5.7	4.0	3.7	5.3	5.3	4.9
16-TZ-14114	ZOYSIA	2.0	61.7	66.7	53.3	41.7	91.7	90.0	4.7	5.0	4.7	4.0	3.3	6.0	6.0	4.8
FB 1628	BERMUDA	3.3	68.3	63.3	63.3	81.7	88.3	58.3	4.3	5.3	5.0	4.0	4.7	5.3	4.0	4.7
MIDIRON	BERMUDA	1.3	80.0	66.7	73.3	71.7	85.0	75.0	3.7	5.3	4.3	5.0	4.0	5.7	5.0	4.7
MEYER	ZOYSIA	1.3	48.3	68.3	65.0	70.0	76.7	83.3	4.0	3.7	4.0	4.0	3.3	4.7	5.0	4.1
CODY	BUFFALO	1.3	76.7	66.7	23.3	50.0	68.3	21.7	3.7	5.7	5.0	2.7	3.0	4.0	2.7	3.8
HABITURF	MIXTURE	2.3	78.3	81.7	31.7	36.7	58.3	15.0	3.7	5.7	5.7	3.7	2.3	3.3	1.7	3.7
FAES 1322	ZOYSIA	3.7	50.0	61.7	13.3	45.0	76.7	60.0	4.0	3.7	4.3	2.3	2.7	4.3	3.0	3.5
ASC-117	BERMUDA	1.0	20.0	16.7	13.3	40.0	63.3	48.3	2.0	1.7	2.0	2.7	2.7	3.7	3.7	2.6
LSD VALUE		1.0	31.3	31.0	38.9	30.0	17.0	14.0	1.9	1.4	1.6	2.7	1.2	1.6	1.1	1.0
C.V. (%)		25.6	26.4	25.4	44.4	27.5	12.1	14.3	23.8	17.2	19.5	33.0	20.3	17.5	16.4	13.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 7.
(CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF WARM-SEASON CULTIVARS IN THE
2018 NATIONAL LOW INPUT WARM-SEASON TEST AT COLLEGE STATION, TX 1/
2022 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME		CANOPY HEIGHT MEASUREMENTS IN cm FROM APRIL-OCTOBER								PERCENT WEEDS FROM APRIL-OCTOBER					
		APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER
TIFWAY	BERMUDA	6.0	3.0	3.0	3.0	3.0	3.0	4.7	6.7	5.0	5.0	1.7	3.3	3.3	3.3
XZ 14069	ZOYSIA	2.3	2.0	1.7	3.0	1.3	1.7	3.7	5.0	6.7	3.3	3.3	8.3	10.0	6.7
16-TZ-14114	ZOYSIA	2.7	2.3	2.7	3.0	2.3	2.7	6.0	10.0	13.3	10.0	10.0	13.3	8.3	5.0
FB 1628	BERMUDA	2.7	2.0	2.0	3.3	1.3	1.7	3.0	3.3	5.0	5.0	3.3	3.3	3.3	6.7
MIDIRON	BERMUDA	3.3	3.0	3.7	3.3	3.7	2.7	5.7	16.7	16.7	15.0	10.0	8.3	8.3	11.7
MEYER	ZOYSIA	2.3	2.0	2.3	2.3	2.0	2.0	5.0	13.3	16.7	16.7	25.0	25.0	11.7	18.3
CODY	BUFFALO	3.0	3.3	5.3	2.7	5.3	3.0	5.7	13.3	13.3	13.3	13.3	10.0	15.0	13.3
HABITURF	MIXTURE	3.3	3.7	5.3	4.0	6.7	3.0	5.7	6.7	10.0	6.7	10.0	10.0	16.7	16.7
FAES 1322	ZOYSIA	1.7	1.7	1.0	3.0	2.0	1.7	3.3	3.3	5.0	5.0	6.7	16.7	13.3	11.7
ASC-117	BERMUDA	3.7	3.3	4.7	3.3	5.0	4.3	6.0	28.3	38.3	50.0	41.7	41.7	33.3	40.0
LSD VALUE		2.6	1.6	0.9	3.9	0.8	1.2	1.4	13.6	12.5	7.2	9.4	12.0	13.8	7.5
C.V. (%)		40.6	30.0	18.8	42.3	16.3	26.2	16.7	67.1	55.3	35.4	46.8	51.1	60.5	35.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.