

TABLE 1.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF COOL-SEASON CULTIVARS IN THE  
2019 NATIONAL WARM-SEASON PUTTING GREEN TEST TEST AT RIVERSIDE, CA 1/  
2023 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/  
BALL ROLL MEASURED IN INCHES

NAME	GENETIC COLOR	LEAF TEXTURE	DENSITY RATINGS			COLOR		BALL ROLL OUT			QUALITY RATINGS							MEAN			
			SPRING	SUMMER	FALL	DECEMBER	SEEDHEAD	JUNE	JULY	AUGUST	MAR	APR	MAY	JUN	JUL	AUG	SEP		NOV	DEC	
FZ 1710	ZG	8.0	7.7	6.7	7.3	8.0	6.0	9.0	59.0	60.3	58.7	4.7	7.3	8.7	8.0	8.0	8.3	7.7	5.0	5.0	7.0
DALZ 1815	ZG	7.0	7.0	6.7	7.3	7.3	5.7	9.0	58.7	54.7	53.0	5.7	3.7	7.7	7.7	7.0	7.3	4.7	6.0	6.0	6.2
FZ 1714	ZG	7.3	7.7	6.3	8.0	8.7	4.0	9.0	56.0	60.0	60.7	4.7	6.3	7.7	8.3	7.3	7.3	6.3	4.0	4.0	6.2
FZ 1717	ZG	7.0	8.0	7.3	8.0	7.7	3.0	9.0	59.0	61.0	62.7	4.3	7.0	8.0	8.0	7.0	7.3	6.7	3.0	3.0	6.0
MINI-VERDE	BG	8.0	6.7	7.0	6.3	6.0	2.0	9.0	62.0	60.7	60.7	4.0	5.3	8.0	8.0	8.0	7.7	7.3	3.0	2.3	6.0
DALZ 1814	ZG	6.3	7.3	7.3	7.0	7.3	4.3	9.0	56.0	52.0	50.3	5.0	6.3	7.3	6.7	6.7	6.7	4.3	5.0	4.7	5.9
TIFDWARF	BG	7.3	6.0	5.0	6.0	5.3	2.0	8.0	62.3	59.7	61.3	4.3	7.3	7.7	7.7	7.0	7.7	6.0	2.7	2.0	5.8
TIFEAGLE	BG	7.3	6.0	6.7	6.3	6.0	1.7	8.7	62.3	54.3	54.0	4.0	6.3	8.0	7.7	7.3	7.7	6.7	2.7	1.7	5.8
FB 1901	BG	8.0	6.7	6.0	6.7	6.3	1.3	9.0	60.3	64.0	62.0	5.0	7.0	7.3	7.3	7.3	7.3	7.0	2.0	1.3	5.7
OKC3920	BG	6.7	6.0	6.7	7.7	6.3	1.7	8.0	54.7	46.3	50.3	4.3	8.0	7.7	7.3	7.0	7.0	5.7	2.3	1.7	5.7
UGA 16-1105	SP	7.3	5.7	6.0	6.3	5.0	2.0	5.7	54.0	52.3	54.3	4.7	5.0	7.0	7.7	6.7	7.0	5.7	3.3	2.7	5.5
UGA 17-653	SP	7.0	5.3	5.3	6.7	3.7	1.0	7.0	49.0	48.3	52.0	4.7	5.3	7.0	7.7	7.3	7.3	6.7	2.0	1.3	5.5
OKC0920	BG	6.3	7.0	6.7	7.3	6.7	1.3	8.0	57.7	55.3	56.0	5.0	6.7	7.7	6.7	6.7	7.0	5.0	2.3	1.3	5.4
DIAMOND	ZG	6.7	7.7	6.7	7.3	7.3	2.0	9.0	49.3	50.0	51.7	5.3	5.3	7.3	7.0	6.7	7.0	5.3	2.0	2.0	5.3
TAHOMA 31	BG	7.3	6.0	6.0	6.7	6.7	1.0	8.3	56.0	52.0	53.3	4.3	5.3	6.7	6.7	7.3	7.7	7.0	2.0	1.0	5.3
OKC0805	BG	6.7	7.3	6.0	6.3	5.7	1.0	6.0	56.0	57.0	59.0	3.3	7.3	7.3	6.7	6.7	7.0	5.0	2.0	1.0	5.1
SEASTAR	SP	7.3	6.3	6.3	6.3	4.3	1.0	9.0	49.7	52.3	53.3	2.7	4.3	7.0	7.3	7.3	7.7	5.7	2.0	1.7	5.1
UGA 17-622	SP	6.3	5.7	5.7	6.7	4.3	1.0	7.7	51.0	48.7	48.0	3.7	6.0	7.0	6.7	6.7	6.7	6.0	2.0	1.3	5.1
MSB-1050	BG	8.0	8.0	6.7	6.3	6.0	1.0	7.3	61.0	70.3	67.0	2.0	2.0	5.7	6.3	7.3	7.3	6.3	2.3	1.3	4.5
LSD VALUE		0.8	1.1	1.3	2.4	0.9	0.9	1.7	8.6	9.2	7.3	1.0	1.4	1.0	1.7	1.2	2.3	1.4	0.9	1.0	0.4
C.V. (%)		6.4	9.5	10.2	13.5	9.9	25.4	11.7	8.0	9.5	7.6	14.5	15.2	7.6	10.1	7.6	10.3	13.0	20.9	26.8	5.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 2.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF COOL-SEASON CULTIVARS IN THE  
2019 NATIONAL WARM-SEASON PUTTING GREEN TEST TEST AT JAY, FL 1/  
2023 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/  
THATCH MEASURED IN MM

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	QUALITY RATINGS									MEAN	
				MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV		
FZ 1710	ZG	9.0	8.0	8.7	6.7	8.0	8.7	9.0	8.3	8.3	8.7	8.7	7.0	8.1
DIAMOND	ZG	8.3	7.7	7.0	7.3	7.3	7.3	8.0	8.3	8.0	8.0	8.7	7.0	7.8
DALZ 1815	ZG	8.0	8.0	8.3	7.3	7.0	7.0	7.3	8.0	7.7	8.3	8.7	7.0	7.6
FZ 1717	ZG	8.0	7.0	7.3	6.0	7.0	7.3	8.3	8.3	8.0	8.0	8.0	6.7	7.5
DALZ 1814	ZG	7.0	6.7	7.3	6.7	6.3	7.3	7.3	8.0	7.7	8.0	8.0	7.0	7.4
FZ 1714	ZG	8.3	6.0	7.7	6.0	6.3	7.3	8.3	8.3	7.3	8.0	7.7	7.0	7.4
MSB-1050	BG	8.3	7.0	7.7	6.0	5.3	8.0	9.0	9.0	8.0	9.0	6.7	4.3	7.3
SEASTAR	SP	7.0	7.7	6.3	6.7	6.7	7.3	7.3	7.0	6.7	7.0	7.0	5.3	6.8
TAHOMA 31	BG	7.7	8.3	6.3	6.7	7.0	7.0	7.7	7.3	7.0	7.0	6.0	5.3	6.8
MINI-VERDE	BG	8.0	6.7	7.7	5.7	5.0	6.7	7.3	8.0	7.0	7.7	7.0	5.0	6.6
FB 1901	BG	7.3	6.0	7.7	5.7	6.0	6.3	6.7	7.0	6.7	7.3	7.0	5.0	6.4
TIFEAGLE	BG	6.3	6.7	6.7	5.7	6.0	6.7	6.3	7.3	7.0	7.3	6.7	4.7	6.4
UGA 16-1105	SP	6.7	7.3	5.3	5.7	6.0	7.0	7.3	6.7	6.3	6.3	6.7	4.7	6.3
UGA 17-622	SP	6.3	6.0	6.7	5.0	5.0	6.3	6.7	7.0	6.7	7.0	7.0	5.7	6.3
OKC0805	BG	7.0	5.7	5.7	5.3	5.7	6.7	7.0	7.3	6.7	6.3	6.3	4.3	6.2
UGA 17-653	SP	7.7	5.7	5.0	4.7	5.0	5.7	7.3	7.0	6.0	6.3	6.7	4.3	5.9
OKC0920	BG	6.3	6.0	6.0	5.0	6.0	6.7	5.3	6.0	5.7	6.0	5.7	4.7	5.7
TIFDWARF	BG	8.3	7.0	6.7	4.7	5.3	5.7	5.3	6.3	6.3	6.7	6.7	4.7	5.7
OKC3920	BG	7.0	6.3	7.3	4.3	5.7	6.3	5.7	6.0	5.3	4.7	5.0	4.7	5.3
LSD VALUE		1.1	1.6	1.2	1.0	0.7	0.9	1.0	0.7	1.1	0.9	0.9	0.7	0.4
C.V. (%)		8.5	12.6	10.3	10.9	7.3	8.0	8.5	6.1	9.4	8.1	8.5	8.5	4.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 2.  
CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF COOL-SEASON CULTIVARS IN THE  
2019 NATIONAL WARM-SEASON PUTTING GREEN TEST AT JAY, FL 1/  
2023 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/  
THATCH MEASURED IN MM

NAME		DENSITY RATINGS			THATCH	COLOR RATINGS		SEEDHEAD RATINGS		
		SPRING	SUMMER	FALL		OCTOBER	NOVEMBER	APRIL	JUNE	OCTOBER
FZ 1710	ZG	8.0	8.7	8.7	63.3	8.7	8.0	5.0	1.3	1.3
DIAMOND	ZG	7.3	8.3	8.3	50.3	7.3	7.3	1.0	1.0	1.0
DALZ 1815	ZG	7.3	8.3	7.7	48.3	8.0	7.0	1.7	1.0	1.0
FZ 1717	ZG	7.0	9.0	8.7	58.0	7.7	6.7	3.3	1.0	1.0
DALZ 1814	ZG	7.7	7.7	7.7	60.7	7.0	6.7	3.7	1.0	1.0
FZ 1714	ZG	7.0	7.3	7.3	56.0	7.7	6.3	2.3	1.0	1.0
MSB-1050	BG	9.0	9.0	9.0	77.0	7.7	5.7	1.0	1.0	1.0
SEASTAR	SP	7.0	7.0	7.0	26.3	7.0	5.7	2.7	3.3	1.0
TAHOMA 31	BG	7.0	7.0	6.3	34.7	6.7	5.0	1.0	1.0	1.0
MINI-VERDE	BG	7.0	7.3	7.0	16.7	7.0	4.7	1.0	1.0	1.0
FB 1901	BG	7.0	7.0	7.0	21.0	6.3	4.3	1.0	1.0	1.0
TIFEAGLE	BG	6.3	6.7	7.0	26.7	7.0	5.3	1.0	1.0	1.0
UGA 16-1105	SP	7.0	6.7	6.3	28.3	6.7	5.7	1.3	2.7	1.0
UGA 17-622	SP	6.7	6.7	8.0	38.3	7.7	6.3	1.3	2.3	1.0
OKC0805	BG	6.0	7.3	7.0	35.3	6.3	4.0	1.0	1.0	1.0
UGA 17-653	SP	6.0	6.7	6.3	21.0	7.0	4.0	1.0	3.3	1.0
OKC0920	BG	6.7	6.0	6.0	27.0	6.7	5.3	1.0	1.0	1.0
TIFDWARF	BG	5.3	6.0	6.0	15.3	7.7	4.7	1.0	1.0	1.0
OKC3920	BG	6.0	5.7	5.0	22.7	7.3	6.0	1.0	1.0	1.0
LSD VALUE		1.2	0.8	0.8	12.8	0.9	0.9	0.7	0.4	0.4
C.V. (%)		9.8	7.1	7.1	22.0	7.1	10.1	28.6	20.0	13.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 3.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF COOL-SEASON CULTIVARS IN THE  
2019 NATIONAL WARM-SEASON PUTTING GREEN TEST AT MISS. ST., MS 1/  
2023 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/  
BALL ROLL MEASURED IN INCHES

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	GROUND CVR		BALL ROLL OUT MAY-OCTOBER					QUALITY RATINGS					MEAN			
				SPRING	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	APR	MAY	JUN	JUL	AUG		SEP	OCT	
UGA 17-653	SP	6.0	9.0	6.0	86.3	64.0	70.0	103.3	94.0	91.0	76.3	4.7	5.7	6.7	6.7	5.3	6.3	7.7	6.1
MSB-1050	BG	7.0	9.0	7.0	99.0	75.7	78.0	88.0	92.0	99.3	94.0	5.7	6.0	6.3	5.0	5.3	6.0	6.0	5.8
SEASTAR	SP	5.7	8.7	6.0	83.0	53.3	73.0	94.7	92.0	90.3	76.7	4.7	6.0	5.3	6.3	6.0	6.0	6.3	5.8
DALZ 1814	ZG	5.7	8.0	6.0	83.0	60.0	72.0	96.7	96.7	89.7	76.3	4.7	5.0	5.7	6.3	6.3	6.0	6.0	5.7
DIAMOND	ZG	6.0	8.3	5.7	89.3	48.3	66.7	106.3	93.3	82.7	74.3	5.3	5.3	4.7	6.3	7.0	6.0	5.3	5.7
DALZ 1815	ZG	6.0	8.0	6.3	83.0	64.7	75.0	93.3	92.0	93.3	76.3	5.0	5.0	5.0	6.0	6.3	6.0	6.0	5.6
FZ 1717	ZG	6.0	6.0	6.0	60.0	74.7	90.0	94.7	91.3	90.3	77.3	3.7	4.3	5.0	6.3	6.3	6.0	6.0	5.4
TAHOMA 31	BG	5.7	9.0	6.0	99.0	61.3	80.7	94.0	91.0	83.7	79.7	5.3	6.0	4.7	5.0	5.0	6.0	6.0	5.4
MINI-VERDE	BG	6.0	4.3	7.0	99.0	82.7	91.0	95.3	99.7	112.3	106.7	3.0	4.7	6.0	6.0	5.3	5.7	5.7	5.2
UGA 16-1105	SP	4.3	7.3	5.7	53.3	56.7	72.0	91.0	92.0	94.3	79.3	3.0	5.3	4.7	5.7	5.7	6.0	6.0	5.2
UGA 17-622	SP	5.0	6.0	5.7	53.3	57.0	72.0	94.3	87.7	81.0	74.0	3.3	5.3	5.0	5.7	6.0	5.3	6.0	5.2
TIFEAGLE	BG	5.7	4.7	6.3	99.0	77.3	84.0	95.0	98.0	106.3	92.7	3.3	4.7	5.3	5.0	5.3	5.7	5.3	5.0
FZ 1714	ZG	6.3	4.0	6.0	40.0	75.3	85.0	82.7	89.0	98.3	77.0	3.0	3.3	4.0	6.0	5.3	5.7	6.0	4.8
FB 1901	BG	6.3	4.7	6.3	99.0	73.0	98.3	103.0	105.7	112.0	97.7	3.0	4.3	5.3	5.3	5.0	5.0	5.0	4.7
OKC0920	BG	5.3	7.3	6.0	92.7	69.3	79.7	82.7	84.3	85.7	85.0	5.0	3.7	4.3	4.7	5.0	5.0	5.3	4.7
FZ 1710	ZG	6.3	4.7	7.0	46.7	76.3	82.3	92.7	98.0	106.7	87.7	3.0	3.7	4.0	4.7	4.7	6.0	5.3	4.5
OKC3920	BG	5.3	5.0	6.3	82.7	67.0	78.7	108.7	101.0	99.7	89.3	3.0	4.7	5.0	5.0	4.3	4.7	5.0	4.5
TIFDWARF	BG	6.3	6.0	6.0	99.0	73.7	93.3	104.7	106.0	116.7	106.7	3.0	4.0	4.7	4.3	5.0	5.3	5.3	4.5
OKC0805	BG	5.0	5.0	6.7	99.0	67.0	76.0	89.3	89.3	88.0	93.3	3.3	5.3	5.3	4.0	4.0	4.3	4.3	4.4
LSD VALUE		1.0	2.4	1.0	23.7	10.8	14.5	15.1	18.9	18.8	14.1	1.3	1.3	1.9	2.1	1.2	0.7	1.2	0.8
C.V. (%)		9.4	21.8	7.9	17.8	9.9	10.1	8.2	8.4	10.8	9.8	19.8	15.0	17.2	17.4	12.6	7.8	11.4	8.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 4.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF COOL-SEASON CULTIVARS IN THE  
2019 NATIONAL WARM-SEASON PUTTING GREEN TEST AT COLLEGE STATION, TX 1/  
2023 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/  
THATCH MEASURED IN MM

NAME		GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	QUALITY RATINGS							MEAN
					APR	MAY	JUN	JUL	AUG	SEP	OCT	
OKC3920	BG	8.0	6.0	5.0	4.0	4.0	5.0	5.0	6.0	6.0	6.0	5.1
DIAMOND	ZG	5.0	4.0	8.7	3.3	3.3	4.3	4.7	4.3	4.3	4.7	4.1
UGA 16-1105	SP	6.3	2.0	5.7	2.3	3.3	4.0	4.3	4.3	5.3	5.3	4.1
TIFDWARF	BG	6.0	2.0	5.0	2.5	3.5	4.5	4.0	3.5	5.0	5.0	4.0
SEASTAR	SP	5.0	1.3	5.7	2.0	3.3	3.7	4.3	4.0	5.0	5.0	3.9
FZ 1710	ZG	6.0	3.7	7.7	3.0	4.0	4.3	3.7	2.3	4.3	4.7	3.8
FZ 1717	ZG	5.3	4.0	9.0	3.0	3.3	3.7	3.3	3.3	4.0	4.3	3.6
TIFEAGLE	BG	7.0	2.0	6.0	3.0	3.5	3.5	4.0	2.0	4.5	4.5	3.6
MSB-1050	BG	6.3	1.7	7.7	2.0	3.3	3.7	2.7	3.7	4.0	4.7	3.4
FB 1901	BG	6.0	2.0	8.0	2.7	3.7	3.7	1.7	2.7	4.3	4.3	3.3
OKC0805	BG	6.5	1.5	7.5	2.0	3.0	4.0	2.0	2.5	4.5	4.5	3.2
TAHOMA 31	BG	6.0	1.3	7.0	2.0	3.7	3.3	2.3	3.0	3.7	4.3	3.2
DALZ 1814	ZG	4.7	3.3	8.7	2.3	3.3	3.0	3.3	2.3	3.3	4.0	3.1
MINI-VERDE	BG	7.0	1.0	7.5	2.0	3.0	4.0	2.0	3.0	4.0	3.5	3.1
UGA 17-653	SP	6.7	1.0	6.0	1.3	2.7	2.7	3.7	3.7	4.0	4.0	3.1
FZ 1714	ZG	5.7	2.0	8.3	2.0	2.0	3.3	2.7	2.7	3.7	4.3	3.0
UGA 17-622	SP	4.7	1.0	6.3	1.0	1.7	2.3	3.3	3.0	4.0	4.0	2.8
OKC0920	BG	7.0	1.0	5.0	2.5	2.5	3.5	1.5	1.5	3.0	3.5	2.6
DALZ 1815	ZG	6.0	1.7	8.3	1.7	2.3	2.7	2.3	1.3	2.3	3.0	2.2
LSD VALUE		1.0	2.9	0.9	3.0	3.5	3.5	2.2	6.3	5.2	4.2	3.6
C.V. (%)		9.3	58.9	7.3	43.4	33.7	29.5	31.0	59.6	35.5	26.8	30.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF COOL-SEASON CULTIVARS IN THE  
2019 NATIONAL WARM-SEASON PUTTING GREEN TEST AT VIRGINIA BEACH, VA 1/  
2023 DATA

NAME	GENETIC COLOR	SPRING GREENUP	TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/ BALL ROLL MEASURED IN INCHES				COLOR WINTER	FEB	MAR	QUALITY RATINGS						MEAN	
			DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	DENSITY WINTER				APR	MAY	JUN	JUL	SEP	NOV		
DALZ 1815	ZG	7.0	6.7	6.0	6.3	7.0	7.7	7.3	7.3	7.0	6.7	6.7	7.0	6.7	7.0	7.0	6.9
MSB-1050	BG	6.7	6.0	4.7	7.3	6.3	6.7	6.7	6.7	5.7	6.0	6.0	6.7	7.7	7.3	6.7	6.6
DIAMOND	ZG	6.0	5.7	4.7	7.7	6.7	7.0	7.0	6.7	4.7	5.7	6.0	8.0	7.0	6.7	6.5	
FZ 1717	ZG	6.7	5.3	4.3	7.0	6.7	7.3	7.7	7.3	7.0	5.0	5.3	6.7	7.3	7.0	6.7	6.5
DALZ 1814	ZG	7.0	4.3	6.0	6.0	6.7	7.0	7.3	7.0	6.7	6.0	4.3	7.0	6.0	7.0	6.7	6.3
FZ 1714	ZG	7.0	4.0	5.0	7.3	7.0	7.0	6.7	7.0	6.3	4.3	4.0	7.0	7.3	6.7	7.0	6.2
TAHOMA 31	BG	6.0	6.0	5.7	7.7	6.3	6.3	6.3	6.0	5.0	5.7	5.7	6.0	7.0	7.0	6.7	6.1
TIFEAGLE	BG	6.3	4.3	5.3	7.0	5.7	6.7	7.0	7.0	5.3	4.7	4.7	6.3	7.0	6.3	5.7	5.9
FZ 1710	ZG	6.0	4.7	5.0	7.3	6.7	5.3	5.3	6.0	4.7	4.0	4.7	6.0	7.3	7.0	6.7	5.8
MINI-VERDE	BG	6.0	4.3	5.3	7.3	6.7	7.0	7.0	6.7	4.0	5.3	5.0	6.0	7.3	5.7	6.7	5.8
FB 1901	BG	7.0	4.7	4.3	7.3	6.3	5.0	5.0	5.0	4.3	5.0	5.0	7.0	7.3	5.3	6.3	5.7
OKC0805	BG	5.0	4.3	5.3	6.7	5.7	6.3	6.0	6.3	5.0	5.0	4.7	5.0	7.0	6.7	5.7	5.7
OKC0920	BG	6.3	3.3	5.7	5.3	6.7	5.3	5.7	5.7	5.3	5.0	2.7	6.3	5.7	7.3	6.7	5.6
TIFDWARF	BG	6.7	4.3	4.7	7.0	6.0	6.7	6.7	7.0	4.3	4.7	4.0	6.7	7.0	4.7	6.0	5.5
OKC3920	BG	6.7	2.7	4.0	4.0	6.3	5.0	5.7	5.3	3.7	5.3	1.7	6.7	5.3	7.0	6.3	5.2
SEASTAR	SP	2.0	2.0	2.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	3.0	5.0	2.0	2.5
UGA 16-1105	SP	2.0	2.0	2.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	3.0	5.0	2.0	2.5
UGA 17-622	SP	2.0	2.0	2.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	3.0	5.0	2.0	2.5
UGA 17-653	SP	2.0	2.0	2.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	3.0	5.0	2.0	2.5
LSD VALUE		1.1	1.7	1.7	1.6	0.8	1.7	1.5	1.4	1.4	1.4	1.3	1.1	1.4	1.9	1.1	0.4
C.V. (%)		12.8	25.3	23.8	17.1	10.2	20.1	17.6	16.8	19.9	19.8	19.8	12.8	14.6	16.0	12.6	5.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.