

TABLE 1. PERCENT ESTABLISHMENT AND OTHER RATINGS OF ZOYSIAGRASS CULTIVARS
IN THE 2007 NATIONAL ZOYSIAGRASS TEST AT RIVERSIDE, CA 1/
2007 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	SEEDLING VIGOR	WEED RATINGS	PERCENT ESTABLISH- MENT
DALZ 0701	.	2.0	43.3
ZENITH	4	2.3	40.0
SHADOWTURF	.	3.7	30.0
ZORRO	.	2.0	30.0
29-2	.	2.0	26.7
240	.	2.0	23.3
DALZ 0501	.	2.0	23.3
L1F	.	2.0	23.3
MEYER	.	2.0	23.3
380-1	.	2.7	20.0
DALZ 0702	.	2.0	20.0
LSD VALUE	.	1.9	28.7
C.V. (%)	.	34.7	42.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 2. PERCENT ESTABLISHMENT AND OTHER RATINGS OF ZOYSIAGRASS CULTIVARS
IN THE 2007 NATIONAL ZOYSIAGRASS TEST AT MANHATTAN, KS 1/
2007 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	LEAF TEXTURE	PERCENT ESTABLISH- MENT
29-2	4.0	66.7
ZORRO	8.7	65.0
240	4.0	58.3
DALZ 0702	9.0	55.0
SHADOWTURF	8.7	55.0
DALZ 0701	8.7	50.0
MEYER	6.0	50.0
DALZ 0501	8.7	41.7
380-1	8.0	40.0
L1F	8.7	38.3
ZENITH	4.7	31.7
LSD VALUE	0.6	9.3
C.V. (%)	5.8	11.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 3. PERCENT ESTABLISHMENT AND OTHER RATINGS OF ZOYSIAGRASS CULTIVARS
IN THE 2007 NATIONAL ZOYSIAGRASS TEST AT RALEIGH, NC 1/
2007 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	LEAF TEXTURE	FALL COLOR NOVEMBER	FALL COLOR DECEMBER	PERCENT ESTABLISHMENT SEPTEMBER	PERCENT ESTABLISHMENT OCTOBER	RATINGS NOVEMBER
ZENITH	6.7	6.0	3.7	1.0	73.3	80.0	80.0
SHADOWTURF	6.3	8.0	7.7	5.3	58.3	70.0	76.7
ZORRO	5.7	8.0	5.7	4.0	51.7	58.3	58.3
DALZ 0701	6.0	8.0	7.7	5.7	40.0	53.3	55.0
240	7.0	6.0	3.7	1.3	46.7	48.3	48.3
29-2	7.3	5.7	4.7	2.0	46.7	46.7	46.7
DALZ 0501	6.3	8.0	8.0	5.7	36.7	45.0	46.7
DALZ 0702	6.3	8.0	7.0	6.0	36.7	45.0	45.0
L1F	6.7	8.0	8.0	6.0	25.0	31.7	36.7
MEYER	7.7	6.3	4.3	1.3	31.7	33.3	33.3
380-1	7.7	7.0	6.0	4.0	20.0	23.3	23.3
LSD VALUE	0.7	0.4	0.7	0.8	13.2	18.7	17.8
C.V. (%)	6.0	3.6	7.5	13.1	19.2	22.9	21.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.