

TABLE 1.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF ZOYSIAGRASS CULTIVARS
IN THE 2007 NATIONAL ZOYSIAGRASS TEST AT RIVERSIDE, CA 1/
2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	WINTER COLOR	FALL COLOR	QUALITY RATINGS										MEAN
					DECEMBER	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV		
ZORRO	6.7	4.0	8.3	3.7	3.7	7.0	6.7	7.3	6.7	7.3	8.3	7.7	8.0	7.0	7.3	
DALZ 0701	4.7	5.3	8.0	6.0	5.0	6.3	6.0	6.0	6.0	6.7	7.0	6.7	8.3	6.7	6.6	
DALZ 0501	5.7	5.7	8.3	6.3	5.0	6.7	6.3	6.3	6.0	6.3	5.7	5.3	7.7	5.7	6.2	
DALZ 0702	5.7	5.0	8.7	5.0	4.7	6.3	6.7	6.7	5.7	6.0	6.0	6.0	8.0	4.7	6.2	
L1F	5.0	6.0	8.7	4.7	4.7	6.3	6.3	6.7	5.7	6.0	6.3	5.0	8.0	5.3	6.2	
SHADOWTURF	5.0	5.7	9.0	4.7	4.0	6.3	6.7	6.3	5.7	6.7	5.7	3.7	7.7	3.0	5.7	
29-2	7.3	1.3	5.3	1.7	2.0	5.3	7.0	5.0	5.0	5.7	6.0	4.7	5.3	4.7	5.4	
ZENITH	7.3	1.3	4.0	1.3	2.0	5.0	6.7	4.3	4.0	5.3	6.0	4.3	5.0	4.0	5.0	
380-1	5.3	2.7	7.0	1.7	2.3	4.7	5.7	5.0	3.0	3.3	4.7	3.7	6.0	3.7	4.4	
240	7.3	1.0	4.3	1.0	2.0	3.0	5.7	3.3	3.0	3.7	5.0	4.0	4.0	2.7	3.8	
MEYER	5.3	2.3	5.3	1.0	2.0	4.3	5.3	4.3	2.3	2.7	4.3	3.3	4.7	2.3	3.7	
LSD VALUE	1.8	0.7	0.8	1.3	0.7	1.4	1.0	1.2	1.3	1.2	1.9	1.3	0.8	1.3	0.9	
C.V. (%)	16.2	12.8	7.4	25.3	13.6	14.9	8.5	13.4	16.5	14.0	17.1	15.6	7.6	18.2	10.0	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 2.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF ZOYSIAGRASS CULTIVARS
IN THE 2007 NATIONAL ZOYSIAGRASS TEST AT GAINESVILLE, FL 1/
2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	QUALITY RATINGS												MEAN
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
DALZ 0701	6.0	4.3	4.0	5.0	4.0	5.3	5.0	5.0	5.7	7.3	8.3	5.3	5.4
L1F	6.3	4.3	4.3	4.7	4.0	4.7	5.3	5.7	5.3	7.0	7.3	5.7	5.4
SHADOWTURF	6.3	4.0	4.3	5.0	4.0	5.0	5.0	5.3	5.7	6.3	6.7	5.7	5.3
DALZ 0702	5.3	3.7	3.3	4.3	4.0	5.3	4.7	6.0	3.7	6.7	7.0	6.3	5.0
DALZ 0501	5.7	3.7	3.0	4.3	2.7	4.3	4.3	3.3	5.3	6.3	7.0	7.3	4.8
ZORRO	4.3	3.0	3.0	4.0	2.3	3.3	4.0	4.7	5.0	5.0	5.7	5.0	4.1
ZENITH	3.3	2.0	2.3	2.7	3.0	5.0	5.7	5.3	4.7	4.0	3.0	2.3	3.6
240	2.7	1.0	1.3	2.3	2.7	3.7	4.7	4.0	4.3	3.0	3.3	3.3	3.0
29-2	4.0	2.0	2.0	2.0	2.7	3.7	2.7	3.3	2.7	3.3	3.0	2.3	2.8
380-1	2.7	1.3	2.3	3.0	2.3	4.0	2.3	4.0	3.0	2.0	1.0	1.3	2.4
MEYER	3.0	1.0	1.0	1.3	2.0	3.3	3.0	2.3	2.3	2.3	2.3	1.7	2.1
LSD VALUE	1.1	0.7	1.2	1.9	1.7	2.6	1.8	3.2	1.7	1.6	1.6	1.4	0.9
C.V. (%)	15.2	16.9	26.2	30.2	27.0	25.5	22.7	32.2	22.2	20.0	20.3	20.4	14.6

TABLE 2. (CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF ZOYSIAGRASS CULTIVARS
IN THE 2007 NATIONAL ZOYSIAGRASS TEST AT GAINESVILLE, FL 1/
2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	PERCENT	PERCENT	WINTER COLOR	BROWN	FALL	FALL	FALL	FALL	MOLE CRICKET
							COVER SPRING	COVER SUMMER		PATCH WARM TEMP.	COLOR SEPTEMBER	COLOR OCTOBER	COLOR NOVEMBER	COLOR DECEMBER	
DALZ 0701	7.3	6.3	8.3	6.0	4.7	8.3	73.3	90.0	5.3	6.3	6.3	7.7	7.0	5.7	5.7
L1F	7.0	6.0	8.0	5.7	5.0	7.3	73.3	93.3	7.0	7.7	5.0	7.3	7.3	7.3	7.3
SHADOWTURF	7.7	6.3	8.0	6.7	5.0	7.0	75.0	93.3	7.0	7.3	5.7	7.0	7.0	6.7	7.0
DALZ 0702	6.7	5.7	8.0	4.7	5.0	7.0	66.7	90.0	6.7	7.3	4.7	7.3	7.7	7.0	6.0
DALZ 0501	6.7	4.7	8.0	4.7	4.0	7.3	65.0	88.3	7.0	7.7	5.0	6.3	5.0	8.3	6.7
ZORRO	6.3	3.7	8.0	4.0	4.0	7.0	48.3	86.7	4.3	6.7	4.3	4.7	5.3	5.3	6.3
ZENITH	6.3	3.0	5.7	2.3	6.0	4.3	38.3	98.0	2.7	3.0	4.3	4.3	4.7	3.0	7.7
240	7.0	1.7	6.0	1.7	4.3	3.3	15.0	90.3	3.0	3.7	5.3	4.0	6.0	3.3	7.7
29-2	7.0	4.7	6.0	1.7	3.0	4.3	50.0	88.3	3.3	3.3	6.0	7.0	7.7	3.3	7.0
380-1	7.7	3.3	8.0	2.3	2.3	1.3	38.3	76.7	1.0	3.3	4.3	3.7	8.0	2.0	8.0
MEYER	6.7	2.0	6.0	2.0	3.0	3.7	25.0	90.0	2.7	3.0	4.3	2.3	5.0	2.3	8.0
LSD VALUE	1.1	1.1	0.6	1.7	2.0	1.9	11.0	12.4	1.6	1.6	5.1	2.6	1.7	1.5	1.8
C.V. (%)	7.7	16.1	5.5	27.9	24.9	21.0	13.6	6.6	21.8	18.5	34.5	26.1	15.0	19.1	12.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 3.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF ZOYSIAGRASS CULTIVARS
IN THE 2007 NATIONAL ZOYSIAGRASS TEST AT WEST LAFAYETTE, IN 1/
2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	PERCENT WINTER KILL	QUALITY RATINGS						MEAN
					MAY	JUN	JUL	AUG	SEP	OCT	
29-2	8.0	4.0	7.0	4.0	6.0	7.7	6.0	7.0	7.7	6.3	6.8
MEYER	7.3	3.3	7.0	1.7	6.7	7.3	7.3	7.0	6.7	5.7	6.8
ZENITH	7.0	4.0	5.3	2.7	6.7	7.7	5.7	6.7	7.3	6.7	6.8
240	8.0	2.7	6.0	22.3	5.3	6.3	6.0	5.7	6.7	5.7	5.9
ZORRO	7.7	1.0	9.0	80.7	2.0	2.0	3.0	3.0	4.0	2.7	2.8
380-1	8.7	1.3	8.3	83.0	2.3	2.0	2.7	3.0	2.7	2.7	2.6
DALZ 0701	6.0	1.0	5.0	97.3	1.0	2.0	2.0	2.0	3.0	2.0	2.0
DALZ 0501	.	1.0	.	99.0
DALZ 0702	.	1.0	.	99.0
L1F	.	1.0	.	99.0
SHADOWTURF	.	1.0	.	99.0
LSD VALUE	1.4	0.5	0.6	12.2	2.0	1.9	1.7	1.9	1.5	1.8	1.1
C.V. (%)	8.1	16.1	4.3	12.8	19.9	18.2	17.2	17.8	13.6	18.5	11.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 4.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF ZOYSIAGRASS CULTIVARS
IN THE 2007 NATIONAL ZOYSIAGRASS TEST AT MANHATTAN, KS 1/
2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	PERCENT COVER SPRING	FALL COLOR OCTOBER	QUALITY RATINGS				MEAN
						MAY	JUN	JUL	AUG	
380-1	8.0	2.0	9.0	65.0	5.3	4.3	7.0	8.7	8.7	7.2
DALZ 0701	7.3	.	9.0	26.7	7.0	2.7	8.0	8.0	8.3	6.8
ZORRO	7.0	1.0	9.0	38.3	6.7	4.0	6.7	8.0	8.3	6.8
MEYER	7.0	2.0	6.7	86.7	6.3	5.3	6.7	7.0	7.0	6.5
29-2	6.7	5.3	7.0	88.3	6.7	5.7	6.3	6.7	7.0	6.4
240	7.7	2.3	7.0	88.3	5.0	4.7	7.0	7.0	6.7	6.3
DALZ 0702	7.0	.	9.0	18.3	7.0	1.7	6.7	7.7	8.0	6.0
ZENITH	7.0	5.0	5.3	90.0	5.0	6.3	5.3	6.0	6.3	6.0
DALZ 0501	7.3	.	9.0	18.3	6.7	2.3	5.7	7.3	8.0	5.8
SHADOWTURF	7.0	.	9.0	3.0	6.7	1.0	4.0	5.3	7.0	4.3
L1F	.	.	.	0.0	.	1.0	1.0	1.0	1.0	1.0
LSD VALUE	0.8	1.0	0.4	18.9	1.1	1.5	1.2	1.2	1.1	0.7
C.V. (%)	5.3	19.3	3.1	25.5	9.8	26.4	12.6	11.2	10.5	8.2

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF ZOYSIAGRASS CULTIVARS
IN THE 2007 NATIONAL ZOYSIAGRASS TEST AT RALEIGH, NC 1/
2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SUMMER	WINTER COLOR	FALL	SEEDHEAD RATINGS	DOLLAR	DOLLAR	APR	MAY	QUALITY RATINGS					MEAN	
						COLOR NOVEMBER		SPOT JULY	SPOT OCTOBER			JUN	JUL	AUG	SEP	OCT		NOV
380-1	8.0	6.7	7.7	7.3	7.0	6.3	9.0	8.7	7.0	7.3	8.0	8.3	8.3	8.7	8.0	7.3	7.7	8.0
ZORRO	4.0	4.3	8.0	6.7	6.0	5.3	9.0	5.7	7.0	6.7	7.3	6.7	6.7	7.7	7.3	6.7	7.7	7.1
MEYER	6.3	6.0	7.0	6.7	8.7	3.3	6.0	9.0	8.0	6.3	6.3	7.0	7.7	7.7	7.0	6.7	7.0	7.0
DALZ 0702	5.0	5.0	8.0	6.3	4.7	7.7	9.0	4.0	5.0	6.3	7.0	6.0	6.0	6.7	6.7	7.0	7.7	6.7
DALZ 0501	6.0	2.3	8.3	6.7	4.7	7.3	9.0	6.3	7.3	4.3	4.7	7.0	7.0	7.0	8.0	7.7	7.3	6.6
29-2	6.7	5.3	5.7	5.7	7.7	4.0	4.3	9.0	7.3	5.3	5.7	6.7	6.3	7.0	7.0	5.7	6.0	6.2
240	7.0	6.0	5.7	5.7	7.7	3.3	3.7	9.0	7.3	4.7	5.3	7.0	6.3	7.0	7.0	5.7	5.3	6.0
DALZ 0701	4.0	5.0	8.0	5.7	4.0	7.7	9.0	3.7	4.7	5.3	6.0	4.7	5.0	6.7	6.7	6.0	7.0	5.9
ZENITH	5.7	5.7	5.0	6.3	8.3	2.3	6.7	9.0	7.3	5.0	5.7	6.7	6.0	5.7	5.7	6.0	5.7	5.8
SHADOWTURF	5.0	2.7	8.7	5.7	4.3	5.7	9.0	6.0	7.3	4.7	4.7	5.7	6.0	6.0	6.7	6.0	5.7	5.7
L1F	4.3	3.3	8.7	5.7	4.3	6.0	9.0	5.0	7.0	4.0	4.0	5.3	6.0	6.7	6.3	5.7	5.7	5.5
LSD VALUE	1.0	1.0	0.6	2.7	1.2	0.7	0.5	1.3	1.6	1.3	1.2	1.3	1.3	1.3	1.0	1.7	1.3	0.8
C.V. (%)	10.8	13.3	5.1	16.3	12.8	8.9	3.9	12.2	13.1	14.1	12.4	11.4	11.0	10.2	7.9	12.9	11.2	7.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 6.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF ZOYSIAGRASS CULTIVARS 1/
IN THE 2007 NATIONAL ZOYSIAGRASS TEST AT LAS CRUCES (SALINE STUDY), NM */
2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT COVER FALL	FALL COLOR SEPTEMBER	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	JUL	QUALITY RATINGS				MEAN
										AUG	SEP	OCT		
SHADOWTURF	8.3	3.3	80.3	99.0	99.0	7.7	5.7	1.7	7.7	8.3	8.0	7.7	7.9	
L1F	8.3	3.0	78.7	98.7	99.0	8.0	7.0	2.3	7.0	8.0	8.0	7.3	7.6	
DALZ 0701	7.7	3.3	79.0	84.7	92.7	7.0	6.0	3.0	6.3	7.0	6.7	6.3	6.6	
DALZ 0501	6.3	2.0	51.3	63.3	91.3	7.0	6.7	2.7	5.3	6.3	6.7	6.0	6.1	
380-1	7.7	3.7	66.0	86.3	80.0	7.3	5.7	2.0	5.3	6.7	5.7	5.7	5.8	
DALZ 0702	6.7	2.7	60.0	88.0	96.0	7.0	6.0	2.0	6.0	6.0	5.3	5.7	5.8	
ZORRO	5.0	1.3	19.3	25.7	46.3	4.7	4.3	2.0	4.3	5.0	4.7	5.0	4.8	
240	5.7	2.0	29.7	30.0	21.7	3.7	3.3	1.3	4.3	4.3	4.0	3.7	4.1	
29-2	4.7	2.3	28.0	23.0	22.0	3.7	3.3	2.0	3.7	4.0	3.7	3.3	3.7	
ZENITH	4.3	1.3	18.0	19.7	21.3	3.3	2.7	1.7	3.3	3.3	3.3	3.0	3.3	
MEYER	4.7	1.7	7.0	14.3	15.0	2.7	2.3	1.3	2.0	2.3	2.3	3.0	2.4	
LSD VALUE	0.7	0.8	27.2	19.9	22.2	1.3	1.3	0.8	1.5	1.3	1.2	1.3	1.1	
C.V. (%)	7.1	19.3	35.1	22.1	22.7	14.6	17.2	21.8	18.6	15.2	14.5	15.6	12.8	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

*/ THE FOLLOWING IS INFORMATION ON SALINITY AT THIS SITE:

WATER QUALITY: PH 7.9, TOTAL DISSOLVED SOLIDS 1800, SAR 2.06

SOIL QUALITY (MEASURED IN JUNE, NOV.; 0-4 INCH DEPTH): PH 7.5, 7.8; EC 4.5, 2.67; SAR 4.11, 1.97

SOIL QUALITY (MEASURED IN JUNE, NOV.; 4-8 INCH DEPTH): PH 7.6, 8.0; EC 1.73, 1.42; SAR 3.3, 1.49

TABLE 7.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF ZOYSIAGRASS CULTIVARS
IN THE 2007 NATIONAL ZOYSIAGRASS TEST AT DALLAS, TX 1/
2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	FALL COLOR	FALL COLOR	QUALITY RATINGS												MEAN
							NOVEMBER	DECEMBER	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
ZORRO	7.7	7.0	6.7	6.7	9.0	9.0	6.7	6.7	6.0	5.0	6.3	5.7	7.0	7.0	7.7	8.0	7.0	8.0	7.3	7.3	6.9
DALZ 0702	7.3	5.3	7.0	7.0	9.0	9.0	7.0	7.0	6.0	5.0	5.7	6.0	7.0	6.7	8.0	7.3	7.0	7.7	6.7	7.0	6.7
DALZ 0701	8.0	5.7	7.0	6.7	8.7	9.0	7.0	7.0	6.0	5.0	6.3	6.0	7.0	7.0	7.0	6.7	7.0	7.3	7.3	7.0	6.6
DALZ 0501	6.7	6.3	7.3	6.3	9.0	9.0	7.3	7.3	6.0	5.0	6.7	5.0	6.7	6.0	7.0	7.0	6.7	7.0	7.7	7.0	6.5
L1F	7.7	5.7	7.3	5.7	9.0	9.0	7.3	7.3	5.7	4.7	6.3	5.0	6.3	6.0	7.0	7.0	7.0	7.3	8.0	7.0	6.4
380-1	9.0	8.0	6.3	8.0	8.3	9.0	6.3	6.3	4.3	3.3	6.0	7.0	7.0	7.3	7.3	7.3	6.3	7.7	6.7	5.3	6.3
SHADOWTURF	7.3	5.0	6.3	5.7	8.7	9.0	6.3	6.3	5.0	4.3	5.3	5.3	6.3	6.3	7.0	7.3	6.7	7.3	7.7	7.0	6.3
240	6.3	6.3	5.7	6.0	6.7	7.7	5.7	5.7	4.3	3.3	5.3	5.7	5.7	5.3	6.0	6.0	5.0	5.7	5.7	5.0	5.3
29-2	8.0	5.0	5.3	6.0	7.0	9.0	5.3	5.3	3.7	2.3	5.0	4.7	4.7	5.0	6.0	6.0	5.3	6.0	5.7	4.3	4.9
MEYER	7.3	5.7	5.7	5.7	6.0	7.3	5.7	5.7	4.0	2.3	5.3	5.0	4.7	4.3	5.7	5.3	4.7	5.3	5.0	4.3	4.7
ZENITH	5.7	5.7	5.0	6.0	6.7	8.3	5.0	5.0	4.0	2.3	5.0	5.0	4.3	4.0	5.7	5.7	5.0	5.7	5.7	4.0	4.7
LSD VALUE	2.2	2.4	0.9	3.6	1.6	1.3	0.9	0.9	0.9	1.1	1.4	3.1	1.9	2.1	1.8	1.3	1.2	1.0	0.9	1.0	0.9
C.V. (%)	14.3	18.6	8.8	20.8	11.5	7.5	8.8	8.8	10.9	17.1	11.8	21.5	16.3	18.2	12.8	10.6	11.3	8.8	8.4	10.6	9.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.